

Heat Capacity of Liquids: Critical Review and Recommended Values. Supplement I

Cite as: Journal of Physical and Chemical Reference Data **30**, 1199 (2001); <https://doi.org/10.1063/1.1407866>

Submitted: 20 February 2001 . Published Online: 10 January 2002

Milan Zábanský, Vlastimil Růžička, and Eugene S. Domalski



View Online



Export Citation

ARTICLES YOU MAY BE INTERESTED IN

[Heat Capacity of Liquids: Critical Review and Recommended Values. Supplement II](#)
Journal of Physical and Chemical Reference Data **39**, 013103 (2010); <https://doi.org/10.1063/1.3182831>

[Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume III](#)
Journal of Physical and Chemical Reference Data **25**, 1 (1996); <https://doi.org/10.1063/1.555985>

[Estimation of the Heat Capacities of Organic Liquids as a Function of Temperature using Group Additivity. II. Compounds of Carbon, Hydrogen, Halogens, Nitrogen, Oxygen, and Sulfur](#)
Journal of Physical and Chemical Reference Data **22**, 619 (1993); <https://doi.org/10.1063/1.555924>



Journal of Physical and
Chemical Reference Data

SPECIAL TOPIC:
Solubility Reference Data Collection

READ TODAY!

Heat Capacity of Liquids: Critical Review and Recommended Values. Supplement I

Milan Záborský, Vlastimil Růžička, Jr.,^{a)} and Eugene S. Domalski^{b)}

Department of Physical Chemistry, Institute of Chemical Technology, 166 28 Prague 6, Czech Republic

(Received 20 February 2001; revised manuscript received 30 July 2001)

A study was carried out in which new experimental data on heat capacities of pure liquid organic and some inorganic compounds were compiled, critically evaluated, and recommended values provided. Compounds included in the compilation have a melting point below 573 K. The bulk of the compiled data covers data published in the primary literature between 1993 and 1999 and some data of 2000. However, some data from older sources were also included. The data were taken from almost 1030 literature references. Parameters of correlating equations for temperature dependence of heat capacities of liquids were developed. This paper is an update of a two volume monograph entitled *Heat Capacity of Liquids: Critical Review and Recommended Values* (96ZAB/RUZ) that was published in 1996 in the Journal of Physical and Chemical Reference Data as Monograph No. 6 and was the product of the IUPAC Project No. 121/11/87. © 2002 by the U.S. Secretary of Commerce on behalf of the United States. All rights reserved.

Key words: bibliography; correlating equations; critically evaluated data; heat capacity; liquids.

Contents

1. Introduction.	1199
1.1. Definitions, Basic Relationships.	1200
2. Calorimetric Techniques for Determining Heat Capacities of Liquids.	1201
2.1. Terminology and Criteria for Classification of Calorimeters.	1201
3. Methodology of Data Treatment; Establishment of Recommended Data.	1207
3.1. Data Base of Raw Values.	1207
3.2. Evaluation and Selection Process.	1208
3.3. Temperature Correlation and Establishment of Recommended Values.	1209
3.3.1. Representation of Data by Polynomial(s).	1209
3.3.2. Representation of Data by a Quasipolynomial Equation.	1209
3.3.3. Types of Heat Capacities Presented.	1210
4. Guide to Tables.	1210
4.1. Division of Compounds into Groups.	1210
4.2. Tables and Deviation Plot.	1211
4.2.1. Experimental Heat Capacities.	1211
4.2.2. Correlated Heat Capacities.	1212
4.2.3. Parameters of Polynomials.	1212
4.2.4. Parameters of the Quasipolynomial Equation.	1213
4.2.5. Deviation Plots.	1213
5. Acknowledgments.	1213

6. References.	1213
7. Formula Index of Compounds.	1232

List of Tables

1. Criteria codes used for classification of calorimeters.	1202
2. Types of calorimeters used for determining heat capacities of pure liquids.	1202
3. Survey of calorimeters for determining heat capacity of liquids referred to in this work.	1203
4. Division of compounds into groups.	1210

In the tabular part of the paper, a review of all primary sources of data, and results of correlation are summarized for each compound separately in one to four tables. Each table is coded with three numbers. More information is given in Sec. 4.2. The tabular information starts on page 104.

1. Introduction

Heat capacities belong among the basic thermophysical and thermodynamic properties which characterize a liquid. They are directly linked with temperature derivatives of basic thermodynamic functions and are therefore indispensable for the calculation of differences in these functions between different temperatures. This information is widely used in chemical engineering for establishing energy balances, in thermodynamics for obtaining entropy and enthalpy values, and in thermochemistry for calculating changes in reaction enthalpies with temperature. A knowledge of heat capacities

^{a)}Electronic mail: vlastimil.ruzicka@vscht.cz

^{b)}Also at National Institute of Standards and Technology, Gaithersburg, Maryland 20899.

© 2002 by the U.S. Secretary of Commerce on behalf of the United States. All rights reserved.

is also required for evaluating the effect of temperature on phase and reaction equilibria. Variations in heat capacities serve as a sensitive indicator of phase transitions and are an important tool for understanding changes in the structure of liquid solutions.

Since 1993 when compilation of data published in Monograph No. 6 (96ZAB/RUZ) was ended a considerable amount of new data appeared in literature. In addition, some data published before 1993 that were omitted from Monograph No. 6 were found. First the new data entail heat capacities for about 350 compounds not included in Monograph No. 6. Second, new data that either extend the temperature range of recommended data for compounds already presented in Monograph No. 6 or improve the overall uncertainty of the recommended data by supplying new data that have a lower error of measurement were added for more than 320 compounds. Third, references to new data for about 50 compounds are presented in the form of a review of primary sources only as the data for such compounds do not extend or improve the previously developed recommended data.

The objectives of the present study were as follows:

- (1) To provide an exhaustive survey of the literature for all isobaric and saturation heat capacities for pure organic and inorganic compounds in the liquid state which were published in the primary literature mainly between 1993 and 1999 and some data of 2000. The starting date, 1993, denotes the year when the compilation of data presented in Monograph No. 6 was ended.
- (2) To compile newly published heat capacities supplemented by data omitted in the previous stage of a project that ended in 1993 and appeared in Monograph No. 6. To extend a computer readable database of raw experimental data established in the previous project. Only data for well-defined compounds in the isotropic liquid state, obtained by calorimetric measurements were considered. The criterion for inclusion of a compound in the compilation required the compound to have a melting point below 573 K. A large number of organic compounds exhibit signs of decomposition at temperatures above 573 K. This choice of limiting a compound to having a melting point below 573 K offers the assurance that almost all stable organic compounds are covered. In addition, it also excluded almost all metals and a large number of inorganic compounds [and has kept the focus of this work primarily on organic compounds].
- (3) To critically evaluate heat capacity data and prepare sets of selected data.
- (4) To correlate selected data and provide recommended values for the heat capacities of liquid compounds as a function of temperature. The recommended data are presented in terms of parameters of suitable correlating equations accompanied with an assessment of the data uncertainty.

An annotated bibliography is given in Sec. 4 of Monograph No. 6 (96ZAB/RUZ) which lists compilations containing reported values for the heat capacities of organic and some inorganic compounds from 1897 through 1991. Over the period from 1991 through 2000, only one large compilation by Palczewska-Tulińska *et al.* (97PAL/WYR) was published which contains data on the heat capacity of organic compounds in the condensed phase. Palczewska-Tulinska *et al.* selected 610 sets of experimental data for 480 compounds which were obtained from 350 literature sources. From this selection, the authors usually chose one or two sets of experimental data which they considered the most reliable. Their compilation did not reveal any further critical assessment of the data.

In this paper we utilized some paragraphs from the textual part of Monograph No. 6 (96ZAB/RUZ) which are necessary for describing the compilation, critical assessment, and correlation of data as well as for understanding the tables. The text was updated where needed and/or new information was added.

1.1. Definitions, Basic Relationships

Heat capacity C is defined by the differential equation

$$C = (\partial Q / \partial T)_x, \quad (1)$$

where Q indicates the amount of heat exchanged between the system studied and the surroundings when the temperature T changes under conditions specified by x . These conditions have to be specified as the heat, Q , is not a state function or quantity, and C varies according to different paths along which Q is exchanged. The corresponding intensive quantities are related to the unit amount of mass—*specific* heat capacity c , or to one mole—*molar* heat capacity C_m . Sometimes, heat capacities are also denoted as *thermal coefficients*.

Several different temperature gradients of thermodynamic functions are encountered in the literature:

the *isochoric heat capacity* or *heat capacity at constant volume*

$$C_V = T(\partial S / \partial T)_V = (\partial U / \partial T)_V = -T(\partial^2 A / \partial T^2)_V \quad (2)$$

the *isobaric heat capacity* or *heat capacity at constant pressure*

$$C_p = T(\partial S / \partial T)_p = (\partial H / \partial T)_p = -T(\partial^2 G / \partial T^2)_p \quad (3)$$

the *saturation heat capacity*

$$C_{\text{sat}} = T(\partial S / \partial T)_{\text{sat}}. \quad (4)$$

The thermodynamic functions U , H , S , A , and G are internal energy, enthalpy, entropy, Helmholtz function, and Gibbs function, respectively. The subscript, *sat*, denotes derivatives along the *saturation (orthobaric) curve*. For simplification of the notation, we use throughout this paper the symbols C_p , C_V , and C_{sat} ; they are also used for denoting molar heat capacities (omitting subscript *m*).

Using well known thermodynamic relationships, one can derive conversion equations between the individual heat ca-

capacities. Among them, the most important for the present study is the relationship between the isobaric and saturation heat capacity

$$C_p - C_{\text{sat}} = T \frac{(\partial V / \partial T)_p}{(\partial p / \partial T)_{\text{sat}}}. \quad (5)$$

For liquids, it is not necessary to make any clear distinction [between C_p at the saturation curve and C_{sat}] below about $0.9 T_b$, where T_b is the normal boiling temperature, as the differences are less than the uncertainty obtainable in high precision measurements.

There are two principal methods for the determination of the heat capacities of liquids. The first method is an *indirect* approach and consists in the calculation from the other properties which are available experimentally. The second method consists of *direct* determination by a calorimetric measurement. In most calorimetric measurements, a sample under investigation is heated or cooled and the quantity measured is the amount of exchanged heat corresponding to a finite temperature change. The *true* heat capacity is, however, a differential quantity and the experimental value obtained as the ratio of heat and temperature increment cannot be automatically considered as C in Eq. (1). It is rather the *average* heat capacity, C_{avg} , defined as the amount of heat necessary to change the temperature of a system by 1 K. The average heat capacity is expressed by:

$$C_{\text{avg}} = \frac{Q}{T_2 - T_1} \quad (6)$$

in an interval defined by the temperatures T_1 and T_2 . This value is related to the average temperature, $T_{\text{avg}} = (T_1 + T_2)/2$. The relationship between C and C_{avg} is obtained by introduction of the integrated Eq. (1) into Eq. (6):

$$C_{\text{avg}} = \frac{1}{T_2 - T_1} \int_{T_1}^{T_2} C \, dT. \quad (7)$$

The heat capacity of a liquid always changes with temperature and C and C_{avg} are identical at T_{avg} only when heat capacity is a linear function of temperature. The two quantities approach each other when the temperature interval over which the average heat capacity is determined converges and they are equal to each other in the limit:

$$C = \lim_{T_1 \rightarrow T_2} C_{\text{avg}}. \quad (8)$$

We find that the heat capacity of most liquids changes moderately with temperature without a strong curvature (except in the region of high vapor pressures) and the true heat capacity agrees in most cases with the experimental value within the error of measurement provided the temperature interval is not too large (intervals up to 10 K are usually acceptable). Sometimes it is preferable to proceed with a wider temperature increment in order to reduce the time of experiments.

When the $C = C(T)$ function is nonlinear and the temperature steps are too large, it is possible to apply a *curvature correction*. Three methods have been described by McCullough and Scott (68MCC/SCO) and were briefly summarized in Zábanský *et al.* (96ZAB/RUZ).

2. Calorimetric Techniques for Determining Heat Capacities of Liquids

Calorimetry is the most frequently used method for determining heat capacities of compounds in the condensed state. Several publications describe heat capacity calorimeters and attempt to introduce some system of classification. A concise description of some selected publications was given in Zábanský *et al.* (96ZAB/RUZ). There are three recent publications dealing with calorimetry:

(1) Hemminger and Höhne presented in their first textbook (84HEM/HOH) an outline of fundamentals of calorimetry, an overview of calorimeters and a treatment of measured data. They also suggested and used in their book a classification of calorimeters.

(2) The textbook by Höhne *et al.* (96HOH/HEM) is devoted solely to a single technique, differential scanning calorimetry. Both textbooks (84HEM/HOH, 96HOH/HEM) deal with measurement of several quantities which include heat capacity.

(3) Marsh and O'Hare (94MAR/OHA) edited a book providing a comprehensive summary of the technique of solution calorimetry. A chapter in the book reviews experimental techniques for measurement of heat capacities of liquids with emphasis on modern techniques developed after 1950. Experimental techniques are divided into two main groups, static and dynamic, and a representative survey of calorimeters is presented.

2.1. Terminology and Criteria for Classification of Calorimeters

There is no officially established nomenclature for describing different types of calorimeters. An attempt was made by Rouquerol and Zielenkiewicz (86ROU/ZIE) to introduce a classification of calorimeters based on heat exchange considerations, paying special attention to the dynamic behavior of calorimeters. Another approach was suggested by Hemminger and Höhne (84HEM/HOH) based on three criteria: measuring principle, mode of operation, and construction principle.

A somewhat different terminology was proposed by Zábanský *et al.* (96ZAB/RUZ) and is used here for classifying calorimeters. Some basic ideas of this classification are described in this section.

Heat capacity calorimeters can be classified according to four criteria:

- (1) *motion of the sample inside the instrument* (batch, flow, and drop calorimeters);
- (2) *mode of measurement* (stationary or dynamic conditions);
- (3) *temperature relationship between the calorimeter vessel and its surroundings—mode of heat transfer* (adiabatic, isoperibol, isothermal, and conduction calorimeters); and
- (4) *number of calorimeter vessels* (single vessel and twin vessel calorimeters).

Table 1. Criteria codes used for classification of calorimeters

Motion of sample 1	Mode of measurement 2		Temperature relation of vessel to surroundings 3		Number of vessels 4		
batch	B	stationary	S	adiabatic	A	one vessel	O
flow	F	dynamic	D	isoperibol	I	two vessels	T
drop	D			isothermal	T		
				conduction	H		
				thermopile conduction	C		

Table 1 lists individual criteria with the codes used for characterizing calorimeters in Tables 2 and 3 and in tables with experimental values. It should be kept in mind that the codes serve as a concise categorization of instruments. The adopted system of classification does not pretend to be exhaustive.

Table 2. Types of calorimeters used for determining heat capacities of pure liquids

Type of calorimeter	Classification			
	1	2	3	4
Adiabatic batch calorimeters with intermittent heating	B	S	A	O
Adiabatic batch calorimeters with continuous heating	B	D	A	O
Isoperibol batch calorimeters	B	S	I	O/T
Isoperibol flow calorimeters	F	S	I	O/T
Isoperibol drop calorimeters	D	S	I	O
Adiabatic drop calorimeters	D	S	A	O
Isothermal drop (phase change) calorimeters	D	S	T	O
Thermopile conduction drop calorimeters	D	D	C	T
Measurement of heating and/or cooling curves	B	D	H	O
Differential heat conduction calorimeters (TA,DTA,DSC)	B	D	H	T
Differential thermopile conduction calorimeters	B	D	C	T
Special dynamic methods using pulse technique	B	D	H	O

Two types of calorimeters, “adiabatic drop calorimeters” and “special dynamic methods using pulse technique” are not listed in Table 3 as none of the authors cited in this work used them. Nevertheless, they were included in order to make the list of types of calorimeters complete.

TABLE 3. Survey of calorimeters for determining heat capacity of liquids referred to in this work

Reference	Temp. range	Meas. error	Note
Adiabatic batch calorimeters with intermittent heating			
20COH/MOE	room	medium	
24WIL/DAN	300–360 K	medium	
30SOU/AND	low	0.5%	
33SOU/BRI	low	high	
35AOY/KAN	low	medium	
38EUC/SCH	low	medium	
39AST/EID1	low	high	
39SAG/EVA	300–370 K	2.0%	high pressure, also for heat of vaporization
41YOS/GAR	low	0.2%	
43RUE/HUF	low	0.1%	
44BAI/TOD	80–340 K	1.0%	
45SCO/MEY	low	0.1%	
47HUF	low	0.1%	detailed description of improvements in calorimeter, 43RUE/HUF
47OSB/GIN	medium	0.1%	also for heat of vaporization
47SKU	room	0.3%	
49STA/GUP	low	medium	
50SAG/HOU	medium and high	1.0%	high pressure (up to 6.9 MPa)
51EUC/EIG	medium	medium	
53WES/HAT	250–550 K	0.15%	
54STR/ICK	low	0.3%	
55PAC/PIE	low	0.1%	also for heat of adsorption
55STA/TUP	283–373 K	1.0%	
56COO/BAL	room	high	also for heat of solution
56POP/KOL	60–300 K	0.5%	
58HIL/KRA	low	0.3%	
58JAR/FRI	226–360 K	medium	high pressure (up to 6 MPa)
58WES/GIN	303–773 K	0.1%	
59ONK	293–373 K	high	
61GOO	low	high	high pressure
61ROU	283–323 K	medium	
62KOL/SER	12–340 K	0.5%	
63AND/COU1	low	high	
64ARN1	293–453 K	0.3%	
64GRE/WHI	low	medium	
65STE/BLA	10–360 K	0.1%	
65SUG/SEK	15–310 K	0.3%	
66DWO/GUI	low	2.0%	
66KLE	293–343 K	high	
66NIK/LEB	60–300 K	0.3%	
66SHI/ATA	low	high	
67RAS/GAN	298–473 K	0.5%	
68BAG/KUC	2–300 K	1.0%	measurement error: 4% at 2.6 K, 2% at 4 K, 1% at higher temperatures
68CLE/MEL	80–320 K	high	
68LEA	298–773 K	high	measurement error 0.1% and 0.2% below and above 673 K, respectively
68REC1	room	medium	
68WES/FUR	low	high	
68WES/WES	300–800 K	high	
69PAU/LAV2	low	high	
71GOP/GAM	303–343 K	1.0%	
72VAN	123–373 K	high	
74ATA/CHI	2–300 K	high	
74DIA/REN	medium	0.3%	
74MOS/MOU	273–346 K	low	
75VYU/ZVE	medium	high	
76DWO/FIG	low	medium	
76LEB/LIT	5–340 K	0.3%	measurement error: 3–5% below 20 K, 0.5%–1% between 20 and 60 K, 0.15%–0.3% above 60 K
76MOU/WEI	12–300 K	1.0%	
77KU/COM	low	1.0%	
77NAZ/MUS	293–620 K	1.5%	high pressure (up to 50 MPa)
77VOR/PRI	room	high	

TABLE 3. Survey of calorimeters for determining heat capacity of liquids referred to in this work—Continued

Reference	Temp. range	Meas. error	Note
78ZHU/ATR	medium	medium	commercial instrument made by VNIIFTRI (Khabarovsk)
79SCH/OFF	90–350 K	high	
79VES/ZAB	293–318 K	0.5%	
80GUR/GAV	5–300 K	0.2%	measurement error: 1.5% below 12 K, 0.5% between 12 and 30 K and 0.2% above 30 K
80KAL/JED	90–300 K	0.1%	
80SHA/LYU	15–330 K	0.5%	
80VAS/TRE	313–623 K	low	
82KAR/IGA	medium	0.5%	
82MOR/MAT	14–350 K	high	
83KUK/KOR	263–353 K	0.2%	
83TAN/ZHO	medium	high	
83YOS/SOR1	15–390 K	0.2%	
84OGA/KOB	13–300 K	high	microcalorimeter; measurement error: 1% at 20 K, 0.1% at 70 K and 0.3% above 70 K
84POD/RAC	medium	medium	
85BOU/DEL	medium and high	medium	
85RAB/SHE	low	0.3%	measurement error: 1.8% below 10 K, 0.8% between 10 and 25 K, 0.3% above 30 K
87VAN/VAN	10–350 K	0.2%	
87VAN/WHI	30–380 K	0.5%	
87YAM/OGU	12–370 K	0.3%	high pressure (up to 250 MPa)
87ZAB/HYN	290–373 K	0.5%	
88STE/ARC	low and medium	0.1%	modification of the calorimeter originally described by 43RUE/HUF and 47HUF
90MAY/RAC	low and medium	medium	
91KIS/PIN	5–300 K	medium	calorimeter with simultaneously measurement of electric polarization
91SVO/ZAB1	293–353 K	0.3%	also for heat of vaporization
93DIK/KAB	5–305 K	0.4%	commercial instrument TAU-1 made by VNIFTRI (Moscow); the error at helium temperature is 2% at decreased to 0.4% at 40 K
93FUJ/OGU1	2–400 K	0.2%	inaccuracy to be within 0.3% and 0.2% below and above 35 K, respectively
94TEL/SHE	7–300 K	0.3%	measurement error 3% below 20 K, 0.8% between 20 and 30 K and 0.3% at higher temperatures
95TAN/SUN	60–350 K	0.5%	
97VAR/DRU1	5–350 K	0.2%	instrument made by VNIIFTRI (Mendeleevo)
98VAN/VAN	5–400 K	0.2%	
Adiabatic batch calorimeters with continuous heating			
31DEE	low	medium	
51POP/GAL	300–1000 K	medium	
64VAS2	203–423 K	0.5%	
65FIN/GRU	room	0.4%	
71MUS	293–773 K	2.5%	high pressure (up to 50 MPa)
75RAS/GRI	medium and high	1.0%	high pressure
87OKH/RAZ	medium	0.3%	
Isoperibol batch calorimeters			
07BAT	low	low	
07MCI	low and medium	low	
09SCH	medium	low	
12SCH1	medium	low	
13CAM	medium	low	
18OSB/VAN	233–313 K	0.4%	aneroid calorimeter
19DEJ	medium	low	
20GIB/LAT	low and medium	low	
23SIM/LAN	low	medium	
24EUC/KAR	low	0.6%	
25DRU/WEI	room	low	
25PAR	low	0.5%	
26DAN/JEN	low	2.0%	
28EUC/HAU	low	low	
28GIA/WIE1	low	0.2%	
28LAT/GRE	low	medium	

TABLE 3. Survey of calorimeters for determining heat capacity of liquids referred to in this work—Continued

Reference	Temp. range	Meas. error	Note
29KEL1	low	medium	
29MIT/HAR1	low	medium	
30WIE/HUB	low	medium	
31BLA/LEI	medium and high	3.0%	
31FIO/GIN	medium and high	high	also for heat of vaporization
31FOR/BRU	medium and high	low	
32NEU	medium	medium	
33LEB/MOE	room	medium	
33POH/MEH	medium	low	
34KOL/UDO	room	low	
34LON/REY	300–560 K	low	
36AST/MES	low	medium	
36CLU/GOL	low	medium	
36PEA/BAK	low	medium	
37ELL	medium	medium	
37GIA/EGA	low	high	measurement error: 3% at 15 K, 1% at 20 K, 0.2% above 35 K
37VOL	room	low	
38HIC	low	0.3%	
39BYK	298–305 K	low	
39MAZ3	low and medium	low	
39RIE3	low	1.0%	
40BEN/MCH	medium	low	
48TSC1	room	low	also for heat of mixing
49TSC/RIC1	room	medium	also for heat of mixing
49WEI	room	low	
52STA/AMI	medium	low	also for heat of vaporization
55HUT/MAN	297–299 K	medium	
55RUI1	room	medium	also for heat of mixing
55TAY/JOH	low	0.3%	
57CRU/JOS	medium	2.0%	
57HAR/MOE	medium	0.5%	
57KEN	medium	1.0%	also for heat of mixing
58MUR/VAN	room	2.35%	
61EGA/LUF	room	medium	
62KAT	medium	medium	
64MOE/THO	293–313 K	low	
64RAS/BAS	medium	1.5%	
66DRA/LAN	room	medium	
67GRA	303–338 K	1.0%	
69TOM/LIN	room	low	
70LKB/COM	278–333 K	medium	
70REC	room	medium	
75PED/KAY	medium	1.0%	
76BON/CER	room	medium	
78RYB/EME	medium	low	
79CZA	room	low	high pressure (up to 1000 MPa)
80FUC	293–300 K	0.5%	
83MEY/MEY	medium	medium	
88ROD/MAR	room	medium	commercial instrument Tronac model 458
93NAN/BHA	medium	low	
99ZIJ/WIT	room	low	
Isoperibol flow calorimeters			
59HAN/HUG	273–495 K	medium	heat exchanger (cooling water); high pressure (up to 4 MPa)
59RIB/EGO	293–573 K	medium	high pressure (up to 25 MPa)
65KAU/BIT	293–350 K	1.0%	
71PIC/LED	room	medium	
75SAF/GER	medium and high	0.6%	high pressure (up to 50 MPa)
75SAN	293–573 K	0.6%	high pressure (up to 5 MPa)
83GOR/SIM	medium	medium	
85OGA/MUR	room	0.1%	
87LAN/CRI	high	medium	high pressure (up to 20 MPa)
88CON/GIA	medium	medium	constructed according to Picker instrument (71PIC/LED)

TABLE 3. Survey of calorimeters for determining heat capacity of liquids referred to in this work—Continued

Reference	Temp. range	Meas. error	Note
99BUR/ZOC	258–373 K	2.0%	multipurpose apparatus for excess enthalpy, heat capacity, density, kinematic viscosity and thermal conductivity
Isoperibol drop calorimeters			
*79BER	medium	low	
*81VON	medium	medium	
*86LUD	medium	low	
*86SCH	medium	medium	
*94BRU	293–370 K	low	
*98LOU	medium	medium	
01KAH	medium	low	
03CON/WHI	medium	low	
07WAL	room	low	pure solid metal dropped into liquid sample
08BOG/WIN	medium	low	
11LEW/RAN	293–663 K	low	
12LUS	medium	low	
18NAR	medium	low	
20MAA/HAT	90–298 K	2.0%	
22HER/SCH	room	low	
24GAR/RAN	medium	low	
26AND/LYN	low and medium	low	
33ROT/MEY2	273–628 K	medium	
36KUR/VOS	room	low	
45DAV/WIE	medium	low	
47KUR	medium	low	estimated measurement error about 5%
47PUS/FED	room	low	
56WAL/GRA	high	medium	
58SWI/ZIE1	medium	low	
64CAM/NAG	medium and high	medium	
71MAR/CIO	300–1300 K	low	
Isothermal drop (phase change) calorimeters			
16BRA	medium	0.4%	Bunsen ice calorimeter
50GIN/DOU	273–1173 K	0.35%	Bunsen ice calorimeter
Thermopile conduction drop calorimeters			
71KON/SUU	273–343 K	0.1%	
74SUU/WAD	273–343 K	high	
Measurement of heating and/or cooling curve			
*90PIC	medium	low	
31THO/PAR	293–773 K	low	
33FER/MIL	293–323 K	1.0%	
33STR/MAL	medium	low	
37STU	90–320 K	1.0%	
49WUY/JUN	medium	medium	
50KUS/CRO	medium	1.5%	dielectric constant measured simultaneously
58LUT/PAN	323–380 K	0.7%	
59ABA/MUS	room	low	
81ATA/ELS	room	low	
82CHE/GE	medium	3.0%	thermal conductivity and heat of fusion measured simultaneously
84FIL/LAU	medium	2.0%	
86NAZ/BAS1	303–523 K	2.0%	high pressure (up to 50 MPa)
Differential heat conduction calorimeters (TA,DTA,DSC)			
31SWI/Ryb2	room	0.5%	
59BEN/THO	room	low	
63GUD/CAM	medium	low	
66PER/COM	340–510 K	1.0%	
69PER/COM	medium and high	low	commercial calorimeter DSC-2; measurement error 1% above 200 K
69YAG	200–670 K	2.5%	commercial instrument denoted as ADKTTM; triple-heat bridge method
71DU/COM	room	low	
73PER/COM	medium and high	low	
76MET/COM	medium and high	5.0%	
79DU/COM	medium and high	low	

TABLE 3. Survey of calorimeters for determining heat capacity of liquids referred to in this work—Continued

Reference	Temp. range	Meas. error	Note
81ARU	medium and high	1.5%	high pressure (up to 60 MPa)
84GUS/MIR	303–523 K	2.0%	high pressure
87PER/COM	medium and high	1.5%	commercial instrument Shimadzu model DSC-50
89KNI/ARC	high	1.0%	commercial instrument Perkin-Elmer DSC-2
89PRA/RAJ	318–333 K	3.0%	
90JIN/WUN	180–750 K	1.0%	commercial instrument TA 2100 system; error between 180–370 K is 3%
92BAO/CAC	medium and high	low	commercial instrument TA 4000 Mettler
92HWA/DES	medium and high	low	commercial instrument Perkin-Elmer DSC-4
92KAB/KOZ	340–520 K	1.5%	triple-heat bridge method
93CON/GIR1	298–498 K	low	commercial instrument TA 2000 Mettler; used high pressure crucibles with a teflon membrane
93GIM/AUD	233–373 K	low	commercial instrument Mettler DSC30
93NGE/ABH	high	low	commercial instrument Perkin-Elmer with Du Pont TADS
94CHE/FER	medium and high	3.0%	commercial instrument Perkin-Elmer DSC-2C
94NAK/TAK	medium and high	low	commercial instrument Rigaku DSC 8240B
95DIO/MAN	medium and high	low	commercial instrument Perkin-Elmer DSC-7
95MOR/IDR1	medium and high	1.0%	commercial instrument Seiko heat-flux DSC 220 system
96KAB/BLO	310–660 K	2.0%	commercial instrument Du Pont TA 2000, model 910
98MUT/WIL	273–373 K	low	commercial instrument TA Instrument Modulated DSC-2910
98SAL/FER	medium	medium	modulated scanning calorimeter
99CHI/LIU	medium	low	commercial instrument TA instrument DSC-2010 and TA controller
99MO/YAN	medium	low	commercial instrument Perkin-Elmer PYRIS I
Differential thermopile conduction calorimeters			
68WAD	medium	medium	commercial instrument LKB-8700; for heat of mixing
70PAZ/PAZ	medium	medium	modified commercial SETARAM microcalorimeter
74PET/TER	298–475 K	1.0%	
76CON/GIA	medium	medium	
78BYV/JAS	medium	2.0%	
82ZAR	medium	medium	
83ROU/ROU	278–368 K	high	modified commercial SETARAM microcalorimeter DSC
86MER/BEN	150–1100 K	medium	commercial instrument SETARAM DSC 111
89BRE/LIC	170–370 K	2.0%	commercial SETARAM microcalorimeter DSC 111G
91BAN/GAR	298–573 K	medium	commercial instrument SETARAM model C-80
92FIL/AFA	283–353 K	medium	
00BEC/AUF	77–473 K	0.3%	commercial SETARAM calorimeter (model BT2.15)

3. Methodology of Data Treatment; Establishment of Recommended Data

3.1. Data Base of Raw Values

The experimental values extracted from the literature together with auxiliary data were stored in the database of raw experimental values. The database is a merged entity containing both the data compiled in a previous project leading to Monograph No. 6 (96ZAB/RUZ) and the newly compiled data covers 1984 compounds and consists of 4244 data sets (set of experimental values from one calorimeter reported by an author for one compound in one original source). Only the parameters for smoothing equations are available for 310 data sets (no discrete data points were reported in these sources). The data sets of discrete values contain 34 583 raw data points. The auxiliary data comprise information on the quality of experimental values, sample purity, and its determination, the nature of the experimental procedure (calorimetric technique and type of resulting heat capacity), and units used in the original source. This information was used

later as a guide in the selection of data sets for the final correlation. Most auxiliary data are summarized for individual compounds in tables of experimental heat capacities.

According to the information in the literature sources, we distinguished three types of heat capacities in the data base of raw values: *isobaric heat capacity* C_p , *saturation heat capacity* C_{sat} , and the *average heat capacity* C_{avg} . These three quantities are defined by Eqs. (3), (4), and (6), respectively.

Below the normal boiling temperature, T_b , the measured isobaric heat capacity usually relates to atmospheric pressure though this is not frequently specified in the original source. C_p has limited dependence on pressure at low and moderate vapor pressures, and its effect can be neglected unless the pressure change is large. Below the normal boiling temperature no distinction was made between the literature C_p data relating to the saturation line, to atmospheric conditions, or to 101.325 kPa; these were considered as identical. Above the normal boiling temperature, the saturation heat capacities C_{sat} rather than C_p data are reported in the original literature.

3.2. Evaluation and Selection Process

All available sources were critically assessed. The important part of the selection process was the simultaneous correlation of all experimental data which served to test the consistency and helped to reveal systematic errors. The correlation was performed by the weighted least-squares method; the *minimized objective function* S had the form:

$$S = \sum_{i=1}^n \frac{(C_{sm} - C_{exp})^2}{\sigma^2 C_i}, \quad (9)$$

where the summation is over all the values included in the correlation and the subscripts "exp" and "sm" relate to experimental and smoothed values, respectively. The reciprocal of the *variance*, $\sigma^2 C$, is the *weighting factor*. It was estimated for each value on the basis of the assumed experimental error of the data set used in the correlation. The input information was the percentage error of the experimental data, $\sigma_r C$, as given by the author for the whole data set or estimated by the evaluator in cases where no information was available in the literature. Thus the variance of the i th data point was expressed as:

$$\sigma^2 C_i = \left(\frac{C_i \sigma_r C_i}{100} \right)^2. \quad (10)$$

The following criteria were observed in the selection process:

- (1) accuracy of the experimental technique claimed by the author,
- (2) performance history of the laboratory,
- (3) consistency of the data with the values from other sources (if available),
- (4) purity of the compound,
- (5) type of the calorimeter,
- (6) time of data origin (year of publication), and
- (7) scatter of the data.

Selection and correlation of data for each compound was carried out simultaneously and involved the following steps:

(a) All available heat capacity data sets along with the information on their accuracies were read in and a preliminary joint correlation was performed. If necessary, experimental data were converted to the same type of heat capacity— C_p or C_{sat} . Prior to the correlation, data sets considered *a priori* as unreliable were discarded if more accurate data were available for the same temperature range. However, deviations of the discarded data from the final values were always determined within the temperature range of the recommended values. For those sources where only parameters of a smoothing equation were available, pseudodiscrete data were generated in the temperature range of the parameters' validity. When the number of the experimental data points was not indicated in the original source, a temperature

step of 5–10 K was used according to the length of the temperature interval and density of data points from other sources.

(b) In the next steps it was possible to make the following tentative changes: to discard individual values, to reject parts of or whole data sets that showed little consistency with the other data, to change weights of whole data sets by altering the expected percent error of measurement, to modify the number of generated pseudodiscrete data points, and to change the temperature limits within which the data sets are considered.

(c) The correlation was repeated several times until the final fit with the selected data was obtained where differences between experimental and smoothed values were roughly equal to or smaller than expected experimental errors. The final correlation of the selected experimental data was assigned a level of accuracy (I–VI, for the definition of levels of accuracy see the Sec. 4.2.3) according to the quality of the correlated data.

The main criterion for judging the quality of the correlation was the *standard weighted deviation*, s_w :

$$s_w = \left(\frac{S_{\min}}{n - m} \right)^{1/2}, \quad (11)$$

where S_{\min} is the value of the objective function at its minimum, n is the overall number of the fitted data points, and m is number of independent adjustable parameters in a correlation equation. When experimental data are consistent within the expected error limits, s_w should be close to unity. In addition, use of the following statistical criteria was made: the *standard deviation*

$$s = \left(\frac{\sum_{i=1}^n (C_{sm} - C_{exp})_i^2}{n - m} \right)^{1/2}, \quad (12)$$

the *percentage standard deviation*

$$s_r = \left(\frac{\sum_{i=1}^n [(C_{sm} - C_{exp})/C_{exp}]_i^2}{n - m} \right)^{1/2} 100, \quad (13)$$

the *bias*

$$s_b = \frac{\sum_{i=1}^n (C_{sm} - C_{exp})_i}{n}, \quad (14)$$

and the difference between the number of experimental points with positive and negative deviation from the smoothed values (denoted in tables as \pm).

In order to get information on how data from individual sources compare with the final correlation, the deviations d_w , d , d_r , and d_b defined analogously to s_w , s , s_r , and s_b were calculated for both included and rejected data sets.

The definitions are as follows:

the *average weighted deviation*

$$d_w = \left(\frac{\sum_{i=1}^{n_1} [(C_{sm} - C_{exp})^2 / \sigma^2 C]_i}{n_1} \right)^{1/2}, \quad (15)$$

the average deviation

$$d = \left(\frac{\sum_{i=1}^{n_1} (C_{\text{sm}} - C_{\text{exp}})_i^2}{n_1} \right)^{1/2}, \quad (16)$$

the average percentage deviation

$$d_r = \left(\frac{\sum_{i=1}^{n_1} [(C_{\text{sm}} - C_{\text{exp}})/C_{\text{exp}}]_i^2}{n_1} \right)^{1/2} 100, \quad (17)$$

the bias of a data set

$$d_b = \frac{\sum_{i=1}^{n_1} (C_{\text{sm}} - C_{\text{exp}})_i}{n_1}, \quad (18)$$

where n_1 denotes the number of data points in one data set.

When heat capacity was measured at one temperature only and several literature sources were available, simple selection of the best value or averaging of several measurements was performed.

3.3. Temperature Correlation and Establishment of Recommended Values

Two different approaches were adopted for correlating heat capacities as a function of temperature. *Polynomials* or *cubic spline polynomials* were used for accurately fitting heat capacity inside the temperature limits of experimental values. A *quasipolynomial equation* was also used when it was appropriate (see below); this equation enabled one to describe the temperature dependence by one set of parameters which, unlike polynomial equations, allows a meaningful extrapolation above the upper temperature limit of the experimental data.

3.3.1. Representation of Data by Polynomial(s)

When data are available only in a limited temperature range, one polynomial of a third or lower degree may be sufficient for fitting the data successfully. In all cases, when such a condition was probable, the correlation with one polynomial was tried first. Its degree was gradually increased to 3, and the statistical F test was used to determine when the addition of higher terms was no longer significant.

Fitting with cubic splines was used only when the F test indicated need for a higher than third degree polynomial. We used the correlation algorithm developed at the Technical University of Budapest (79KOL) in which the two boundary conditions are considered during minimization as two additional adjustable parameters. Usually three and sometimes four knots were necessary for the satisfactory fit of the data within the expected experimental error limits. For exceptional cases, five knots had to be used for the description of data covering a wide temperature range; in situations where the data sets reached the vicinity of the critical point, the heat capacity increased dramatically.

The results of spline correlation are usually reported in terms of the knot values and two boundary conditions; the spline routine is then necessary for generating the recom-

mended data. Since such a routine is not available to all users of the data, we preferred to tabulate the parameters of the cubic polynomials directly which are easier to use. This presentation is also consistent with the tabulation when only one polynomial is used to represent the entire temperature range. The tabulated adjustable parameters, A_j , relate to the equation expressing the dimensionless quantity C/\mathbf{R} as a function of the scaled temperature $T/100$:

$$\frac{C}{\mathbf{R}} = \sum_{j=0}^n A_{j+1} \left(\frac{T}{100} \right)^j, \quad (19)$$

where \mathbf{R} is the gas constant ($\mathbf{R}=8.31451 \text{ J}\cdot\text{K}^{-1}\cdot\text{mol}^{-1}$, 88COH/TAY); scaling was made to improve the numerical stability of the fitting procedure. The upper limit of the summation m is equal to 3 in all cases where the overall temperature range is subdivided (cubic splines fitting) or can be lower when only one polynomial is used to describe the data.

3.3.2. Representation of Data by a Quasipolynomial Equation

The quasipolynomial equation was used in the form derived by Záborský *et al.* (96ZAB/RUZ):

$$\frac{C}{\mathbf{R}} = A_1 \ln(1 - T_r) + \frac{A_2}{1 - T_r} + \sum_{j=0}^m A_{j+3} T_r^j, \quad (20)$$

where $T_r = T/T_c$ and m equals 3 for about 50% of compounds. The derivation of a quasipolynomial equation was based on the assumption that the heat capacity is always an increasing function of temperature and is unbounded at the critical point. The quasipolynomial equation was not used when fewer than seven experimental data points were available and the temperature range of experimental data was below 50 K, or when there was no possibility of obtaining the critical temperature.

The variation of heat capacity in the high-temperature range differs considerably from one compound to another. It should be kept in mind that the quasipolynomial equation is mainly empirical and extrapolation above the upper temperature limit of experimental data is correct only in a qualitative manner. No guarantee can be given that the extrapolation will describe quantitatively the real heat capacity in this region except for the value at the critical point which is always correct and corresponds to plus infinity.

For organic compounds, the critical temperatures from the TRC tables (#00MAR) or from the data bank of the Institute of Chemical Technology, Prague (#00CDA) containing assessed values taken from the literature, were used; for compounds where T_c values were not found, estimates were performed according to Lydersen (55LYD). The compilation by Morachevskii and Sladkov (87MOR/SLA) was used as the main source of critical temperatures for inorganic compounds.

3.3.3. Types of Heat Capacities Presented

When establishing the recommended values no distinction was made between the saturation heat capacity C_{sat} and the isobaric heat capacity C_p when their difference was smaller than the expected error of experimental data over the whole temperature range of their validity. This was the case for practically all compounds where data did not reach above the normal boiling temperature. Then only one set of parameters for the entire temperature range was presented for each of the correlation equations.

For the compounds where experimental values of reasonable accuracy are available above the normal boiling temperature, distinct recommended data sets are presented for C_p and C_{sat} . In this case, all raw data were first converted to one type of heat capacity which was used in the evaluation and selection process. After the experimental values for the final correlation had been set, they were expressed as C_p and C_{sat} and both sets were correlated separately under identical conditions using the polynomial or cubic spline representation. Only isobaric heat capacity C_p was correlated by the quasipolynomial equation.

Recommended C_{sat} data relate by definition to the saturation line. Recommended C_p data relate above the normal boiling temperature to the saturation pressure. Below T_b , they represent both the heat capacity at standard pressure 101.325 kPa and the saturation pressure as their difference is smaller than the accuracy of the best literature data.

When necessary, conversion between C_p and C_{sat} was performed using Eq. (5). As there are not enough data on expansivities, the term $(\partial V/\partial T)_p$ was approximated by $(\partial V/\partial T)_{\text{sat}}$; the difference between them becomes important only far above the normal boiling temperature. The latter term was calculated from the temperature correlation of densities along the saturation line using a modified Rackett equation (85CAM/THO) or the Francis equation (86SMI/SRI). The derivative, $(dp/dT)_{\text{sat}}$, was calculated from one of the following vapor pressure equations: Wagner, Frost-Kalkwarf, Cox or Antoine using parameters from the references 79DYK/REP, 83MCG, 84DYK/REP, 90CHI/GAM, respectively.

4. Guide to Tables

4.1. Division of Compounds into Groups

To make the data presentation logical and easy to follow, the compounds are divided into *sections* according to the kinds of atoms they contain. These are further divided into *groups* according to their chemical structure. This arrangement makes it possible to illustrate specific features of individual families of compounds, and to show the connection between the magnitude of the quantities listed and the chemical structure of individual compounds. The adopted ordering system can be seen in the Table 4. Each group is assigned a designated double digit.

Table 4. Division of compounds into groups

Main group No.	Subgroup No.	Group name
0		Inorganic Compounds
	01	Elements
	02	Inorganic compounds
1		Compounds of Carbon and Hydrogen
	11	Saturated aliphatic hydrocarbons
	12	Saturated cyclic hydrocarbons
	13	Unsaturated aliphatic hydrocarbons
	14	Aromatic and unsaturated cyclic hydrocarbons
2		Compounds of Carbon, Hydrogen and Halogen
	21	Fluorine derivatives
	22	Chlorine derivatives
	23	Bromine derivatives
	24	Iodine derivatives
	25	Mixed halogen derivatives
3		Compounds of Carbon, Hydrogen and Nitrogen
	31	Amines
	32	Nitriles
	33	Heterocyclic nitrogen compounds
	34	Miscellaneous nitrogen compounds
4		Compounds of Carbon, Hydrogen and Oxygen
	41	Ethers
	42	Alcohols and phenols
	43	Carbonyl compounds
	44	Acids and anhydrides
	45	Esters
	46	Heterocyclic oxygen compounds
	47	Miscellaneous oxygen compounds
5		Compounds of Carbon, Hydrogen and Sulfur
	51	Sulfides
	52	Thiols
	53	Heterocyclic sulfur compounds
6		Other Organic Compounds Containing Halogens, Nitrogen, Oxygen and Sulfur
	61	Compounds of carbon, hydrogen, halogen and oxygen
	62	Compounds of carbon, hydrogen, nitrogen and oxygen
	63	Compounds of carbon, hydrogen, oxygen and sulfur
	64	Miscellaneous compounds
7		Organic Compounds Containing Other Elements than Halogens, Nitrogen, Oxygen and Sulfur
	71	Organosilicon compounds
	72	Organic compounds containing phosphorus and boron
	73	Organometallic compounds
	74	Salts of organic acids

The compounds of section 0 (elements and inorganic compounds) are ordered according to their formulas in alphabetical order. Organic compounds (sections 1–7) are ordered within each group according to the usual convention (Hill system), i.e., in order of increasing number of carbon and hydrogen atoms. Other elements are placed in alphabetical order. The compounds having the same molecular formula are arranged in alphabetical order according to their names. Two numbers separated by a dash, the so-called *group-member number*, code each compound. The first two-digit number indicates the group (family of compounds), and the second three-digit number denotes the serial number of a compound inside the group. In naming the compounds, we adopted the Chemical Abstracts rules for the names under

which the compound was presented with exception of simple esters where we used shorter names, e.g., methyl acetate instead of methyl ester acetic acid. Codes for individual compounds permitting their location inside the tables and the corresponding CAS registry numbers can be found in the formula index at the end of the paper.

New compounds not included in Monograph No. 6 were put in the appropriate group after the last compound covered by Monograph No. 6 and then listed according to the Hill system. This retains the numbering of all compounds from Monograph No. 6 and makes it possible to find a particular compound from the knowledge of its group-member number.

Several specific tags were appended to the group-member number to distinguish between compounds located in this work only, in the Monograph No. 6 only, and in both works. The specific tags are described in more detail in Sec. 7.

4.2. Tables and Deviation Plot

Most of information on the data and their processing is given for each compound in tables which are described in detail below. Methodology and procedure which led to this presentation of data are described in Sec. 3. The tables for each compound are preceded with name of the compound, its formula, code, and CAS registry number.

The characterization of raw data, their consistency, results of correlation and recommended data are summarized for each compound separately in one to four tables and a deviation plot.

Table type number 1—*Experimental heat capacities*

Reviews all primary sources and characterizes briefly experimental conditions and the quality of data. For those compounds where new experimental data published after 1993 do not improve the uncertainty of recommended data and/or do not extend the temperature range only this table is presented in this paper.

Table type number 2—*Correlated heat capacities*

The upper half of the table lists sources selected for establishing the recommended values. The statistical criteria defined by Eqs. (11)–(18) indicate for both selected and discarded sources, if they fall within the temperature interval of the correlation equation parameters, how the individual data sets compare with values generated from the correlation equation. The consistency of raw data is graphically demonstrated in the *deviation plot*. The table of correlated heat capacities is not present when the data are available at only one temperature or when there is only one literature source.

Table type number 3—*Parameters of polynomial(s)*

The table obtained by fitting the selected data lists parameters of polynomial(s) and also gives information on the quality of the overall fit and reliability of the recommended data.

Table type number 4—*Parameters of quasipolynomial equation*

This table is presented for compounds where correlation of data by Eq. (20) is meaningful.

Each table is coded with three numbers separated by periods. The first two numbers are identical with the compound code (see Sec. 4.1.) and the third relates to the type of table (1–4). Even when some tables are missing, the numbering related to the type of table is retained.

The symbol C without a subscript specification or the term heat capacity are used in tables whenever we refer both to C_p and C_{sat} at temperatures where the difference between their values is negligible compared with the expected experimental error.

Certain statistics and parameters are listed in the modified E notation. The first part of the number denotes the fractional part which is followed by the exponent to the base 10. The exponent is separated from the fractional part by a plus or a minus sign (e.g., $-1.53-5$ means -1.53×10^{-5}).

4.2.1. Experimental Heat Capacities

Each line of the table contains information on one literature source of experimental data. When several distinct data sets were given for the same compound in one publication (for example, parameters of smoothing equations relating to different temperature subintervals or the data obtained from two different calorimeters) there are several lines for one data source, each relating to one data set.

First column: the abbreviated reference in the form YYAAA/BBBM where YY is the last two digits of the year of publication (for a year before 1900 the reference code is preceded by an asterisk, *, for the year 2000 the reference code is preceded by a pound sign, #), AAA and BBB are the first three letters of the last name of the first and second author (if present), respectively. M is a digit from 1 to 9 distinguishing papers published by the same author(s) within the same year. If the same data set appeared in two or more different publications the reference to the earliest or more readily available source is given; an appropriate note is given below the table.

For some sources, a footnote is added below the table. In these cases, there is a capital N between the first and second column.

Second column: temperature range of the data set in kelvin.

Third column: number of experimental data points; symbol “eqn” is used in those cases where only parameters of a smoothing equation were presented in the original literature; symbol “S” denotes that the discrete values given in the original literature source were generated from a smoothing equation.

Fourth column: error of measurement, $\sigma_r C_{\text{exp}}$, in percent claimed by the author(s); abbreviation “nosp” is used when no specification is given in the original literature.

Fifth column: purity of the compound in percent (given with the same number of significant digits as in the original source) and analytical method used for its determination; the meaning of the abbreviations used is as follows: “anal”—analytical (used when the analytical method was not specified), “chrom”—gas or liquid chromatography, “estim”—

the purity was estimated by the author(s), “melt”—determination of impurities from the melting point depression.

Sixth column: type of heat capacity reported in the original literature; p —isobaric heat capacity, sat —saturation heat capacity, avg —average heat capacity determined over a temperature range usually greater than 10 K.

Seventh column: type of calorimetric method used for determining the data and reference to the publication where the instrument is described. The coding used for classification of experimental techniques is introduced in Table 1 and the individual types of calorimeters are summarized in Table 2. The criteria for classifying heat capacity calorimeters are discussed in Sec. 2.1. All references to calorimeters listed in tables of experimental heat capacities are summarized in Table 3.

4.2.2. Correlated Heat Capacities

This table contains information on the results of the correlation presented for the individual data sets. The statistics for the selected and rejected data sets are listed in the upper and lower half of the table, respectively. The meaning of the columns in the *upper part* of the table is as follows.

First column: the abbreviated reference (the same as in the table of experimental heat capacities).

Second column: temperature range (in kelvin) in which the data from a particular source were included in the correlation.

Third column: number of values used in the final determination of the correlation parameters.

The entries in the second and third columns are identical to those in the table of experimental heat capacities when the whole data set was included in the correlation; they differ if part of the data was discarded.

Fourth column: percentage error, $\sigma_r C$, used in Eq. (10) to estimate the variance of individual data points. This value is either $\sigma_r C_{exp}$ (column 4 in the table of experimental heat capacities) or is assigned by the evaluator in cases when no error is specified in the original source or the author's estimate does not seem to be realistic. When $\sigma_r C$ was assigned or modified by the evaluator, the value is followed by the sign #.

Fifth column: average weighted deviation d_w defined by Eq. (15).

Sixth column: average deviation d , defined by Eq. (16), divided by \mathbf{R} (dimensionless).

Seventh column: average percentage deviation d_r defined by Eq. (17).

Eighth column: bias of the data set d_b , defined by Eq. (18), divided by \mathbf{R} (dimensionless).

Ninth column: the difference between the number of experimental points with positive and negative deviation from the recommended values (denoted by \pm).

In the *lower part* of the table, the quantities d/\mathbf{R} , d_r , d_b/\mathbf{R} , and \pm are presented in parenthesis for each reference

rejected from the final correlation. Information is not given for rejected data sets when they fall outside of the selected temperature range.

In some cases, the correlations for isobaric and saturation heat capacities were performed separately. We give, however, only one table of correlated heat capacities for these compounds as the selection of data sources did not differ and statistical values were practically identical in both correlations.

4.2.3. Parameters of Polynomials

This table contains parameters for both isobaric and saturation heat capacities when these two quantities can be distinguished or it contains parameters referring to the type of heat capacity given in the table of Experimental Heat Capacities. The symbol C is used when referring to both C_p and C_{sat} .

The table gives characteristics of the final correlation of the selected data in the upper part and, the corresponding parameters of the polynomial(s) in the lower part.

The *upper part* consists of two lines when both isobaric and saturation heat capacities are tabulated and of only one line when no distinction is made between the two heat capacities. The following items are listed.

First column: type of heat capacity listed— p and sat denote isobaric and saturation heat capacities, respectively. The C is used when no distinction was made between the two types of heat capacities.

Second column: the total number of all experimental data points available.

Third column: the total number of experimental data points used in the correlation.

Fourth column: the standard weighted deviation s_w defined by Eqs. (9) and (11).

Fifth column: standard deviation s , defined by Eq. (12), divided by \mathbf{R} (dimensionless).

Sixth column: standard percentage deviation s_r defined by Eq. (13).

Seventh column: bias s_b , defined by Eq. (14), divided by \mathbf{R} (dimensionless).

Eighth column: the overall difference between the numbers of experimental points with positive and negative deviations from the recommended values (denoted by \pm).

The parameters of the cubic spline polynomials describing individual subintervals of the temperature range of the selected data are listed in the *lower part* of the table. When the isobaric and saturation heat capacities are distinguished, two sets of parameters are listed separately, the first set relating to the temperature correlation of C_p and the second to that of C_{sat} . When the whole temperature range of experimental data is described by only one equation the parameters were obtained by simple unconstrained fitting using a polynomial of third or lower degree. The meaning of the individual columns is as follows:

First column: temperature subinterval in kelvin to which the listed parameters relate.

Second to fifth columns: parameters of the polynomial defined by Eq. (19) valid in the given subinterval. Dimension of the parameters is T^j .

Sixth column: level of uncertainty assigned by the evaluators to the data generated from the polynomial in the given temperature subinterval. This characteristic expresses the expected overall uncertainty of the recommended data and reflects both the uncertainty in the experimental values and possible error due to the fitting procedure. The following levels of uncertainty were assigned:

- I excellent data (uncertainty below 0.1%)
- II highly reliable data (uncertainty below 0.3%)
- III reliable data (uncertainty below 0.5%)
- IV medium quality data (uncertainty below 1%)
- V data of low reliability (uncertainty below 3%)
- VI very unreliable data with a possibility of gross systematic errors (uncertainty above 3%).

The level of uncertainty assigned to individual subintervals for cubic splines often differs due to the unequal reliability of experimental data in different parts of the temperature range. On the other hand in certain cases one set of parameters was used for describing two (or exceptionally three) experimental data sets of different accuracy, which related to different temperature ranges. Then the level of uncertainty assigned to recommended data always relates to the data set of lower quality; in reality the recommended data are more reliable than indicated at temperatures where the experimental data set of higher quality was available. The reader can obtain information regarding changes of reliability within the temperature interval of recommended data from the table of Correlated Heat Capacities.

4.2.4. Parameters of the Quasipolynomial Equation

The quasipolynomial Eq. (20) is useful as a simple expression permitting extrapolations to higher temperatures. The quasipolynomial fit was performed only for isobaric heat capacity as the application of this quantity is wider compared to C_{sat} . In all other cases where C_p and C_{sat} heat capacities are identical within error of measurement parameters of the quasipolynomial equation are presented for a single type of the heat capacity presented in the table.

The table is organized analogously to the table presenting parameters of polynomials; the *upper part* of the table is identical. The items tabulated in the *lower part* have the following meaning.

First column: temperature interval in kelvin to which the listed parameters relate. This interval is not necessarily identical with the temperature range of the representation by polynomials.

Second column: critical temperature in kelvin.

Third to eighth columns: four or six parameters of the quasipolynomial equation ($m=1$ or 3). The parameters are dimensionless.

Ninth column: level of uncertainty assigned by the evaluators to the data generated from the quasipolynomial equation within the temperature range of the experimental data. When using the equation outside this range, the uncertainty decreases with the length of the extrapolation.

4.2.5. Deviation Plots

An overview of the deviations from the recommended values for all experimental data (both included in and rejected from the final correlation) measured by various authors is presented in graphical form in the deviation plots. The temperature is plotted along the x axis and the relative percentage deviation for individual data points along the y axis. Data from different sources are distinguished by different symbols. Points that lie outside the range of the ordinate in the plot are accompanied by the numerical value of the deviation. Some points that overlap each other or the accompanying figures are omitted. When too many data points were available some less important sets and values exhibiting large deviations from the recommended data were not included.

5. Acknowledgments

This work was supported by the Ministry of Education of the Czech Republic under Grant No. CB MSM 223400008 and was carried out as the IUPAC Commission on Thermodynamic, Physical and Biophysical Chemistry Division Project No. 2000-031-1-100. The authors are grateful to V. Fila for his help in developing table formatting tools.

6. References

The following list presents only references referred to in this work. The references were taken from a complete database covering all compiled data presented both previously in Monograph No. 6 (96ZAB/RUZ) and presently in this work. Thus, some references in the series YYAAA/BBB1 to YYAAA/BBBM, where M is equal from 2 up to 9 depending upon the number of identical references published by the same author(s) within the same year, may be missing as they refer to papers not included in this work. For a year before 1900, the reference code is preceded by an asterisk (*), for a year after 2000, the reference code is preceded by a pound sign (#).

- *79BER Berthelot, O., C. R. Hebd. Seances Acad. Sci. **89**, 119–21 (1879).
- *81BER/OGI Berthelot, O., Ann. Chim. Phys. [5] **23**, 199–274 (1881).
- *81VON von Reis, M. A., Ann. Phys. (Leipzig) [3] **13**, 447–65 (1881).
- *84BAT Battelli, A. R., Ist. Veneto Sci., Lett. Arti. **3**, 1781 (1884).
from: Washburn E. W., editor, *International Critical Tables* (McGraw–Hill Co., New York, 1929), Vol. 5, pp. 107–13.
- *86LUD Ludeking, C., Ann. Phys. (Leipzig) [3] **27**, 72–90 (1886).
- *86SCH Schiff, R., Justus Liebigs Ann. Chem. **233**, 300–37 (1886).
- *87SCH Schiff, R., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **1**, 376–90 (1887).
- *90PIC Pickering, S. U., Proc. R. Soc. London, **49**, 11–32 (1890).
- *94BRU Bruner, L., Ber. Dtsch. Chem. Ges. **27**, 2102–7 (1894).
- *95MAS/GUI Massol, G., Guillot, A., C. R. Hebd. Seances Acad. Sci. **121**, 208–10 (1895).
- *95PIC Pickering, S. U., J. Chem. Soc. **67**, 664–84 (1895).
- *98LOU Louguinine, W., Ann. Chim. Phys. [7] **13**, 289–377 (1898).
- *99STI/SWA Stillmann, J. M., Swain, R. E., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **29**, 705–10 (1899).
- 00LOU Louguinine, W., Arch. Sci. Phys. Natur. [4] **9**, 5–26 (1900).
- 01DEF De Forcrand, M., C. R. Hebd. Seances Acad. Sci. **132**, 569–71 (1901).
- 01KAH Kahlenberg, L., J. Phys. Chem. **5**, 284–8 (1901).
- 02LOU1 Louguinine, W., Ann. Chim. Phys. [7] **26**, 228–47 (1902).
- 02LOU2 Louguinine, W., Ann. Chim. Phys. [7] **27**, 105–44 (1902).
- 03CON/WHI Constam, E. J., White, J., Am. Chem. J. **29**, 1–49 (1903).
- 07BAT Battelli, A., Atti Accad. Naz. Lincei, Cl. Sci. Fis. Mat. Natur., Rend., **16**(1.sem), 243–57 (1907).
- 07MCI McIntosh, J. Phys. Chem. **11**, 306–7 (1907).
- 07WAL Walden, P., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **58**, 479–511 (1907).
- 08BOG/WIN Bogojawlensky, A., Winogradow, N., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **64**, 251–4 (1908).
- 09SCH Schwers, F., Recl. Trav. Chim. Pays-Bas **28**, 42–67 (1909).
- 11LEW/RAN Lewis, G. N., Randall, M., J. Am. Chem. Soc. **33**, 476–88 (1911).
- 12BAU Baud, M. E., Ann. Chim. Phys., [8] **27**, 89–116 (1912).
- 12LUS Lussana, S., Nuovo Cimento, [6] **4**, 207–32 (1912).
- 12SCH1 Schulze, A., Ber. Dtsch. Phys. Ges. **14**, 189–210 (1912).
- 12SCH2 Schulze, A., Ber. Dtsch. Phys. Ges. **14**, 258–74 (1912).
- 12SCH3 Schulze, A., Ber. Dtsch. Phys. Ges. **14**, 344–55 (1912).
- 13CAM Campetti, A., Atti, R., Accad. Sci. Torino, Cl. Sci. Fis. Mat. Nat. **48**, 968–77 (1913).
- 13NAS/BRE2 Nasini, R., Bresciani, U., Gazz. Chim. Ital., **43** (parte seconda), 281–353 (1913).
- 16BRA Bramley, A., J. Chem. Soc. 496–519 (1916).
- 16KUR Kurbatov, V. Ya., Zh. Russ. Fiz.-Khim. O-va. **48**, 192 (1916).
- 17HIL/DUS Hildebrand, J. H., Duschak, A. D., Foster, A. H., Beebe, C. W., J. Am. Chem. Soc. **39**, 2293–7 (1917).
- 17MAT/KRA Mathews, J. H., Krause, E. L., Van Bohonson, L., J. Am. Chem. Soc. **39**, 398–413 (1917).
- 18NAR Narbutt, J., Z. Elektrochem. **24**, 339–42 (1918).
- 18OSB/VAN Osborne, N. S., Van Dusen, M. S., J. Am. Chem. Soc. **40**, 1–13 (1918).
- 19DEJ Dejjardin, M. G., Ann. Phys. (Paris) **11**, 253–91 (1919).
- 20COH/MOE Cohen, E., Moesveld, A. L. T., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **95**, 305–27 (1920).
- 20GIB/LAT Gibson, G. E., Latimer, W. M., Parks, G. S., J. Am. Chem. Soc. **42**, 1533–42 (1920).
- 20GIB/PAR Gibson, G. E., Parks, G. S., Latimer, W. M., J. Am. Chem. Soc. **42**, 1542–50 (1920).
- 20MAA/HAT Maass, O., Hatcher, W. H., J. Am. Chem. Soc. **42**, 2548–69 (1920).
- 21TRE Trehin, R., Ann. Phys. (Paris) **15**, 246–63 (1921).
- 22HER/SCH Herz, W., Schuftan, P., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **101**, 269–85 (1922).
- 22LAT Latimer, W. M., J. Am. Chem. Soc. **44**, 90–7 (1922).
- 22SIM Simon, F., Ann. Phys. (Leipzig) [4] **68**, 241–80 (1922).
- 23GIB/GIA Gibson, G. E., Giaque, W. F., J. Am. Chem. Soc. **45**, 93–104 (1923).
- 23SIM/LAN Simon, F., Lange, F., Z. Phys. **15**, 312–21 (1923).
- 24EUC/KAR Eucken, A., Karwat, E., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **112**, 467–85 (1924).
- 24GAR/RAN Garner, W. E., Randall, F. C., J. Chem. Soc. 881–96 (1924).
- 24HER/BLO Herz, W., Bloch, W., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **110**, 23–39 (1924).
- 24WIL/DAN Williams, J. W., Daniels, F., J. Am. Chem. Soc. **46**, 903–17 (1924).
- 25DRU/WEI Drucker, C., Weissbach, H., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **117**, 209–41 (1925).
- 25LYN Lynn, G., thesis, University of Yale, 1925.
from: Washburn E. W. (editor), *International Critical Tables* (McGraw–Hill, New York, 1929), Vol. 5, pp. 107–13.
- 25PAR Parks, G. S., J. Am. Chem. Soc. **47**, 338–45 (1925).
- 25PAR/KEL Parks, G. S., Kelley, K. K., J. Am. Chem. Soc. **47**, 2089–97 (1925).
- 25WIL Williams, J. W., J. Am. Chem. Soc. **47**, 2644–52 (1925).
- 25WIL/DAN Williams, J. W., Daniels, F., J. Am. Chem. Soc. **47**, 1490–503 (1925).
- 26AND/LYN Andrews, D. H., Lynn, G., Johnston, J., J. Am. Chem. Soc. **48**, 1274–86 (1926).
- 26DAN/JEN Dana, L. I., Jenkins, A. C., Burdick, J. N., Timm, R. C., Refrig. Eng. **12**, 387–405 (1926).
- 26GAR/MAD Garner, W. E., Madden, F. C., Rushbrooke, J. E., J. Chem. Soc. 2491–502 (1926).
- 26MAA/BAR Maass, O., Barnes, W. H., Proc. R. Soc. London, A **111**, 224–44 (1926).
- 26PAR/HUF Parks, G. S., Huffman, H. M., J. Am. Chem. Soc. **48**, 2788–93 (1926).
- 26SCH Schmidt, G. C., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **121**, 221–53 (1926).
- 27PAR/HUF Parks, G. S., Huffman, H. M., J. Phys. Chem. **31**, 1842–55 (1927).
- 28EUC/HAU Eucken, A., Hauck, F., Z. Phys. Chem. Stoechiom. Verwandtschaftslehre **134**, 161–77 (1928).

- 28GIA/WIE1 Giauque, W. F., Wiebe, R., *J. Am. Chem. Soc.* **50**, 101–22 (1928).
- 28LAT/GRE Latimer, W. M., Greensfelder, B. S., *J. Am. Chem. Soc.* **50**, 2202–13 (1928).
- 28PAR/KEL Parks, G. S., Kelley, K. K., *J. Phys. Chem.* **32**, 734–50 (1928).
- 29HER/LOR Herz, W., Lorentz, E., *Z. Phys. Chem., Abt. A* **140**, 406–22 (1929).
- 29KEL1 Kelley, K. K., *J. Am. Chem. Soc.* **51**, 180–7 (1929).
- 29KEL2 Kelley, K. K., *J. Am. Chem. Soc.* **51**, 779–86 (1929).
- 29KEL3 Kelley, K. K., *J. Am. Chem. Soc.* **51**, 1145–50 (1929).
- 29KEL4 Kelley, K. K., *J. Am. Chem. Soc.* **51**, 1400–6 (1929).
- 29KEL5 Kelley, K. K., *J. Am. Chem. Soc.* **51**, 2738–41 (1929).
- 29MIT/HAR1 Mitsukuri, S., Hara, K., *Bull. Chem. Soc. Jpn.* **4**, 77–81 (1929).
- 30HUF/PAR1 Huffman, H. M., Parks, G. S., Daniels, A. C., *J. Am. Chem. Soc.* **52**, 1547–58 (1930).
- 30PAR/HUF1 Parks, G. S., Huffman, H. M., *J. Am. Chem. Soc.* **52**, 4381–91 (1930).
- 30PAR/HUF2 Parks, G. S., Huffman, H. M., Thomas, S. B., *J. Am. Chem. Soc.* **52**, 1032–41 (1930).
- 30SOU/AND Southard, J. C., Andrews, D. H., *J. Franklin Inst.* **209**, 349–60 (1930).
- 30WIE/HUB Wiebe, R., Hubbard, K. H., Brevoort, M. J., *J. Am. Chem. Soc.* **52**, 611–22 (1930).
- 31BLA/LEI Blacet, F. E., Leighton, P. A., Bartlett, E. P., *J. Phys. Chem.* **35**, 1935–43 (1931).
- 31BUF/FLE Buffington, R. M., Fleischer, J., *Ind. Eng. Chem.* **23**, 1290–2 (1931).
- 31CLI/AND Cline, J. K., Andrews, D. H., *J. Am. Chem. Soc.* **53**, 3668–73 (1931).
- 31DEE Deese, R. F., Jr., *J. Am. Chem. Soc.* **53**, 3673–83 (1931).
- 31FIO/GIN Fiock, E. F., Ginnings, D. C., Holton, W. B., *Bur. Stand. J. Res.* **6**, 881–900 (1931).
- 31FOR/BRU Forrest, H. O., Brugmann, E. W., Cummings, L. W. T., *Ind. Eng. Chem.* **23**, 37–9 (1931).
- 31HUF/PAR Huffman, H. M., Parks, G. S., Barmore, M., *J. Am. Chem. Soc.* **53**, 3876–88 (1931).
- 31NEW/KAU Newton, R. F., Kaura, B. D., De Vries, T., *Ind. Eng. Chem.* **23**, 35–7 (1931).
- 31SMI/AND1 Smith, R. H., Andrews, D. H., *J. Am. Chem. Soc.* **53**, 3644–60 (1931).
- 31SMI/AND2 Smith, R. H., Andrews, D. H., *J. Am. Chem. Soc.* **53**, 3661–7 (1931).
- 31SWI/RBY2 Swietoslawski, W., Rybicka, S., Solodkowska, W., *Rocz. Chem.* **11**, 65–77 (1931).
- 31THO/PAR Thomas, S. B., Parks, G. S., *J. Phys. Chem.* **35**, 2091–102 (1931).
- 32NEU Neumann, M. B., *Z. Phys. Chem., Abt. A* **158**, 258–64 (1932).
- 32NEU/KUR Neumann, M. B., Kurlyankin, I. A., *Zh. Obshch. Khim.* **2**, 317–21 (1932).
- 32SPA/THO Spaght, M. E., Thomas, S. B., Parks, G. S., *J. Phys. Chem.* **36**, 882–8 (1932).
- 32TRE Trew, V. C. G., *Trans. Faraday Soc.* **28**, 509–14 (1932).
- 33FER/MIL Ferguson, A., Miller, J. T., *Proc. Phys. Soc., London* **45**, 194–207 (1933).
- 33KOL/UDO Kolosovskii, N. A., Udovenko, V. V., *C. R. Hebd. Seances Acad. Sci.* **197**, 519–20 (1933).
- 33LEB/MOE LeBlanc, M., Moebius, E., *Ber. Verh. Saechs. Akad. Wiss. Leipzig, Math.-Phys. Kl.* **85**, 75–96 (1933).
- 33PAR/HUF Parks, G. S., Huffman, H. M., Barmore, M., *J. Am. Chem. Soc.* **55**, 2733–40 (1933).
- 33POH/MEH Pohland, E., Mehl, W., *Z. Phys. Chem., Abt. A* **164**, 48–54 (1933).
- 33ROT/MEY1 Roth, W. A., Meyer, I., *Z. Elektrochem.* **39**, 35–7 (1933).
- 33ROT/MEY2 Roth, W. A., Meyer, I., Zeumer, H., *Z. Anorg. Allg. Chem.* **214**, 309–20 (1933).
- 33SOU/BRI Southard, J. C., Brickwedde, F. G., *J. Am. Chem. Soc.* **55**, 4378–84 (1933).
- 33STR/MAL Straub, J., Malotaux, R. N. M. A., *Recl. Trav. Chim. Pays-Bas* **52**, 275–88 (1933).
- 33TRE/WAT Trew, V. C. G., Watkins, G. M. C., *Trans. Faraday Soc.* **29**, 1310–8 (1933).
- 34JAC/PAR Jacobs, C. J., Parks, G. S., *J. Am. Chem. Soc.* **56**, 1513–17 (1934).
- 34KOL/UDO Kolosovskii, N. A., Udovenko, V. V., *Zh. Obshch. Khim.* **4**, 1027–33 (1934).
- 34LON/REY Long, J. S., Reynolds, J. B., Napravnik, J., *Ind. Eng. Chem.* **26**, 864–8 (1934).
- 34MEH1 Mehl, W., *Chem. Fabr.* **7**, 240–1 (1934).
- 34MIL Miller, P., Ph. D. thesis, Iowa State College, 1934.
- 34PAR/LIG Parks, G. S., Light, D. W., *J. Am. Chem. Soc.* **56**, 1511–3 (1934).
- 34PAR/TOD Parks, G. S., Todd, S. S., *J. Chem. Phys.* **2**, 440–1 (1934).
- 34RAD/JUL Radulescu, D., Jula, O., *Z. Phys. Chem., Abt. B* **26**, 390–4 (1934).
- 35AOY/KAN Aoyama, S., Kanda, E., *Sci. Rep. Tohoku Imp. Univ., Ser. 1* **24**, 116–21 (1935).
- 35BLU/GIA Blue, R. W., Giauque, W. F., *J. Am. Chem. Soc.* **57**, 991–7 (1935).
- 35CLU/BAR Clusius, K., Bartholome, E., *Z. Phys. Chem., Abt. B* **30**, 237–57 (1935).
- 36AST/MES Aston, J. G., Messerly, G. H., *J. Am. Chem. Soc.* **58**, 2354–61 (1936).
- 36CLU/GOL Clusius, K., Goldmann, J., *Z. Phys. Chem., Abt. B* **31**, 256–62 (1936).
- 36ERN/WAT Ernst, R. C., Watkins, C. H., Ruwe, H. H., *J. Phys. Chem.* **40**, 627–35 (1936).
- 36GLA/CHE Glagoleva, A. A., Cherbov, S. I., *Zh. Obshch. Khim.* **6**, 685–90 (1936).
- 36KUR/VOS Kurnakov, N. S., Voskresenskaya, N. K., *Izv. Akad. Nauk SSSR, Ser. Khim.* (3), 439–66 (1936).
- 36LOR/BLA Lord, R. C., Jr., Blanchard, E. R., *J. Chem. Phys.* **4**, 707–10 (1936).
- 36PAR/TOD1 Parks, G. S., Todd, S. S., Moore, W. A., *J. Am. Chem. Soc.* **58**, 398–401 (1936).
- 36PAR/TOD2 Parks, G. S., Todd, S. S., Shomate, C. H., *J. Am. Chem. Soc.* **58**, 2505–8 (1936).
- 36PEA/BAK Pearce, J. N., Bakke, H. M., *Proc. Iowa Acad. Sci.* **43**, 171–4 (1936).
- 36TOD/PAR Todd, S. S., Parks, G. S., *J. Am. Chem. Soc.* **58**, 134–7 (1936).
- 37COH/BUI Cohen, E., Buij, J. S., *Z. Phys. Chem., Abt. B* **35**, 270–84 (1937).
- 37ELL Ellyett, C. D., *Trans. Faraday Soc.* **33**, 1218–24 (1937).
- 37GIA/EGA Giauque, W. F., Egan, C. J., *J. Chem. Phys.* **5**, 45–54 (1937).
- 37OVE/GIA Overstreet, R., Giauque, W. F., *J. Am. Chem. Soc.* **59**, 254–9 (1937).
- 37STU Stull, D. R., *J. Am. Chem. Soc.* **59**, 2726–33 (1937).
- 37VOL Vold, R. D., *J. Am. Chem. Soc.* **59**, 1515–21 (1937).
- 37WIT/KEM Witt, R. K., Kemp, J. D., *J. Am. Chem. Soc.* **59**, 273–6 (1937).

- 38EUC/SCH Eucken, A., Schroder, E., *Z. Phys. Chem., Abt. B* **41**, 307–19 (1938).
- 38HIC Hicks, J. F. G., Jr., *J. Am. Chem. Soc.* **60**, 1000–4 (1938).
- 38PAN/DUD Panov, N., Dudnikov, I., *Sb. Tr. Opytnogo Zavoda im. Akad. S. V. Lebedeva* 36–40 (1938).
from: *Chem. Abstr.* **34**, 1514 (1940).
- 38RIE Riedel, L., *Z. Gesamte Kaelte Ind.* **45**, 221–5 (1938).
- 39AST/EID1 Aston, J. G., Eidinoff, M. L., *J. Am. Chem. Soc.* **61**, 1533–8 (1939).
- 39BYK Bykov, V. T., *Zh. Fiz. Khim.* **13**, 1013–9 (1939).
- 39MAZ1 Mazur, J., *Acta Phys. Pol.* **7**, 290–304 (1939).
- 39MAZ3 Mazur, J., *Z. Phys.* **113**, 710–20 (1939).
- 39PHI Philip, N. M., *Proc. Indian Acad. Sci., Sect. A* **9**, 109–20 (1939).
- 39RAI Railing, W. E., *J. Am. Chem. Soc.* **61**, 3349–53 (1939).
- 39RIE3 Riedel, L., *Z. Gesamte Kaelte Ind.* **46**, 105–6 (1939).
- 39SAG/EVA Sage, B. H., Evans, H. D., Lacey, W. N., *Ind. Eng. Chem.* **31**, 763–7 (1939).
- 40BEN/MCH Benning, A. F., McHarness, R. C., Markwood, W. H., Jr., Smith, W. J., *Ind. Eng. Chem.* **32**, 976–80 (1940).
- 40MAZ Mazur, J., *Acta Phys. Pol.* **8**, 6–11 (1940).
- 40PIT1 Pitzer, K. S., *J. Am. Chem. Soc.* **62**, 331–5 (1940).
- 40PIT2 Pitzer, K. S., *J. Am. Chem. Soc.* **62**, 1224–7 (1940).
- 41SCH Schmidt, W. R., Ph. D. thesis, Washington University, St. Louis, 1941.
- 41STO/FIS Stout, J. W., Fisher, L. H., *J. Chem. Phys.* **9**, 163–8 (1941).
- 41YOS/GAR Yost, D. M., Garner, C. S., Osborne, D. W., Rubin, T. R., Russell, H., Jr., *J. Am. Chem. Soc.* **63**, 3488–92 (1941).
- 41ZHD Zhdanov, A. K., *Zh. Obshch. Khim.* **11**, 471–82 (1941).
- 42CLU/FAB Clusius, K., Faber, G., *Z. Phys. Chem., Abt. B* **51**, 352–70 (1942).
- 42ZIE/AND Ziegler, W. T., Andrews, D. H., *J. Am. Chem. Soc.* **64**, 2482–5 (1942).
- 43AST/SZA Aston, J. G., Szasz, G. J., Fink, H. L., *J. Am. Chem. Soc.* **65**, 1135–9 (1943).
- 43PIT/SCO Pitzer, K. S., Scott, D. W., *J. Am. Chem. Soc.* **65**, 803–11 (1943).
- 43RUE/HUF Ruehrwein, R. A., Huffman, H. M., *J. Am. Chem. Soc.* **65**, 1620–5 (1943).
- 44BAI/TOD Bailey, A. E., Todd, S. S., Singleton, W. S., Oliver, G. D., *J. Am. Oil Chem. Soc.* **21**, 293–7 (1944).
- 44EIB Eibert, J., thesis, Washington University, St. Louis, 1944.
- 44GUT/SPI Guthrie, G. B., Jr., Spitzer, R. W., Huffman, H. M., *J. Am. Chem. Soc.* **66**, 2120–1 (1944).
- 44HIC/HOO Hicks, J. F. G., Hooley, J. G., Stephenson, C. C., *J. Am. Chem. Soc.* **66**, 1064–7 (1944).
- 44RUS/GOL Russell, H., Jr., Golding, D. R. V., Yost, D. M., *J. Am. Chem. Soc.* **66**, 16–20 (1944).
- 45DAV/WIE Davis, H. S., Wiedeman, O. F., *Ind. Eng. Chem.* **37**, 482–5 (1945).
- 45SCO/BRI Scott, R. B., Brickwedde, F. G., *J. Res. Natl. Bur. Stand. (U.S.)* **35**, 501–12 (1945).
- 45SCO/MEY Scott, R. B., Meyers, C. H., Rands, R. D., Jr., Brickwedde, F. G., Bekkedahl, N., *J. Res. Natl. Bur. Stand. (U.S.)* **35**, 39–85 (1945).
- 45ZHD Zhdanov, A. K., *Zh. Obshch. Khim.* **15**, 895–902 (1945).
- 46AST/FIN Aston, J. G., Fink, H. L., Bestul, A. B., Pace, E. L., Szasz, G. J., *J. Am. Chem. Soc.* **68**, 52–7 (1946).
- 46DOU/HUF1 Douslin, D. R., Huffman, H. M., *J. Am. Chem. Soc.* **68**, 173–6 (1946).
- 46DOU/HUF2 Douslin, D. R., Huffman, H. M., *J. Am. Chem. Soc.* **68**, 1704–8 (1946).
- 47BUE/BOA Buell, C. K., Boatright, R. G., *Ind. Eng. Chem.* **39**, 695–705 (1947).
- 47CHA/SIN Charbonnet, G. H., Singleton, W. S., *J. Am. Oil Chem. Soc.* **24**, 140–2 (1947).
- 47COR/GIN Corruccini, R. J., Ginnings, D. C., *J. Am. Chem. Soc.* **69**, 2291–4 (1947).
- 47HUF Huffman, H. M., *Chem. Rev.* **40**, 1–14 (1947).
- 47JON/GIA Jones, W. M., Giaque, W. F., *J. Am. Chem. Soc.* **69**, 983–7 (1947).
- 47KUR Kurbatov, V. Ya., *Zh. Obshch. Khim.* **17**, 1999–2009 (1947).
- 47OSB/GIN Osborne, N. S., Ginnings, D. C., *J. Res. Natl. Bur. Stand. (U.S.)* **39**, 453–77 (1947).
- 47PUS/FED Pushin, N. A., Fedjushkin, A. V., Krgovic, B., *Glas. Hem. Drus. Beograd (Bull. Chem. Soc. Beograd)* **11**, 12–24 (1947).
- 47SCH/ZOS Schildknecht, C. E., Zoss, A. O., McKinley, C., *Ind. Eng. Chem.* **39**, 180–6 (1947).
- 47SKU Skuratov, S. M., *Kolloid. Zh.* **9**, 133–40 (1947).
- 47TOD/OLI Todd, S. S., Oliver, G. D., Huffman, H. M., *J. Am. Chem. Soc.* **69**, 1519–25 (1947).
- 48BER/MEL Berman, S., Melnychuk, A. A., Othmer, D. F., *Ind. Eng. Chem.* **40**, 1312–9 (1948).
- 48GIN/COR Ginnings, D. C., Corruccini, R. J., *Ind. Eng. Chem.* **40**, 1990–1 (1948).
- 48HUF/EAT Huffman, H. M., Eaton, M., Oliver, G. D., *J. Am. Chem. Soc.* **70**, 2911–4 (1948).
- 48KUR Kurbatov, V. Ya., *Zh. Obshch. Khim.* **18**, 372–87 (1948).
- 48MAZ Maze, W. M., *Recl. Trav. Chim. Pays-Bas* **67**, 197–213 (1948).
- 48OLI/EAT Oliver, G. D., Eaton, M., Huffman, H. M., *J. Am. Chem. Soc.* **70**, 1502–5 (1948).
- 48TSC1 Tschamler, H., *Monatsh. Chem.* **79**, 162–77 (1948).
- 48TSC2 Tschamler, H., *Monatsh. Chem.* **79**, 223–32 (1948).
- 48TSC3 Tschamler, H., *Monatsh. Chem.* **79**, 233–42 (1948).
- 48TSC5 Tschamler, H., *Monatsh. Chem.* **79**, 499–507 (1948).
- 48TSC6 Tschamler, H., *Monatsh. Chem.* **79**, 508–20 (1948).
- 49DHO/JUN D'Hont, M., Jungers, J. C., *Bull. Soc. Chim. Belg.* **58**, 196–204 (1949).
- 49LEE Leech, J. W., *Proc. Phys. Soc., London Sect. B* **62**, 390–8 (1949).
- 49PAR/MOO Parks, G. S., Moore, G. E., Renquist, M. L., Naylor, B. F., McClaine, L. A., Fujii, P. S., Hatton, J. A., *J. Am. Chem. Soc.* **71**, 3386–9 (1949).
- 49SCH/SAG Schlinger, W. G., Sage, B. H., *Ind. Eng. Chem.* **41**, 1779–82 (1949).
- 49STA/GUP Staveley, L. A. K., Gupta, A. K., *Trans. Faraday Soc.* **45**, 50–61 (1949).
- 49TSC/RIC1 Tschamler, H., Richter, E., *Monatsh. Chem.* **80**, 510–6 (1949).
- 49TSC/RIC2 Tschamler, H., Richter, E., Wettig, F., *Monatsh. Chem.* **80**, 749–58 (1949).
- 49TSC/RIC3 Tschamler, H., Richter, E., Wettig, F., *Monatsh. Chem.* **80**, 856–63 (1949).
- 49TSC/WET Tschamler, H., Wettig, F., Richter, E., *Monatsh. Chem.* **80**, 572–82 (1949).
- 49WEI Weissberger, A., editor, *Physical Methods of Organic Chemistry* (Interscience, New York, 1949), Vol. 1/1, p. 1773.

- 49WUY/JUN Wuyts, J., Jungers, J. C., *Bull. Soc. Chim. Belg.* **58**, 80–6 (1949).
- 50AUE/SAG Auerbach, C. E., Sage, B. H., Lacey, W. N., *Ind. Eng. Chem.* **42**, 110–3 (1950).
- 50CRO/SMY1 Crowe, R. W., Smyth, C. P., *J. Am. Chem. Soc.* **72**, 1098–106 (1950).
- 50CRO/SMY2 Crowe, R. W., Smyth, C. P., *J. Am. Chem. Soc.* **72**, 4009–15 (1950).
- 50GIN/DOU Ginnings, D. C., Douglas, T. B., Ball, A. F., *J. Res. Natl. Bur. Stand. (U.S.)* **45**, 23–33 (1950).
- 50HOU/MAS2 Hough, E. W., Mason, D. M., Sage, B. H., *J. Am. Chem. Soc.* **72**, 5775–7 (1950).
- 50KUR Kurbatov, V. Ya., *Zh. Obshch. Khim.* **20**, 1139–44 (1950).
- 50KUS/CRO Kushner, L. M., Crowe, R. W., Smyth, C. P., *J. Am. Chem. Soc.* **72**, 1091–8 (1950).
- 50SAG/HOU Sage, B. H., Hough, E. W., *Anal. Chem.* **22**, 1304–9 (1950).
- 50SIN/WAR Singleton, W. S., Ward, T. L., Dollear, F. G., *J. Am. Oil Chem. Soc.* **27**, 143–6 (1950).
- 51CON/SAG Connolly, T. J., Sage, B. H., Lacey, W. N., *Ind. Eng. Chem.* **43**, 946–50 (1951).
- 51EUC/EIG Eucken, A., Eigen, M., *Z. Elektrochem.* **55**, 343–54 (1951).
- 51OLI/GRII Oliver, G. D., Grisard, I. W., *J. Am. Chem. Soc.* **73**, 1688–90 (1951).
- 51POP/GAL Popov, M. M., Gal'chenko, G. L., *Zh. Obshch. Khim.* **21**, 2220–35 (1951).
- 51SIE/CRU Sieg, L., Crutzen, J. L., Jost, W., *Z. Phys. Chem. (Leipzig)* **198**, 263–9 (1951).
- 52CUR/JOH Curme, G. O., Jr., editor, Johnston, F., *assoc.ed., Glycols* (Reinhold, New York, 1952), p. 251.
- 52ERD/JAG Erdős, E., Jäger, L., Pouchlý, J., *Chem. Listy* **46**, 770 (1952).
- 52SCH/SAG Schlinger, W. G., Sage, B. H., *Ind. Eng. Chem.* **44**, 2454–6 (1952).
- 52STA/AMI Stallard, R. D., Amis, E. S., *J. Am. Chem. Soc.* **74**, 1781–90 (1952).
- 52WAR/SIN Ward, T. L., Singleton, W. S., *J. Phys. Chem.* **56**, 696–8 (1952).
- 53WES/HAT Westrum, E. F., Jr., Hatcher, J. B., Osborne, D. W., *J. Chem. Phys.* **21**, 419–23 (1953).
- 54BUB Bubushyan, M. B., *Teploenergetika (Moscow)* **1**(3), 49–51 (1954).
- 54FIN/GRO Finke, H. L., Gross, M. E., Waddington, G., Huffman, H. M., *J. Am. Chem. Soc.* **76**, 333–41 (1954).
- 54STA/WAR Staveley, L. A. K., Warren, J. B., Paget, H. P., Dowrick, D. J., *J. Chem. Soc.* 1992–2001 (1954).
- 54STR/ICK Strelkov, P. G., Ickevich, E. S., Kostryukov, V. N., Mirskaya, G. G., Samoilov, V. N., *Zh. Fiz. Khim.* **28**, 459–72 (1954).
- 55HEL/HEI Helfrey, P. F., Heiser, D. A., Sage, B. H., *Ind. Eng. Chem.* **47**, 2385–8 (1955).
- 55HUT/MAN Hutchinson, E., Manchester, K. E., *Rev. Sci. Instrum.* **26**, 364–7 (1955).
- 55MCH/EIS McHarness, R. C., Eiseman, B. J., Jr., Martin, J. J., *Refrig. Eng.* **63**(9), 32–44 (1955).
- 55PAC/PIE Pace, E. L., Pierce, L., Dennis, K. S., *Rev. Sci. Instrum.* **26**, 20–2 (1955).
- 55RUI1 Ruiter, L. H., *Recl. Trav. Chim. Pays-Bas* **74**, 1131–59 (1955).
- 55RUI2 Ruiter, L. H., *Recl. Trav. Chim. Pays-Bas* **74**, 1467–81 (1955).
- 55STA/TUP Staveley, L. A. K., Tupman, W. I., Hart, K. R., *Trans. Faraday Soc.* **51**, 323–43 (1955).
- 55TAY/JOH Taylor, R. D., Johnson, B. H., Kilpatrick, J. E., *J. Chem. Phys.* **23**, 1225–31 (1955).
- 55TAY/KIL Taylor, R. D., Kilpatrick, J. E., *J. Chem. Phys.* **23**, 1232–5 (1955).
- 56COO/BAL Coops, J., Balk, A. N., Tolk, M. W., *Recl. Trav. Chim. Pays-Bas* **75**, 75–81 (1956).
- 56DUF/EVE Duff, G. M., Everett, D. H., *Trans. Faraday Soc.* **52**, 753–63 (1956).
- 56MCE/MAL McEwen, M., Malcolm, Monsanto Chemical Co., March, 31, 1956.
from: Walker, B. E., Jr., Brouks, M. S., Ewing, C. T., Miller, R. R., *Chem. Eng. Data Ser.* **3**, 280–2 (1958).
- 56PAR/KEN Parks, G. S., Kennedy, W. D., Gates, R. R., Mosley, J. R., Moore, G. E., Renquist, M. L., *J. Am. Chem. Soc.* **78**, 56–9 (1956).
- 56POP/KOL Popov, M. M., Kolesov, V. P., *Zh. Obshch. Khim.* **26**, 2385–93 (1956).
- 56SCH/GOT Schrock, V. E., Gott, R. E., Starkman, E. S., WADC Technical Report 56-104, 1–144 (1956).
- 56WAL/GRA Walker, B. E., Grand, J. A., Miller, R. R., *J. Phys. Chem.* **60**, 231–3 (1956).
- 57CRU/JOS Crutzer, J. L., Jost, W., Sieg, L., *Ber. Bunsen-Ges. Phys. Chem.* **61**, 230–46 (1957).
- 57HAR/MOE Harrison, D., Moelwyn-Hughes, E. A., *Proc. R. Soc. London A* **239**, 230–46 (1957).
- 57KEN Kentamaa, J., *Suom. Kemistil.* **B30**, 15–8 (1957).
- 57MCC/DOU McCullough, J. P., Douslin, D. R., Messerly, J. F., Hossenlopp, I. A., Kincheloe, T. C., Waddington, G., *J. Am. Chem. Soc.* **79**, 4289–95 (1957).
- 57MCC/FIN1 McCullough, J. P., Finke, H. L., Gross, M. E., Messerly, J. F., Waddington, G., *J. Phys. Chem.* **61**, 289–301 (1957).
- 57MCC/FIN2 McCullough, J. P., Finke, H. L., Messerly, J. F., Todd, S. S., Kincheloe, T. C., Waddington, G., *J. Phys. Chem.* **61**, 1105–16 (1957).
- 57YAR/KAY Yarrington, R. M., Kay, W. B., *J. Phys. Chem.* **61**, 1259–60 (1957).
- 58ANO Anon, Union Carbide Co., Physical Properties, Chemical Division, New York (1958).
from: Wilhoit, R. C., Chao, J., Hall, K. R., *J. Phys. Chem. Ref. Data* **14**, 1–175 (1985).
- 58HIL/KRA Hildenbrand, D. L., Kramer, W. R., McDonald, R. A., Stull, D. R., *J. Am. Chem. Soc.* **80**, 4129–32 (1958).
- 58JAF Jaffe, I., Ph. D. thesis, University of Maryland, College Park, 1958.
from: Chao, J., Gadalla, N. A. M., Gammon, B. E., Marsh, K. N., Rodgers, A. S., Somayajulu, G. R., Wilhoit, R. C., *J. Phys. Chem. Ref. Data* **19**, 1547–615 (1990).
- 58JAR/FRI Jarry, R. L., Fritz, J. J., *Chem. Eng. Data Ser.* **3**, 34–6 (1958).
- 58KOE/GIA Koehler, J. K., Giaque, W. F., *J. Am. Chem. Soc.* **80**, 2659–62 (1958).
- 58KOS/SAM Kostryukov, V. N., Samorukov, O. P., Strelkov, P. G., *Zh. Fiz. Khim.* **32**, 1354–61 (1958).
- 58LUT/PAN Lutskii, A. E., Panova, A. N., *Zh. Fiz. Khim.* **32**, 2183–6 (1958).
- 58MUR/VAN Murti, P. S., Van Winkle, M., *Chem. Eng. Data Ser.* **3**, 65–71 (1958).
- 58PEP Peppel, W. J., *Ind. Eng. Chem.* **50**, 767–70 (1958).
- 58SWI/ZIE1 Swietoslowski, W., Zielenkiewicz, A., *Bull. Acad. Pol. Sci., Ser. Sci. Chim. Geol. Geogr.* **6**, 365–6 (1958).
- 58SWI/ZIE2 Swietoslowski, W., Zielenkiewicz, A., *Bull. Acad. Pol. Sci., Ser. Sci. Chim. Geol. Geogr.* **6**, 367–9 (1958).
- 58WAL/BRO Walker, B. E., Jr., Brouks, M. S., Ewing, C. T., Miller, R. R., *Chem. Eng. Data Ser.* **3**, 280–2 (1958).

- 58WES/GIN West, E. D., Ginnings, D. C., *J. Res. Natl. Bur. Stand. (U.S.)* **60**, 309–16 (1958).
- 59ABA/MUS Abas-Zade, A. K., Mustafaev, R. A., *Dokl. Akad. Nauk Az. SSR* **15**, 775–9 (1959).
- 59BEN/THO Bengough, W. I., Thomson, R. A. M., *Trans. Faraday Soc.* **55**, 268–71 (1959).
- 59DEA/EVA Deal, G. H., Jr., Evans, H. D., Oliver, E. D., Papadopoulos, M. N., *Pet. Refin.* **38**(9), 185–92 (1959).
- 59HAN/HUG Hansen, C. E., Hughes, R. L., *U.S. Dep. Commer. Off. Tech. Serv., PB Rep. No. 150-307*, 1–45 (1959).
- 59HUT/BAI Hutchinson, E., Bailey, L. G., *Z. Phys. Chem. (Munich)* **21**, 30–7 (1959).
- 59LUT/PAN Lutskii, A. E., Panova, A. N., *Zh. Fiz. Khim.* **33**, 970–5 (1959).
- 59ONK Onken, U., *Z. Elektrochem.* **63**, 321–7 (1959).
- 59RIB/EGO Ribkin, S. L., Egorov, B. N., *At. Energ.* **7**, 462–5 (1959).
- 60BOC/PET Bockhoff, F. J., Petrella, R. V., Pace, E. L., *J. Chem. Phys.* **32**, 799–804 (1960).
- 60KEN/LIN Kenttamaa, J., Lindberg, J. J., *Suom. Kemistil.* **B33**, 32–5 (1960).
- 60MAR Martin, J. J., *J. Chem. Eng. Data* **5**, 334–6 (1960).
- 60SWI/ZIE Swietoslowski, W., Zielenkiewicz, A., *Bull. Acad. Pol. Sci., Ser. Sci. Chim.* **8**, 651–3 (1960).
- 61EGA/LUF Egan, E. P., Jr., Luff, B. B., *J. Phys. Chem.* **65**, 523–6 (1961).
- 61GEL Geller, B. E., *Zh. Fiz. Khim.* **35**, 2210–6 (1961).
- 61GOO Goodwin, R. D., *J. Res. Natl. Bur. Stand. (U.S.)* **65C**, 231–43 (1961).
- 61ROU Rousseau, R. A., Ph. D. thesis, John Hopkins University, Baltimore, Maryland, 1961.
- 62GOL/BEL Gollis, M. H., Belenyessy, L. I., Gudzinowicz, B. J., Koch, S. D., Smith, J. O., Wineman, R. J., *J. Chem. Eng. Data* **7**, 311–6 (1962).
- 62GOO/LAC Good, W. D., Lacina, J. L., Scott, D. W., McCullough, J. P., *J. Phys. Chem.* **66**, 1529–32 (1962).
- 62KAT Katayama, T., *Kagaku Kogaku* (Chemical Engineering, Japan), **26**, 361–72 (1962).
- 62KOL/SER Kolesov, V. P., Seregin, E. A., Skuratov, S. M., *Zh. Fiz. Khim.* **36**, 647–51 (1962).
- 62LOW/MOE Low, D. I. R., Moelwyn-Hughes, E. A., *Proc. R. Soc. London A* **267**, 384–94 (1962).
- 62MUR/YAM Murakami, Y., Yamada, T., *Kagaku Kogaku* (Chemical Engineering, Japan), **26**, 867–72 (1962).
- 62OME1 Omel'chenko, F. S., *Izv. Vyssh. Ucheb. Zaved., Pishch. Tekhnol.* (3), 97–8 (1962).
- 62OME2 Omel'chenko, F. S., *Izv. Vyssh. Ucheb. Zaved., Pishch. Tekhnol.* (2), 151–2 (1962).
- 62RAB/NIK Rabinovich, I. B., Nikolaev, P. N., *Dokl. Akad. Nauk SSSR* **142**, 1335–8 (1962).
- 62SCO/GUT Scott, D. W., Guthrie, G. B., Messerly, J. F., Todd, S. S., Berg, W. T., Hossenlopp, I. A., McCullough, J. P., *J. Phys. Chem.* **66**, 911–4 (1962).
- 62SER/KOL Seregin, E. A., Kolesov, V. P., Belikova, N. A., Skuratov, S. M., Plate, A. F., *Dokl. Akad. Nauk SSSR* **145**, 580–3 (1962).
- 62SHE/NIN Sherlak, T., Ninkov, B., *Glas. Hem. Tehnol. Bosne Hercegovine* (Bull. Chem. Technol., Bosnia, Herzegovina), **11**, 43–7 (1962).
- from: Sherlak, T., Ninkov, B., *Chem. Abstr.* **61**, 2496d (1964).
- 62WEB/KIL Weber, L. A., Kilpatric, J. E., *J. Chem. Phys.* **36**, 829–34 (1962).
- 63AND/COU1 Andon, R. J. L., Counsell, J. F., Herington, E. F. G., Martin, J. F., *Trans. Faraday Soc.* **59**, 830–5 (1963).
- 63AND/COU2 Andon, R. J. L., Counsell, J. F., Martin, J. F., *Trans. Faraday Soc.* **59**, 1555–8 (1963).
- 63GUD/CAM Gudzinowicz, B. J., Campbell, R. H., Adamas, J. S., *J. Chem. Eng. Data* **8**, 201–4 (1963).
- 63PAC/MOS Pace, E. L., Mosser, J. S., *J. Chem. Phys.* **39**, 154–8 (1963).
- 63SCO/GOO Scott, D. W., Good, W. D., Guthrie, D. B., Todd, S. S., Hossenlopp, I. A., Osborn, A. G., McCullough, J. P., *J. Phys. Chem.* **67**, 685–9 (1963).
- 63SCO/HUB Scott, D. W., Hubbard, W. N., Messerly, J. F., Todd, S. S., Hossenlopp, I. A., Good, W. D., Douslin, D. R., McCullough, J. P., *J. Phys. Chem.* **67**, 680–5 (1963).
- 63SCO/MES Scott, D. W., Messerly, J. F., Todd, S. S., Hossenlopp, I. A., Osborn, A., McCullough, J. P., *J. Chem. Phys.* **38**, 532–9 (1963).
- 64ARN1 Arnold, H., *Z. Phys. Chem. (Leipzig)* **225**, 45–56 (1964).
- 64CAM/NAG Campbell, A. N., Nagarajan, M. K., *Can. J. Chem.* **42**, 1616–26 (1964).
- 64GRE/WHI Grenier, G., White, D., *J. Chem. Phys.* **40**, 3015–30 (1964).
- 64MCE/KIL McEachern, D. M., Jr., Kilpatrick, J. E., *J. Chem. Phys.* **41**, 3127–31 (1964).
- 64MOE/THO Moelwyn-Hughes, E. A., Thorpe, P. L., *Proc. R. Soc. London A* **278**, 574–87 (1964).
- 64RAS/BAS Rastogi, R. P., Bassi, P. S., *J. Phys. Chem.* **68**, 2398–406 (1964).
- 64SIN/OET Sinke, G. C., Oetting, F. L., *J. Phys. Chem.* **68**, 1354–8 (1964).
- 64VAS2 Vas'kov, E. T., *Izv. Vyssh. Ucheb. Zaved., Priborostr.* **7**(4), 155–7 (1964).
- 65CAM/GIE Campbell, A. N., Gieskes, J. M. T. M., *Can. J. Chem.* **43**, 1004–11 (1965).
- 65COU/GRE Counsell, J. F., Green, J. H. S., Hales, J. L., Martin, J. F., *Trans. Faraday Soc.* **61**, 212–8 (1965).
- 65COU/HAL Counsell, J. F., Hales, J. L., Martin, J. F., *Trans. Faraday Soc.* **61**, 1869–75 (1965).
- 65FER/SCO Ferguson, W. J., Scott, R. B., *NBS Report No. 12*, 1–12 (1965).
- 65FIN/GRU Findenegg, G. H., Gruber, K., Pereira, J. F., Kohler, F., *Monatsh. Chem.* **96**, 669–78 (1965).
- 65KAU/BIT Kauer, E., Bittlich, H. J., *Wiss. Z. Tech. Hochsch. Chem. "Carl Schorlemmer"*, Leuna-Merseburg **7**, 73–6 (1965).
- 65KRI/LOE Kriebel, M., Loeffler, H. J., *Kaeltetechnik* **17**, 266–71 (1965).
- 65MES/TOD2 Messerly, J. F., Todd, S. S., Finke, H. L., *J. Phys. Chem.* **69**, 4304–11 (1965).
- 65PUT/MCE Putnam, W. E., McEachern, D. M., Jr., Kilpatric, J. E., *J. Chem. Phys.* **42**, 749–55 (1965).
- 65SOM/COO Somsen, G., Coops, J., *Recl. Trav. Chim. Pays-Bas* **84**, 985–1002 (1965).
- 65STE/BLA Sterrett, K. F., Blackburn, D. H., Bestul, A. B., Chang, S. S., Horman, J., *J. Res. Natl. Bur. Stand. (U.S.)* **69C**, 19–26 (1965).
- 65SUG/SEK Suga, H., Seki, S., *Bull. Chem. Soc. Jpn.* **38**, 1000–6 (1965).
- 65TUN/MIS Tungusov, V. P., Mishchenko, K. P., *Zh. Fiz. Khim.* **39**, 2968–72 (1965).
- 65ZIE Zielenkiewicz, A., *Przem. Chem.* **44**, 664–7 (1965).
- 66BEA/CLE Beaumont, R. H., Clegg, B., Gee, G., Herbert, J. B. M., Marks, D. J., Roberts, R. C., Sims, D., *Polymer* **7**, 401–17 (1966).
- 66DRA/LAN Drakin, S. I., Lantukhova, L. V., Karapet'yanc, M. Kh., *Zh. Fiz. Khim.* **40**, 451–5 (1966).
- 66DWO/GUI Dworkin, A., Guillamin, M., *J. Chim. Phys. Phys.-Chim. Biol.* **63**, 53–8 (1966).

- 66EGA/LUF Egan, E. P., Jr., Luff, B. B., *J. Chem. Eng. Data* **11**, 194–6 (1966).
- 66GOO/DEP Good, W. D., DePrater, B. L., *J. Phys. Chem.* **70**, 3606–9 (1966).
- 66HWA/ZIE Hwa, S. C. P., Ziegler, W. T., *J. Phys. Chem.* **70**, 2572–93 (1966).
- 66KLE Klesper, I., *Z. Phys. Chem. (Munich)* **51**, 1–12 (1966).
- 66NIK/LEB Nikolaev, P. N., Lebedev, B. V., *Tr. Khim. Khim. Tekhnol.* (2), 332–43 (1966).
- 66NIK/RAB Nikolaev, P. N., Rabinovich, I. B., Galperin, V. A., Cvetkov, V. G., *Zh. Fiz. Khim.* **40**, 1091–7 (1966).
- 66PER/COM Perkin-Elmer DSC-1, commercial calorimeter, *Anal. Chem.* **38**, 1331–6 (1966).
- 66SHI/ATA Shinoda, T., Atake, T., Chihara, H., Mashiko, Y., Seki, S., *Kogyo Kagaku Zasshi (J. Chem. Soc. Jpn., Ind. Chem. Sect.)* **69**, 1619–22 (1966).
- 66VAS2 Vas'kov, E. T., *Izv. Vyssh. Ucheb. Zaved., Energ.* **9**(3), 122–4 (1966).
- 66ZAL/STR Zalikin, A. A., Strepikheev, Yu. A., *Zh. Prikl. Khim. (Leningrad)* **39**, 2607 (1966).
- 67CHA/HOR Chang, S. S., Horman, J. A., Bestul, A. B., *J. Res. Natl. Bur. Stand. (U.S.)* **71A**, 293–305 (1967).
- 67GRA Grabner, R. W., thesis, Lehigh University, *Univ. Microfilms Publ. No. 67-14935*, 1–191, 1967.
- 67LEB/RAB1 Lebedev, B. V., Rabinovich, I. B., *Tr. Khim. Khim. Tekhnol.* (2), 30–5 (1967).
- 67LEB/RAB3 Lebed'ev, B. V., Rabinovich, I. B., Martynenko, L. Ya., *Vysokomol. Soedin., Ser. A* **9**, 1640–5 (1967).
- 67MES/GUT Messerly, J. F., Guthrie, G. B., Todd, S. S., Finke, H. L., *J. Chem. Eng. Data* **12**, 338–46 (1967).
- 67NIK/RAB1 Nikolaev, P. N., Rabinovich, I. B., *Zh. Obshch. Khim.* **41**, 2191–4 (1967).
- 67NIK/RAB2 Nikolaev, P. N., Rabinovich, I. B., Lebedev, B. V., *Zh. Fiz. Khim.* **41**, 1294–9 (1967).
- 67PAC Pacor, P., *Anal. Chim. Acta* **37**, 200–8 (1967).
- 67RAB/LEB Rabinovich, I. B., Lebedev, B. V., Melent'eva, T. I., *Vysokomol. Soedin., Ser. A* **9**, 1699–705 (1967).
- 67RAS/GAN Rastorguev, Yu. L., Ganiev, Yu. A., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **10**(1), 79–82 (1967).
- 68ADA/SUG Adachi, K., Suga, H., Seki, S., *Bull. Chem. Soc. Jpn.* **41**, 1073–87 (1968).
- 68AND/COU1 Andon, R. J. L., Counsell, J. F., Hales, J. L., Lees, E. B., Martin, J. F., *J. Chem. Soc. A*, 2357–61 (1968).
- 68AND/COU2 Andon, R. J. L., Counsell, J. F., Martin, J. F., *J. Chem. Soc. A*, 1894–7 (1968).
- 68BAG/KUC Bagatskii, M. I., Kucheryavy, V. A., Manzhelii, V. G., Popov, V. A., *Phys. Status Solidi* **26**, 453–60 (1968).
- 68CLE/MEL Clegg, G. A., Melia, T. P., Tyson, A., *Polymer* **9**, 75–9 (1968).
- 68COU/LEE Counsell, J. F., Lees, E. B., Martin, J. F., *J. Chem. Soc. A*, 1819–23 (1968).
- 68LEA Leadbetter, A. J., *J. Phys. C: Solid State Phys.* **1**, 1481–8 (1968).
- 68MCC/SCO McCullough, J. P., Scott, D. W., editors, *Experimental Thermodynamics*, Vol. I, Calorimetry of Non-reacting Systems (Butterworths, London, 1968).
- 68PAZ/REC Paz Andrade, M. I., Recacho, E., Paz Fernandez, J. M., *Acta Cient. Compostelana* **5**(2), 49–55 (1968).
- 68REC1 Recko, W. M., *Bull. Acad. Pol. Sci., Ser. Sci. Chim.* **16**, 543–8 (1968).
- 68WAD Wadsö, I., *Acta Chem. Scand.* **22**, 927–37 (1968).
- 68WES/FUR Westrum, E. F., Jr., Furukawa, G. T., McCullough, J. P., *Experimental Thermodynamics*, McCullough, J. P., Scott, D. W., editors, Vol. I, Chap. 5 (Butterworth, London, 1968), pp. 133–214.
- 68WES/WES West, E. D., Westrum, E. F., Jr., *Experimental Thermodynamics*, McCullough, J. P., Scott, D. W., editors, Vol. I, Chap. 9 (Butterworth, London, 1968), pp. 333–94.
- 69ATK/LAR Atkinson, C. M. L., Larkin, J. A., Richardson, M. J., *J. Chem. Thermodyn.* **1**, 435–40 (1969).
- 69BER/WES Berman, H. A., West, E. D., *J. Chem. Eng. Data* **14**, 107–9 (1969).
- 69CLE/MEL4 Clegg, G. A., Melia, T. P., *Polymer* **10**, 912–22 (1969).
- 69ENO/SHI2 Enokido, H., Shinoda, T., Mashiko, Y., *Bull. Chem. Soc. Jpn.* **42**, 3415–21 (1969).
- 69MEL/MER Melia, T. P., Merrifield, R., *J. Appl. Chem.* **19**(3), 79–82 (1969).
- 69PAU/LAV2 Paukov, I. E., Lavrent'eva, M. N., Anisimov, M. P., *Zh. Fiz. Khim.* **43**, 785–7 (1969).
- 69PER/COM Perkin-Elmer DSC-2, commercial calorimeter, *Prospectus*, 1969.
- 69SMI/PAC Smith, J. H., Pace, E. L., *J. Phys. Chem.* **73**, 4232–6 (1969).
- 69TOM/LIN Tommila, E., Lindell, E., Virtalaime, M.-L., Laakso, R., *Suom. Kemistil.* **B42**, 95–104 (1969).
- 69WIL/ROT Wilhelm, E., Rott, E., Kohler, F., *Proc. 1st Intern. Conf. Calorimetry and Thermodynamics, Warszawa, 1969*, pp. 767–71.
- 69WIL/SCH Wilhelm, E., Schano, R., Becker, G., Findenegg, G. H., Kohler, F., *Trans. Faraday Soc.* **65**, 1443–55 (1969).
- 69YAG Yagfarov, M. Sh., *Zh. Fiz. Khim.* **43**, 1620–5 (1969).
- 70AKH Akhmedov, A. G., *Zh. Fiz. Khim.* **44**, 2061–2 (1970).
- 70ANO Anon, Product Information of Dimethylformamide, Du Pont de Nemours, Wilmington, USA, 1970. from: Hradetzky, G., Hammerl, I., Kisan, W., Wehner, K., Bittrich, H.-J., *Data of Selective Solvents (VEB Deutscher Verlag der Wissenschaften, Berlin, 1989)*.
- 70CLE/WES Clever, H. L., Westrum, E. F., Jr., *J. Phys. Chem.* **74**, 1309–17 (1970).
- 70FIN/MCC Finke, H. L., McCullough, J. P., Messerly, J. F., Guthrie, G. B., Douslin, D. R., *J. Chem. Thermodyn.* **2**, 27–41 (1970).
- 70GOU/GIR Goursot, P., Girdhar, H. L., Westrum, E. F., Jr., *J. Phys. Chem.* **74**, 2538–41 (1970).
- 70KOL/SER Kolesov, V. P., Seregin, E. A., Belikova, N. A., Skuratov, S. M., Plate, A. F., *Termodin. Termokhim. Konstanty*, 163–72 (1970).
- 70LKB/COM LKB 8721-1, commercial calorimeter, *Prospectus*, 1970.
- 70MAR/RAB Martynenko, L., Yu., Rabinovich, I. B., Ovchinnikov, Yu. B., Maslova, V. A., *Vysokomol. Soedin., Ser. A* **12**, 841–8 (1970).
- 70MES/FIN Messerly, J. F., Finke, H. L., *J. Chem. Thermodyn.* **2**, 867–80 (1970).
- 70PAZ/PAZ Paz Andrade, M. I., Paz, J. M., Recacho, E., *An. Quim.* **66**, 961–7 (1970).
- 70REC Recko, W. M., *Bull. Acad. Pol. Sci., Ser., Sci. Chim.* **18**, 297–301 (1970).
- 70WAD Wadsö, I., *Quart. Rev. Biophys.* **3**, 383–427 (1970).
- 71AMI/ALI Amir Khanov, Kh. I., Alibekov, B. G., Vikhrov, D. I., Mirskaya, V. A., Levina, L. N., *Teplofiz. Vys. Temp.* **9**, 1310–3 (1971).
- 71CAR/WES Carlson, H. G., Westrum, E. F., Jr., *J. Chem. Phys.* **54**, 1464–71 (1971).
- 71DES/BHA Deshpande, D. D., Bhatgadde, L. G., *Aust. J. Chem.* **24**, 1817–22 (1971).

- 71DU/COM Du Pont 990 DSC, commercial calorimeter, Prospectus, 1971.
- 71GEI/DZH Geidarov, Kh. I., Dzhafarov, O. I., Karasharli, K. A., Kostryukov, V. N., *Zh. Fiz. Khim.* **45**, 1595 (1971), data deposited in VINITI 2722-71.
- 71GOP/GAM Gopal, E. S. R., Gambhir, R. D., Govindarajan, K., Viswanathan, B., *J. Indian Inst. Sci.* **53**, 355-67 (1971).
- 71HAL/BAL Hall, H. K., Jr., Baldt, J. H., *J. Am. Chem. Soc.* **93**, 140-5 (1971).
- 71KHA/SUB Khan, V. H., Subrahmanyam, S. V., *Trans. Faraday Soc.* **67**, 2282-91 (1971).
- 71KON/SUU Konicek, J., Suurkuusk, J., Wadsö, I., *Chem. Scr.* **1**, 217-20 (1971).
- 71KON/WAD Konicek, J., Wadsö, I., *Acta Chem. Scand.* **25**, 1541-51 (1971).
- 71MAR/CIO Marchidan, D. I., Ciopec, M., *Rev. Roum. Chim.* **16**, 1145-54 (1971).
- 71MUS Mustafaev, R. A., *Izv. Vyssh. Ucheb. Zaved., Priborostr.* **14**(7), 129-34 (1971).
- 71PIC/LED Picker, P., Leduc, P. A., Philip, P. R., Desnoyers, J. E., *J. Chem. Thermodyn.* **3**, 631-42 (1971).
- 71POP/MAN Popov, V. A., Manzhelii, V. G., Bagatskii, M. I., *J. Low. Temp. Phys.* **5**, 427-33 (1971).
- 71REC/SAD Recko, W. M., Sadowska, K. W., Woycicka, M. K., *Bull. Acad. Pol. Sci., Ser. Sci. Chim.* **19**, 475-91 (1971).
- 71SAM/KOS1 Samorukov, O. P., Kostryukov, V. N., *Zh. Fiz. Khim.* **45**, 1311-2 (1971).
- 71SAM/KOS2 Samorukov, O. P., Kostryukov, V. N., Samorukova, N. Kh., *Zh. Fiz. Khim.* **45**, 1000-1 (1971).
- 71VAN Van Miltenburg, J. C., Ph. D. thesis, Rijksuniversiteit Utrecht, 1971.
- 71WON/WES Wong, W.-K., Westrum, E. F., Jr., *J. Chem. Thermodyn.* **3**, 105-24 (1971).
- 72ARE/VAN Arentsen, J. G., Van Miltenburg, J. C., *J. Chem. Thermodyn.* **4**, 789-91 (1972).
- 72COP/REA Cope, A. F. G., Reamer, H. H., Pings, C. J., *Ber. Bunsen-Ges. Phys. Chem.* **76**, 318-20 (1972).
- 72FIN/MES Finke, H. L., Messerly, J. F., Todd, S. S., *J. Chem. Thermodyn.* **4**, 359-74 (1972).
- 72KAW/OTA Kawaizumi, F., Otake, T., Nomura, H., Miyahara, Y., *Nippon Kagaku Kaishi*, 1773-6 (1972).
- 72MAS/RAB Maslova, V. A., Rabinovich, I. B., Nistratov, V. P., Faminskaya, L. A., *Tr. Khim. Khim. Tekhnol.* (2), 44-50 (1972).
- 72NIK/SAF Nikolaev, P. N., Safonov, V. A., Moseeva, E. M., Rabinovich, I. B., *Tr. Khim. Khim. Tekhnol.* (2), 54-60 (1972).
- 72REC/SAD Recko, W. M., Sadowska, K. W., *Bull. Acad. Pol. Sci., Ser. Sci. Chim.* **20**, 73-9 (1972).
- 72VAN Van Miltenburg, J. C., *J. Chem. Thermodyn.* **4**, 773-82 (1972).
- 73AKH/EKS Akhundov, T. S., Eksaev, R. A., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **16**(2), 68-72 (1973).
- 73GOO/FIN Good, W. D., Finke, H. L., Messerly, J. F., Osborn, A. G., Harrison, R. H., Moore, R. T., Doulin, D. R., *Air Force Off. Sci. Res. Rep. [Techn. Rep.] AFOSR-TR (U.S.) 73-0760*, 1-6 (1973).
- 73HAL/SMI Hall, H. K., Jr., Smith, C. D., Baldt, J. H., *J. Am. Chem. Soc.* **95**, 3197-201 (1973).
- 73KAL/WOY Kalinowska, B., Woycicka, M., *Bull. Acad. Pol. Sci., Ser. Sci. Chim.* **21**, 845-8 (1973).
- 73KIS/SUG Kishimoto, K., Suga, H., Seki, S., *Bull. Chem. Soc. Jpn.* **46**, 3020-31 (1973).
- 73KUS/SUU Kusano, K., Suurkuusk, J., Wadsö, J., *J. Chem. Thermodyn.* **5**, 757-67 (1973).
- 73LEB/TSV Lebedev, B. V., Tsvetkova, L. Ya., Rabinovich, I. B., *Tr. Khim. Khim. Tekhnol.* (1), 17-20 (1973).
- 73MOS/NIK Moseeva, E. M., Nikolaev, P. N., Sechenova, T. A., Rabinovich, I. B., *Tr. Khim. Khim. Tekhnol.* (1), 153-5 (1973).
- 73PER/COM Perkin-Elmer DSC-1-B, commercial calorimeter, Prospectus, 1973.
- 73SUB/RAJ Subrahmanyam, S. V., Rajagopal, E., *Z. Phys. Chem. (Munich)* **85**, 256-68 (1973).
- 74ATA/CHI Atake, T., Chihara, H., *Bull. Chem. Soc. Jpn.* **47**, 2126-36 (1974).
- 74DEV/SOM De Visser, C., Somsen, G., *Z. Phys. Chem. (Munich)* **92**, 159-62 (1974).
- 74DIA/REN Diaz Pena, M., Renuncio, J. A. R., *An. Quim.* **70**, 113-20 (1974).
- 74LEB/TSV Lebedev, B. V., Tsvetkova, L. Ya., *Tr. Khim. Khim. Tekhnol.* (1), 143-5 (1974).
- 74MOS/MOU Mosselman, C., Mourik, J., Dekker, H., *J. Chem. Thermodyn.* **6**, 477-87 (1974).
- 74OVC/BAT Ovchinnikov, P. N., Bat, I. I., Kirichenko, V. V., Safronov, V. M., Kibisova, T. G., Znemenskaya, M. A., Timofeeva, E. Ya., Koroleva, L. V., *Katal. Vosstanov. Gidrirovaniya*, 37-9 (1974).
- 74PET/TER Petit, J. C., Ter Minassian, L., *J. Chem. Thermodyn.* **6**, 1139-52 (1974).
- 74RAJ/SUB Rajagopal, E., Subrahmanyam, S. V., *J. Chem. Thermodyn.* **6**, 873-6 (1974).
- 74SUU/WAD Suurkuusk, J., Wadsö, I., *J. Chem. Thermodyn.* **6**, 667-79 (1974).
- 74WIL/ZET Wilhelm, E., Zettler, M., Sackmann, H., *Ber. Bunsen-Ges. Phys. Chem.* **78**, 795-804 (1974).
- 75AND/COU Andon, R. J. L., Counsell, J. F., Lee, D. A., Martin, J. F., *J. Chem. Thermodyn.* **7**, 587-92 (1975).
- 75AND/MAR Andon, R. J. L., Martin, J. F., *J. Chem. Thermodyn.* **7**, 593-606 (1975).
- 75GRI/RAS Grigor'ev, B. A., Rastorguev, Yu. L., Yanin, G. S., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **18**(10), 63-6 (1975).
- 75GRO/BEN Grolier, J.-P. E., Benson, G. C., Picker, P., *J. Chem. Eng. Data* **20**, 243-6 (1975).
- 75HOL/ZIE Holzhauser, J. K., Ziegler, W. T., *J. Phys. Chem.* **79**, 590-604 (1975).
- 75JOL/BOI Jolicoeur, C., Boileau, J., Bazinet, S., Picker, P., *Can. J. Chem.* **53**, 716-22 (1975).
- 75LEB/ARO Lebedev, B. V., Aron, B. M., Kiparisova, E. G., Rabinovich, I. B., Pankratov, V. A., Vinogradova, S. V., Korshak, V. V., *Vysokomol. Soedin., Ser. A* **17**, 2694-9 (1975).
- 75MAS/SCO Masi, J. F., Scott, R. B., *J. Res. Natl. Bur. Stand. (U.S.)* **79A**, 619-28 (1975).
- 75PED/KAY Pedersen, M. J., Kay, W. B., Hershey, H. C., *J. Chem. Thermodyn.* **7**, 1107-18 (1975).
- 75RAB/LEB Rabinovich, I. B., Lebedev, B. V., Tsvetkova, L. Ya., Nametkin, N. S., Durgar'yan, S. G., Khotimskii, V. S., Kiparisova, E. G., *Vysokomol. Soedin., Ser. A* **17**, 1421-5 (1975).
- 75RAS/GRI Rastorguev, Yu. L., Grigor'ev, B. A., Yanin, G. S., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **18**(4), 73-7 (1975).
- 75SAF/GER Safir, L. I., Gerasimov, A. A., Grigor'ev, B. A., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **18**(11), 61-5 (1975).
- 75SAN San Jose, J. L., Ph.D. thesis, Massachusetts Institute of Technology, 1975.
- 75VYU/ZVE V'yugin, A. I., Zverev, V. A., Krestov, A. G., *Izv. Vyssh. Ucheb. Zaved., Khim. Khim. Tekhnol.* **18**, 1974-7 (1975).
- 75WOY/KAL Woycicka, M. K., Kalinowska, B., *Bull. Acad. Pol. Sci., Ser. Sci. Chim.* **23**, 759-64 (1975).
- 76ATA/CHI Atake, T., Chihara, H., *Chem. Lett.* 683-8 (1976).

- 76BON/CER Bonner, O. D., Cerutti, P. J., *J. Chem. Thermodyn.* **8**, 105–12 (1976).
- 76CON/GIA Conti, G., Gianni, P., Matteoli, E., Mengheri, M., *Chim. Ind. (Milan)* **58**, 225 (1976).
- 76DWO/FIG Dworkin, A., Figuiere, P., Ghelfenstein, M., Szwarc, H., *J. Chem. Thermodyn.* **8**, 835–44 (1976).
- 76FOR/BEN1 Fortier, J.-L., Benson, G. C., *J. Chem. Thermodyn.* **8**, 411–23 (1976).
- 76FOR/BEN2 Fortier, J.-L., Benson, G. C., Picker, P., *J. Chem. Thermodyn.* **8**, 289–99 (1976).
- 76KAR/GRO Karbalai Ghassemi, M. H., Grolier, J.-P. E., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (2), 95 (1976).
- 76LEB/LIT Lebedev, B. V., Lityagov, V. Ya., *Tr. Khim. Khim. Tekhnol.*, (5), 89–105 (1976).
- 76MAS/PET Masood, A. K. M., Pethrick, R. A., *J. Chem. Soc., Faraday Trans. 1* **72**, 20–8 (1976).
- 76MET/COM Mettler, T. A. 2000, commercial calorimeter, *Thermochim. Acta* **17**, 351–9 (1976).
- 76MOU/WEI Mountfield, K. R., Weir, R. D., *J. Chem. Phys.* **64**, 1768–73 (1976).
- 76MUS Mustafaev, R. A., *Zh. Fiz. Khim.* **50**, 1899 (1976), data deposited in VINITI 1224-76.
- 76PHI/MAT Phillips, J. C., Mattamal, M. M., *J. Chem. Eng. Data* **21**, 228–32 (1976).
- 76ROD1 Roder, H. M., *J. Chem. Phys.* **65**, 1371–3 (1976).
- 76ROD2 Roder, H. M., *J. Res. Natl. Bur. Stand. (U.S.)* **80A**, 739–59 (1976).
- 76SAN/MEL San Jose, J. L., Mellinger, G., Reid, R. C., *J. Chem. Eng. Data* **21**, 414–7 (1976).
- 76SKO/SUU Skold, R., Suurkuusk, J., Wadsö, I., *J. Chem. Thermodyn.* **8**, 1075–80 (1976).
- 76VAS/KOR Vasil'ev, I. A., Korkhov, A. D., Minkin, G. M., Rabinovich, I. B., Sheiman, M. S., Nistratov, V. P., *Termodin. Org. Soedin.*, (5), 21–5 (1976).
- 77BEL/BUB Belousov, V. P., Bubnov, V., Pfestorf, R., Schumichen, A., *Z. Chem.* **17**, 382–4 (1977).
- 77BON/BED Bonner, O. D., Bednarek, J. M., Arisman, R. K., *J. Am. Chem. Soc.* **99**, 2898–902 (1977).
- 77DEV/PER2 De Visser, C., Perron, G., Desnoyers, J. E., *J. Am. Chem. Soc.* **99**, 5894–900 (1977).
- 77DEV/PER3 De Visser, C., Perron, G., Desnoyers, J. E., Heuvelsland, W. J. M., Somsen, G., *J. Chem. Eng. Data* **22**, 74–9 (1977).
- 77FIN/MES Finke, H. L., Messerly, J. F., Lee, S. H., Osborn, A. G., Douslin, D. R., *J. Chem. Thermodyn* **9**, 937–56 (1977).
- 77FOR/BEN Fortier, J.-L., Benson, G. C., *J. Chem. Thermodyn.* **9**, 1181–8 (1977).
- 77HAI/SUG1 Haida, O., Suga, H., Seki, S., *Bull. Chem. Soc. Jpn.* **50**, 802–9 (1977).
- 77HAI/SUG2 Haida, O., Suga, H., Seki, S., *J. Chem. Thermodyn.* **9**, 1133–48 (1977).
- 77HOF/SAN Hoffman, S. P., San Jose, J. L., Reid, R. C., *J. Chem. Eng. Data* **22**, 385–8 (1977).
- 77IKE/HAT Ikeda, M., Hatakeyama, T., *Mol. Cryst. Liq. Cryst.* **39**, 109–21 (1977).
- 77KAR/RAB Karyakin, N. V., Rabinovich, I. B., Sapozhnikov, V. N., Kamelova, G. P., Krongauz, E. S., Korshak, V. V., Travnikova, A. P., *Vysokomol. Soedin., Ser. B* **19**, 457–60 (1977).
- 77KU/COM KU-300, commercial calorimeter VNIIFTRI (soviet production), *Termodin. Org. Soedin.*, (6), 89–92 (1977).
- 77LEB/EVS3 Lebedev, B. V., Evstropov, A. A., Sadikov, G. B., Larina, L. F., *Zh. Fiz. Khim.* **51**, 1285 (1977), data deposited in VINITI 4328-76.
- 77LEB/LIT2 Lebedev, B. V., Lityagov, V. Ya., *Vysokomol. Soedin., Ser. B* **19**, 558–60 (1977).
- 77LEB/RAB1 Lebedev, B. V., Rabinovich, I. B., Kiparisova, E. G., Evstropov, A. A., Korshak, V. V., Pankratov, V. A., Larina, L. F., *Dokl. Akad. Nauk SSSR* **237**, 383–6 (1977).
- 77MUR/SUB Murthy, N. M., Subrahmanyam, S. V., *Indian J. Pure Appl. Phys.* **15**, 485–9 (1977).
- 77NAZ/MUS Naziev, Ya. M., Mustafaev, M. R., Abasov, A. A., 7th Proc. Symp. Thermophys. Prop., 525–31 (1977).
- 77STE/WAT Steele, W. V., Watt, I., *J. Chem. Thermodyn.* **9**, 843–9 (1977).
- 77VOR/PRI Vorob'ev, A. F., Privalova, N. M., Rekharskii, M. V., *Zh. Fiz. Khim.* **51**, 1843–6 (1977).
- 77VYU V'yugin, A. I., thesis, IKhTI Ivanovo, 1977. from: Korolev, V. P., Kukhareno, V. A., Krestov, G. A., *Zh. Fiz. Khim.* **60**, 1854–7 (1986).
- 77WIL/GRO Wilhelm, E., Grolier, J.-P. E., Karbalai Ghassemi, M. H., *Ber. Bunsen-Ges. Phys. Chem.* **81**, 925–30 (1977).
- 78ADE/SIM Adeusun, S. O., Sime, S. J., *Thermochim. Acta* **27**, 319–27 (1978).
- 78BYV/JAS Byval'tsev, Yu. A., Jasiunas, B. V., Perelygin, V. M., *Izv. Vyssh. Ucheb. Zaved., Pishch. Tekhnol.* (5), 169–70 (1978).
- 78DEV/HEU De Visser, C., Heuvelsland, W. J. M., Dunn, L. A., Somsen, G., *J. Chem. Soc., Faraday Trans. 1* **74**, 1159–69 (1978).
- 78GOO/SCO Good, W. D., Scott, D. W., Lee-Bechtold, S., Osborn, A. G., U.S. Dept. of Energy Report AFOSR-TR-79-0197, 1–20, 1978.
- 78GRO/WIL Grolier, J.-P. E., Wilhelm, E., Hamedi, M. H., *Ber. Bunsen-Ges. Phys. Chem.* **82**, 1282–90 (1978).
- 78LEB/RAB1 Lebedev, B. V., Rabinovich, I. B., Lebedev, N. K., Ushakov, N. V., *Dokl. Akad. Nauk SSSR* **239**, 1140–3 (1978).
- 78LEB/RAB2 Lebedev, B. V., Rabinovich, I. B., Milov, V. I., Lityagov, V. Ya., *J. Chem. Thermodyn.* **10**, 321–9 (1978).
- 78MAR/CIO1 Marchidan, D. I., Ciopec, M., *J. Therm. Anal.* **14**, 131–50 (1978).
- 78MAR/CIO2 Marchidan, D. I., Ciopec, M., *Rev. Roum. Chim.* **23**, 19–29 (1978).
- 78MCC/HAM McCormick, D. G., Hamilton, W. S., *J. Chem. Thermodyn.* **10**, 275–8 (1978).
- 78MIL Mills, K. C., *Thermochim. Acta* **23**, 390–2 (1978).
- 78MOU/WEI Mountfield, K. R., Weir, R. D., *J. Chem. Phys.* **69**, 774–84 (1978).
- 78MOY/SAS Moynihan, C. T., Sasabe, H., Czaplak, D. S., Schnaus, U. E., *J. Chem. Eng. Data* **23**, 107–11 (1978).
- 78ROU/PER1 Roux, G., Perron, G., Desnoyers, J. E., *Can. J. Chem.* **56**, 2808–14 (1978).
- 78ROU/PER2 Roux, G., Perron, G., Desnoyers, J. E., *J. Solution Chem.* **7**, 639–54 (1978).
- 78RYB/EME Rybalkin, V. I., Ernel'yanov, V. M., Stupak, P. M., Litovchenko, N. R., Z'ola, M. I., *Neftepererab. Neftekhim. (Kiev)* **16**, 48–50 (1978).
- 78SAF Safir, L. I., *Izv. Vyssh. Ucheb. Zaved. Neft Gaz* **21**(12), 14,82 (1978).
- 78STE Steele, W. V., *J. Chem. Thermodyn.* **10**, 919–27 (1978).
- 78WOY/KAL Woycicka, M., Kalinowska, B., *Bull. Acad. Pol. Sci., Ser. Sci. Chim.* **26**, 371–5 (1978).
- 78ZHU/ATR Zhuk, I. P., Atrashenok, T. R., *Inzh.-Fiz. Zh.* **34**, 1027–34 (1978).
- 79AND/GRI Andolenko, R. A., Grigor'ev, B. A., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **22**(11), 78,90 (1979).

- 79BAL/PET Balakina, M. M., Petrova, G. V., Vasil'ev, I. A., Termodin. Org. Soedin. (8), 37–41 (1979).
- 79BRO/ZIE Brown, G. N., Jr., Ziegler, W. T., J. Chem. Eng. Data **24**, 319–30 (1979).
- 79CZA Czarnota, I., Bull. Acad. Pol. Sci., Ser. Sci. Chim. **27**, 763–72 (1979).
- 79DEV/SOM De Visser, C., Somsen, G., J. Solution Chem. **8**, 593–600 (1979).
- 79DU/COM Du Pont 900 DTA, comercial calorimeter, Anal. Chim. Acta **27**, 763–72 (1979).
- 79DYK/REP Dykyj, J., Repáš, M., Tlak nasytenej páry organických zlučenin, Veda: Bratislava, 1979.
- 79FOR/BEN Fortier, J.-L., Benson, G. C., J. Chem. Eng. Data **24**, 34–7 (1979).
- 79FOR/DAR Fortier, J.-L., D'Arcy, P. J., Benson, G. C., Thermochim. Acta **28**, 37–43 (1979).
- 79FOR/JUN Formo, M. W., Jungermann, E., Norris, F. A., Sonntag, N. O., *Baley's Industrial Oil and Fat Products*, 4th ed. (Wiley, New York, 1979).
from: Cedeno, F. O., Prieto, M. M., Xiberta, J., J. Chem. Eng. Data **45**, 64–9 (2000).
- 79FUC Fuchs, R., J. Chem. Thermodyn. **11**, 959–61 (1979).
- 79GME Gmelin, E., Thermochim. Acta **29**, 1–39 (1979).
- 79GRI/YAN Grigor'ev, B. A., Yanin, G. S., Rastorguev, Yu. L., Tr. GIAP **54**, 57–64 (1979).
- 79GRO/HAM Grolier, J.-P. E., Hamedi, M. H., Wilhelm, E., Kehiaian, H. V., Thermochim. Acta **31**, 79–84 (1979).
- 79KIY/DAR Kiyohara, O., D'Arcy, P. J., Benson, G. C., Can. J. Chem. **57**, 1006–10 (1979).
- 79KOL Kollar-Hunek, K., Ph.D. thesis, Budapest Technical University, Budapest, 1979.
- 79MAR/BRA Martin Rubio, F., Bravo, R., Pintos, M., Gomez-Gotor, A., Acta Cient. Compostelana **16**, 79–105 (1979).
- 79MUR/SUB Murthy, N. M., Subrahmanyam, S. V., Indian J. Pure Appl. Phys. **17**, 620–2 (1979).
- 79OTT/GOA Ott, J. B., Goates, J. R., Grigg, R. B., J. Chem. Thermodyn. **11**, 1167–73 (1979).
- 79SAL/PEA Saluja, P. P. S., Peacock, L. A., Fuchs, R., J. Am. Chem. Soc. **101**, 1958–62 (1979).
- 79SCH/OFF Schaake, R. C. F., Offringa, J. C. A., Van der Berg, G. J. K., Van Miltenburg, J. C., Recl. Trav. Chim. Pays-Bas **98**, 408–12 (1979).
- 79SMI/GOO Smith, N. K., Good, W. D., AIAA J. **17**, 905–7 (1979).
- 79STE/TAM Stephens, M. A., Tamplin, W. S., J. Chem. Eng. Data **24**, 81–2 (1979).
- 79SVE Svensson, C., J. Chem. Thermodyn. **11**, 593–6 (1979).
- 79VES/ZAB Veselý, F., Zábranský, M., Svoboda, V., Pick, J., Collect. Czech. Chem. Commun. **44**, 3529–32 (1979).
- 79WIL/FAR Wilhelm, E., Faradjzadeh, A., Grolier, J.-P. E., J. Chem. Thermodyn. **11**, 979–84 (1979).
- 79WIL/GRO Wilhelm, E., Grolier, J.-P. E., Karbalai Ghassemi, M. H., Thermochim. Acta **28**, 59–69 (1979).
- 80BAL/PET Balakina, M. M., Petrova, G. V., Vasil'ev, I. A., CNIIT Eneftekhim., No50nch-80D (1980).
from: Vasil'ev, I. A., Petrov, V. M., Termodin. Svoistva Kislorodsoderzhashchikh Organ. Soedineniy, Khimiya Leningrad (1984).
- 80CAL/MAR Calin, S., Marchidan, D. I., Rev. Chim. (Bucharest) **31**, 248–50 (1980).
- 80FUC Fuchs, R., Can. J. Chem. **58**, 2305–6 (1980).
- 80GOO/THO Good, W. D., Thomas, R. H. P., Gammon, B. E., Lee-Bechtold, S., Callanan, J. E., Smith, N. K., U.S. Dept. of Energy Report, NIPER, Bartlesville., 1–19, 1980.
- 80GUR/GAV Gurevich, V. M., Gavrichev, K. S., Gorbunov, V. E., Probl. Kalorim. Khim. Termodin., Dokl. 9th Vses. Konf., 231–3 (1980).
- 80KAL/JED Kalinowska, B., Jedlinska, J., Woycicki, W., Stecki, J., J. Chem. Thermodyn. **12**, 891–6 (1980).
- 80NAK/SUG Nakamura, N., Suga, H., Seki, S., Bull. Chem. Soc. Jpn. **53**, 2755–61 (1980).
- 80NEF/FIL Nefedov, S. N., Filippov, L. P., Izv. Vyssh. Ucheb. Zaved., Neft Gaz **23**(2), 51–4 (1980).
- 80ROU/ROB Roux, G., Roberts, D., Perron, G., Desnoyers, J. E., J. Solution Chem. **9**, 629–47 (1980).
- 80SHA/LYU Shakirov, R. F., Lyubarskii, M. V., deposited Doc. SPSTL, 3Khp-D80, 1–19 (1980).
- 80VAS/TRE Vasil'ev, I. A., Treibsho, E. I., Korkhov, A. D., Petrov, V. M., Orlova, N. G., Balakina, M. M., Inzh.-Fiz. Zh. **39**, 1054–60 (1980).
- 80WON/WES Wong, W.-K., Westrum, E. F., Jr., Mol. Cryst. Liq. Cryst. **61**, 207–28 (1980).
- 81ARU Arutyunyan, G. S., Izv. Akad. Nauk Az. SSR, Ser. Fiz. -Tekn. Mat. Nauk **2**(2), 97–9 (1981).
- 81ARU/BAG Arutyunyan, G. S., Bagdasaryan, S. S., Kerimov, A. M., Izv. Akad. Nauk Az. SSR, Ser. Fiz. -Tekn. Mat. Nauk **2**(6), 94–7 (1981).
- 81ATA/ELS Atalla, S. R., El-Sharkawy, A. A., Gasser, F. A., Int. J. Thermophys. **2**, 155–62 (1981).
- 81CAS/ING Castagnolo, M., Inglese, A., Petrella, G., Sacco, A., Thermochim. Acta **44**, 67–76 (1981).
- 81CAS/WIL Casanova, C., Wilhelm, E., Grolier, J.-P. E., Kehiaian, H. V., J. Chem. Thermodyn. **13**, 241–8 (1981).
- 81CHR/RIC Chrusciel, J., Richter, L., Rachwalska, M., Mol. Cryst. Liq. Cryst. **75**, 155–67 (1981).
- 81GRO/ING Grolier, J.-P. E., Inglese, A., Roux, A. H., Wilhelm, E., Ber. Bunsen-Ges. Phys. Chem. **85**, 768–72 (1981).
- 81HOE Hoehne, G. W. H., Polym. Bull. (Berlin) **6**, 41–6 (1981).
- 81KOL/KOS Kolesov, V. P., Kosarukina, E. A., Zhogin, D. Yu., Poloznikova, M. E., Pentin, Yu. A., J. Chem. Thermodyn. **13**, 115–29 (1981).
- 81LAK/GOP Lakshmikummar, S. T., Gopal, E. S. R., J. Indian Inst. Sci. **63**(A), 277–329 (1981).
- 81NAZ/RUD Nazar'ko, V. M., Rudakov, G. Ya., Magomadov, A. S., Demichev, A. I., Gazov. Prom-st., Ser. Podgot. Pererab. Gaza Gazov. Kondens. (Obz. Inf.), (3), 13–6 (1981).
- 81SHA/AND Shakirov, R. F., Andreeva, V. M., Maslennikov, E. I., Lyubarskii, M. V., Zh. Fiz. Khim. **55**, 2138–40 (1981).
- 82BEN/DAR Benson, G. C., D'Arcy, P. J., J. Chem. Eng. Data **27**, 439–42 (1982).
- 82BIR/SIK Biroš, J., Sikora, A., Živný, A., Pouchlý, J., Collect. Czech. Chem. Commun. **47**, 2692–701 (1982).
- 82CHE/GE Chen, Z.-S., Ge, X.-S., Proc. Symp. Thermophys. Prop. **8**(2), 115–21 (1982).
- 82GOR/SIM1 Gorbunova, N. I., Simonov, V. M., Shipova, V. A., Dokl. Akad. Nauk SSSR **266**, 850–3 (1982).
- 82GOR/SIM2 Gorbunova, N. I., Simonov, V. M., Shipova, V. A., 8th Proc. Symp. Thermophys. Prop., (2), 409–14 (1982).
- 82GRO/ING Grolier, J.-P. E., Inglese, A., Wilhelm, E., J. Chem. Thermodyn. **14**, 523–9 (1982).

- 82KAR/IGA Karabaev, M. K., Igamberdyev, Kh. T., Abduzhaminov, T. A., Turdiev, N. Sh., Khabibullaev, B. K., *Izv. Akad. Nauk Uzb. SSR, Ser. Fiz. -Mat. Nauk* (4), 46–9 (1982).
- 82LAK/GOP Lakshmikummar, S. T., Gopal, E. S. R., *Int. Rev. Phys. Chem.* **2**, 197–235 (1982).
- 82MAR/AND Martin, J. F., Andon, R. J. L., *J. Chem. Thermodyn.* **14**, 679–88 (1982).
- 82MIN/SAB Minadakis, C., Sabbah, R., *Thermochim. Acta* **55**, 147–59 (1982).
- 82MOR/MAT Moriya, K., Matsuo, T., Suga, H., *J. Chem. Thermodyn.* **14**, 1143–8 (1982).
- 82OLL/PER Ollivon, M., Perron, R., *Thermochim. Acta* **53**, 183–94 (1982).
- 82PFE/KUC Pfestof, R., Kuchenbecker, D., Quitzsch, K., *Z. Phys. Chem. (Leipzig)* **263**, 233–40 (1982).
- 82SCH/VAN2 Schaake, R. C. F., Van Miltenburg, J. C., De Kruif, C. G., *J. Chem. Thermodyn.* **14**, 771–8 (1982).
- 82TAN Tanaka, R., *J. Chem. Thermodyn.* **14**, 259–68 (1982).
- 82TUT/GAB Tutubalina, V. P., Gabdrakhmanov, F. G., Konyukhova, T. M., *Teplo- Massobmen Khim. Tekhnol.* 27–8 (1982).
- 82VAS/PET Vasil'ev, I. A., Petrov, V. M., Treibsho, E. I., *Zh. Prikl. Khim. (Leningrad)* **55**, 2116–7 (1982).
- 82VIL/CAS Villamanan, M. A., Casanova, C., Roux-Desgranges, G., Grolier, J.-P. E., *Thermochim. Acta* **52**, 279–83 (1982).
- 82VOR/YAK Vorob'ev, A. F., Yakovlev, P. N., *Zh. Fiz. Khim.* **56**, 1933–6 (1982).
- 82WIL/FAR Wilhelm, E., Faradjzadeh, A., Grolier, J.-P. E., *J. Chem. Thermodyn.* **14**, 1199–200 (1982).
- 82WIL/ING Wilhelm, E., Inglese, A., Quint, J. R., Grolier, J.-P. E., *J. Chem. Thermodyn.* **14**, 303–8 (1982).
- 82ZAR Zaripov, Z. I., *Teplomasobmen Teplofiz. Svoistva Veshchestv (Sb. Nauchnykh Trudov)*, 73–8 (1982).
- 83BEN/DAR Benson, G. C., D'Arcy, P. J., Sugamori, M. E., *Thermochim. Acta* **71**, 161–6 (1983).
- 83BYK/LEB2 Bykova, T. A., Lebedev, B. V., Tarasov, E. N., *Termodin. Org. Soedin.*, 48–52 (1983).
- 83CHA Chang, S. S., *J. Chem. Phys.* **79**, 6229–36 (1983).
- 83DAP/DEL D'Aprano, A., DeLisi, R., Donato, D. I., *J. Solution Chem.* **12**, 383–400 (1983).
- 83DEW/DEK De, Wit, H. G. M., De Kruif, C. G., Van Miltenburg, J. C., *J. Chem. Thermodyn.* **15**, 891–902 (1983).
- 83DEW/OFF De, Wit, H. G. M., Offringa, J. C. A., De Kruif, C. G., Van Miltenburg, J. C., *Thermochim. Acta* **65**, 43–51 (1983).
- 83DZH/KUL Dzhafarov, O. I., Kuliev, A. M., deposited Doc. VINITI No. 3143-83, 1–9 (1983).
- 83GOR/SIM Gorbunova, N. I., Simonov, V. M., Shipova, V. A., *Teplofiz. Vys. Temp.* **21**, 270–5 (1983).
- 83GRO/FAR1 Grolier, J.-P. E., Faradjzadeh, A., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 250 (1983).
- 83GRO/FAR2 Grolier, J.-P. E., Faradjzadeh, A., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 251 (1983).
- 83KAR/ABD2 Karabaev, M. K., Abduzhaminov, T. P., Tursunov, Sh. O., Igamberdyev, Kh. T., *Izv. Akad. Nauk Uzb. SSR, Ser. Fiz. -Mat. Nauk*, (6), 57–8 (1983).
- 83KIM/DAR Kimura, F., D'Arcy, P. J., Sugamori, M. E., Benson, G. C., *Thermochim. Acta* **64**, 149–54 (1983).
- 83KIM/TRE Kimura, F., Treszczanowicz, A. J., Helpin, C. J., Benson, G. C., *J. Chem. Thermodyn.* **15**, 503–10 (1983).
- 83KOR/DYA Korkhov, A. D., D'yakova, G. N., Vasil'ev, I. A., *Fiz.-Khim. Aspekty Razrab. Neftekhim Protsesov*, 75–84 (1983).
- 83KUK/KOR from: Vasil'ev, I. A., Petrov, V. M., *Termodin. Svoistva Kislorodsoderzhashchikh Organ. Soedineniy, Khimiya Leningrad*, 1984.
- Kukhareno, V. A., Korolev, V. P., Krestov, G. A., *Izv. Vyssh. Ucheb. Zaved., Khim. Khim. Tekhnol.* **26**, 369–72 (1983).
- 83LEB/EVS Lebedev, B. V., Evstropov, A. A., *J. Chem. Thermodyn.* **15**, 115–28 (1983).
- 83MCG McGarry, J., *Ind. Eng. Chem., Process Des. Develop.* **2**, 313–22 (1983).
- 83MEY/MEY Meyer, E. F., Meyer, M. C., *J. Chem. Eng. Data* **28**, 148–50 (1983).
- 83ORO/MRA O'Rourke, D. F., Mraw, S. C., *J. Chem. Thermodyn.* **15**, 489–502 (1983).
- 83PFE/SCH Pfestorf, R., Schmelzer, J., Krug, M., Zeiger, B., Stych, U., Quitzsch, K., *Fluid Phase Equilib.* **12**, 283–96 (1983).
- 83ROU/ROU Roux, A. H., Roux-Desgranges, G., Grolier, J.-P. E., Viillard, A., *Calorim. Anal. Therm.* **14**, 142–50 (1983).
- 83SID/SVE Siddiqi, M. A., Svejda, P., Kohler, F., *Ber. Bunsen-Ges. Phys. Chem.* **87**, 1176–81 (1983).
- 83TAN/ZHO Tan, Z., Zhou, L., Chen, S., Yin, A., Sun, Y., Ye, J., Wang, X., *Sci. Sin., Ser. B: Engl. Ed.* **26**, 1014–26 (1983).
- 83YOS/SOR1 Yoshikawa, M., Sorai, M., Suga, H., Seki, S., *J. Phys. Chem. Solids* **44**, 311–21 (1983).
- 84BEC/RUE Beckhaus, H. D., Ruechardt, C., Smisek, M., *Thermochim. Acta* **79**, 149–59 (1984).
- 84BEN/DAR Benson, G. C., D'Arcy, P. J., Kumaran, M. K., *Thermochim. Acta* **75**, 353–60 (1984).
- 84BRA/PIN Bravo, R., Pintos, M., Baluja, M. C., Paz Andrade, M. I., Roux-Desgranges, G., Grolier, J.-P. E., *J. Chem. Thermodyn.* **16**, 73–9 (1984).
- 84DYK/REP Dykyj, J., Repáš, M., Svoboda, J., *Tlak nasytenej páry organických zlúčenin, Veda: Bratislava*, 1984.
- 84FIL/LAU Filippov, L. P., Laushkina, L. A., *Zh. Fiz. Khim.* **58**, 1068–71 (1984).
- 84GAI/GRA Gaivoronski, A. N., Granzhan, V. A., Tverdokhlebova N. V., deposited Doc. ONIITEKhIM (Cherkassy), N83khp-85, 1–5 (1984).
- 84GRI/AND Grigor'ev, B. A., Andolenko, R. A., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **27**(2), 60–2 (1984).
- 84GRO/BEN Grolier, J.-P. E., Benson, G. C., *Can. J. Chem.* **62**, 949–53 (1984).
- 84GRO/ING Grolier, J.-P. E., Inglese, A., Wilhelm, E., *J. Chem. Thermodyn.* **16**, 67–71 (1984).
- 84GUS/MIR Guseinov, S. O., Mirzaliev, A. A., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **27**(5), 41–5 (1984).
- 84GUS/SHU Guseinov, K. D., Shubin, V. V., Klimova, T. F., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **27**(8), 54–7 (1984).
- 84HEM/HOH Hemminger, W., Höhne, G., *Calorimetry. Fundamentals and Practice* (Verlag Chemie, Weinheim, 1984).
- 84ING/GRO Inglese, A., Grolier, J.-P. E., Wilhelm, E., *Fluid Phase Equilib.* **15**, 287–9 (1984).
- 84KAL/WOY Kalinowska, B., Woycicki, W., *J. Chem. Thermodyn.* **16**, 609–13 (1984).
- 84KUM/BEN Kumaran, M. K., Benson, G. C., D'Arcy, P. J., Halpin, C. J., *J. Chem. Thermodyn.* **16**, 1181–9 (1984).
- 84OGA/KOB Ogata, Y., Kobayashi, K., Matsuo, T., Suga, H., *J. Phys. E: Sci. Instrum.* **17**, 1054–7 (1984).
- 84OVC/MOS Ovchinnikov, E. Yu., Moseeva, E. M., Rabinovich, I. B., Leshina, T. V., *Zh. Fiz. Khim.* **58**, 1263–5 (1984).

- 84POD/RAC Podoski, T., Rachwalska, M., Mayer, J., *Physica B+C (Amsterdam)* **125**, 215–8 (1984).
- 84ROU/GRO Roux, A. H., Grolier, J.-P. E., Inglese, A., Wilhelm, E., *Ber. Bunsen-Ges. Phys. Chem.* **88**, 986–92 (1984).
- 84SHE/NIS Sheiman, M. S., Nistratov, V. P., Kamelova, G. P., Rabinovich, I. B., *Probl. Kalorim. Khim. Thermodyn.*, Dokl. 10th Vses. Konf., (2), 457–9 (1984).
- 84STE/OLS Stephens, M., Olson, J. D., *Thermochim. Acta* **76**, 79–85 (1984).
- 84VAN/BOU Van Miltenburg, J. C., Bouwstra, J. A., *J. Chem. Thermodyn.* **16**, 61–5 (1984).
- 84ZEG/SOM2 Zegers, H. C., Somsen, G., *J. Chem. Thermodyn.* **16**, 225–35 (1984).
- 85BAL/BRA Baluja, M. C., Bravo, R., Pintos, M., Paz Andrade, M. I., Roux-Desgranges, G., Grolier, J.-P. E., *Calorim. Anal. Therm.* **16**, 138–44 (1985).
- 85BEN/KUM Benson, G. C., Kumaran, M. K., Treszczanowicz, T., D'Arcy, P. J., Halpin, C. J., *Thermochim. Acta* **95**, 59–66 (1985).
- 85BOU/DEL Bouwstra, J. A., De Leeuw, V. V., Van Miltenburg, J. C., *J. Chem. Thermodyn.* **17**, 685–95 (1985).
- 85BYK/LEB Bykova, T. A., Lebedev, B. V., Kiparisova, E. G., Tarasov, E. N., Frenkel' Ts. M., Pankratov, V. A., Vinogradova, S. V., Korshak, V. V., *Zh. Obshch. Khim.* **55**, 2591–7 (1985).
- 85CAM/THO Campbell, S. W., Thodos, G., *J. Chem. Eng. Data* **30**, 102–11 (1985).
- 85COS/PAT1 Costas, M., Patterson, D., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 212 (1985).
- 85COS/PAT2 Costas, M., Patterson, D., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 213 (1985).
- 85COS/PAT3 Costas, M., Patterson, D., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 214 (1985).
- 85COS/PAT4 Costas, M., Patterson, D., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 215 (1985).
- 85COS/PAT5 Costas, M., Patterson, D., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 216 (1985).
- 85COS/PAT6 Costas, M., Patterson, D., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 217 (1985).
- 85COS/PAT7 Costas, M., Patterson, D., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (3), 222 (1985).
- 85COS/PAT8 Costas, M., Patterson, D., *J. Chem. Soc., Faraday Trans. 1* **81**, 635–54 (1985).
- 85COS/PAT9 Costas, M., Patterson, D., *J. Chem. Soc., Faraday Trans. 1* **81**, 2381–98 (1985).
- 85CZA Czarnota, I., *High Temp.-High Pressures* **17**, 543–6 (1985).
- 85GUS/MIR Guseinov, S. O., Mirzaliev, A. A., *Izv. Vyssh. Ucheb. Zaved., Neft Gaz* **28**(5), 58–62 (1985).
- 85HEP/KOO Hepler, L. G., Kooner, Z. S., Roux-Desgranges, G., Grolier, J.-P. E., *J. Solution Chem.* **14**, 579–94 (1985).
- 85KAR/ABD1 Karabaev, M. K., Abduzhaminov, T. P., *Izv. Akad. Nauk Uzb. SSR, Ser. Fiz.-Mat. Nauk*, (2) 77–81 (1985).
- 85KAR/ABD2 Karabaev, M. K., Abduzhaminov, T. P., Saidov, A. A., Igamberdiyev, Kh.T., *Izv. Akad. Nauk Uzb. SSR, Ser. Fiz.-Mat. Nauk* (4), 71–4 (1985).
- 85KOL/KUL Kolker, A. M., Kulikov, M. V., Krestov, G. A., *Izv. Vyssh. Ucheb. Zaved., Khim. Khim. Tekhnol.* **28**(6), 11–4 (1985).
- 85LAI/GRO Lainez, A., Grolier, J.-P. E., Wilhelm, E., *Thermochim. Acta* **91**, 243–8 (1985).
- 85LAI/ROD Lainez, A., Rodrigo, M., Roux, A. H., Grolier, J.-P. E., Wilhelm, E., *Calorim. Anal. Therm.* **16**, 153–8 (1985).
- 85LAI/ROU Lainez, A., Roux-Desgranges, G., Grolier, J.-P. E., Wilhelm, E., *Fluid Phase Equilib.* **20**, 47–56 (1985).
- 85LAI/WIL Lainez, A., Wilhelm, E., Roux-Desgranges, G., Grolier, J.-P. E., *J. Chem. Thermodyn.* **17**, 1153–61 (1985).
- 85LEB/LEB Lebedev, B. V., Lebedev, N. K., Smirnova, N. N., Kozyreva, N. M., Kirillin, A. I., Korshak, V. V., *Dokl. Akad. Nauk SSSR* **281**, 379–83 (1985).
- 85NKI/CHA Nkinamubanzi, P., Charlet, G., Delmas, G., *Fluid Phase Equilib.* **20**, 57–73 (1985).
- 85OGA/MUR Ogawa, H., Murakami, S., *Thermochim. Acta* **88**, 255–60 (1985).
- 85OVC/MOS Ovchinnikov, E. Yu., Moseeva, E. M., Rabinovich, I. B., *Zh. Fiz. Khim.* **59**, 2836–7 (1985).
- 85RAB/NOV Rabinovich, I. B., Novoselova, N. V., Moseeva, E. M., Babinkov, A. G., Tsvetkova, L. Ya., *Zh. Fiz. Khim.* **59**, 2127–30 (1985).
- 85RAB/SHE Rabinovich, I. B., Sheiman, M. S., Nistratov, V. P., Kamelova, G. P., Zorin, A. D., *Zh. Fiz. Khim.* **59**, 2414–7 (1985).
- 85TAN Tanaka, R., *J. Chem. Eng. Data* **30**, 267–9 (1985).
- 85TAN/NAK Tanaka, R., Nakamichi, T., Murakami, S., *J. Solution Chem.* **14**, 795–803 (1985).
- 85WAD Wadsö, I., *Thermochim. Acta* **96**, 313–25 (1985).
- 86ALP/PES Al'per, G. A., Peshekhodov, P. B., Nikiforov, M. Yu., Petrov, A. N., Krestov, G. A., *Zh. Obshch. Khim.* **56**, 1688–91 (1986).
- 86BEN/DAR1 Benson, G. C., D'Arcy, P. J., *Can. J. Chem.* **64**, 2139–41 (1986).
- 86BEN/DAR2 Benson, G. C., D'Arcy, P. J., *J. Chem. Thermodyn.* **18**, 493–8 (1986).
- 86BEN/DAR3 Benson, G. C., D'Arcy, P. J., *Thermochim. Acta* **102**, 75–81 (1986).
- 86DJO/LAU Djordjevic, N. M., Laub, R. J., *Thermochim. Acta* **107**, 227–38 (1986).
- 86DZH/KUL1 Dzhaferov, O. I., Kuliev, A. M., deposited Doc. VINITI No. 7979-V, 1–12 (1986).
- 86DZH/KUL2 Dzhaferov, O. I., Kuliev, A. M., *Dokl. Akad. Nauk Az. SSR* **42**(11), 56–9 (1986).
- 86GAT/WOO Gates, J. A., Wood, R. H., Cobos, J. C., Casanova, C., Roux, A. H., Roux-Desgranges, G., Grolier, J.-P. E., *Fluid Phase Equilib.* **27**, 137–51 (1986).
- 86JIM/ROM Jimenez, E., Romani, L., Paz Andrade, M. I., Roux-Desgranges, G., Grolier, J.-P. E., *J. Solution Chem.* **15**, 879–90 (1986).
- 86KOR/KUK Korolev, V. P., Kukhareenko, V. A., Krestov, G. A., *Zh. Fiz. Khim.* **60**, 1854–7 (1986).
- 86KRA/KOZ Krasulin, A. P., Kozyro, A. A., Dalidovich, S. V., *Zh. Fiz. Khim.* **60**, 2580–3 (1986).
- 86KUL/DZH Kuliev, A. M., Dzhaferov, O. I., deposited Doc. VINITI No. 2447-86, 1986.
- 86MAG/ELY Magee, J. W., Ely, J. F., *Int. J. Thermophys.* **7**, 1163–82 (1986).
- 86MER/BEN Mercier, J., Benoist, L., Le Parlouer, P., *Journées d'Etude sur les Capac. Calor. des Syst. Condenses, Cadarache, France*, 164–84 (1986).
- 86NAZ/BAS1 Naziev, Ya. M., Bashirov, M. M., Badalov, Yu. A., *Inzh.-Fiz. Zh.* **51**, 789–95 (1986).
- 86NAZ/BAS2 Naziev, Ya. M., Bashirov, M. M., Badalov, Yu. A., *Inzh.-Fiz. Zh.* **51**, 998–1004 (1986).
- 86NIL/WAD Nilsson, S.-O., Wadsö, I., *J. Chem. Thermodyn.* **18**, 673–81 (1986).
- 86OGA/MUR Ogawa, H., Murakami, S., *Thermochim. Acta* **109**, 145–54 (1986).
- 86ORT Ortega, J., *Rev. Latinoam. Ing. Quim. Quim. Apl. (Lat. Am. J. Chem. Eng. Appl. Chem.)* **16**, 307–15 (1986).

- 86RAB/NOV Rabinovich, I. B., Novoselova, N. V., Moseeva, E. M., Babinkov, A. G., Tsvetkova, L. Ya., Zh. Fiz. Khim. **60**, 545–8 (1986).
- 86ROU/GRO Roux-Desgranges, G., Grolier, J.-P. E., Villamanan, M. A., Casanova, C., Fluid Phase Equilib. **25**, 209–30 (1986).
- 86ROU/ZIE Rouquerol, J., Zielenkiewicz, W., Thermochim. Acta **109**, 121–37 (1986).
- 86SMI/SRI Smith, B. D., Srivastava, R., *Thermodynamic Data for Pure Compounds*, Phys. Sci. Data 25, Part B (Elsevier, Amsterdam, 1986).
- 86STE/CHI Steele, W. V., Chirico, R. D., Collier, W. B., Hossenlopp, I. A., Nguyen, A., Strube, M. M., U.S. Dept. of Energy Report, NIPER, Bartlesville No. 188, 1–112, 1986.
- 86TAN/TOY Tanaka, R., Toyama, S., Murakami, S., J. Chem. Thermodyn. **18**, 63–73 (1986).
- 86VAN/KAJ Van Hecke, G. R., Kaji, K., Sorai, M., Mol. Cryst. Liq. Cryst. **136**, 197–219 (1986).
- 86WIL/LAI Wilhelm, E., Lainez, A., Roux, A. H., Grolier, J.-P. E., Thermochim. Acta **105**, 101–10 (1986).
- 87BUS/MAS Busygina, G. I., Maslova, V. A., Shvetsova, K. G., Babinkov, A. G., Rabinovich, I. B., Karyakin N. V., Zh. Fiz. Khim. **61**, 2347–51 (1987).
- 87CHI/HOS1 Chirico, R. D., Hossenlopp, I. A., Nguyen, A., Steele, W. V., NIPER Topical Report No. 239, 1–67, 1987.
- 87CHI/HOS2 Chirico, R. D., Hossenlopp, I. A., Nguyen, A., Strube, M. M., Steele, W. V., NIPER Topical Report No. 247, 1–107, 1987.
- 87COB/CAS Cobos, J. C., Casanova, C., Roux-Desgranges, G., Grolier, J.-P. E., J. Chem. Thermodyn. **19**, 791–6 (1987).
- 87COB Cobos, J. C., Ph.D. thesis, Universidad de Valladolid, 1987.
from: Douheret, G., Salgado, C., Davis, M. I., Loya, J., Thermochim. Acta **207**, 313–28 (1992).
- 87GME Gmelin, E., Thermochim. Acta **110**, 183–208 (1987).
- 87GRO/ROU Grolier, J.-P. E., Roux-Desgranges, G., Kooner, Z. S., Smith, J. F., Hepler, L. G., J. Solution Chem. **16**, 745–52 (1987).
- 87KAL/KOH Kalali, H., Kohler, F., Svejda, P., Monatsh. Chem. **118**, 1–18 (1987).
- 87LAN/CRI Lankford, J. I., Criss, C. M., J. Solution Chem. **16**, 885–906 (1987).
- 87LES/LIC Lesbats, C., Lichanot, A., Thermochim. Acta **109**, 317–29 (1987).
- 87MIR/SHA Mirzaliev, A. A., Shakhmuradov, Sh. G., Guseinov, S. O., Izv. Vyssh. Ucheb. Zaved., Neft Gaz **30**(4), 55–8 (1987).
- 87OKH/RAZ Okhotin, V. S., Razumeichenko, L. A., Skorodumov, A. V., Teplofiz. Vys. Temp. **25**, 812–4 (1987).
- 87PER/COM Perkin-Elmer DSC-2C, commercial calorimeter, J. Chem. Eng. Data **32**, 251–65 (1987).
- 87PIE Piekarski, H., Can. J. Chem. **65**, 2810–4 (1987).
- 87SHV/PES Shvaro, O. V., Peshchenko, A. D., Sachek, A. I., Vasil'ev, V. G., Smirnova, N. N., deposited Doc. VINITI No. 1052-V87, 1–14, 1987.
- 87TAN Tanaka, R., J. Chem. Eng. Data **32**, 176–7 (1987).
- 87VAN/VAN Van Miltenburg, J. C., Van den Berg, J. K., Van Bommel, M. J., J. Chem. Thermodyn. **19**, 1129–37 (1987).
- 87VAN/WHI Van Oort, M. J. M., White, M. A., Rev. Sci. Instrum. **58**, 1239–41 (1987).
- 87WIL/ING Wilhelm, E., Inglese, A., Roux, A. H., Grolier, J.-P. E., Fluid Phase Equilib. **34**, 49–67 (1987).
- 87WIL/LAI Wilhelm, E., Lainez, A., Berkane, M., Roux-Desgranges, G., Roux, A. H., Grolier, J.-P. E., Calorim. Anal. Therm. **18**, 95–9 (1987).
- 87YAM/OGU Yamamuro, O., Oguni, M., Matsuo, T., Suga, H., Bull. Chem. Soc. Jpn. **60**, 1296–75 (1987).
- 87ZAB/HYN Zábanský, M., Hynek, V., Finkeová-Haštábová, J., Veselý, F., Collect. Czech. Chem. Commun. **52**, 251–7 (1987).
- 88AND/PAT Andreoli-Ball, L., Patterson, D., Costas, M., Caceres-Alonso, M., J. Chem. Soc., Faraday Trans. 1 **84**, 3991–4012 (1988).
- 88ARU/MOV Arutyunyan, G. S., Movsesyan, G. M., Izv. Akad. Nauk Az. SSR, Ser. Fiz. -Tekn. Mat. Nauk **9**(1), 60–3 (1988).
- 88BAS/NIL Bastos, M., Nilsson, S.-O., Riberio da Silva, M. D. M. C., Riberio da Silva, M. A. V., Wadsö, I., J. Chem. Thermodyn. **20**, 1353–9 (1988).
- 88BOB/KAM Bobylev, V. A., Kamskaya, O. I., Kossoi, A. A., Koludárova, E. Yu., Zh. Obshch. Khim. **58**, 2536–8 (1988).
- 88BOY/CRI Boyette, S., Criss, C. M., J. Chem. Eng. Data **33**, 426–9 (1988).
- 88CAC/COS Caceres-Alonso, M., Costas, M., Andreoli-Ball, L., Patterson, D., Can. J. Chem. **66**, 989–98 (1988).
- 88COH/TAY Cohen, E. R., Taylor, B. N., J. Phys. Chem. Ref. Data **17**, 1795–1803 (1988).
- 88CON/GIA Conti, G., Gianni, P., Papini, A., Matteoli, E., J. Solution Chem. **17**, 481–96 (1988).
- 88COS/VAN Costas, M., Van Tra, H., Patterson, D., Caceres-Alonso, M., Tardajos, G., Aicart, E., J. Chem. Soc., Faraday Trans. 1 **84**, 1603–16 (1988).
- 88DZH/MEK Dzhabarov, O. I., Mekhtiev, S. A., Mekhtiev, M. S., Shulin, A. N., deposited Doc. VINITI No. 571-V88, 1–8, 1988.
- 88GEI/MEK Geidarov, Kh. I., Mekhtiev, M. S., deposited Doc. VINITI No. 5235-V88, 1–8, 1988.
- 88GUS/MIR1 Guseinov, S. O., Mirzaliev, A. A., Teplofiz. Svoistva Veshchestv i Mater., 14-(1988).
- 88GUS/MIR2 Guseinov, S. O., Mirzaliev, A. A., Shakhmuradov, Sh. G., Izv. Vyssh. Ucheb. Zaved., Neft Gaz **31**(9), 13,35 (1988).
- 88ING Inglese, A., Int. Data Ser., Sel. Data Mixtures, Ser. A (3), 170–4 (1988).
- 88ISM/GAB Ismailov, T. S., Gabzalilova, N. R., Makhkamov, Kh. M., Uzb. Khim. Zh., (4), 48–50 (1988).
- 88KAL/WOY Kalinowska, B., Woycicki, W., J. Chem. Thermodyn. **20**, 1131–5 (1988).
- 88KUZ/KHA Kuznetsov, M. A., Kharin, V. E., Gerasimov, A. A., Grigor'ev, B. A., Izv. Vyssh. Ucheb. Zaved., Neft Gaz **31**(11), 49–52 (1988).
- 88LEB/BYK Lebedev, B. V., Bykova, T. A., Kiparisova, E. G., Frenkel, Ts. M., Fainleib, A. M., Pankratov, V. A., Izv. Akad. Nauk SSSR, Ser. Khim. (6), 1232–7 (1988).
- 88MEL/VER Mel'nikov, G. A., Verveiko, V. N., Otpushchennikov, N. F., Zh. Fiz. Khim. **62**, 799–800 (1988).
- 88MES/FIN Messerly, J. F., Finke, H. L., Good, W. D., Gammon, B. E., J. Chem. Thermodyn. **20**, 485–501 (1988).
- 88MES/TOD Messerly, J. F., Todd, S. S., Finke, H. L., Good, W. D., Gammon, B. E., J. Chem. Thermodyn. **20**, 209–24 (1988).
- 88MUK/ZAR Mukhamedzyanov, G. Kh., Zaripov, Z. I., deposited Doc. ONITEKhim (Cherkassy), N712-khp88, 1–7, 1988.
- 88NAZ/BAS Naziev, Ya. M., Bashirov, M. M., Teplofiz. Vys. Temp. **26**, 58–62 (1988).

- 88OKA/OGA Okano, T., Ogawa, H., Murakami, S., *Can. J. Chem.* **66**, 713–7 (1988).
- 88PER/AIC Perez-Casas, S., Aicart, E., Trejo, L. M., Costas, M., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (2), 114 (1988).
- 88PIE/SOM1 Piekarski, H., Somsen, G., *J. Chem. Soc., Faraday Trans. 1* **84**, 529–37 (1988).
- 88PIE/SOM2 Piekarski, H., Somsen, G., 10th IUPAC Conf. Chem. Thermodyn., Prague, 1–54, 1988.
- 88PIN/BRA Pintos, M., Bravo, R., Baluja, M. C., Paz Andrade, M. I., Roux-Desgranges, G., Grolier, J.-P. E., *Can. J. Chem.* **66**, 1179–86 (1988).
- 88ROD/MAR Rodante, F., Marrosu, G., *Thermochim. Acta* **136**, 209–18 (1988).
- 88SAI/TAN Saito, A., Tanaka, R., *J. Chem. Thermodyn.* **20**, 859–65 (1988).
- 88SHI/OGA1 Shiohama, Y., Ogawa, H., Murakami, S., Fujihara, I., *J. Chem. Thermodyn.* **20**, 1183–9 (1988).
- 88SHI/OGA2 Shiohama, Y., Ogawa, H., Murakami, S., Fujihara, I., *J. Chem. Thermodyn.* **20**, 1307–14 (1988).
- 88STE/ARC Steele, W. V., Archer, D. G., Chirico, R. D., Collier, W. B., Hossenlopp, I. A., Nguyen, A., Smith, N. K., Gammon, B. E., *J. Chem. Thermodyn.* **20**, 1233–64 (1988).
- 88STE/CHI Steele, W. V., Chirico, R. D., Knipmeyer, S. E., Smith, N. K., NIPER Topical Report No. 395, 1–42, 1988.
- 88VES/ZAB Veselý, F., Zábbranský, M., Barcal, P., Svoboda, V., *J. Chem. Thermodyn.* **20**, 1283–5 (1988).
- 88WHI/PER White, M. A., Perrott, A., *Can. J. Chem.* **66**, 729–33 (1988).
- 89AIR/DE Airoldi, C., de Souza, A. G., *J. Chem. Thermodyn.* **21**, 283–91 (1989).
- 89BAR/KOO1 Barta, L., Kooner, Z. S., Hepler, L. G., Roux-Desgranges, G., Grolier, J. P.-E., *J. Solution Chem.* **18**, 663–73 (1989).
- 89BAR/KOO2 Barta, L., Kooner, Z. S., Hepler, L. G., Roux-Desgranges, G., Grolier, J. P.-E., *Can. J. Chem.* **67**, 1225–9 (1989).
- 89BRE/LIC Bret-Dibat, P., Lichanot, A., *Thermochim. Acta* **147**, 261–71 (1989).
- 89CHI/KNI Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Steele, W. V., *J. Chem. Thermodyn.* **21**, 1307–31 (1989).
- 89COB/GAR Cobos, J. C., Garcia, I., Casanova, C., Roux-Desgranges, G., Grolier, J.-P. E., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (1), 59–63 (1989).
- 89COS/YAO Costas, M., Yao, Z., Patterson, D., *J. Chem. Soc., Faraday Trans. 1* **85**, 2211–27 (1989).
- 89DOU/KHA Douheret, G., Khadir, A., Pal, A., *Thermochim. Acta* **142**, 219–43 (1989).
- 89GEI/ZEI Geidarov, Kh.I., Zeinalov, S. B., deposited Doc. VINITI No. 54-V89, 1–7, 1989.
- 89ING Inglese, A., *Int. Data Ser., Sel. Data Mixtures, Ser. A* (2), 145–8 (1989).
- 89JAD/FRA Jadot, R., Fraiha, M., *Int. J. Refrig.* **12**, 198–203 (1989).
- 89JIM/ROU Jimenez, E., Roux-Desgranges, G., Grolier, J.-P. E., Wilhelm, E., *Thermochim. Acta* **151**, 99–107 (1989).
- 89KNI/ARC Knipmeyer, S. E., Archer, D. G., Chirico, R. D., Gammon, B. E., Hossenlopp, I. A., Nguyen, A., Smith, N. K., Steele, W. V., Strube, M. M., *Fluid Phase Equilib.* **52**, 185–92 (1989).
- 89KUL/KRE Kulikov, M. V., Krestov, A. G., Safonova, L. P., Kolker, A. M., *Termodinam. Rastvorov Neelektrolitov, Ivanovo*, 27–32 (1989).
- 89LAI/ROD Lainez, A., Rodrigo, M.-M., Wilhelm, E., Grolier, J.-P. E., *J. Chem. Eng. Data* **34**, 332–5 (1989).
- 89OHN/FUJ Ohnishi, K., Fujihara, I., Murakami, S., *Fluid Phase Equilib.* **46**, 59–72 (1989).
- 89PET/PES1 Petrov, A. N., Peshekhodov, P. B., Al'per, G. A., *Termodinam. Rastvorov Neelektrolitov, Ivanovo*, 21–6 (1989).
- 89PET/PES2 Petrov, A. N., Peshekhodov, P. B., Al'per, G. A., Krestov, G. A., *Zh. Fiz. Khim.* **63**, 2537–9 (1989).
- 89PFE/SCH Pfestorf, R., Schumichen, A., Quitzsch, K., *Z. Phys. Chem. (Leipzig)* **270**, 1135–44 (1989).
- 89PIN/GON Pinvidic, J. J., Gonthier-Vassal, A., Szwarz, H., Ceolin, R., Toffoli, P., Teulon, J. M., Guechot, C., *Thermochim. Acta* **153**, 37–45 (1989).
- 89PRA/RAJ Prasad, T. E. V., Rajiah, A., Prasad, D. H. L., Swamy, V. N., *Phys. Chem. Liq.* **20**, 157–65 (1989).
- 89SAI/SAT Saitoh, A., Sato, H., Watanabe, K., *Int. J. Thermophys.* **10**, 649–59 (1989).
- 89STE/CHI Steele, W. V., Chirico, R. D., Nguyen, A., Hossenlopp, I. A., Smith, N. K., *AICHE Symp. Ser.* **271** **85**, 140–62 (1989).
- 89VES/BAR Veselý, F., Barcal, P., Zábbranský, M., Svoboda, V., *Collect. Czech. Chem. Commun.* **54**, 602–7 (1989).
- 89VOG/SCH Vogel, L., Schuberth, H., Wiss., Z. Martin Luther Univ. Halle Wittenberg, *Math. Naturwiss. Reihe* **38**, 153–6 (1989).
- 90ALP/PES Al'per, G. A., Peshekhodov, P. B., Nikiforov, M. Yu., Krestov, G. A., *Zh. Fiz. Khim.* **64**, 652–5 (1990).
- 90CHI/GAM Chirico, R. D., Gammon, B. E., Knipmeyer, S. E., Nguyen, A., Strube, M. M., Tsonopoulos, C., Steele, W. V., *J. Chem. Thermodyn.* **22**, 1075–96 (1990).
- 90JAL/ROB Jalabert, D., Robert, J. B., Roux-Buisson, H., *Calorim. Anal. Therm.* **20–21**, 441–7 (1990).
- 90JIN/WUN Jin, Y., Wunderlich, B., *J. Therm. Anal.* **36**, 765–89 (1990).
- 90MAY/RAC Mayer, J., Rachwalska, M., Sciesinska, E., Sciesinski, J., *J. Phys. (Paris)* **51**, 857–67 (1990).
- 90MES/TOD Messerly, J. F., Todd, S. S., Finke, H. L., Lee-Bechtold, S. H., Guthrie, G. B., Steele, W. V., Chirico, R. D., *J. Chem. Thermodyn.* **22**, 1107–28 (1990).
- 90MEV/LIC Meva'a, L. M., Lichanot, A., *Thermochim. Acta* **158**, 335–45 (1990).
- 90RAO/RAJ Rao, H. U., Rajiah, A., Prasad, D. H. L., *Indian Chem. Eng.* **32**, 50–2 (1990).
- 90SIN/GLI Singh, N. B., Glicksman, M. E., *Thermochim. Acta* **159**, 93–9 (1990).
- 90TRE Treszczanowicz, T., *Thermochim. Acta* **160**, 253–66 (1990).
- 90YAM/OGA Yamanaka, K., Ogawa, H., Murakami, S., *Thermochim. Acta* **169**, 193–201 (1990).
- 91ASA/SOR Asahina, S., Sorai, M., Eidenschink, R., *Liq. Cryst.* **10**, 675–90 (1991).
- 91ATR/NES Atrashenok, T. R., Nesterov, N. A., Zhuk, I. P., Peshchenko, A. D., *Inzh. -Fiz. Zh.* **61**, 301–4 (1991).
- 91BAN/GAR Banipal, T. S., Garg, S. K., Ahluwalia, J. C., *J. Chem. Thermodyn.* **23**, 923–31 (1991).
- 91COB/GAR Cobos, J. C., Garcia, I., Casanova, C., Roux Alain, H., Roux-Desgranges, G., Grolier, J.-P. E., *Fluid Phase Equilib.* **69**, 223–33 (1991).
- 91CZA Czarnota, I., *J. Chem. Thermodyn.* **23**, 25–30 (1991).
- 91DES/PAT Deshpande, D. D., Patterson, D., Andreoli-Ball, L., Costas, M., Trejo, L. M., *J. Chem. Soc., Faraday Trans.* **87**, 1133–9 (1991).

- 91DOU/PAL Douheret, G., Pal, A., Hoiland, H., Anowi, O., Davis, M. I., *J. Chem. Thermodyn.* **23**, 569–80 (1991).
- 91DU/SUV Du Pont de Nemours, SUVA Refrigerants, Prospectus, ER-8E, 1991.
- 91GRO/ROU Grolier, J.-P. E., Roux-Desgranges, G., Berkane, M., Wilhelm, E., *J. Chem. Thermodyn.* **23**, 421–9 (1991).
- 91JIN/WUN Jin, Y., Wunderlich, B., *J. Phys. Chem.* **95**, 9000–7 (1991).
- 91KAL/KOH Kalali, H., Kohler, F., Svejda, P., *J. Chem. Eng. Data* **36**, 326–9 (1991).
- 91KIS/PIN Kishimoto, I., Pinvidic, J.-J., Matsuo, T., Suga, H., *Proc. Jpn. Acad., Ser. B* **67**, 66–71 (1991).
- 91LEB/KUL1 Lebedev, B. V., Kulagina, T. G., *J. Chem. Thermodyn.* **23**, 1–9 (1991).
- 91LIC Lichanot, A., *Thermochim. Acta* **177**, 265–72 (1991).
- 91NAK Nakagawa, S., M. S. thesis, Keio University, 1991.
- 91NAK/SOE Nakai, H., Soejima, H., Tamura, K., Ogawa, H., Murakami, S., Toshiyasu, Y., *Thermochim. Acta* **183**, 15–27 (1991).
- 91NAO/SEK Naoki, M., Seki, M., Kugo, H., Saito, F., Tanioka, T., *J. Phys. Chem.* **95**, 5628–33 (1991).
- 91OGA/MIT Ogawa, H., Mitsuo, H., Inoue, H., Tamura, K., Murakami, S., *Netsu Sokutei* **18**, 150–6 (1991).
- 91PES/NIK Peshekhodov, P. B., Nikiforov, M. Yu., Alper, G. A., Krestov, G. A., *Zh. Obshch. Khim.* **61**, 1535–8 (1991).
- 91SHE/RAB Sheiman, M. S., Rabinovich, I. B., Nistratov, V. P., Smirnova, N. N., Kamelova, G. P., Klimov, K. N., Zorin, A. D., *Zh. Fiz. Khim.* **65**, 831–6 (1991).
- 91SOE/NAK Soejima, H., Nakai, H., Tamura, K., Ogawa, H., Murakami, S., *Thermochim. Acta* **177**, 305–15 (1991).
- 91STE/CHI2 Steele, W. V., Chirico, R. D., Nguyen, A., Hossenlopp, I. A., Smith, N. K., *DIPPR Data Ser.*, (1), 101–34 (1991).
- 91SVO/ZAB1 Svoboda, V., Zábanský, M., *Collect. Czech. Chem. Commun.* **56**, 2786–90 (1991).
- 91SVO/ZAB2 Svoboda, V., Zábanský, M., Bárta, M., *J. Chem. Thermodyn.* **23**, 711–2 (1991).
- 91TAK/YAM Takeda, K., Yamamuro, O., Suga, H., *J. Phys. Chem. Solids* **22**, 607–15 (1991).
- 91TAN/ADA Tanaka, R., Adachi, M., *J. Chem. Thermodyn.* **23**, 1023–7 (1991).
- 91TRE/COS Trejo, L. M., Costas, M., Patterson, D., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (1), 30–50 (1991).
- 91WIL/JIM Wilhelm, E., Jimenez, E., Roux-Desgranges, G., Grolier, J.-P. E., *J. Solution Chem.* **20**, 17–28 (1991).
- 92BAO/CAC Baonza, V. G., Caceres, M., Nunez, J., *J. Phys. Chem.* **96**, 1932–8 (1992).
- 92CHE/JIN Cheng, J., Jin, Y., Liang, G., Wunderlich, B., *Mol. Cryst. Liq. Cryst.* **213**, 237–58 (1992).
- 92DU/SUV Du Pont de Nemours, SUVA Refrigerant HFC-134a, Prospectus T-134a, 1992.
- 92FEN/COS Fenclová, D., Costas, M., *Int. Data Ser., Sel. Data Mixtures, Ser. A*, (4), 249 (1992).
- 92FIL/AFA Filatov, V. A., Afanas'ev, V. N., *Izv. Vyssh. Ucheb. Zaved., Khim. Khim. Tekhnol.* **35**(8), 97–100 (1992).
- 92HE/AN He, J., An, X., Hu, R., *Huaxue Xuebao (Acta Chim. Sinica)* **50**, 961–6 (1992).
- 92HWA/DES Hwang, S. H., DesMarteau, D. D., Beyerlein, A. L., Smith, N. D., Joyner, P., *J. Therm. Anal.* **38**, 2515–28 (1992).
- 92JAI/CHA Jain, D. V. S., Chadha, R., Sehgal, S. K., *Fluid Phase Equilib.* **81**, 273–83 (1992).
- 92KAB/KOZ Kabo, G. J., Kozyro, A. A., Krouk, V. S., Sevruck, V. M., Yursha, I. A., Simirsky, V. V., Gogolinsky, V. I., *J. Chem. Thermodyn.* **24**, 1–13 (1992).
- 92KAL/KOH Kalali, H., Kohler, F., Svejda, P., *J. Chem. Eng. Data* **37**, 133–6 (1992).
- 92KOL/KUL1 Kolker, A. M., Kulikov, M. V., Krestov, A. G., *Thermochim. Acta* **211**, 61–72 (1992).
- 92KOL/KUL2 Kolker, A. M., Kulikov, M. V., Krestov, A. G., *Thermochim. Acta* **211**, 73–84 (1992).
- 92KOL/POT Koldobskaya, L. L., Potashnikov, G. L., Gaile, A. A., Semenov, L. V., *Zh. Prikl. Khim. (Leningrad)* **65**, 860–4 (1992).
- 92LAI/ROD Lainez, A., Rodrigo, M. M., Wilhelm, E., Grolier, J.-P. E., *J. Solution Chem.* **21**, 49–65 (1992).
- 92LEB/KUL1 Lebedev, B. V., Kulagina, T. G., *J. Chem. Thermodyn.* **24**, 751–60 (1992).
- 92LEB/SMI Lebedev, B., Smirnova, N., Kiparisova, Y., Makovetsky, K., *Makromol. Chem.* **193**, 1399–411 (1992).
- 92MIY/TAM1 Miyanaga, S., Tamura, K., Murakami, S., *J. Chem. Thermodyn.* **24**, 291–6 (1992).
- 92MIY/TAM2 Miyanaga, S., Tamura, K., Murakami, S., *J. Therm. Anal.* **38**, 1767–74 (1992).
- 92NAZ/BAS Naziev, Ya. M., Bashirov, M. M., Talybov, M. A., *Zh. Prikl. Khim. (Leningrad)* **65**, 2490–5 (1992).
- 92OKA/OGU Okamoto, N., Oguni, M., Suga, H., *Thermochim. Acta* **202**, 215–22 (1992).
- 92PFE/SCH Pfestorf, R., Schumichen, A., Quitzsch, K., *Chem. Tech. (Leipzig)* **44**, 140–3 (1992).
- 92PIE/SOM Piekarski, H., Somsen, G., *J. Solution Chem.* **21**, 557–67 (1992).
- 92VER/BEC Verevkin, S. P., Beckhaus, H.-D., Ruechardt, C., *Thermochim. Acta* **197**, 27–39 (1992).
- 93ANG/BOE Angell, C. A., Boehm, L., Oguni, M., Smith, D. L., *J. Mol. Liq.* **56**, 275–86 (1993).
- 93BAS/VOL Bastos, M., Volkova, N. N., Wadsö, I., *J. Chem. Soc., Faraday Trans.* **89**, 1351–2 (1993).
- 93BYK/KIP Bykova, T. A., Kiparisova, E. G., Lebedev, B. V., Sentchenya, N. G., Mager, K. A., Gololobov, Yu. G., *Vysokomol. Soedin., Ser. A* **35**, 13–8 (1993).
- 93CAR/LAY Carson, A. S., Laye, P. G., Pedley, J. B., Welsby, A. M., *J. Chem. Thermodyn.* **25**, 261–9 (1993).
- 93CHI/KN11 Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Smith, N. K., Steele, W. V., *J. Chem. Thermodyn.* **25**, 729–61 (1993).
- 93CHI/KN12 Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Steele, W. V., *J. Chem. Thermodyn.* **25**, 1461–94 (1993).
- 93CON/GIR1 Contreras Claramonte, M. D., Girela Vilchez, F., Parera Vialard, A., *Thermochim. Acta* **222**, 203–7 (1993).
- 93CON/GIR2 Contreras Claramonte, M. D., Girela Vilchez, F., Parera Vialard, A., *Thermochim. Acta* **222**, 209–18 (1993).
- 93CZA1 Czarnota, I., *J. Chem. Thermodyn.* **25**, 355–9 (1993).
- 93CZA2 Czarnota, I., *J. Chem. Thermodyn.* **25**, 639–42 (1993).
- 93DIK/KAB Diky, V. V., Kabo, G. J., Kozyro, A. A., Krasulin, A. P., Sevruck, V. M., *J. Chem. Thermodyn.* **25**, 1169–81 (1993).
- 93DOH/COS Dohnal, V., Costas, M., *Int. Data Ser., Sel. Data Mixtures, Ser. A* **21**(2), 135–43 (1993).
- 93DU/SUV1 Du Pont de Nemours, SUVA Refrigerant HCFC-123, Prospectus T-123-SI, 1993.
- 93DU/SUV2 Du Pont de Nemours, SUVA Refrigerant HCFC-124, Prospectus T-124-SI, 1993.
- 93DU/SUV3 Du Pont de Nemours, SUVA Refrigerant HFC-125, Prospectus T-125-SI, 1993.

- 93DUR/AOU Durupt, N., Aoulmi, A., Bouroukba, M., Jaubert, J. N., Neau, E., Rogalski, M. (private communication, 1993). Later equations published in: *Thermochim. Acta* **260**, 87–94 (1995); **274**, 73–80 (1996).
- 93FUJ/OGU1 Fujimori, H., Oguni, M., *J. Phys. Chem. Solids* **54**, 271–80 (1993).
- 93FUJ/OGU2 Fujimori, H., Oguni, M., *J. Phys. Chem. Solids* **54**, 607–12 (1993).
- 93GAR/BAN Garg, S. K., Banipal, T. S., Ahluwalia, J. C., *J. Chem. Thermodyn.* **25**, 57–62 (1993).
- 93GIM/AUD Gimzewski, E., Audley, G., *Thermochim. Acta* **214**, 129–40 (1993).
- 93GRO/ROU Grolier, J.-P. E., Roux-Desgranges, G., Berkane, M., Jimenez, E., Wilhelm, E. J., *Chem. Thermodyn.* **25**, 41–50 (1993).
- 93HAL Hallen, D., *J. Chem. Thermodyn.* **25**, 519–24 (1993).
- 93KAP/BAL Kapseu, C., Balesdent, D., Dirand, M., Kayem, G. J., *J. Chim. Phys. Phys.-Chim. Biol.* **90**, 457–62 (1993).
- 93KIP/BYK Kiparisova, E. G., Bykova, T. A., Lebedev, B. V., Guseva, T. I., Mager, K. A., Gololobov, Yu. G., *Vysokomol. Soedin., Ser. A* **35**, 615–20 (1993).
- 93LEB/KUL1 Lebedev, B. V., Kulagina, T. G., *J. Chem. Thermodyn.* **25**, 591–8 (1993).
- 93LEB/KUL2 Lebedev, B. V., Kulagina, T. G., Karatayev, Ye. N., *J. Chem. Thermodyn.* **25**, 957–64 (1993).
- 93LEB/SMI Lebedev, B. V., Smirnova, N. N., Kiparisova, E. G., Vasil'ev, V. G., Surkova, N. Yu., Kleiner, V. I., Krentsel', B. A., *Vysokomol. Soedin., Ser. A* **35**, 767–76 (1993).
- 93NAG/MIY Nagano, Y., Miyazaki, Y., Matsuo, T., Suga, H., *J. Phys. Chem.* **97**, 6897–901 (1993).
- 93NAK/CHU Nakamura, M., Chubachi, K., Tamura, K., Murakami, S., *J. Chem. Thermodyn.* **25**, 1311–8 (1993).
- 93NAN/BHA Nandi, A. K., Bhattacharyya, S. N., *J. Chem. Eng. Data* **38**, 358–60 (1993).
- 93NAZ/BAS Naziev, Ya. M., Bashirov, M. M., Talybov, M. A., Badalov, Yu. A., *Teplifiz. Vys. Temp.* **31**, 213–5 (1993).
- 93NGE/ABH Ngeyi, S. P., Abhari, R., Westrum, E. F., Jr., *J. Chem. Thermodyn.* **25**, 1197–1203 (1993).
- 93PAG/HUO2 Page, M., Huot, J.-Y., Joulcoeur, C., *Can. J. Chem.* **71**, 1064–72 (1993).
- 93PER/QUI Perron, G., Quirion, F., Lambert, D., Ledoux, J., Ghaicha, L., Benne, R., Privat, M., Desnoyers, J. E., *J. Solution Chem.* **22**, 107–24 (1993).
- 93PES/PET Peshekhodov, P. B., Petrov, A. N., Al'per, G. A., *Zh. Obshch. Khim.* **63**, 1223–7 (1993).
- 93SHE Shehata, I., *Thermochim. Acta* **213**, 1–10 (1993).
- 93STE/CHI1 Steele, W. V., Chirico, R. D., Knipmeyer, S. E., Nguyen, A., *J. Chem. Thermodyn.* **25**, 965–92 (1993).
- 93STE/CHI2 Steele, W. V., Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Tasker, I. R., NIPER Topical Report No. 716, 1–29, 1993.
- 94BEN/ROU Bendiab, H., Roux-Desgranges, G., Roux, A. H., Grolier, J.-P. E., Patterson, D., *J. Solution Chem.* **23**, 307–23 (1994).
- 94CHE/FER Cheda, J. A. R., Fernandez-Martin, F., Burns, R. J., Westrum, E. F., Jr., *J. Chem. Thermodyn.* **26**, 829–38 (1994).
- 94CHI/GAM Chirico, R. D., Gammon, B. E., Hossenlopp, I. A., Steele, W. V., *J. Chem. Thermodyn.* **26**, 469–81 (1994).
- 94CHI/HOS1 Chirico, R. D., Hossenlopp, I. A., Gammon, B. E., Knipmeyer, S. E., Steele, W. V., *J. Chem. Thermodyn.* **26**, 1187–218 (1994).
- 94CHI/HOS2 Chirico, R. D., Hossenlopp, I. A., Gammon, B. E., Knipmeyer, S. E., Steele, W. V., *J. Chem. Thermodyn.* **26**, 1219–30 (1994).
- 94CHI/STE Chirico, R. D., Steele, W. V., *Ind. Eng. Chem., Res.* **33**, 157–67 (1994).
- 94CON/GIA1 Conti, G., Gianni, P., Matteoli, E., *J. Chem. Thermodyn.* **26**, 1249–57 (1994).
- 94CON/GIA2 Conti, G., Gianni, P., Matteoli, E., *Thermochim. Acta* **247**, 293–313 (1994).
- 94DIK/KAB Diky, V. V., Kabo, G. J., Kozyro, A. A., Krasulin, A. P., Sevruc, V. M., *J. Chem. Thermodyn.* **26**, 1001–13 (1994).
- 94FER/KEN Ferloni, P., Kenesey, C., Westrum, E. F., Jr., *J. Chem. Thermodyn.* **26**, 1349–63 (1994).
- 94FUJ/OGU Fujimori, H., Oguni, M., *J. Chem. Thermodyn.* **26**, 367–78 (1994).
- 94GRO/ROU Grolier, J.-P. E., Roux-Desgranges, G., Berkane, M., Wilhelm, E., *J. Solution Chem.* **23**, 153–66 (1994).
- 94HAA/TIL Haase, R., Tillmann, W., *Z. Phys. Chem. (Munich)* **186**, 99–112 (1994).
- 94JHA/AHL Jha, R., Ahluwalia, J. C., *J. Phys. Chem.* **98**, 9115–8 (1994).
- 94JIM/ROM Jimenez, E., Romani, L., Wilhelm, E., Roux-Desgranges, G., Grolier, J.-P. E., *J. Chem. Thermodyn.* **26**, 817–27 (1994).
- 94JIN/BOL Jin, Y., Boller, A., Wunderlich, B., Lebedev, B. V., *Thermochim. Acta* **234**, 103–25 (1994).
- 94KAB/KOZ Kabo, G. J., Kozyro, A. A., Marchand, A. P., Diky, V. V., Simirsky, V. V., Ivashkevich, L. S., Krasulin, A. P., Sevruc, V. M., Frenkel, M. L., *J. Chem. Thermodyn.* **26**, 129–42 (1994).
- 94LAI/WIL Lainez, A., Wilhelm, E., Grolier, J.-P. E., *Monatsh. Chem.* **125**, 877–85 (1994).
- 94LEB/KUL Lebedev, B. V., Kulagina, T. G., Smirnova, N. N., *J. Chem. Thermodyn.* **26**, 941–57 (1994).
- 94LEB/SMI1 Lebedev, B., Smirnova, N., Novosyolova, N., Makovetskii, K., Ostrovskaya, I., *Macromol. Chem. Phys.* **195**, 1807–22 (1994).
- 94LEB/SMI2 Lebedev, B. V., Smirnova, N. N., Vasil'ev, V. G., Kiparisova, E. G., Kleiner, V. I., *Vysokomol. Soedin., Ser. A* **36**, 1413–23 (1994).
- 94LEE Lee, L. L., Annual Report to Gas Research Institute, Annu. Rep. Gas Res. Inst., Univ. Oklahoma, (USA), 1994.
from: Chiu, L.-F., Liu, H.-F., Li, M.-H., *J. Chem. Eng. Data* **44**, 631–6 (1999).
- 94MAR/OHA Marsh, K. N., O'Hare, P. A. G., editors., *Solution Calorimetry, Experimental Thermodynamics*, Vol. IV, IUPAC Chemical Data Series No. 39 (Blackwell Scientific, Oxford, 1994).
- 94NAK/TAK Nakasone, K., Takamizawa, K., Shiokawa, K., Urabe, Y., *Thermochim. Acta* **223**, 175–85 (1994).
- 94OHT/YAM Ohta, T., Yamamuro, O., Suga, H., *J. Chem. Thermodyn.* **26**, 319–31 (1994).
- 94PRA/RAJ Prasad, T. E. V., Rajiah, A., Prasad, D. H. L., *Phys. Chem. Liq.* **27**, 215–8 (1994).
- 94STE/CHI Steele, W. V., Chirico, R. D., Nguyen, A., Knipmeyer, S. E., *J. Chem. Thermodyn.* **26**, 515–44 (1994).
- 94SVO/CEJ Svoboda, V., Čejka, D., Zábranský, M., *J. Chem. Thermodyn.* **26**, 147–50 (1994).
- 94TEL/SHE Tel'noi, V. I., Sheiman, M. S., Kamelova, G. P., Larina, V. N., *Zh. Obshch. Khim.* **64**, 1085–7 (1994).

- 95CHE/UGA Cheda, J. A. R., Ugarelli, P., Lopez de la Fuente, F. L., Fernandez-Martin, F., Xu, Y., Ijdo, W. L., Westrum, E. F., Jr., *Thermochim. Acta* **266**, 163–73 (1995).
- 95CON/GIA Conti, G., Gianni, P., Lepori, L., Matteoli, E., *Fluid Phase Equilib.* **108**, 255–68 (1995).
- 95DIO/MAN Diogo, H. P., Manas de Piedade, M. E., Simoes, J. A. M., Nagano, Y., *J. Chem. Thermodyn.* **27**, 597–604 (1995).
- 95DUR/AOU Durupt, N., Aoulmi, A., Bouroukba, M., Rogalski, M., *Thermochim. Acta* **260**, 87–94 (1995).
- 95FEN/DOH Fenclová, D., Dohnal, V., Perez-Casas, S., Frigolet, C., Costas, M., *ELDATA Int. Electron. J. Phys.-Chem. Data* **1**, 217–38 (1995).
- 95FUJ/FUJ Fujita, H., Fujimori, H., Oguni, M., *J. Chem. Thermodyn.* **27**, 927–38 (1995).
- 95FUJ/TAM1 Fujii, S., Tamura, K., Murakami, S., *J. Chem. Thermodyn.* **27**, 1319–28 (1995).
- 95FUJ/TAM2 Fujii, S., Tamura, K., Murakami, S., *Thermochim. Acta* **257**, 1–12 (1995).
- 95KAB/DIK Kabo, G. J., Diky, V. V., Kozyro, A. A., Krasulin, A. P., Sevruck, V. M., *J. Chem. Thermodyn.* **27**, 953–67 (1995).
- 95KAB/KOZ Kabo, G. J., Kozyro, A. A., Diky, V. V., Simirsky, V. V., Ivashkevich, L. S., Krasulin, A. P., Sevruck, V. M., Marchand, A. P., Frenkel, M., *J. Chem. Thermodyn.* **27**, 707–20 (1995).
- 95KOB/OGU Kobashi, K., Oguni, M., *J. Chem. Thermodyn.* **27**, 979–90 (1995).
- 95KUL/LEB Kulagina, T. G., Lebedev, B. V., *Zh. Fiz. Khim.* **69**, 2142–7 (1995).
- 95LEB/BYK Lebedev, B. V., Bykova, T. A., Novoselova, N. V., Senchenya, N. G., Mager, K. A., *Vysokomol. Soedin., Ser. A Ser. B* **37**, 1466–73 (1995).
- 95LOW/PEU Lowen, B., Peukert, U., Schulz, S., *Thermochim. Acta* **255**, 1–8 (1995).
- 95MOR/IDR1 Morad, N. A., Idrees, M., Hasan, A. A., *J. Therm. Anal.* **44**, 823–35 (1995).
- 95MOR/IDR2 Morad, N. A., Idrees, M., Hasan, A. A., *J. Therm. Anal.* **45**, 1449–61 (1995).
- 95STE/CHI1 Steele, W. V., Chirico, R. D., Cowell, A. B., Nguyen, A., Knipmeyer, S. E., *J. Chem. Thermodyn.* **27**, 1407–28 (1995).
- 95STE/CHI2 Steele, W. V., Chirico, R. D., Nguyen, A., Knipmeyer, S. E., *J. Chem. Thermodyn.* **27**, 311–34 (1995).
- 95TAK/YAM Takeda, K., Yamamuro, O., Suga, H., *J. Phys. Chem.* **99**, 1602–7 (1995).
- 95TAN/SUN Tan, Z., Sun, G., Sun, Y., Yin, A., Wang, W., Ye, J., Zhou, L., *J. Therm. Anal.* **45**, 56–67 (1995).
- 95VER/BEC Verevkin, S. P., Beckhaus, H.-D., Ruechardt, C., *Thermochim. Acta* **249**, 1–11 (1995).
- 96CHI/STE Chirico, R. D., Steele, W. V., Nguyen, A., Klots, T. D., Knipmeyer, S. E., *J. Chem. Thermodyn.* **28**, 797–818 (1996).
- 96FUJ/MIZ Fujimori, H., Mizukami, M., Oguni, M., *J. Non-Cryst. Solids* **204**, 38–45 (1996).
- 96GAL/VAN1 Gallis, H. E., Van den Berg, G. J. K., Oonk, H. A. J., *J. Chem. Eng. Data* **41**, 1303–6 (1996).
- 96GAL/VAN2 Gallis, H. E., Van Miltenburg, J. C., *Thermochim. Acta* **274**, 223–30 (1996).
- 96GAL/VAN3 Gallis, H. E., Van Miltenburg, J. C., Oonk, H. A. J., Van der Eerden, J. P., *Thermochim. Acta* **286**, 307–19 (1996).
- 96HOH/HEM Höhne, G., Hemminger, W., Flammersheim, H.-J., *Differential Scanning Calorimetry. An Introduction for Practitioners* (Springer, Berlin, 1996).
- 96KAB/BLO Kabo, G. J., Blokhin, A. V., Kozyro, A. A., Diky, V. V., *Thermochim. Acta* **290**, 13–30 (1996).
- 96LEB/KUL1 Lebedev, B. V., Kulagina, T. G., Cheremukhina, A. A., Karataev, E. N., *Zh. Obshch. Khim.* **66**, 906–10 (1996).
- 96LEB/KUL2 Lebedev, B. V., Kulagina, T. G., Vasil'ev, V. G., Stotskaya, L. L., Serbin, A. V., Krentsel', B. A., *Vysokomol. Soedin., Ser. A Ser. B* **38**, 772–8 (1996).
- 96LEB/SMI Lebedev, B., Smirnova, N., Telnoy, V., *Macromol. Chem. Phys.* **197**, 3807–25 (1996).
- 96LUD/MAG Luddecke, T. O., Magee, J. W., *Int. J. Thermophys.* **17**, 823–49 (1996).
- 96MUS Mustafaev, M. R., Teplofiz. Vys. Temp. **34**, 829–32 (1996).
- 96OHT/YAM Ohta, T., Yamamuro, O., Matsuo, T., Suga, H., *J. Phys. Chem.* **100**, 2353–9 (1996).
- 96ROU/HER Roux-Desgranges, G., Herrmann, R., Grolier, J.-P. E., *ELDATA Int. Electron. J. Phys.-Chem. Data* **2**, 185–92 (1996).
- 96SHE/KAM Sheiman, M. S., Kamelova, G. P., Shvecova, K. G., Nistratov, V. P., *Zh. Fiz. Khim.* **70**, 1190–3 (1996).
- 96SMI/LEB Smirnova, N. N., Lebedev, B. V., Vasil'ev, V. G., *Zh. Obshch. Khim.* **66**, 199–203 (1996).
- 96STE/CHI1 Steele, W. V., Chirico, R. D., Knipmeyer, S. E., Nguyen, A., *J. Chem. Eng. Data* **41**, 1255–68 (1996).
- 96STE/CHI3 Steele, W. V., Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Smith, N. K., *J. Chem. Eng. Data* **41**, 1285–302 (1996).
- 96TAN/TOY1 Tanaka, R., Toyama, S., *J. Chem. Eng. Data* **41**, 1455–8 (1996).
- 96TAN/TOY2 Tanaka, R., Toyama, S., *J. Chem. Thermodyn.* **28**, 1403–10 (1996).
- 96TEL/SHE Tel'noi, V. I., Sheiman, M. S., Larina, V. N., Kamelova, G. P., *Zh. Fiz. Khim.* **70**, 1359–63 (1996).
- 96ZAB/RUZ Zábanský, M., Růžicka, V., Majer, V., Domalski, E. S., *Heat Capacity of Liquids, Critical Review and Recommended Values*, Monograph No. 6, Vol. I and Vol. II (American Chemical Society, Washington, D.C., 1996).
- 97CEN/RUZ Censky, M., Růžicka, K., *Calorim. Exp. Thermodyn. and Therm. Anal. Conference (CETTA'97)*, Zakopane, Poland, S5/C3, 1997.
- 97CHI/KN11 Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Cowell, A. B., Reynolds, J. W., Steele, W. V., *J. Chem. Eng. Data* **42**, 758–71 (1997).
- 97CHI/KN12 Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Reynolds, J. W., Steele, W. V., *J. Chem. Eng. Data* **42**, 475–87 (1997).
- 97CHI/KN13 Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Steele, W. V., *J. Chem. Eng. Data* **42**, 772–83 (1997).
- 97CON/GIA Conti, G., Gianni, P., Tramati, M., Lepori, L., Matteoli, E., *J. Chem. Thermodyn.* **29**, 865–77 (1997).
- 97DRU/VAR Druzhinina, A. I., Varushchenko, R. M., *Zh. Fiz. Khim.* **71**, 991–7 (1997).
- 97HOV/ROU Hovorka, S., Roux, A. H., Roux-Desgranges, G., Dohnal, V., *Calorim. Exp. Thermodyn. and Therm. Anal. Conference (CETTA'97)*, Zakopane, Poland, S4/P30, 1997.
- 97HU/TAM1 Hu, J., Tamura, K., Murakami, S., *Fluid Phase Equilib.* **131**, 197–212 (1997).
- 97HU/TAM2 Hu, J., Tamura, K., Murakami, S., *Fluid Phase Equilib.* **134**, 239–53 (1997).
- 97KUL/LEB1 Kulagina, T. G., Lebedev, B. V., *Zh. Fiz. Khim.* **71**, 601–6 (1997).
- 97KUL/LEB2 Kulagina, T. G., Lebedev, B. V., *Zh. Fiz. Khim.* **71**, 804–8 (1997).

- 97LEB/KUL Lebedev, B. V., Kulagina, T. G., *J. Chem. Thermodyn.* **29**, 595–602 (1997).
- 97LEB/SMI Lebedev, B. V., Smirnova, N. N., Kiparisova, E. G., *Macromol. Chem. Phys.* **198**, 41–58 (1997).
- 97MAH/HEP Maham, Y., Hepler, L. G., Mather, A. E., Hakin, A. W., Marriott, R. A., *J. Chem. Soc., Faraday Trans.* **93**, 1747–50 (1997).
- 97MAK/KAB Maksimuk, Yu., V., Kabo, G. J., Kozyro, A. A., Simirsky, V. V., Krasulin, A. P., Sevruck, V. M., *J. Chem. Thermodyn.* **29**, 687–99 (1997).
- 97NIS/TAM Nishimoto, M., Tamura, K., Murakami, S., *J. Chem. Thermodyn.* **29**, 15–22 (1997).
- 97PAL/WYR Palczewska-Tulinska, M., Wyrzykowska-Stankiewicz, D., Szafranski, A. M., Cholinski, J., *Solid and Liquid Heat Capacity Data Collection*, Part 1: C₁-C₆. Dechema (Chem. Technik und Biotechnologie e.V.: Frankfurt am Main, 1997).
- 97RIG/COM Righetti, M. C., Comelli, F., Francesconi, R., *Thermochim. Acta* **294**, 179–86 (1997).
- 97STE/CHI1 Steele, W. V., Chirico, R. D., Cowell, A. B., Knipmeyer, S. E., Nguyen, A., *J. Chem. Eng. Data* **42**, 1053–66 (1997).
- 97STE/CHI2 Steele, W. V., Chirico, R. D., Knipmeyer, S. E., Nguyen, A., *J. Chem. Eng. Data* **42**, 1021–36 (1997).
- 97STE/CHI3 Steele, W. V., Chirico, R. D., Knipmeyer, S. E., Nguyen, A., *J. Chem. Eng. Data* **42**, 1008–20 (1997).
- 97STE/CHI4 Steele, W. V., Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Smith, N. K., *J. Chem. Eng. Data* **42**, 1037–52 (1997).
- 97SVO/GOT Svoboda, V., Gottmanová, K., Hynek, V., Koutek, B., *Collect. Czech. Chem. Commun.* **62**, 1527–32 (1997).
- 97TAN/NAK Tanaka, R., Nakamichi, T., *J. Chem. Thermodyn.* **29**, 221–7 (1997).
- 97TAN/TOY Tanaka, R., Toyama, S., *J. Chem. Eng. Data* **42**, 871–4 (1997).
- 97TOV/CAR1 Tovar, C. A., Carballo, E., Cardeirina, C. A., Paz Andrade, M. I., Romani, L., *J. Chem. Soc., Faraday Trans.* **93**, 3505–9 (1997).
- 97TOV/CAR2 Tovar, C. A., Carballo, E., Cardeirina, C. A., Legido, J. L., Romani, L., *Int. J. Thermophys.* **18**, 761–77 (1997).
- 97TOV/CAR3 Tovar, C. A., Carballo, E., Cardeirina, C. A., Romani, L., *J. Chem. Eng. Data* **42**, 1085–9 (1997).
- 97VAR/DRU1 Varushchenko, R. M., Druzhinina, A. I., *J. Chem. Thermodyn.* **29**, 623–37 (1997).
- 97VAR/DRU2 Varushchenko, R. M., Druzhinina, A. I., Korshunova, M. V., *J. Chem. Thermodyn.* **29**, 1059–70 (1997).
- 97VER Verevkin, S. P., *J. Chem. Thermodyn.* **29**, 891–9 (1997).
- 97ZHA/GAO Zhang, J.-B., Gao, X.-G., Tan, Z.-C., Meng, S.-H., Zhang, L.-M., Li, S.-H., *Thermochim. Acta* **297**, 1–5 (1997).
- 97ZHA/TAN Zhang, J.-B., Tan, Z.-C., Meng, S.-H., Li, S.-H., Zhang, L.-M., *Thermochim. Acta* **307**, 11–5 (1997).
- 98KAB/BLO Kabo, G. J., Blokhin, A. V., Kozyro, A. A., Diky, V. V., Ivanshkevich, L. S., Krasulin, A. P., Sevruck, V. M., Frenkel, M., *Thermochim. Acta* **313**, 111–24 (1998).
- 98MAG Magee, J. W., *Int. J. Thermophys.* **19**, 1397–420 (1998).
- 98MUS/NAZ Mustafaev, M. R., Naziev, Ya. M., Mekhtieva, Z. T., *Zh. Prikl. Khim. (Leningrad)* **71**, 1896–8 (1998).
- 98MUT/WIL Mutch, M. L., Wilkes, J. S., *Proc. Electrochem. Soc.* **8**(11), 254–60 (1998).
- 98RIG/SAL Righetti, M. C., Salvetti, G., Tombari, E., *Thermochim. Acta* **316**, 193–5 (1998).
- 98ROH/SCH Roháč, V., Schmidt, H. G. (unpublished data, 1998).
- 98RUZ/MAJ Růžička, K., Majer, V., 15th Int. Conf. Chem. Thermodyn., University of Porto, Portugal, 1998.
- 98RUZ/MOK Růžička, K., Mokbel, I., Majer, V., Růžička, V., Jose, J., Zábranský, M., *Fluid Phase Equilib.* **148**, 107–37 (1998).
- 98SAL/FER Salvetti, G., Ferrari, C., Tombari, E., *Thermochim. Acta* **316**, 47–56 (1998).
- 98SAM/NIE Sampaio, M. O., Nieto de Castro, C. A., *Fluid Phase Equilib.* **50**, 789–96 (1998).
- 98SHE/NIS Sheimar, M. S., Nistratov, V. P., Kamelova, G. P., *Zh. Fiz. Khim.* **72**, 1789–93 (1998).
- 98TAM/TAB Tamura, K., Tabata, S., Murakami, S., *J. Chem. Thermodyn.* **30**, 1319–32 (1998).
- 98VAN/VAN Van Miltenburg, J. C., Van Genderen, A. C. G., Van den Berg, G. J. K., *Thermochim. Acta* **319**, 151–62 (1998).
- 98VER1 Verevkin, S. P., *Thermochim. Acta* **310**, 229–35 (1998).
- 98VER2 Verevkin, S. P., *Thermochim. Acta* **316**, 131–6 (1998).
- 98VER/WEL Verevkin, S. P., Welle, F. M., *Struct. Chem.* **9**, 215–21 (1998).
- 98ZHA/TAN Zhang, J.-B., Tan, Z.-C., Gao, X.-G., Meng, S.-H., Li, L., *Thermochim. Acta* **322**, 89–94 (1998).
- 99BRO/CAL Brocos, P., Calvo, E., Bravo, R., Pintos, M., Amigo, A., Roux, A. H., Roux-Desgranges, G., *J. Chem. Eng. Data* **44**, 67–72 (1999).
- 99BUR/ZOC Burgdorf, R., Zocholl, A., Arlt, W., Knapp, H., *Fluid Phase Equilib.* **164**, 225–55 (1999).
- 99CAL/BRO Calvo, E., Brocos, P., Pineiro, A., Pintos, M., Amago, A., Bravo, R., Roux, A. H., Roux-Desgranges, G., *J. Chem. Eng. Data* **44**, 948–54 (1999).
- 99CER/TOV Cardeirina, C. A., Tovar, C. A., Troncoso, J., Carballo, E., Romani, L., *Fluid Phase Equilib.* **157**, 93–102 (1999).
- 99CHI/KN1 Chirico, R. D., Knipmeyer, S. E., Nguyen, A., Steele, W. V., *J. Chem. Thermodyn.* **31**, 339–78 (1999).
- 99CHI/LIU Chiu, L.-F., Liu, H.-F., Li, M.-H., *J. Chem. Eng. Data* **44**, 631–6 (1999).
- 99DRU/VAR Druzhinina, A. I., Varushchenko, R. M., *Zh. Fiz. Khim.* **73**, 1531–6 (1999).
- 99KUL/LEB Kulagina, T. G., Lebedev, B. V., *Zh. Fiz. Khim.* **73**, 2119–2123 (1999).
- 99LEB/KUL1 Lebedev, B. V., Kulagina, T. G., Kiparisova, E. G., *Zh. Fiz. Khim.* **73**, 609–16 (1999).
- 99LEB/KUL2 Lebedev, B. V., Kulagina, T. G., Tur, D. R., *J. Chem. Thermodyn.* **31**, 697–710 (1999).
- 99LEB/KUL3 Lebedev, B. V., Kulagina, T. G., Veridusova, V. V., *J. Chem. Thermodyn.* **31**, 1077–84 (1999).
- 99LI/TAN Li, L., Tan, Z.-C., Meng, S.-H., Song, Y.-J., *Thermochim. Acta* **342**, 53–57 (1999).
- 99MEN/LIA Meng, S.-H., Liang, P., Tan, Z.-C., Song, Y.-J., Li, L., Wang, L., *Thermochim. Acta* **342**, 47–51 (1999).

99MO/YAN	Mó, O., Yáñez, M., Roux, M. V., Jiménez, P., Davalos, J. Z., Ribeiro da Silva, M. A. V., Ribeiro da Silva, M. D. M. C., Matos, M. A. R. M., Amaral, L. M. P. F., Sánchez-Migallón, A., Cabildo, P., Claramunt, R., Elguero, J., Liebman, J. F., <i>J. Phys. Chem. A</i> 103 , 9336–44 (1999).	#00CED/PRI	Cedeno, F. O., Prieto, M. M., Xiberta, J., <i>J. Chem. Eng. Data</i> 45 , 64–9 (2000).
99NIS/SHE	Nistratov, V. P., Sheiman, M. S., Kamelova, G. P., <i>Zh. Fiz. Khim.</i> 73 , 959–62 (1999).	#00CEN/LIP	Čenský, M., Lipovská, M., Schmidt, H.-G., Růžicka, V., Wolf, G., <i>J. Therm. Anal. Calorim.</i> 63 , 879–99 (2001).
99PAR/TOV	Pardo, J. M., Tovar, C. A., Cardeirina, C. A., Carballo, E., Romani, L., <i>J. Chem. Thermodyn.</i> 31 , 787–96 (1999).	#00CDA	CDATA, <i>A Databank of Physicochemical Properties</i> (Institute of Chemical Technology, Prague, 2000).
99PIN/BRA	Pintos-Barral, M., Bravo, R., Roux-Desgranges, G., Grolier, J.-P. E., Wilhelm, E., <i>J. Chem. Thermodyn.</i> 31 , 1151–64 (1999).	#00FUL/RUZ	Fulem, M., Růžicka, K., Růžicka, V., 14th Int. Congress Chem. Process Eng., CHISA 2000, Praha, Czech Republic, C4.1, 2000.
99RIB/RIB	Ribeiro da Silva, M. A. V., Ribeiro da Silva, M. D. M. C., Matos, M. A. R., Jimenez, P., Roux, M. V., Elguero, J., Claramunt, R., Cabildo, P., Sanchez-Migallon, A., <i>J. Chem. Thermodyn.</i> 31 , 129–38 (1999).	#00KAB/BLO	Kabo, G. J., Blokhin, A. V., Charapennikau, M. B., Kabo, A. G., Sevruck, V. M., <i>Thermochim. Acta</i> 345 , 125–33 (2000).
99ROH/MUS	Roháč, V., Musgrove, J. E., Růžicka, K., Růžicka, V., Zábanský, M., Aim, K., <i>J. Chem. Thermodyn.</i> 31 , 971–86 (1999).	#00MAR	Marsh, K. N. <i>et al.</i> , <i>Selected Values of Thermodynamic Properties of Organic Compounds</i> , TRC Data Project (extant data sheets) (Thermodynamics Research Center, Texas A&M University, College Station, TX, 2000).
99ROH/RUZ	Roháč, V., Růžicka, V., Růžicka, K., Poledníček, M., Aim, K., Jose, J., Zábanský, M., <i>Fluid Phase Equilib.</i> 157 , 121–42 (1999).	#00MOK/RUZ	Mokbel, I., Růžicka, K., Majer, V., Růžicka, V., Ribeiro, M., Jose, J., Zábanský, M., <i>Fluid Phase Equilib.</i> 169 , 191–207 (2000).
99SHE/KAM	Sheiman, M. S., Kamelova, G. P., Zelyaev, I. A., Sheiman, V. M., <i>Zh. Fiz. Khim.</i> 73 , 598–601 (1999).	#00RIB/RIB	Ribeiro da Silva, M. A. V., Ribeiro da Silva, M. D. M. C., Matos, M. A. R., Jimenez, P., Roux, M. V., Martin-Luengo, M. A., Elguero, J., Claramunt, R., Cabildo, P., <i>J. Chem. Thermodyn.</i> 32 , 237–45 (2000).
99TAM/OSA	Tamura, K., Osaki, A., Murakami, S., Ohji, H., Ogawa, H., Laurent, B., Grolier, J.-P. E., <i>Fluid Phase Equilib.</i> 156 , 137–47 (1999).	#00ROH	Roháč, V., Ph.D. thesis, Institute of Chemical Technology, Prague, 2001.
99VAN/OON	Van Miltenburg, J. C., Oonk, H. A. J., Metivaud, V., <i>J. Chem. Eng. Data</i> 44 , 715–20 (1999).	#00ROH/CEN	Roháč, V., Čenský, M., Zala, D., Růžicka, V., Růžicka, K., Sporka, K., Aim, K., <i>J. Chem. Eng. Data</i> 45 , 1205–10 (2000).
99VAN/TEN	Van Miltenburg, J. C., ten Grotenhuis, E., <i>J. Chem. Eng. Data</i> 44 , 721–6 (1999).	#00VAN	Van Miltenburg, J. C., <i>Thermochim. Acta</i> 343 , 57–62 (2000).
99VER1	Verevkin, S. P., <i>J. Chem. Eng. Data</i> 44 , 175–9 (1999).	#00VAN/OON1	Van Miltenburg, J. C., Oonk, H. A. J., Van den Berg, G. J. K., <i>J. Chem. Eng. Data</i> 45 , 704–8 (2000).
99VER2	Verevkin, S. P., <i>J. Chem. Eng. Data</i> 44 , 1245–51 (1999).	#00VER1	Verevkin, S. P., <i>J. Chem. Thermodyn.</i> 32 , 207–16 (2000).
99VER3	Verevkin, S. P., <i>J. Chem. Thermodyn.</i> 31 , 559–85 (1999).	#00VER2	Verevkin, S. P., <i>J. Chem. Thermodyn.</i> 32 , 247–59 (2000).
99VER4	Verevkin, S. P., <i>J. Chem. Thermodyn.</i> 31 , 1397–1416 (1999).	#00WU/TAN	Wu, X.-M., Tan, Z.-C., Song, Y.-J., Meng, S.-H., Qu, S.-S., <i>Thermochim. Acta</i> 46 , 57–62 (2000).
99VER5	Verevkin, S. P., <i>Thermochim. Acta</i> 326 , 17–25 (1999).	#01VAN/OON	Van Miltenburg, J. C., Oonk, H. A. J., Ventola, L., <i>J. Chem. Eng. Data</i> 46 , 90–7 (2001).
99VER/EBE	Verevkin, S. P., Ebenhoch, J., <i>Struct. Chem.</i> 10 , 401–9 (1999).		
99WAN/TAN	Wang, L., Tan, Z.-C., Meng, S.-H., Liang, D.-B., <i>Thermochim. Acta</i> 342 , 59–65 (1999).		
99ZIJ/WIT	Zijlema, T. G., Witkamp, G.-J., Van Rosmalen, G. M., <i>J. Chem. Eng. Data</i> 44 , 1335–7 (1999).		
#00BEC/AUF	Becker, L., Aufderhaar, D., Gmehling, J., <i>J. Chem. Eng. Data</i> 45 , 661–4 (2000).		

The paper by Čenský *et al.* (#00CEN/LIP) and the Ph.D. thesis by Roháč (#00ROH) were published only after completion of the tabular part of this work in November 2000. For this reason, the digit in the abbreviated reference is incorrect and should be (#01CEN/LIP) and (#01ROH), respectively.

7. Formula Index of Compounds

The formula index of compounds lists both compounds for which data were compiled and presented in Monograph No. 6 (96ZAB/RUZ) and newly compiled data. This enables the reader to find out where the data for a particular compound are to be sought.

Compounds are sorted in the order of empirical formulas. The empirical formula is listed on the first line. The second line introduced by the sign • gives the name of a compound and the Chemical Abstracts Service Registry Number (CAS RN) enclosed in brackets. The next line(s), if present, gives synonyms, common names or commercial names. The last line for each compound lists the group-member number. The system of dividing compounds into groups is described in detail in Sec. 4.1. The first two digit-number indicates the group, and the second three-digit number denotes the serial number of a compound inside the group. Tables in the compilation are coded with three numbers separated by full stops. The first two numbers are identical with the compound group and member number.

If there are more compounds of the same empirical for-

mula, they are listed under a common formula and each compound is introduced by the sign •.

For geometric isomers which are common among alkenes the symbols (*Z*) and (*E*) are used to identify similar groups either on the same side of the double bond or across from the double bond. For simple systems (*Z*) and (*E*) are equivalent to *cis* and *trans*.

Several specific tags were appended to the group-member number to distinguish between compounds located in this work only, in Monograph No. 6 only, and in both works. The tag is separated from the group-member number by a slash. No tag means the compound is present in the Monograph No. 6 only. /S1 denotes compounds present in this work, only /B+S1 compounds are present both in Monograph No. 6 and in this work with a new set of correlation equation parameters given in this work, and /B+S1^E compounds are present both in Monograph No. 6 and in this work but with no new correlation equation parameters. For the last group of compounds this work presents a table of experimental data only, as new experimental data do not extend or improve previously developed recommended data.

AgNO₃

- Silver(1+) salt nitric acid [7761-88-8]
Silver nitrate
Group-member nr.: 02-001

AlBr₃

- Aluminium bromide [7727-15-3]
Group-member nr.: 02-002

AlCl₃

- Aluminium chloride [7446-70-0]
Group-member nr.: 02-003

AlI₃

- Aluminium iodide [7784-23-8]
Group-member nr.: 02-004

Ar

- Argon [7440-37-1]
Group-member nr.: 01-001

AsCl₃

- Arsenous trichloride [7784-34-1]
Arsenic trichloride
Arsenic chloride
Group-member nr.: 02-005

AsF₃

- Arsenous trifluoride [7784-35-2]
Arsenic trifluoride
Group-member nr.: 02-006

AsH₃

- Arsine [7784-42-1]
Group-member nr.: 02-007

BF₃

- Trifluoroborane [7637-07-2]
Boron fluoride (BF₃)
Boron trifluoride
Group-member nr.: 02-008/B+S1

B₂Cl₄

- Boron chloride (B₂Cl₄) [13701-67-2]
Diboron tetrachloride
Group-member nr.: 02-009

B₂H₆

- Diborane (6) [19287-45-7]
Group-member nr.: 02-010

B₃H₆N₃

- Borazine [6569-51-3]
Borazole
Group-member nr.: 02-011

B₅H₉

- Pentaborane (9) [19624-22-7]
Group-member nr.: 02-012

B₁₀H₁₄

- Decaborane (14) [17702-41-9]
Group-member nr.: 02-013

Bi

- Bismuth [7440-69-9]
Group-member nr.: 01-002

BrD

- Hydrobromic acid-*d* [13536-59-9]
Deuterium bromide
Group-member nr.: 02-014

- BrF₃
 • Bromine fluoride (BrF₃) [7787-71-5]
 Bromine trifluoride
 Group-member nr.: 02-015
- BrH
 • Hydrobromic acid [10035-10-6]
 Hydrogen bromide
 Group-member nr.: 02-016
- BrIn
 • Indium bromide (InBr) [14280-53-6]
 Group-member nr.: 02-017
- Br₂
 • Bromine [7726-95-6]
 Group-member nr.: 01-003
- Br₂Sn
 • Tin bromide (SnBr₂) [10031-24-0]
 Group-member nr.: 02-018
- Br₄Sn
 • Tetrabromostannane [7789-67-5]
 Tin(IV) bromide
 Tin tetrabromide
 Group-member nr.: 02-019
- CBBrCl₃
 • Bromotrichloromethane [75-62-7]
 Group-member nr.: 25-001
- CBBrF₃
 • Bromotrifluoromethane [75-63-8]
 R13B1
 Group-member nr.: 25-002
- CBBr₄
 • Tetrabromomethane [558-13-4]
 Carbon tetrabromide
 Perbromomethane
 Group-member nr.: 23-001
- CClF₃
 • Chlorotrifluoromethane [75-72-9]
 R13
 Group-member nr.: 25-003
- CClN₃O₆
 • Chlorotrinitromethane [1943-16-4]
 Group-member nr.: 64-001
- CCl₂F₂
 • Dichlorodifluoromethane [75-71-8]
 R12
 Group-member nr.: 25-004/B+S1
- CCl₂O
 • Carbonic dichloride [75-44-5]
 Phosgene
 Group-member nr.: 02-020
- CCl₃F
 • Trichlorofluoromethane [75-69-4]
 R11
 Group-member nr.: 25-005
- CCl₄
 • Tetrachloromethane [56-23-5]
 Carbon tetrachloride
 Perchloromethane
 Group-member nr.: 22-001/B+S1^E
- CD₄
 • Methane-*d*₄ [558-20-3]
 Deuteromethane
 Group-member nr.: 11-001
- CD₄O
 • Methanol-*d*₄ [811-98-3]
 Methyl-*d*₃ alcohol-*d*
 Group-member nr.: 42-106/S1
- CF₂O
 • Carbonic difluoride [353-50-4]
 Carbonyl fluoride
 Group-member nr.: 02-021
- CF₄
 • Tetrafluoromethane [75-73-0]
 Carbon tetrafluoride
 Perfluoromethane
 R 14
 Group-member nr.: 21-001/B+S1
- CHBr₃
 • Tribromomethane [75-25-2]
 Bromoform
 Methenyl tribromide
 Group-member nr.: 23-002
- CHClF₂
 • Chlorodifluoromethane [75-45-6]
 R22
 Group-member nr.: 25-006
- CHCl₂F
 • Dichlorofluoromethane [75-43-4]
 R21
 Group-member nr.: 25-007
- CHCl₃
 • Trichloromethane [67-66-3]
 Chloroform
 Methenyl trichloride
 Group-member nr.: 22-002/B+S1^E
- CHD₃O
 • Methan-*d*₃-ol [1849-29-2]
 Methyl-*d*₃ alcohol
 Group-member nr.: 42-107/S1
- CHF₃
 • Trifluoromethane [75-46-7]
 Fluoroform
 R23
 Group-member nr.: 21-002
- CHF₃S
 • Trifluoromethanethiol [1493-15-8]

- Group-member nr.: 64-002
- CHLiO₂
- Lithium salt formic acid [556-63-8]
 - Lithium formate
 - Lithium methanoate
 - Group-member nr.: 74-023/S1
- CHN
- Hydrocyanic acid [74-90-8]
 - Hydrogen cyanide
 - Group-member nr.: 02-022
- CHNaO₂
- Sodium salt formic acid [141-53-7]
 - Sodium formate
 - Natrium formate
 - Group-member nr.: 74-001
- CH₂Br₂
- Dibromomethane [74-95-3]
 - Methylene bromide
 - Group-member nr.: 23-003/B+S1
- CH₂Cl₂
- Dichloromethane [75-09-2]
 - Methylene chloride
 - Group-member nr.: 22-003
- CH₂F₂
- Difluoromethane [75-10-5]
 - Methylene difluoride
 - R32
 - Group-member nr.: 21-034/S1
- CH₂I₂
- Diiodomethane [75-11-6]
 - Methylene iodide
 - Group-member nr.: 24-001/B+S1
- CH₂N₂
- Cyanamide [420-04-2]
 - Group-member nr.: 34-001
- CH₂O₂
- Formic acid [64-18-6]
 - Methanoic acid
 - Hydrogen carboxylic acid
 - Group-member nr.: 44-001/B+S1^E
- CH₂S₃
- Trithiocarbonic acid [594-08-1]
 - Dihydrosulfide carbon sulfide
 - Group-member nr.: 02-023
- CH₃Br
- Bromomethane [74-83-9]
 - Methyl bromide
 - Group-member nr.: 23-004
- CH₃Cl
- Chloromethane [74-87-3]
 - Methyl chloride
 - Group-member nr.: 22-004
- CH₃CIFOP
- Methylphosphonic chloride fluoride [753-71-9]
 - Methylphosphonic chlorofluoride
 - Group-member nr.: 72-001
- CH₃Cl₂OP
- Methylphosphonic dichloride [676-97-1]
 - Group-member nr.: 72-002
- CH₃Cl₃Si
- Trichloromethylsilane [75-79-6]
 - Group-member nr.: 71-057/S1
- CH₃D
- Methane-*d* [676-49-3]
 - Monodeuteromethane
 - Group-member nr.: 11-002
- CH₃DO
- Methanol-*d* [1455-13-6]
 - Monodeuteromethanol
 - Group-member nr.: 42-001/B+S1
- CH₃F₂OP
- Methylphosphonic difluoride [676-99-3]
 - Group-member nr.: 72-003
- CH₃I
- Iodomethane [74-88-4]
 - Methyl iodide
 - Group-member nr.: 24-002/B+S1
- CH₃NO
- Formamide [75-12-7]
 - Methanamide
 - Group-member nr.: 62-001/B+S1
- CH₃NO₂
- Nitromethane [75-52-5]
 - Group-member nr.: 62-002/B+S1
- CH₃NO₃
- Methyl ester nitric acid [598-58-3]
 - Methyl nitrate
 - Group-member nr.: 62-003
- CH₄
- Methane [74-82-8]
 - Group-member nr.: 11-003
- CH₄N₂O
- Urea [57-13-6]
 - Carbamide
 - Group-member nr.: 62-004
- CH₄O
- Methanol [67-56-1]
 - Methyl alcohol
 - Carbinol
 - Group-member nr.: 42-002/B+S1^E
- CH₄S
- Methanethiol [74-93-1]
 - Methyl mercaptan
 - Group-member nr.: 52-001

- CH₅N
- Methanamine [74-89-5]
Methylamine
Aminomethane
Group-member nr.: 31-001
- CH₆N₂
- Methylhydrazine [60-34-4]
Monomethylhydrazine
Group-member nr.: 34-002
- CO
- Carbon monoxide [630-08-0]
Group-member nr.: 02-024
- COS
- Carbon oxide sulfide [463-58-1]
Carbonyl sulfide
Group-member nr.: 02-025
- CO₂
- Carbon dioxide [124-38-9]
Group-member nr.: 02-026/B+S1
- CS₂
- Carbon disulfide [75-15-0]
Group-member nr.: 02-027
- CSe₂
- Carbon selenide (CSe₂) [506-80-9]
Group-member nr.: 02-028
- C₂Br₂D₄
- 1,2-Dibromoethane-1,1,2,2-*d*₄ [22581-63-1]
1,2-Dibromodeuteroethane
Group-member nr.: 23-005
- C₂Br₂F₄
- 1,2-Dibromo-1,1,2,2-tetrafluoroethane [124-73-2]
R114
Group-member nr.: 25-008
- C₂Br₃D₃
- 1,1,2-Tribromoethane-1,2,2-*d*₃ [unknown]
Group-member nr.: 23-006
- C₂ClF₃
- Chlorotrifluoroethene [79-38-9]
Chlorotrifluoroethylene
Group-member nr.: 25-009
- C₂ClF₅
- Chloropentafluoroethane [76-15-3]
R115
Group-member nr.: 25-010
- C₂Cl₂F₄
- Dichlorotetrafluoroethane (unspecified isomer) [1320-37-2]
Group-member nr.: 25-011
 - 1,2-Dichloro-1,1,2,2-tetrafluoroethane [76-14-2]
sym-Dichlorotetrafluoroethane
Fluorocarbon-114
R114
Group-member nr.: 25-012/B+S1^E
- C₂Cl₃F₃
- 1,1,1-Trichloro-2,2,2-trifluoroethane [354-58-5]
Group-member nr.: 25-013
 - 1,1,2-Trichloro-1,2,2-trifluoroethane [76-13-1]
R113
Group-member nr.: 25-014/B+S1^E
- C₂Cl₄
- Tetrachloroethene [127-18-4]
Perchloroethylene
Group-member nr.: 22-005
- C₂Cl₄F₂
- 1,1,2,2-Tetrachloro-1,2-difluoroethane [76-12-0]
sym-Tetrachlorodifluoroethane
R112
Group-member nr.: 25-015
- C₂F₂O₂
- Ethanediol difluoride [359-40-0]
Oxalyl fluoride
Group-member nr.: 61-001
- C₂F₃N
- Trifluoroacetonitrile [353-85-5]
Trifluoroethanenitrile
Trifluoromethyl cyanide
Group-member nr.: 64-003
- C₂F₄
- Tetrafluoroethene [116-14-3]
Perfluoroethylene
Group-member nr.: 21-003
- C₂F₄O
- Trifluoroacetyl fluoride [354-34-7]
Group-member nr.: 61-002
- C₂F₆
- Hexafluoroethane [76-16-4]
Perfluoroethane
Group-member nr.: 21-004
- C₂HBrClF₃
- 1-Bromo-2-chloro-1,1,2-trifluoroethane [354-06-3]
Group-member nr.: 25-016
 - 2-Bromo-2-chloro-1,1,1-trifluoroethane [151-67-7]
Halothane
Group-member nr.: 25-017/B+S1^E
- C₂HBr₂D₃
- 1,2-Dibromoethane-1,1,2-*d*₃ [117164-17-7]
Group-member nr.: 23-007
- C₂HBr₃D₂
- 1,1,2-Tribromoethane-2,2-*d*₂ [unknown]
Group-member nr.: 23-008
- C₂HClF₄
- 2-Chloro-1,1,1,2-tetrafluoroethane [2837-89-0]
Monochloro-1,1,1,2-tetrafluoroethane
R124
Group-member nr.: 25-036/S1



- 1,2-Dichloro-1,1,2-trifluoroethane [354-23-4]
R123a
Group-member nr.: 25-037/S1
- 2,2-Dichloro-1,1,1-trifluoroethane [306-83-2]
R123
Group-member nr.: 25-038/S1



- Trichloroethene [79-01-6]
Trichloroethylene
Group-member nr.: 22-006



- 1,1,2-Trichloro-1,2-difluoroethane [354-15-4]
R122
Group-member nr.: 25-018/B+S1^a
- 1,2,2-Trichloro-1,1-difluoroethane [354-21-2]
R122a
Group-member nr.: 25-039/S1



- Trichloroacetaldehyde [75-87-6]
Trichloroethanal
Chloral
Group-member nr.: 61-003



- Trichloroacetic acid [76-03-9]
Trichloroethanoic acid
Group-member nr.: 61-004



- Pentachloroethane [76-01-7]
Pentalin
Group-member nr.: 22-007



- (Difluoromethoxy)trifluoromethane [3822-68-2]
Difluoromethyl trifluoromethyl ether
Group-member nr.: 61-047/S1



- Pentafluoroethane [354-33-6]
R125
Group-member nr.: 21-035/S1



- Ethyne [74-86-2]
Acetylene
Group-member nr.: 13-039/S1



- (*E*)-(2-Chloroethenyl)arsonous dichloride [50361-05-2]
trans-Chlorovinylidichlorarsine
β-Chlorovinylidichlorarsine
β-Lewisite
Group-member nr.: 73-033/S1



- 1,2-Dibromoethane-1,1-*d*₂ [unknown]
Group-member nr.: 23-009
- 1,2-Dibromoethane-1,2-*d*₂ [unknown]

Group-member nr.: 23-010



- 1,1,2-Tribromoethane-1-*d* [unknown]
Group-member nr.: 23-011
- 1,1,2-Tribromoethane-2-*d* [unknown]
Group-member nr.: 23-012



- 1,1,2,2-Tetrabromoethane [79-27-6]
sym-Tetrabromoethane
Acetylene tetrabromide
Group-member nr.: 23-013



- 1,1-Dichloroethene [75-35-4]
1,1-Dichloroethylene
Vinylidene chloride
Group-member nr.: 22-008
- 1,2-Dichloroethene [540-59-0]
1,2-Dichloroethylene (unspecified stereoisomer)
Group-member nr.: 22-009
- (*E*)-1,2-Dichloroethene [156-60-5]
trans-1,2-Dichloroethene
trans-1,2-Dichloroethylene
Group-member nr.: 22-010
- (*Z*)-1,2-Dichloroethene [156-59-2]
cis-1,2-Dichloroethene
cis-1,2-Dichloroethylene
Group-member nr.: 22-011



- 1,1-Dichloro-1,2-difluoroethane [1842-05-3]
R132
Group-member nr.: 25-019/B+S1^a



- Dichloroacetic acid [79-43-6]
Dichloroethanoic acid
Group-member nr.: 61-005



- 1,1,1,2-Tetrachloroethane [630-20-6]
Group-member nr.: 22-012
- 1,1,2,2-Tetrachloroethane [79-34-5]
sym-Tetrachloroethane
Acetylene tetrachloride
Group-member nr.: 22-013



- 2,2,2-Trifluoroacetamide [354-38-1]
Group-member nr.: 64-031/S1



- 1,1,1,2-Tetrafluoroethane [811-97-2]
R134a
Group-member nr.: 21-036/S1

^aIncorrect correlating equation parameters were presented in Monograph No. 6 (96ZAB/RUZ).

- C_2H_3Br
 • Bromoethene [593-60-2]
 Bromoethylene
 Vinyl bromide
 Group-member nr.: 23-014
- $C_2H_3Br_2D$
 • 1,2-Dibromoethane-*d* [unknown]
 Group-member nr.: 23-015
- $C_2H_3Br_3$
 • 1,1,2-Tribromoethane [78-74-0]
 Group-member nr.: 23-016
- C_2H_3Cl
 • Chloroethene [75-01-4]
 Vinyl chloride
 Group-member nr.: 22-014
- $C_2H_3ClF_2$
 • 1-Chloro-1,1-difluoroethane [75-68-3]
 R142
 Group-member nr.: 25-020
- C_2H_3ClO
 • Acetyl chloride [75-36-5]
 Ethanoyl chloride
 Group-member nr.: 61-006
- $C_2H_3ClO_2$
 • Chloroacetic acid [79-11-8]
 Chloroethanoic acid
 Group-member nr.: 61-007
- $C_2H_3Cl_2F$
 • 1,1-Dichloro-1-fluoroethane [1717-00-6]
 R141b
 Group-member nr.: 25-040/S1
- $C_2H_3Cl_3$
 • 1,1,1-Trichloroethane [71-55-6]
 Methylchloroform
 Group-member nr.: 22-015
 • 1,1,2-Trichloroethane [79-00-5]
 Vinyl trichloride
 β -Trichloroethane
 Group-member nr.: 22-016
- $C_2H_3Cl_3Si$
 • Trichloroethenylsilane [75-94-5]
 Trichlorovinylsilane
 Group-member nr.: 71-001
- $C_2H_3F_3$
 • 1,1,1-Trifluoroethane [420-46-2]
 Group-member nr.: 21-005/B+S1
- $C_2H_3F_3O$
 • 2,2,2-Trifluoroethanol [75-89-8]
 Group-member nr.: 61-008/B+S1
- $C_2H_3LiO_2$
 • Lithium salt acetic acid [546-89-4]
 Lithium acetate
 Lithium ethanoate
- Group-member nr.: 74-024/S1
- C_2H_3N
 • Acetonitrile [75-05-8]
 Ethanenitrile
 Group-member nr.: 32-002/B+S1
- C_2H_4
 • Ethene [74-85-1]
 Ethylene
 Group-member nr.: 13-001
- C_2H_4BrCl
 • 1-Bromo-2-chloroethane [107-04-0]
 Ethylene chlorobromide
 Group-member nr.: 25-021
- $C_2H_4Br_2$
 • 1,2-Dibromoethane [106-93-4]
 Ethylene dibromide
 Group-member nr.: 23-017/B+S1^E
- $C_2H_4Cl_2$
 • 1,1-Dichloroethane [75-34-3]
 Ethylidene chloride
 Group-member nr.: 22-017
 • 1,2-Dichloroethane [107-06-2]
 Ethylene dichloride
 Group-member nr.: 22-018/B+S1^E
- $C_2H_4D_2O_2$
 • 1,2-Ethandiol-*d*₂ [2219-52-5]
 Dideutero-1,2-ethandiol
 Dideuteroethylene glycol
 Group-member nr.: 42-003
- $C_2H_4F_2$
 • 1,1-Difluoroethane [75-37-6]
 R152a
 Group-member nr.: 21-037/S1
- $C_2H_4N_4$
 • Cyanoguanidine [461-58-5]
 Dicyandiamide
 Group-member nr.: 34-014/S1
- C_2H_4O
 • Acetaldehyde [75-07-0]
 Ethanal
 Group-member nr.: 43-001
 • Oxirane [75-21-8]
 Epoxyethane
 Ethylene oxide
 Group-member nr.: 46-001
- $C_2H_4O_2$
 • Acetic acid [64-19-7]
 Ethanoic acid
 Methane carboxylic acid
 Group-member nr.: 44-002/B+S1^E
 • Methyl formate [107-31-3]
 Methyl methanoate
 Group-member nr.: 45-001

- C_2H_5Br
 • Bromoethane [74-96-4]
 Ethyl bromide
 Group-member nr.: 23-018/B+S1^E
- C_2H_5Cl
 • Chloroethane [75-00-3]
 Ethyl chloride
 Group-member nr.: 22-019
- $C_2H_5Cl_3Si$
 • Trichloroethylsilane [115-21-9]
 Group-member nr.: 71-002
- C_2H_5DO
 • Ethanol-*d* [925-93-9]
 Monodeuteroethanol
 Group-member nr.: 42-004
- C_2H_5I
 • Iodoethane [75-03-6]
 Ethyl iodide
 Group-member nr.: 24-003/B+S1
- C_2H_5N
 • Aziridine [151-56-4]
 Ethyleneimine
 Group-member nr.: 33-001
- C_2H_5NO
 • Acetamide [60-35-5]
 Ethanamide
 Group-member nr.: 62-005
 • *N*-Methylformamide [123-39-7]
 Group-member nr.: 62-006/B+S1
- $C_2H_5NO_2$
 • Nitroethane [79-24-3]
 Group-member nr.: 62-007
- $C_2H_5NO_3$
 • Ethyl nitrate [625-58-1]
 Ethyl ester nitric acid
 Group-member nr.: 62-008
- C_2H_6
 • Ethane [74-84-0]
 Group-member nr.: 11-004/B+S1
- C_2H_6Cd
 • Dimethylcadmium [506-82-1]
 Group-member nr.: 73-001
- $C_2H_6Cl_2Si$
 • Dichlorodimethylsilane [75-78-5]
 Group-member nr.: 71-058/S1
 • Dichloroethylsilane [1789-58-8]
 Group-member nr.: 71-003
- C_2H_6O
 • Ethanol [64-17-5]
 Ethyl alcohol
 Group-member nr.: 42-005/B+S1^E
 • Oxybismethane [115-10-6]
 Dimethyl ether
- Methyl ether
 Methyl oxide
 Group-member nr.: 41-001
- C_2H_6OS
 • Sulfinylbismethane [67-68-5]
 Dimethyl sulfoxide
 DMSO
 Group-member nr.: 63-001/B+S1
- $C_2H_6O_2$
 • 1,2-Ethanediol [107-21-1]
 Ethylene glycol
 Glycol
 Group-member nr.: 42-006/B+S1
- $C_2H_6O_2S$
 • Sulfonylbismethane [67-71-0]
 Dimethyl sulfone
 Group-member nr.: 63-002
- C_2H_6S
 • Ethanethiol [75-08-1]
 Ethyl mercaptan
 Group-member nr.: 52-002
 • Thiobismethane [75-18-3]
 Dimethyl sulfide
 Group-member nr.: 51-001
- $C_2H_6S_2$
 • 2,3-Dithiabutane [624-92-0]
 Dimethyl disulfide
 Methyl disulfide
 Group-member nr.: 51-002
- C_2H_6Se
 • Selenobismethane [593-79-3]
 Dimethyl selenide
 Methyl selenide
 Group-member nr.: 73-002
- $C_2H_6Se_2$
 • Dimethyl diselenide [7101-31-7]
 Methyl diselenide
 Group-member nr.: 73-003
- C_2H_6Te
 • Tellurobismethane [593-80-6]
 Dimethyltellurium
 Group-member nr.: 73-034/S1
- C_2H_6Zn
 • Dimethylzinc [544-97-8]
 Group-member nr.: 73-004
- C_2H_7N
 • Ethanamine [75-04-7]
 Ethylamine
 Group-member nr.: 31-002/B+S1
 • *N*-Methylmethanamine [124-40-3]
 Dimethylamine
 Group-member nr.: 31-003

- C_2H_7NO
- 2-Aminoethanol [141-43-5]
Ethanolamine
Group-member nr.: 62-128/S1
- $C_2H_8N_2$
- 1,1-Dimethylhydrazine [57-14-7]
unsym-Dimethylhydrazine
Group-member nr.: 34-003
 - 1,2-Dimethylhydrazine [540-73-8]
sym-Dimethylhydrazine
Group-member nr.: 34-004
 - 1,2-Ethanediamine [107-15-3]
Ethylenediamine
1,2-Diaminoethane
Group-member nr.: 31-004
- $C_2H_8N_2O_3$
- Nitrate ethylamine [22113-86-6]
Ethylammonium nitrate
Group-member nr.: 62-009
- $C_2H_{11}B_2N$
- (Dimethylamino)diborane (6) [22580-01-4]
Group-member nr.: 72-004
- C_2N_2
- Ethanedinitrile [460-19-5]
Cyanogen
Group-member nr.: 32-001
- C_3Cl_6
- 1,1,2,3,3,3-Hexachloro-1-propene [1888-71-7]
Hexachloropropene
Hexachloropropylene
Group-member nr.: 22-050/S1
- C_3F_6O
- 1,1,1,3,3,3-Hexafluoro-2-propanone [684-16-2]
Hexafluoroacetone
Perfluoroacetone
Group-member nr.: 61-009
- C_3F_8
- Octafluoropropane [76-19-7]
Perfluoropropane
Group-member nr.: 21-006
- C_3HCIF_6
- 1-Chloro-1,1,2,3,3,3-hexafluoropropane [359-58-0]
R226ea
Group-member nr.: 25-041/S1
 - 2-Chloro-1,1,1,3,3,3-hexafluoropropane [431-87-8]
R226da
Group-member nr.: 25-042/S1
- $C_3HCl_2F_5$
- 1,2-Dichloro-1,1,3,3,3-pentafluoropropane [431-86-7]
R225da
Group-member nr.: 25-043/S1
 - 2,3-Dichloro-1,1,1,2,3-pentafluoropropane [422-48-0]
R225ba
Group-member nr.: 25-044/S1
- C_3HF_7
- 1,1,1,2,2,3,3-Heptafluoropropane [2252-84-8]
R227ca
Group-member nr.: 21-038/S1
 - 1,1,1,2,3,3,3-Heptafluoropropane [431-89-0]
R227ea
Group-member nr.: 21-039/S1
- $C_3H_2ClF_5$
- 1-Chloro-1,1,3,3,3-pentafluoropropane [460-92-4]
Group-member nr.: 25-022
 - 3-Chloro-1,1,1,2,2-pentafluoropropane [422-02-6]
R235ca
Group-member nr.: 25-045/S1
- $C_3H_2Cl_2F_4$
- 2,3-Dichloro-1,1,1,3-tetrafluoropropane [146916-90-7]
R234da
Group-member nr.: 25-046/S1
- $C_3H_2Cl_2O_3$
- 4,5-Dichloro-1,3-dioxolan-2-one [3967-55-3]
Group-member nr.: 61-048/S1
- $C_3H_2Cl_3F_3$
- 1,1,1-Trichloro-3,3,3-trifluoropropane [7125-84-0]
Group-member nr.: 25-023
- $C_3H_2F_6$
- 1,1,1,2,2,3-Hexafluoropropane [677-56-5]
R236cb
Group-member nr.: 21-040/S1
 - 1,1,1,2,3,3-Hexafluoropropane [431-63-0]
R236ea
Group-member nr.: 21-041/S1
 - 1,1,1,3,3,3-Hexafluoropropane [690-39-1]
R236fa
Group-member nr.: 21-042/S1
- $C_3H_2N_2$
- Propanedinitrile [109-77-3]
Malononitrile
Dicyanomethane
Group-member nr.: 32-003
- $C_3H_3ClO_3$
- 4-Chloro-1,3-dioxolan-2-one [3967-54-2]
Group-member nr.: 61-049/S1
- $C_3H_3Cl_2F_3$
- 2,3-Dichloro-1,1,1-trifluoropropane [338-75-0]
R243da
Group-member nr.: 25-047/S1
 - 3,3-Dichloro-1,1,1-trifluoropropane [460-69-5]
Group-member nr.: 25-024
- $C_3H_3Cl_3O_2$
- Methyl trichloroacetate [598-99-2]
Methyl ester trichloroacetic acid
Group-member nr.: 61-010

- $C_3H_3F_5$
- 1,1,1,2,2-Pentafluoropropane [1814-88-6]
R245cb
Group-member nr.: 21-043/S1
 - 1,1,1,3,3-Pentafluoropropane [460-73-1]
R245fa
Group-member nr.: 21-044/S1
 - 1,1,2,2,3-Pentafluoropropane [679-86-7]
R245ca
Group-member nr.: 21-045/S1
- C_3H_3N
- 2-Propenenitrile [107-13-1]
Acrylonitrile
Vinyl cyanide
Group-member nr.: 32-004/B+S1^E
- C_3H_3NO
- Isoxazole [288-14-2]
Group-member nr.: 62-010/B+S1
 - Oxazole [288-42-6]
Group-member nr.: 62-011
- C_3H_3NS
- Thiazole [288-47-1]
Group-member nr.: 64-004
- $C_3H_3N_3$
- 1,3,5-Triazine [290-87-9]
sym-Triazine
Group-member nr.: 33-002
- $C_3H_4ClF_3$
- 3-Chloro-1,1,1-trifluoropropane [460-35-5]
Group-member nr.: 25-025
- $C_3H_4Cl_2O_2$
- Methyl dichloroacetate [116-54-1]
Methyl ester dichloroacetic acid
Group-member nr.: 61-011
- $C_3H_4Cl_3NSi$
- 3-Trichlorosilylpropanenitrile [1071-22-3]
Group-member nr.: 71-004
- $C_3H_4Cl_4$
- 1,1,1,3-Tetrachloropropane [1070-78-6]
Group-member nr.: 22-020
- $C_3H_4F_4$
- 1,1,2,2-Tetrafluoropropane [40723-63-5]
R254cb
Group-member nr.: 21-046/S1
- $C_3H_4N_2$
- 1*H*-Imidazole [288-32-4]
1,3-Diazole
Glyoxaline
Group-member nr.: 33-003
 - 1*H*-Pyrazole [288-13-1]
1,2-Diazole
Group-member nr.: 33-004
- $C_3H_4N_2O$
- 2-Cyanoacetamide [107-91-5]
Group-member nr.: 62-012
- $C_3H_4O_2$
- 2-Oxetanone [57-57-8]
 β -Propiolactone
Hydracrylolactone
USAN
Group-member nr.: 47-001
 - 2-Propenoic acid [79-10-7]
Acrylic acid
Acroleic acid
Group-member nr.: 44-003/B+S1
- $C_3H_4O_3$
- 1,3-Dioxolan-2-one [96-49-1]
Cyclic ethylene ester carbonic acid
Ethylene carbonate
Group-member nr.: 47-002
- C_3H_5Br
- 3-Bromo-1-propene [106-95-6]
Allyl bromide
Group-member nr.: 23-019
- $C_3H_5Br_3$
- 1,2,3-Tribromopropane [96-11-7]
Group-member nr.: 23-020
- C_3H_5Cl
- 3-Chloro-1-propene [107-05-1]
3-Chloropropene
Allyl chloride
Group-member nr.: 22-021
- C_3H_5ClO
- Propanoyl chloride [79-03-8]
Propionyl chloride
Group-member nr.: 61-012
- $C_3H_5ClO_2$
- Methyl chloroacetate [96-34-4]
Methyl ester chloroacetic acid
Group-member nr.: 61-013
- $C_3H_5Cl_3$
- 1,2,3-Trichloropropane [96-18-4]
Group-member nr.: 22-022
- $C_3H_5D_3O_3$
- 1,2,3-Propanetriol-*O,O,O*-*d*₃ [7325-16-8]
Glycerol-*O,O,O*-*d*₃
Trideuteroglycerol
Group-member nr.: 42-007
- C_3H_5N
- Propanenitrile [107-12-0]
Propionitrile
Ethyl cyanide
Group-member nr.: 32-005/B+S1^E
- C_3H_5NO
- Methoxyacetone nitrile [1738-36-9]

- Group-member nr.: 62-129/S1
- 2-Propenamide [79-06-1]
Acrylamide
Group-member nr.: 62-013
- $C_3H_5NO_4$
- Methyl ester nitroacetic acid [2483-57-0]
Methyl nitroacetate
Group-member nr.: 62-014
- C_3H_5NS
- Isothiocyanatoethane [542-85-8]
Ethyl isothiocyanate
Group-member nr.: 64-005
- $C_3H_5NaO_2$
- Sodium salt propanoic acid [137-40-6]
Sodium propanoate
Natrium propionate
Group-member nr.: 74-002
- C_3H_6
- Cyclopropane [75-19-4]
Trimethylene
Group-member nr.: 12-001
 - 1-Propene [115-07-1]
Propylene
Group-member nr.: 13-002
- $C_3H_6Br_2$
- 1,2-Dibromopropane [78-75-1]
Propylene bromide
Group-member nr.: 23-021
 - 1,3-Dibromopropane [109-64-8]
Trimethylene bromide
Group-member nr.: 23-022/B+S1
- $C_3H_6Cl_2$
- 1,2-Dichloropropane [78-87-5]
Propylene chloride
Group-member nr.: 22-023/B+S1
 - 1,3-Dichloropropane [142-28-9]
Trimethylene dichloride
Group-member nr.: 22-024/B+S1
 - 2,2-Dichloropropane [594-20-7]
Isopropylidene chloride
Group-member nr.: 22-025
- $C_3H_6Cl_2Si$
- Dichloroethenylmethylsilane [124-70-9]
Dichloromethylvinylsilane
Group-member nr.: 71-059/S1
- $C_3H_6F_4N_2$
- *N,N,N',N'*-Tetrafluoro-1,2-propanediamine [15403-25-5]
Group-member nr.: 64-006
- $C_3H_6I_2$
- 1,3-Diiiodopropane [627-31-6]
Group-member nr.: 24-010/S1
- $C_3H_6N_2O_4$
- 2,2-Dinitropropane [595-49-3]
Group-member nr.: 62-015
- C_3H_6O
- Methyloxirane [75-56-9]
1,2-Epoxypropane
1,2-Propylene oxide
Group-member nr.: 46-002
 - Oxetane [503-30-0]
Trimethylene oxide
Group-member nr.: 46-003
 - Propanal [123-38-6]
Propionaldehyde
Group-member nr.: 43-003
 - 2-Propanone [67-64-1]
Dimethyl ketone
Acetone
Group-member nr.: 43-004/B+S1^E
 - 2-Propen-1-ol [107-18-6]
Allyl alcohol
Group-member nr.: 42-008
- $C_3H_6O_2$
- 1,3-Dioxolane [646-06-0]
Group-member nr.: 46-004/B+S1^E
 - Ethyl formate [109-94-4]
Ethyl methanoate
Group-member nr.: 45-002/B+S1
 - Methyl acetate [79-20-9]
Methyl ethanoate
Group-member nr.: 45-003/B+S1
 - Propanoic acid [79-09-4]
Propionic acid
Methylacetic acid
Group-member nr.: 44-004/B+S1^E
- $C_3H_6O_2S$
- 3-Mercaptopropanoic acid [107-96-0]
3-Thiolpropionic acid
 β -Thiolacetic acid
Group-member nr.: 63-003
- $C_3H_6O_3$
- Dimethyl carbonate [616-38-6]
Methyl carbonate
Group-member nr.: 45-004/B+S1
 - (*R,S*)-2-Hydroxypropanoic acid [598-82-3]
Lactic acid (racemic)
Group-member nr.: 47-003
 - Methyl ester hydroxyacetic acid [96-35-5]
Methyl glycolate
Group-member nr.: 47-052/S1
 - 1,3,5-Trioxane [110-88-3]
sym-Trioxane
Group-member nr.: 46-005
- C_3H_6S
- Thietane [287-27-4]
Thiacyclobutane
Trimethylene sulfide
Group-member nr.: 53-001

- C_3H_7Br
- 1-Bromopropane [106-94-5]
Propyl bromide
Group-member nr.: 23-023/B+S1
 - 2-Bromopropane [75-26-3]
Isopropyl bromide
Group-member nr.: 23-024/B+S1^E
- C_3H_7Cl
- 1-Chloropropane [540-54-5]
Propyl chloride
Group-member nr.: 22-026
- C_3H_7I
- 1-Iodopropane [107-08-4]
Propyl iodide
Group-member nr.: 24-004/B+S1
 - 2-Iodopropane [75-30-9]
Isopropyl iodide
Group-member nr.: 24-011/S1
- C_3H_7N
- Cyclopropanamine [765-30-0]
Cyclopropylamine
Group-member nr.: 31-005
- C_3H_7NO
- *N,N*-Dimethylformamide [68-12-2]
N,N-Dimethylmethanamide
Group-member nr.: 62-016/B+S1
- $C_3H_7NO_2$
- Ethyl ester carbamic acid [51-79-6]
Ethyl carbamate
Ethyl urethane
Group-member nr.: 62-017
 - 1-Nitropropane [108-03-2]
Group-member nr.: 62-130/S1
- $C_3H_7NO_3$
- 1-Methylethyl ester nitric acid [1712-64-7]
Isopropyl nitrate
Group-member nr.: 62-018
- C_3H_8
- Propane [74-98-6]
Group-member nr.: 11-005
- C_3H_8O
- 1-Propanol [71-23-8]
Propyl alcohol
Group-member nr.: 42-009/B+S1
 - 2-Propanol [67-63-0]
Isopropyl alcohol
Group-member nr.: 42-010/B+S1^E
- $C_3H_8O_2$
- Dimethoxymethane [109-87-5]
2,4-Dioxapentane
Formaldehyde dimethyl acetal
Methylal
Group-member nr.: 41-002/B+S1^E
 - 2-Methoxyethanol [109-86-4]
- Methyl cellosolve
Glycol monomethyl ether
Group-member nr.: 47-004
- 1,2-Propanediol [57-55-6]
Propylene glycol
Group-member nr.: 42-011/B+S1
- $C_3H_8O_3$
- 1,2,3-Propanetriol [56-81-5]
Glycerol
Glycyl alcohol
Glycerine
Group-member nr.: 42-012/B+S1
- C_3H_8S
- (Methylthio)ethane [624-89-5]
Ethyl methyl sulfide
Group-member nr.: 51-003
 - 1-Propanethiol [107-03-9]
1-Propyl mercaptan
Group-member nr.: 52-003
 - 2-Propanethiol [75-33-2]
Isopropyl mercaptan
Group-member nr.: 52-004
- C_3H_9Al
- Trimethylaluminium [75-24-1]
Group-member nr.: 73-005
- C_3H_9As
- Trimethylarsine [593-88-4]
Group-member nr.: 73-006
- C_3H_9B
- Trimethylborane [593-90-8]
Group-member nr.: 72-005
- $C_3H_9BO_3$
- Trimethyl ester boric acid(H_3BO_3) [121-43-7]
Trimethyl borate
Methyl borate
Group-member nr.: 72-016/S1
- C_3H_9ClSi
- Chlorotrimethylsilane [75-77-4]
Group-member nr.: 71-060/S1
- C_3H_9Ga
- Trimethylgallium [1445-79-0]
Group-member nr.: 73-007
- C_3H_9N
- *N,N*-Dimethylmethanamine [75-50-3]
Trimethylamine
Group-member nr.: 31-006
 - 1-Propanamine [107-10-8]
n-Propylamine
Group-member nr.: 31-007
 - 2-Propanamine [75-31-0]
Isopropylamine
Group-member nr.: 31-008
- C_3H_9NO
- 2-(Methylamino)ethanol [109-83-1]

- N*-Methylethanolamine
Group-member nr.: 62-131/S1
- $C_3H_{10}N_2$
• (*R,S*)-1,2-Propanediamine [10424-38-1]
1,2-Diaminopropane (racemic)
Group-member nr.: 31-009
• Trimethylhydrazine [1741-01-1]
Group-member nr.: 34-005
- $C_3H_{12}BN$
• Trimethylamineborane [75-22-9]
N,N-Dimethylmethanamine compd. with borane (1:1)
Group-member nr.: 72-006
- C_3O_2
• 1,2-Propadiene-1,3-dione [504-64-3]
Carbon suboxide
Group-member nr.: 43-002
- $C_4Br_2Cl_2F_6$
• 1,4-Dibromo-2,3-dichloro-1,1,2,3,4,4-hexafluorobutane
[375-42-8]
Group-member nr.: 25-026
- C_4D_8O
• Tetrahydro-*d*4-furan-*d*4 [1693-74-9]
Tetradeuterofuran
Group-member nr.: 46-027/S1
- C_4F_8
• Octafluorocyclobutane [115-25-3]
Perfluorocyclobutane
Group-member nr.: 21-007
- C_4HCIF_6
• 4-Chloro-1,1,2,2,3,3-hexafluorocyclobutane [132186-30-2]
Rc-326d
Group-member nr.: 25-048/S1
- C_4HF_9
• 1,1,1,2,2,3,3,4,4-Nonafluorobutane [375-17-7]
R329cca
Group-member nr.: 21-047/S1
- $C_4H_2F_8$
• 1,1,1,2,2,3,3,4-Octafluorobutane [662-35-1]
R338ccb
Group-member nr.: 21-048/S1
• 1,1,2,2,3,3,4,4-Octafluorobutane [377-36-6]
R338cca
Group-member nr.: 21-049/S1
- $C_4H_2O_3$
• 2,5-Furandione [108-31-6]
(*Z*)-Butenedioic acid anhydride
Maleic anhydride
Group-member nr.: 44-005/B+S1^E
- C_4H_3BrS
• 2-Bromothiophene [1003-09-4]
Group-member nr.: 64-032/S1
- C_4H_3ClS
• 2-Chlorothiophene [96-43-5]
- Group-member nr.: 64-033/S1
- $C_4H_3Cl_3OS$
• *O*-Methyl ester 2,3,3-trichloro-2-propenethioic acid
[76619-91-5]
O-Methyl ester trichlorothioacrylic acid
Methyl trichlorothioacrylate
Group-member nr.: 64-007
- $C_4H_3F_7$
• 1,1,1,2,2,3,3-Heptafluorobutane [662-00-0]
R347ccd
Group-member nr.: 21-050/S1
- $C_4H_4N_2$
• Butanedinitrile [110-61-2]
Succinonitrile
Ethylene dicyanide
Group-member nr.: 32-006
- C_4H_4O
• Furan [110-00-9]
Furfuran
Tetrol
Group-member nr.: 46-006
- $C_4H_4O_4$
• 1,4-Dioxane-2,5-dione [502-97-6]
p-Dioxane-2,5-dione
Glycolide
Diglycolide
Group-member nr.: 47-005
- C_4H_4S
• Thiophene [110-02-1]
Thiofuran
Group-member nr.: 53-002
- C_4H_5Cl
• 2-Chloro-1,3-butadiene [126-99-8]
Chloroprene
Group-member nr.: 22-027
- $C_4H_5ClO_3$
• 4-(Chloromethyl)-1,3-dioxolan-2-one [2463-45-8]
4-Chloromethyl carbonate
Group-member nr.: 61-050/S1
- $C_4H_5ClO_2$
• (*E*)-3-Chloro-2-butenoic acid [6214-28-4]
trans-3-Chloro-2-butenoic acid
3-Chlorocrotonic acid
Group-member nr.: 61-014
• (*Z*)-3-Chloro-2-butenoic acid [6213-90-7]
cis-3-Chloro-2-butenoic acid
3-Chloroisocrotonic acid
Group-member nr.: 61-015
- $C_4H_5Cl_3O$
• 2,2,3-Trichlorobutanal [76-36-8]
2,2,3-Trichlorobutyraldehyde
Butylchloral
Group-member nr.: 61-016

- $C_4H_5Cl_3O_2$
- Ethyl trichloroacetate [515-84-4]
Ethyl ester trichloroacetic acid
Group-member nr.: 61-017
- C_4H_5N
- Cyclopropanecarbonitrile [5500-21-0]
Cyclopropyl cyanide
Cyanocyclopropane
Group-member nr.: 32-007
 - 2-Methyl-2-propenenitrile [126-98-7]
Methacrylonitrile
Group-member nr.: 32-008
 - 1*H*-Pyrrole [109-97-7]
Azole
Group-member nr.: 33-005
- C_4H_5NO
- 4-Oxobutanenitrile [3515-93-3]
 β -Cyanopropionaldehyde
Group-member nr.: 62-019
- $C_4H_5NO_2$
- Methyl ester cyanoacetic acid [105-34-0]
Methyl cyanoacetate
Group-member nr.: 62-132/S1
 - 2,5-Pyrrolidinedione [123-56-8]
Succinimide
Group-member nr.: 62-020
- C_4H_5NS
- 3-Isothiocyanato-1-propene [57-06-7]
Allyl isothiocyanate
Group-member nr.: 64-008
 - 2-Methylthiazole [3581-87-1]
Group-member nr.: 64-009
- C_4H_6
- 1,2-Butadiene [590-19-2]
Group-member nr.: 13-003
 - 1,3-Butadiene [106-99-0]
Vinylethylene
Divinyl
Erythrene
Group-member nr.: 13-004
 - 1-Butyne [107-00-6]
Ethylacetylene
Group-member nr.: 13-005
 - 2-Butyne [503-17-3]
Dimethylacetylene
Crotonylene
Group-member nr.: 13-006
- $C_4H_6Cl_2O_2$
- Ethyl dichloroacetate [535-15-9]
Ethyl ester dichloroacetic acid
Group-member nr.: 61-018
- $C_4H_6N_2$
- 1-Methyl-1*H*-imidazole [616-47-7]
Group-member nr.: 33-047/S1
 - 1-Methyl-1*H*-pyrazole [930-36-9]
Group-member nr.: 33-048/S1
- C_4H_6O
- 2-Butenal [4170-30-3]
Crotonaldehyde
Group-member nr.: 43-005
 - 2,3-Dihydrofuran [1191-99-7]
Group-member nr.: 46-007
- $C_4H_6O_2$
- (*E*)-2-Butenoic acid [107-93-7]
trans-2-Butenoic acid
Crotonic acid
Group-member nr.: 44-006/B+S1
 - 2(3*H*)-Dihydrofuranone [96-48-0]
 γ -Butyrolactone
4-Butanolide
Group-member nr.: 47-006/B+S1
 - Ethenyl acetate [108-05-4]
Vinyl acetate
Ethenyl ethanoate
Group-member nr.: 45-005/B+S1
 - Methyl propenoate [96-33-3]
Methyl acrylate
Group-member nr.: 45-006
 - 2-Methyl-2-propenoic acid [79-41-4]
Methacrylic acid
 α -Methacrylic acid
Group-member nr.: 44-007
- $C_4H_6O_3$
- Acetic acid anhydride [108-24-7]
Acetic anhydride
Ethanoic acid anhydride
Group-member nr.: 44-008
 - 4-Methyl-1,3-dioxolan-2-one [108-32-7]
Cyclic propylene ester carbonic acid
Propylene carbonate
Group-member nr.: 47-007/B+S1
- $C_4H_6O_4$
- Dimethyl ester ethanedioic acid [553-90-2]
Dimethyl ethanedioate
Dimethyl oxalate
Group-member nr.: 45-131/S1
- C_4H_6Te
- 1,1'-Tellurobisethene [63000-06-6]
Divinyltellurium
Group-member nr.: 73-035/S1
- C_4H_7ClO
- Butanoyl chloride [141-75-3]
Butyryl chloride
Group-member nr.: 61-019
 - 2-Methylpropanoyl chloride [79-30-1]
2-Methylpropionyl chloride
Isobutyryl chloride
Group-member nr.: 61-020

- $C_4H_7ClO_2$
- Ethyl chloroacetate [105-39-5]
Ethyl ester chloroacetic acid
Group-member nr.: 61-021
- $C_4H_7Cl_2NSi$
- 3-(Dichloromethylsilyl)propanenitrile [1071-21-2]
3-(Dichloromethylsilyl)propionitrile
Dichloro-(2-cyanethyl)methylsilane
Group-member nr.: 71-005
- $C_4H_7LiO_2$
- Lithium salt 2-methylpropanoic acid [25179-23-1]
Lithium isobutyrate
Group-member nr.: 74-025/S1
- C_4H_7N
- Butanenitrile [109-74-0]
Butyronitrile
Propyl cyanide
Group-member nr.: 32-009
 - 2-Methylpropanenitrile [78-82-0]
2-Methylpropionitrile
Isobutyronitrile
Isopropyl cyanide
Group-member nr.: 32-010
- C_4H_7NO
- Ethoxyacetone nitrile [62957-60-2]
Group-member nr.: 62-133/S1
 - 3-Methoxypropionitrile [110-67-8]
Group-member nr.: 62-021
 - 2-Pyrrolidinone [616-45-5]
2-Pyrrolidone
 γ -Butyrolactam
Group-member nr.: 62-022
- $C_4H_7NO_2$
- Tetrahydro-2*H*-1,3-oxazin-2-one [5259-97-2]
Group-member nr.: 62-134/S1
- $C_4H_7NaO_2$
- Sodium salt butanoic acid [156-54-7]
Sodium butanoate
Natrium butyrate
Group-member nr.: 74-003
- $C_4H_7O_2Tl$
- Thallium(1+) salt butanoic acid [63424-49-7]
Thallium(I) butyrate
Group-member nr.: 74-026/S1
- C_4H_8
- 1-Butene [106-98-9]
Group-member nr.: 13-007/B+S1
 - (*E*)-2-Butene [624-64-6]
trans-2-Butene
trans-Dimethylethylene
Group-member nr.: 13-008
 - (*Z*)-2-Butene [590-18-1]
cis-2-Butene
cis-Dimethylethylene
- Group-member nr.: 13-009
- Cyclobutane [287-23-0]
Tetramethylene
Group-member nr.: 12-002
 - 2-Methyl-1-propene [115-11-7]
Isobutene
Group-member nr.: 13-010
- $C_4H_8Br_2$
- 1,4-Dibromobutane [110-52-1]
Group-member nr.: 23-041/S1
- $C_4H_8Cl_2$
- 1,2-Dichlorobutane [616-21-7]
Group-member nr.: 22-051/S1
 - 1,4-Dichlorobutane [110-56-5]
Tetramethylene dichloride
Group-member nr.: 22-028/B+S1
- $C_4H_8Cl_2O$
- 1,1'-Oxybis(2-chloroethane) [111-44-4]
Bis(2-chloroethyl) ether
 β,β' -Dichlorodiethyl ether
Chlorex
Group-member nr.: 61-022
- $C_4H_8N_2$
- 1,4,5,6-Tetrahydropyrimidine [1606-49-1]
Group-member nr.: 33-049/S1
- C_4H_8O
- Butanal [123-72-8]
Butyraldehyde
Group-member nr.: 43-006
 - 2-Butanone [78-93-3]
Ethyl methyl ketone
Group-member nr.: 43-007/B+S1^E
 - Ethyloxirane [106-88-7]
1,2-Epoxybutane
1,2-Butylene oxide
Group-member nr.: 46-008/B+S1^E
 - 2-Methoxy-1-propene [116-11-0]
Isopropenyl methyl ether
Group-member nr.: 41-003
 - Tetrahydrofuran [109-99-9]
Oxolane
Tetramethylene oxide
Group-member nr.: 46-009/B+S1^E
- $C_4H_8O_2$
- Butanoic acid [107-92-6]
Butyric acid
Ethylacetic acid
Propylformic acid
Group-member nr.: 44-009
 - 1,3-Dioxane [505-22-6]
m-Dioxane
Group-member nr.: 46-010
 - 1,4-Dioxane [123-91-1]
p-Dioxane
1,4-Diethylene dioxide

- Dioxyethylene ether
Diethylene ether
Group-member nr.: 46-011/B+S1^E
- Ethyl acetate [141-78-6]
Ethyl ethanoate
Group-member nr.: 45-007/B+S1
 - Methyl propanoate [554-12-1]
Methyl propionate
Group-member nr.: 45-008/B+S1^E
 - 2-Methylpropanoic acid [79-31-2]
Isobutyric acid
Group-member nr.: 44-010/B+S1
 - Propyl formate [110-74-7]
Propyl methanoate
Group-member nr.: 45-009/B+S1^E
- C₄H₈O₂S
- Tetrahydrothiophene 1,1-dioxide [126-33-0]
Tetramethylene sulfone
Sulfolane
Group-member nr.: 63-004/B+S1
- C₄H₈O₃
- 1,2-Ethanediol monoacetate [542-59-6]
Ethylene glycol monoacetate
2-Hydroxyethyl acetate
Group-member nr.: 47-053/S1^E
 - Methyl ester methoxyacetic acid [6290-49-9]
Methyl methoxyacetate
Group-member nr.: 47-054/S1
- C₄H₈O₄
- 1,3,5,7-Tetroxocane [293-30-1]
1,3,5,7-Tetraoxacyclooctane
Group-member nr.: 46-012
- C₄H₈S
- Tetrahydrothiophene [110-01-0]
Thiolane
Tetramethylenesulfide
Group-member nr.: 53-003
- C₄H₈S₂
- 1,3-Dithiane [505-23-7]
m-Dithiane
Group-member nr.: 53-004
 - 1,4-Dithiane [505-29-3]
p-Dithiane
Group-member nr.: 53-005
- C₄H₉Br
- 1-Bromobutane [109-65-9]
n-Butyl bromide
Group-member nr.: 23-025/B+S1
 - 1-Bromo-2-methylpropane [78-77-3]
Isobutyl bromide
Group-member nr.: 23-026/B+S1
 - 2-Bromo-2-methylpropane [507-19-7]
tert-Butyl bromide
Group-member nr.: 23-027/B+S1
- C₄H₉Cl
- 1-Chlorobutane [109-69-3]
n-Butyl chloride
Group-member nr.: 22-029/B+S1^E
 - 2-Chlorobutane [78-86-4]
sec-Butyl chloride
Group-member nr.: 22-052/S1
 - 1-Chloro-2-methylpropane [513-36-0]
Isobutyl chloride
Group-member nr.: 22-030
 - 2-Chloro-2-methylpropane [507-20-0]
tert-Butyl chloride
Group-member nr.: 22-031/B+S1
- C₄H₉I
- 1-Iodobutane [542-69-8]
Butyl iodide
Group-member nr.: 24-012/S1
 - 2-Iodobutane [513-48-4]
sec-Butyl iodide
Group-member nr.: 24-013/S1
 - 1-Iodo-2-methylpropane [513-38-2]
Isobutyl iodide
Group-member nr.: 24-005/B+S1
- C₄H₉N
- Pyrrolidine [123-75-1]
Tetrahydropyrrole
Azolidine
Group-member nr.: 33-006
- C₄H₉NO
- 2-Butanone oxime [96-29-7]
Ethyl methyl ketoxime (unspecified stereoisomer)
Group-member nr.: 62-023
 - *N,N*-Dimethylacetamide [127-19-5]
Group-member nr.: 62-024
 - *N*-Ethylacetamide [625-50-3]
N-Ethylethanamide
Group-member nr.: 62-025
 - *N*-Methylpropanamide [1187-58-2]
N-Methylpropionamide
Group-member nr.: 62-026
 - Morpholine [110-91-8]
Tetrahydro-4*H*-1,4-oxazine
Diethylenimide oxide
Group-member nr.: 62-027
- C₄H₁₀
- Butane [106-97-8]
Group-member nr.: 11-006
 - 2-Methylpropane [75-28-5]
Isobutane
Trimethylmethane
Group-member nr.: 11-007
- C₄H₁₀Cl₂Si
- Dichlordiethylsilane [1719-53-5]
Group-member nr.: 71-006



- Diethylmercury [627-44-1]
Group-member nr.: 73-008



- Piperazine [110-85-0]
Hexahydropyrazine
Perhydro-1,4-diazine
Diethylenediamine
Group-member nr.: 33-007/B+S1



- 1-Butanol [71-36-3]
Butyl alcohol
Group-member nr.: 42-013/B+S1^E
- 2-Butanol [78-92-2]
sec-Butyl alcohol
Methyl ethyl carbinol (unspecified chirality)
Group-member nr.: 42-014
- (*R,S*)-2-Butanol [15892-23-6]
sec-Butyl alcohol
Methyl ethyl carbinol (racemic)
Group-member nr.: 42-015
- (*S*)-2-Butanol [4221-99-2]
D-sec-Butyl alcohol
D-Methylethylcarbinol
Group-member nr.: 42-016
- 1-Methoxypropane [557-17-5]
Methyl propyl ether
Group-member nr.: 41-004
- 2-Methoxypropane [598-53-8]
Methyl 1-methylethyl ether
Isopropyl methyl ether
Group-member nr.: 41-005
- 2-Methyl-1-propanol [78-83-1]
Isobutyl alcohol
Group-member nr.: 42-017/B+S1
- 2-Methyl-2-propanol [75-65-0]
tert-Butyl alcohol
Trimethyl carbinol
Group-member nr.: 42-018
- 1,1'-Oxybisethane [60-29-7]
Diethyl ether
Ethyl ether
Ethyl oxide
Diethyl oxide
Group-member nr.: 41-006



- (±)-1,2-Butanediol [26171-83-5]
Group-member nr.: 42-108/S1
- 1,3-Butanediol [107-88-0]/B+S1
1,3-Butylene glycol
Group-member nr.: 42-019
- 1,4-Butanediol [110-63-4]
1,4-Butylene glycol
Tetramethylene glycol
Group-member nr.: 42-020
- 2,3-Butanediol [513-85-9]



- Group-member nr.: 42-021
- 1,2-Dimethoxyethane [110-71-4]
2,5-Dioxahexane
Ethylene glycol dimethyl ether
Monoglyme
GDME
Group-member nr.: 41-007/B+S1
- 2-Ethoxyethanol [110-80-5]
3-Oxa-1-pentanol
Ethyl cellosolve
Ethylene glycol monoethyl ether
Group-member nr.: 47-008/B+S1



- 2,2'-Selenodiethanol [27974-49-8]
β-Selenium diglycol
Group-member nr.: 73-009



- 2,2'-Oxybisethanol [111-46-6]
1,5-Dihydroxy-3-oxapentane
2,2'-Dihydroxydiethyl ether
Diethylene glycol
Group-member nr.: 47-009/B+S1



- (*R*^{*},*S*^{*})-1,2,3,4-Butanetetrol [149-32-6]
Erythro-1,2,3,4-butanetetrol
Erythritol
Group-member nr.: 42-022



- 1-Butanethiol [109-79-5]
1-Butyl mercaptan
Group-member nr.: 52-005
- 2-Butanethiol [513-53-1]
2-Butyl mercaptan
sec-Butyl mercaptan
Group-member nr.: 52-006
- 2-Methyl-1-propanethiol [513-44-0]
Isobutyl mercaptan
Group-member nr.: 52-007
- 2-Methyl-2-propanethiol [75-66-1]
tert-Butyl mercaptan
Group-member nr.: 52-008
- 1-(Methylthio)propane [3877-15-4]
Methyl propyl sulfide
Group-member nr.: 51-004
- 2-(Methylthio)propane [1551-21-9]
Methyl 1-methylethyl sulfide
Isopropyl methyl sulfide
Group-member nr.: 51-005
- 1,1'-Thiobisethane [352-93-2]
Diethyl sulfide
Group-member nr.: 51-006



- 3,4-Dithiahexane [110-81-6]
Diethyl disulfide

- Ethyl disulfide
Group-member nr.: 51-007
- $C_4H_{10}Te$
• Diethyltelluride [627-54-3]
Group-member nr.: 73-036/S1
- $C_4H_{10}Zn$
• Diethylzinc [557-20-0]
Group-member nr.: 73-010
- $C_4H_{11}N$
• 1-Butanamine [109-73-9]
n-Butylamine
Group-member nr.: 31-010
• *N*-Ethylethanamine [109-89-7]
Diethylamine
Group-member nr.: 31-011/B+S1^E
• 2-Methyl-1-propanamine [78-81-9]
Isobutylamine
Group-member nr.: 31-012
• 2-Methyl-2-propanamine [75-64-9]
tert-Butylamine
Group-member nr.: 31-013
- $C_4H_{11}NO$
• 2-Amino-2-methyl-1-propanol [124-68-5]
Isobutanolamine
Group-member nr.: 62-028/B+S1
• *N,N*-Diethylhydroxylamine [3710-84-7]
Group-member nr.: 62-029
• 2-(Dimethylamino)ethanol [108-01-0]
Dimethylethanolamine
Group-member nr.: 62-135/S1
• 2-(Ethylamino)ethanol [110-73-6]
Ethylethanolamine
Group-member nr.: 62-136/S1
• 3-Methoxy-1-propanamine [5332-73-0]
3-Methoxypropylamine
4-Oxapentanamine
Group-member nr.: 62-030
- $C_4H_{11}NO_2$
• 2-(2-Aminoethoxy)ethanol [929-06-6]
Diglycolamine
Group-member nr.: 62-137/S1
• 2-Amino-2-methyl-1,3-propanediol [115-69-5]
Group-member nr.: 62-031
• 2,2'-Iminobisethanol [111-42-2]
Diethanolamine
2-(2-Hydroxyethylamino)ethanol
Group-member nr.: 62-138/S1
- $C_4H_{11}NO_3$
• 2-Amino-2-(hydroxymethyl)-1,3-propanediol [77-86-1]
Trometamol
Group-member nr.: 62-032
- $C_4H_{12}CdSe$
• Dimethyl[selenobis(methane)]cadmium [143481-65-6]
Group-member nr.: 73-011
- $C_4H_{12}CdTe$
• Dimethyl[tellurobis(methane)]cadmium [143481-66-7]
Group-member nr.: 73-012
- $C_4H_{12}Ge$
• Tetramethylgermane [865-52-1]
Group-member nr.: 73-013
- $C_4H_{12}N_2$
• 2-Methyl-1,2-propanediamine [811-93-8]
1,2-Diamino-2-methylpropane
Group-member nr.: 31-014
- $C_4H_{12}O_4Si$
• Tetramethyl ester silicic acid [681-84-5]
Tetramethyl orthosilicate
Tetramethoxysilane
Group-member nr.: 71-007
- $C_4H_{12}Pb$
• Tetramethylplumbane [75-74-1]
Tetramethyllead
Group-member nr.: 73-014
- $C_4H_{12}SZn$
• Dimethyl[thiobis(methane)]zinc [91071-61-3]
Group-member nr.: 73-037/S1
- $C_4H_{12}SeZn$
• Dimethyl[selenobis(methane)]zinc [108430-95-1]
Complex dimethylzinc with dimethylselenium
Group-member nr.: 73-015
- $C_4H_{12}Si$
• Tetramethylsilane [75-76-3]
Group-member nr.: 71-008
- $C_4H_{12}Sn$
• Tetramethylstannane [594-27-4]
Tetramethyltin
Group-member nr.: 73-016
- $C_4H_{12}TeZn$
• Dimethyl[tellurobis(methane)]zinc [127283-03-8]
Complex dimethylzinc with dimethyltellurium
Group-member nr.: 73-017
- $C_4H_{13}N_3$
• *N*-(2-Aminoethyl)-1,2-ethanediamine [111-40-0]
Diethylenetriamine
Group-member nr.: 31-015/B+S1
- C_4NiO_4
• Nickel carbonyl [13463-39-3]
Group-member nr.: 02-029
- $C_5F_{11}N$
• Undecafluoropiperidine [836-77-1]
Perfluoropiperidine
Group-member nr.: 64-010
- C_5F_{12}
• Dodecafluoropentane [678-26-2]
Perfluoropentane
Group-member nr.: 21-008



- 1,1,2,2,2-Pentafluoro-*N*-(pentafluoroethyl)-*N*-(trifluoromethyl)-ethanamine [758-48-5]
Group-member nr.: 64-011



- Methyl heptafluorobutanoate [356-24-1]
Methyl ester heptafluorobutanoic acid
Methyl perfluorobutyrate
Group-member nr.: 61-023



- [1,2,4]Triazolo[1,5-*a*]pyrimidine [275-02-5]
Group-member nr.: 33-050/S1



- 2-Furancarboxaldehyde [98-01-1]
Furfural
Pyromucic aldehyde
Furfuraldehyde
Group-member nr.: 47-010/B+S1



- *O*-Ethyl ester 2,3,3-trichloro-2-propenethioic acid [76619-92-6]
O-Ethyl ester trichlorothioacrylate
Group-member nr.: 64-034/S1



- 2-Propenyl trichloroacetate [6304-34-3]
2-Propenyl ester trichloroacetic acid
Allyl trichloroacetate
Group-member nr.: 61-024



- Bicyclo[1.1.0]butane-1-carbonitrile [16955-35-4]
1-Bicyclobutyl cyanide
1-Cyanobicyclobutane
Group-member nr.: 32-011
- Pyridine [110-86-1]
Azine
Group-member nr.: 33-008/B+S1



- 1,3-Cyclopentadiene [542-92-7]
Group-member nr.: 14-098/S1



- 2-Propenyl dichloroacetate [30895-77-3]
2-Propenyl ester dichloroacetic acid
Allyl dichloroacetate
Group-member nr.: 61-025



- Dimethylpropanedinitrile [7321-55-3]
2,2-Dicyanopropane
Dimethylmalononitrile
Group-member nr.: 32-012
- Pentanedinitrile [544-13-8]
1,3-Dicyanopropane
Glutaronitrile
Trimethylenedicyanide
Group-member nr.: 32-013



- 2-Methylfuran [534-22-5]
Sylvan
Group-member nr.: 46-013



- 2-Furanmethanol [98-00-0]
Furfuryl alcohol
Furyl carbinol
Group-member nr.: 47-011



- 2-Methylthiophene [554-14-3]
Group-member nr.: 53-006
- 3-Methylthiophene [616-44-4]
Group-member nr.: 53-007



- 2-Propenyl chloroacetate [2916-14-5]
2-Propenyl ester chloroacetic acid
Allyl chloroacetate
Group-member nr.: 61-026



- Propyl trichloroacetate [13313-91-2]
Propyl ester trichloroacetic acid
Group-member nr.: 61-027



- Cyclobutanecarbonitrile [4426-11-3]
Cyclobutyl cyanide
Cyanocyclobutane
Group-member nr.: 32-014
- 1-Methyl-1*H*-pyrrole [96-54-8]
Group-member nr.: 33-009



- Ethyl ester cyanoacetic acid [105-56-6]
Ethyl cyanoacetate
Group-member nr.: 62-033
- Methyl ester 2-cyanopropanoic acid [14618-77-0]
Methyl 2-cyanopropionate
Group-member nr.: 62-139/S1



- Cyclopentene [142-29-0]
Group-member nr.: 14-001
- 2-Methyl-1,3-butadiene [78-79-5]
Isoprene
Group-member nr.: 13-011
- 3-Methyl-1,2-butadiene [598-25-4]
Group-member nr.: 13-012
- Methylenecyclobutane [1120-56-5]
Group-member nr.: 12-003
- 1,2-Pentadiene [591-95-7]
Group-member nr.: 13-013
- (*E*)-1,3-Pentadiene [2004-70-8]
trans-1,3-Pentadiene
Group-member nr.: 13-014
- (*Z*)-1,3-Pentadiene [1574-41-0]
cis-1,3-Pentadiene

- Group-member nr.: 13-015
- 1,4-Pentadiene [591-93-5]
Group-member nr.: 13-016
 - 2,3-Pentadiene [591-96-8]
Group-member nr.: 13-017
 - Spiropentane [157-40-4]
Spirocyclane
Cyclopropanespirocyclopropane
Group-member nr.: 12-004
- $C_5H_8Br_4$
- 1,3-Dibromo-2,2-bis(bromomethyl)propane [3229-00-3]
2,2-Bis(bromomethyl)-1,3-dibromopropane
Pentaerythrityl tetrabromide
Group-member nr.: 23-028
- $C_5H_8Cl_2O$
- 3,3-Bis(chloromethyl)oxetane [78-71-7]
3,3-Bis(chloromethyl)oxacyclobutane
Group-member nr.: 61-028
- $C_5H_8Cl_2O_2$
- Ethyl 2,3-dichloropropanoate [6628-21-3]
Ethyl ester 2,3-dichloropropanoic acid
Group-member nr.: 61-029
 - Propyl dichloroacetate [37587-81-8]
Propyl ester dichloroacetic acid
Group-member nr.: 61-030
- $C_5H_8Cl_4$
- 1,3-Dichloro-2,2-bis(chloromethyl)propane [3228-99-7]
2,2-Bis(chloromethyl)-1,3-dichloropropane
Pentaerythrityl tetrachloride
Group-member nr.: 22-032
- $C_5H_8F_4$
- 1,3-Difluoro-2,2-bis(fluoromethyl)propane [338-23-8]
2,2-Bis(fluoromethyl)-1,3-difluoropropane
Pentaerythrityl tetrafluoride
Group-member nr.: 21-009
- $C_5H_8N_2$
- 1-Ethyl-1*H*-imidazole [7098-07-9]
Group-member nr.: 33-051/S1
 - 1-Ethyl-1*H*-pyrazole [2817-71-2]
Group-member nr.: 33-052/S1
- C_5H_8O
- Cyclopentanone [120-92-3]
Group-member nr.: 43-008/B+S1
- $C_5H_8O_2$
- Methyl 2-methyl-2-propenoate [80-62-6]
Methyl methacrylate
Group-member nr.: 45-010
 - 2,4-Pentanedione [123-54-6]
Acetylacetone
Diacetylmethane
Group-member nr.: 43-009/B+S1
 - 2-Propenyl acetate [591-87-7]
2-Propenyl ethanoate
Allyl acetate
- Group-member nr.: 45-011
- Tetrahydro-2*H*-pyran-2-one [542-28-9]
 δ -Valerolactone
5-Pentanolide
Group-member nr.: 47-012
- $C_5H_8O_3$
- Methyl ester 3-oxobutanoic acid [105-45-3]
Methyl acetoacetate
Group-member nr.: 47-055/S1
- $C_5H_8O_4$
- Dimethyl ester propanedioic acid [108-59-8]
Dimethyl malonate
Group-member nr.: 45-132/S1
- C_5H_9Cl
- Chlorocyclopentane [930-28-9]
Cyclopentyl chloride
Group-member nr.: 22-053/S1
- C_5H_9ClO
- Pentanoyl chloride [638-29-9]
Valeryl chloride
Group-member nr.: 61-031
- $C_5H_9ClO_2$
- Ethyl 2-chloropropanoate [535-13-7]
Ethyl ester 2-chloropropanoic acid
Ethyl α -chloropropionate
Group-member nr.: 61-032
 - Propyl chloroacetate [5396-24-7]
Propyl ester chloroacetic acid
Group-member nr.: 61-033
- C_5H_9N
- 2,2-Dimethylpropanenitrile [630-18-2]
2-Cyano-2-methylpropane
Pivalonitrile
Trimethylacetone
Group-member nr.: 32-015
 - Pentanenitrile [110-59-8]
Valeronitrile
Butyl cyanide
Group-member nr.: 32-016
- C_5H_9NO
- 2-Methoxy-2-methylpropanenitrile [76474-09-4]
2-Methoxy-2-methylpropionitrile
Group-member nr.: 62-140/S1
 - 1-Methyl-2-pyrrolidinone [872-50-4]
1-Methyl-2-pyrrolidone
Group-member nr.: 62-034
 - 2-Piperidinone [675-20-7]
 δ -Valerolactam
2-Piperidone
Group-member nr.: 62-035
- $C_5H_9NO_2$
- 4-Methyl-3-morpholinone [20721-78-2]
4-Methyl-3-oxomorpholine
Group-member nr.: 62-141/S1



- Cyclopentane [287-92-3]
Pentamethylene
Group-member nr.: 12-005
- 2-Methyl-1-butene [563-46-2]
Group-member nr.: 13-018
- 3-Methyl-1-butene [563-45-1]
Isopropylethylene
α-Isoamylene
Group-member nr.: 13-020
- 2-Methyl-2-butene [513-35-9]
Trimethylethylene
β-Isoamylene
Group-member nr.: 13-019
- 1-Pentene [109-67-1]
Group-member nr.: 13-021/B+S1
- 2-Pentene [109-68-2]
β-Amylene
Methylethylene (unspecified stereoisomer)
Group-member nr.: 13-022
- (*E*)-2-Pentene [646-04-8]
trans-2-Pentene
trans-β-Amylene
trans-Methylethylene
Group-member nr.: 13-023
- (*Z*)-2-Pentene [627-20-3]
cis-2-Pentene
cis-β-Amylene
cis-Methylethylene
Group-member nr.: 13-024



- 1,5-Dichloropentane [628-76-2]
Pentamethylene dichloride
Group-member nr.: 22-033/B+S1



- 3-(Dimethylamino)-propanenitrile [1738-25-6]
3-(Dimethylamino)-propionitrile
Group-member nr.: 34-006



- Cyclopentanol [96-41-3]
Cyclopentyl alcohol
Group-member nr.: 42-023/B+S1
- 2,2-Dimethylpropanal [630-19-3]
Pivalaldehyde
Trimethylacetaldehyde
Group-member nr.: 43-010/B+S1
- 3-Methyl-2-butanone [563-80-4]
Isopropyl methyl ketone
Group-member nr.: 43-011
- 2-Methyl-3-buten-2-ol [115-18-4]
Group-member nr.: 42-024
- Pentanal [110-62-3]
Valeraldehyde
Pentyl aldehyde
Amyl aldehyde

Group-member nr.: 43-012

- 2-Pentanone [107-87-9]
Methyl propyl ketone
Group-member nr.: 43-013
- 3-Pentanone [96-22-0]
Diethyl ketone
Metacetone
Ethyl propionyl
Propione
Group-member nr.: 43-014
- Tetrahydropyran [142-68-7]
Oxane
Pentamethylene oxide
Group-member nr.: 46-014/B+S1^E



- Butyl formate [592-84-7]
Butyl methanoate
Group-member nr.: 45-012/B+S1
- 2,2-Dimethylpropanoic acid [75-98-9]
Trimethylacetic acid
Pivalic acid
Group-member nr.: 44-037/S1
- 1,3-Dioxepane [505-65-7]
m-Dioxepane
Group-member nr.: 46-015
- Ethyl propanoate [105-37-3]
Ethyl propionate
Group-member nr.: 45-013/B+S1^E
- Methyl butanoate [623-42-7]
Methyl butyrate
Group-member nr.: 45-014
- 3-Methylbutanoic acid [503-74-2]
Isovaleric acid
Group-member nr.: 44-011
- 1-Methylethyl acetate [108-21-4]
Isopropyl acetate
1-Methylethyl ethanoate
Group-member nr.: 45-016
- Methyl 2-methylpropanoate [547-63-7]
Methyl isobutyrate
Group-member nr.: 45-015
- 2-Methylpropyl formate [542-55-2]
2-Methylpropyl methanoate
Isobutyl formate
Group-member nr.: 45-017
- Pentanoic acid [109-52-4]
Valeric acid
Group-member nr.: 44-012
- Propyl acetate [109-60-4]
Propyl ethanoate
Group-member nr.: 45-018/B+S1^E
- Tetrahydro-2-furanmethanol [97-99-4]
Tetrahydrofurfuryl alcohol
Group-member nr.: 47-013



- Diethyl carbonate [105-58-8]

- Ethyl carbonate
Group-member nr.: 45-019/B+S1
- 2-Methoxyethanol acetate [110-49-6]
2-Methoxyethyl acetate
Group-member nr.: 47-014/B+S1
- $C_5H_{10}O_5$
- 1,3,5,7,9-Pentoxecane [16528-92-0]
Pentoxane
Group-member nr.: 46-016
- $C_5H_{10}S$
- Cyclopentanethiol [1679-07-8]
Cyclopentyl mercaptan
Group-member nr.: 52-009
 - 2-Methyltetrahydrothiophene [1795-09-1]
2-Methylthiolane
2-Methylcyclothiapentane
Group-member nr.: 53-008
 - 3-Methyltetrahydrothiophene [4740-00-5]
3-Methylthiolane
3-Methylcyclothiapentane
Group-member nr.: 53-009
 - Tetrahydro-2*H*-thiopyran [1613-51-0]
Thiacyclohexane
Pentamethylene sulfide
Group-member nr.: 53-010
- $C_5H_{11}Br$
- 1-Bromo-3-methylbutane [107-82-4]
Isoamyl bromide
Group-member nr.: 23-029
 - 1-Bromopentane [110-53-2]
n-Amyl bromide
Group-member nr.: 23-030/B+S1
- $C_5H_{11}Cl$
- 1-Chloro-3-methylbutane [107-84-6]
Isoamyl chloride
Group-member nr.: 22-034
 - 1-Chloropentane [543-59-9]
Pentyl chloride
Amyl chloride
Group-member nr.: 22-054/S1
- $C_5H_{11}I$
- 1-Iodo-3-methylbutane [541-28-6]
Isoamyl iodide
Group-member nr.: 24-006
 - 1-Iodopentane [628-17-1]
Pentyl iodide
Amyl iodide
Group-member nr.: 24-014/S1
- $C_5H_{11}N$
- Cyclopentanamine [1003-03-8]
Cyclopentylamine
Group-member nr.: 31-016
 - 1-Methylpyrrolidine [120-94-5]
N-Methylpyrrolidine
Group-member nr.: 33-010
 - 3-Methylpyrrolidine [34375-89-8]
Group-member nr.: 33-011
 - Piperidine [110-89-4]
Pentamethylenimine
Hexahydropyridine
Perhydroazine
Group-member nr.: 33-012/B+S1
- $C_5H_{11}NO$
- *N*,2-Dimethylpropanamide [2675-88-9]
N-Methylisobutyramide
Group-member nr.: 62-036
 - *N*-Methylbutanamide [17794-44-4]
N-Methylbutyramide
Group-member nr.: 62-037
 - *N*-(1-Methylethyl)acetamide [1118-69-0]
N-(1-Methylethyl)ethanamide
N-Isopropylacetamide
Group-member nr.: 62-038
 - *N*-Propylacetamide [5331-48-6]
N-Propylethanamide
Group-member nr.: 62-039
- $C_5H_{11}NO_2$
- Methyl ester *N,N*-dimethylglycine [7148-06-3]
Methyl ester *N,N*-dimethylaminoacetic acid
Group-member nr.: 62-142/S1
- C_5H_{12}
- 2,2-Dimethylpropane [463-82-1]
Neopentane
Tetramethylmethane
Group-member nr.: 11-008
 - 2-Methylbutane [78-78-4]
Isopentane
Group-member nr.: 11-009
 - Pentane [109-66-0]
Group-member nr.: 11-010
- $C_5H_{12}N_2O$
- *N,N*-Diethylurea [634-95-7]
1,1-Diethylurea
Group-member nr.: 62-143/S1
 - Tetramethylurea [632-22-4]
Group-member nr.: 62-040
- $C_5H_{12}O$
- 2,2-Dimethyl-1-propanol [75-84-3]
Neopentyl alcohol
Group-member nr.: 42-109/S1
 - 1-Ethoxypropane [628-32-0]
Ethyl propyl ether
Group-member nr.: 41-008
 - 2-Methoxy-2-methylpropane [1634-04-4]
1,1-Dimethylethyl methyl ether
tert-Butyl methyl ether
Group-member nr.: 41-010
 - 1-Methoxybutane [628-28-4]
Butyl methyl ether

- Group-member nr.: 41-009/B+S1^E
- 2-Methyl-1-butanol [137-32-6]
sec-Butyl carbinol
Group-member nr.: 42-025/B+S1
 - 2-Methyl-2-butanol [75-85-4]
tert-Amyl alcohol
tert-Pentyl alcohol
Dimethyl ethyl carbinol
Group-member nr.: 42-026/B+S1
 - 3-Methyl-1-butanol [123-51-3]
Isopentyl alcohol
Isoamyl alcohol
Group-member nr.: 42-027/B+S1
 - 3-Methyl-2-butanol [598-75-4]
sec-Isoamyl alcohol
Group-member nr.: 42-028/B+S1
 - 1-Pentanol [71-41-0]
n-Amyl alcohol/B+S1^E
Group-member nr.: 42-029
 - 2-Pentanol [6032-29-7]
sec-Amyl alcohol
Methyl propyl carbinol
Group-member nr.: 42-030/B+S1
 - 3-Pentanol [584-02-1]
1-Ethyl-1-propanol
Diethyl carbinol
Group-member nr.: 42-031/B+S1
- $C_5H_{12}O_2$
- 2,2-Dimethoxypropane [77-76-9]
Acetone dimethyl acetal
Group-member nr.: 41-011
 - 2,2-Dimethyl-1,3-propanediol [126-30-7]
Group-member nr.: 42-032
 - 1-Ethoxy-2-methoxyethane [5137-45-1]
2,5-Dioxaheptane
Ethylene glycol ethyl ether methyl ether
Group-member nr.: 41-012
 - 1,5-Pentanediol [111-29-5]
Group-member nr.: 42-033
 - 1,1'-[Methylenebis(oxy)]bisethane [462-95-3]
3,5-Dioxaheptane
Diethoxymethane
Formaldehyde diethyl acetal
Group-member nr.: 41-049/S1
 - 2-(1-Methylethoxy)ethanol [109-59-1]
4-Methyl-3-oxa-1-pentanol
2-Isopropoxyethanol
Ethylene glycol monoisopropyl ether
Group-member nr.: 47-015/B+S1
 - 1,5-Pentanediol [111-29-5]
Group-member nr.: 42-033
 - 2-Propoxyethanol [2807-30-9]
3-Oxa-1-hexanol
Ethylene glycol monopropyl ether
Propyl cellosolve
Group-member nr.: 47-016/B+S1^E
- $C_5H_{12}O_3$
- 2-(2-Methoxyethoxy)ethanol [111-77-3]
Diethylene glycol monomethyl ether
Group-member nr.: 47-017
- $C_5H_{12}S$
- 1-(Ethylthio)propane [4110-50-3]
Ethyl propyl sulfide
Group-member nr.: 51-008
 - 2-Methyl-2-butanethiol [1679-09-0]
2-Methyl-2-butyl mercaptan
tert-Amyl mercaptan
Group-member nr.: 52-010
 - 3-Methyl-1-butanethiol [541-31-1]
3-Methylbutyl mercaptan
Isopentyl mercaptan
Isoamyl mercaptan
Group-member nr.: 52-011
 - 3-Methyl-2-butanethiol [2084-18-6]
3-Methyl-2-butyl mercaptan
sec-Isoamyl mercaptan
Group-member nr.: 52-012
 - 2-Methyl-2-(methylthio)propane [6163-64-0]
1,1-Dimethylethyl methyl sulfide
tert-Butyl methyl sulfide
Group-member nr.: 51-009
 - 1-(Methylthio)butane [628-29-5]
Butyl methyl sulfide
Group-member nr.: 51-010
 - 2-(Methylthio)butane [10359-64-5]
3-Methyl-2-thiapentane
Methyl 1-methylpropyl sulfide
sec-Butyl methyl sulfide
Group-member nr.: 51-011
 - 1-Pentanethiol [110-66-7]
1-Pentyl mercaptan
Group-member nr.: 52-013
 - Tetrakis(methylthio)methane [6156-25-8]
Tetramethyl ester tetrathiacarbonic acid
Group-member nr.: 51-012
- $C_5H_{12}Si$
- 1,1-Dimethylsilacyclobutane [2295-12-7]
Group-member nr.: 71-009
 - Ethenyltrimethylsilane [754-05-2]
Trimethylvinylsilane
Group-member nr.: 71-010/B+S1
- $C_5H_{13}N$
- *N,N*-Dimethyl-2-propanamine [996-35-0]
Isopropyldimethylamine
Group-member nr.: 31-046/S1
 - *N*-Ethyl-*N*-methylethanamine [616-39-7]
N-Methyldiethylamine
N,N-Diethylmethylamine
Group-member nr.: 31-017
 - 1-Pentanamine [110-58-7]

- Pentylamine
n-Amylamine
 Group-member nr.: 31-018
- $C_5H_{13}NO$
 • 2-(Ethylmethylamino)ethanol [2893-43-8]
N,N-Ethylmethylethanolamine
 Group-member nr.: 62-041
 • 2-(Propylamino)ethanol [16369-21-4]
 Propylethanolamine
 Group-member nr.: 62-144/S1
- $C_5H_{13}NO_2$
 • 2,2'-(Methylimino)bisethanol [105-59-9]
 Methyl-diethanolamine
 2-[(2-Hydroxyethyl)methylamino]ethanol
 Group-member nr.: 62-145/S1
- $C_5H_{13}NSi$
 • 1-(Trimethylsilyl)aziridine [2116-90-7]
 Trimethylsilylethyleneimine
 Group-member nr.: 71-061/S1
- $C_5H_{14}N_2$
 • *N,N*-Dimethyl-1,3-propanediamine [109-55-7]
N,N-Dimethylpropylenediamine
 Group-member nr.: 31-019
- C_6BrF_5
 • Bromopentafluorobenzene [344-04-7]
 Group-member nr.: 25-027
- $C_6Br_2Cl_3F_9$
 • 1,6-Dibromo-2,3,5-trichloro-1,1,2,3,4,4,5,6,6-nonafluorohexane [85131-86-8]
 Group-member nr.: 25-028
- C_6ClF_5
 • Chloropentafluorobenzene [344-07-0]
 Group-member nr.: 25-029
- $C_6Cl_3F_3$
 • 1,3,5-Trichloro-2,4,6-trifluorobenzene [319-88-0]
 Group-member nr.: 25-030
- C_6D_6
 • Benzene-*d*₆ [1076-43-3]
 Hexadeuterobenzene
 Group-member nr.: 14-002
- C_6D_{12}
 • Cyclohexane-*d*₁₂ [1735-17-7]
 Dodecadeuterocyclohexane
 Group-member nr.: 12-006
- $C_6F_5NO_2$
 • Pentafluoronitrobenzene [880-78-4]
 Group-member nr.: 64-012
- C_6F_6
 • Hexafluorobenzene [392-56-3]
 Perfluorobenzene
 Group-member nr.: 21-010/B+S1^E
- C_6F_{12}
 • 1,1,1,2,3,4,5,5,5-Nonafluoro-4-(trifluoromethyl)-2-pentene [2070-70-4]
 Perfluoro-4-methyl-2-pentene
 Group-member nr.: 21-051/S1
- C_6F_{14}
 • Tetradecafluorohexane [355-42-0]
 Perfluorohexane
 Group-member nr.: 21-011
- $C_6F_{15}N$
 • 1,1,2,2,2-Pentafluoro-*N,N*-bis(pentafluoroethyl)ethanamine [359-70-6]
 Group-member nr.: 64-013
- C_6HCl_5
 • Pentachlorobenzene [608-93-5]
 Group-member nr.: 22-055/S1
- C_6HF_5
 • Pentafluorobenzene [363-72-4]
 Group-member nr.: 21-012
- C_6HF_5O
 • Pentafluorophenol [771-61-9]
 Group-member nr.: 61-034/B+S1
- $C_6H_2F_4$
 • 1,2,3,4-Tetrafluorobenzene [551-62-2]
 Group-member nr.: 21-013
 • 1,2,3,5-Tetrafluorobenzene [2367-82-0]
 Group-member nr.: 21-014
 • 1,2,4,5-Tetrafluorobenzene [327-54-8]
 Group-member nr.: 21-015
- $C_6H_2F_5N$
 • 2,3,4,5,6-Pentafluorobenzeneamine [771-60-8]
 Pentafluoroaniline
 Group-member nr.: 64-014
- $C_6H_3Cl_3$
 • 1,2,3-Trichlorobenzene [87-61-6]
 Group-member nr.: 22-056/S1
 • 1,2,4-Trichlorobenzene [120-82-1]
 Group-member nr.: 22-035/B+S1
 • 1,3,5-Trichlorobenzene [108-70-3]
 Group-member nr.: 22-057/S1
- $C_6H_3Cl_4N$
 • 2-Chloro-6-(trichloromethyl)pyridine [1929-82-4]
 Group-member nr.: 64-015
- C_6H_4BrCl
 • 1-Bromo-2-chlorobenzene [694-80-4]
o-Bromochlorobenzene
 Group-member nr.: 25-031
 • 1-Bromo-3-chlorobenzene [108-37-2]
m-Bromochlorobenzene
 Group-member nr.: 25-032
 • 1-Bromo-4-chlorobenzene [106-39-8]
p-Bromochlorobenzene
 Group-member nr.: 25-033/B+S1



- 1-Bromo-2-iodobenzene [583-55-1]
o-Bromiodobenzene
Group-member nr.: 25-034
- 1-Bromo-3-iodobenzene [591-18-4]
m-Bromiodobenzene
Group-member nr.: 25-035



- 1-Bromo-3-nitrobenzene [585-79-5]
m-Bromonitrobenzene
Group-member nr.: 64-016



- 1,2-Dibromobenzene [583-53-9]
o-Dibromobenzene
Group-member nr.: 23-031
- 1,3-Dibromobenzene [108-36-1]
m-Dibromobenzene
Group-member nr.: 23-032
- 1,4-Dibromobenzene [106-37-6]
p-Dibromobenzene
Group-member nr.: 23-042/S1



- 2,4-Dibromophenol [615-58-7]
Group-member nr.: 61-035



- 1-Chloro-4-iodobenzene [637-87-6]
p-Chloriodobenzene
Group-member nr.: 25-049/S1



- 1-Chloro-3-nitrobenzene [121-73-3]
m-Chloronitrobenzene
Group-member nr.: 64-017/B+S1
- 1-Chloro-4-nitrobenzene [100-00-5]
p-Chloronitrobenzene
Group-member nr.: 64-018/B+S1



- 1,2-Dichlorobenzene [95-50-1]
o-Dichlorobenzene
Group-member nr.: 22-036/B+S1
- 1,3-Dichlorobenzene [541-73-1]
m-Dichlorobenzene
Group-member nr.: 22-037/B+S1
- 1,4-Dichlorobenzene [106-46-7]
p-Dichlorobenzene
Group-member nr.: 22-038/B+S1



- 1,2-Difluorobenzene [367-11-3]
o-Difluorobenzene
Group-member nr.: 21-016/B+S1^E
- 1,3-Difluorobenzene [372-18-9]
m-Difluorobenzene
Group-member nr.: 21-017/B+S1^E
- 1,4-Difluorobenzene [540-36-3]
p-Difluorobenzene

Group-member nr.: 21-018/B+S1



- 1,2-Diiodobenzene [615-42-9]
o-Diiodobenzene
Group-member nr.: 24-007
- 1,3-Diiodobenzene [626-00-6]
m-Diiodobenzene
Group-member nr.: 24-008



- 1,2-Dinitrobenzene [528-29-0]
o-Dinitrobenzene
Group-member nr.: 62-042
- 1,3-Dinitrobenzene [99-65-0]
m-Dinitrobenzene
Group-member nr.: 62-043
- 1,4-Dinitrobenzene [100-25-4]
p-Dinitrobenzene
Group-member nr.: 62-044



- 2,5-Cyclohexadiene-1,4-dione [106-51-4]
p-Benzoquinone
p-Quinone
Group-member nr.: 43-015



- Bromobenzene [108-86-1]
Phenyl bromide
Group-member nr.: 23-033/B+S1^E



- 4-Bromophenol [106-41-2]
p-Bromophenol
Group-member nr.: 61-036



- Chlorobenzene [108-90-7]
Phenyl chloride
Group-member nr.: 22-039/B+S1



- 2-Chlorophenol [95-57-8]
o-Chlorophenol
Group-member nr.: 61-037/B+S1
- 3-Chlorophenol [108-43-0]
m-Chlorophenol
Group-member nr.: 61-051/S1
- 4-Chlorophenol [106-48-9]
p-Chlorophenol
Group-member nr.: 61-052/S1



- Trichlorophenylsilane [98-13-5]
Group-member nr.: 71-011



- Fluorobenzene [462-06-6]
Group-member nr.: 21-019



- 2-Fluorophenol [367-12-4]
o-Fluorophenol

- Group-member nr.: 61-053/S1
- 3-Fluorophenol [372-20-3]
m-Fluorophenol
Group-member nr.: 61-054/S1
 - 4-Fluorophenol [371-41-5]
p-Fluorophenol
Group-member nr.: 61-038
- C_6H_5I
- Iodobenzene [591-50-4]
Group-member nr.: 24-009/B+S1
- $C_6H_5NO_2$
- Nitrobenzene [98-95-3]
Group-member nr.: 62-045/B+S1^E
- $C_6H_5NO_3$
- 2-Nitrophenol [88-75-5]
o-Nitrophenol
Group-member nr.: 62-046/B+S1^E
 - 3-Nitrophenol [554-84-7]
m-Nitrophenol
Group-member nr.: 62-047
 - 4-Nitrophenol [100-02-7]
p-Nitrophenol
Group-member nr.: 62-048
- C_6H_6
- Benzene [71-43-2]
Group-member nr.: 14-003/B+S1
- C_6H_6ClN
- 3-Chlorobenzeneamine [108-42-9]
3-Chlorophenylamine
m-Chloroaniline
Group-member nr.: 64-019
 - 4-Chlorobenzeneamine [106-47-8]
4-Chlorophenylamine
p-Chloroaniline
Group-member nr.: 64-035/S1
- C_6H_6FN
- 2-Fluorobenzeneamine [348-54-9]
o-Fluoroaniline
Group-member nr.: 64-036/S1
 - 4-Fluorobenzeneamine [371-40-4]
p-Fluoroaniline
Group-member nr.: 64-020
- $C_6H_6N_2O_2$
- 2-Nitrobenzeneamine [88-74-4]
o-Nitroaniline
Group-member nr.: 62-049
 - 3-Nitrobenzeneamine [99-09-2]
m-Nitroaniline
Group-member nr.: 62-050
 - 4-Nitrobenzeneamine [100-01-6]
p-Nitroaniline
Group-member nr.: 62-051
- C_6H_6O
- Phenol [108-95-2]
- Group-member nr.: 42-034
- $C_6H_6O_2$
- 1,2-Benzenediol [120-80-9]
1,2-Dihydroxybenzene
Pyrocatechol
Catechol
Group-member nr.: 42-035
 - 1,3-Benzenediol [108-46-3]
1,3-Dihydroxybenzene
Resorcinol
Group-member nr.: 42-036
 - 1,4-Benzenediol [123-31-9]
1,4-Dihydroxybenzene
Hydroquinone
Group-member nr.: 42-037
- C_6H_6S
- Benzenethiol [108-98-5]
Thiophenol
Phenyl mercaptan
Group-member nr.: 52-014
- C_6H_7N
- Benzenamine [62-53-3]
Aniline
Aminobenzene
Phenylamine
Group-member nr.: 31-020
 - Bicyclo[2.1.0]pentane-1-carbonitrile [31357-71-8]
1-Bicyclo[2.1.0]pentyl cyanide
1-Cyanobicyclo[2.1.0]pentane
Group-member nr.: 32-017
 - 3-Methylenecyclobutanecarbonitrile [15760-35-7]
3-Methylenecyclobutyl cyanide
1-Cyano-3-methylenecyclobutane
Group-member nr.: 32-018
 - 2-Methylpyridine [109-06-8]
 α -Picoline
Group-member nr.: 33-013/B+S1
 - 3-Methylpyridine [108-99-6]
 β -Picoline
Group-member nr.: 33-014/B+S1
 - 4-Methylpyridine [108-89-4]
 γ -Picoline
Group-member nr.: 33-015/B+S1
- C_6H_8
- 1,3-Cyclohexadiene [592-57-4]
Group-member nr.: 14-004
 - 1,4-Cyclohexadiene [628-41-1]
Group-member nr.: 14-005
- $C_6H_8N_2$
- 1,3-Benzenediamine [108-45-2]
1,3-Phenylenediamine
Group-member nr.: 31-021
 - Phenylhydrazine [100-63-0]
Group-member nr.: 34-007



- 2-Cyclohexen-1-one [930-68-7]
Group-member nr.: 43-065/S1
- 2,5-Dimethylfuran [625-86-5]
Group-member nr.: 46-028/S1



- 1,4-Cyclohexanedione [637-88-7]
Tetrahydroquinone
Group-member nr.: 43-016
- Methyl bicyclo[1.1.0]butane-1-carboxylate [4935-01-7]
Methyl ester bicyclo[1.1.0]butane-1-carboxylic acid
Group-member nr.: 45-020



- Dimethyl (*Z*)-2-butenedioate [624-48-6]
Dimethyl ester (*Z*)-2-butenedioic acid
Dimethyl *cis*-2-butenedioate
Dimethyl maleate
Group-member nr.: 45-021
- 3,6-Dimethyl-1,4-dioxane-2,5-dione [95-96-5]
Group-member nr.: 47-018
- (3*S*,6*S*)-3,6-Dimethyl-1,4-dioxane-2,5-dione [4511-42-6]
l-Lactide
Group-member nr.: 47-056/S1



- 2,5-Dimethylthiophene [638-02-8]
Group-member nr.: 53-011



- Cyclopentanecarbonitrile [4254-02-8]
Cyclopentyl cyanide
Cyanocyclopentane
Group-member nr.: 32-019
- 2,4-Dimethyl-1*H*-pyrrole [625-82-1]
Group-member nr.: 33-016/B+S1
- 2,5-Dimethyl-1*H*-pyrrole [625-84-3]
Group-member nr.: 33-017



- 1-Ethenyl-2-pyrrolidinone [88-12-0]
N-Vinylpyrrolidone
Group-member nr.: 62-146/S1



- Ethyl ester 2-cyanopropanoic acid [1572-99-2]
Ethyl ester cyanomethylacetic acid
Group-member nr.: 62-147/S1



- Cyclohexene [110-83-8]
1,2,3,4-Tetrahydrobenzene
Group-member nr.: 14-006/B+S1^E
- 1,5-Hexadiene [592-42-7]
Diallyl
Group-member nr.: 13-025
- 1-Methylcyclopentene [693-89-0]
Group-member nr.: 14-007
- 3-Methylcyclopentene [1120-62-3]
Group-member nr.: 14-008



- Cyclohexanone [108-94-1]
Pimelic ketone
Ketoexamethylene
Group-member nr.: 43-017/B+S1^E
- 4-Methyl-3-penten-2-one [141-79-7]
Mesityl oxide
Group-member nr.: 43-018/B+S1
- 7-Oxabicyclo[4.1.0]heptane [286-20-4]
1,2-Epoxy cyclohexane
Cyclohexene oxide
Group-member nr.: 46-017



- Ethyl cyclopropanecarboxylate [4606-07-9]
Ethyl ester cyclopropanecarboxylic acid
Group-member nr.: 45-022
- Methyl cyclobutanecarboxylate [765-85-5]
Methyl ester cyclobutanecarboxylic acid
Group-member nr.: 45-023
- 2-Oxepanone [502-44-3]
 ϵ -Caprolactone
6-Hexanolide
Group-member nr.: 47-019
- 2-Propenyl propanoate [2408-20-0]
Allyl propionate
Group-member nr.: 45-024



- Ethyl ester 3-oxobutanoic acid [141-97-9]
Ethyl 3-oxobutanoate
Ethyl acetoacetate
Ethyl ester acetoacetic acid
Group-member nr.: 47-020/B+S1



- Diethyl ethanedioate [95-92-1]
Diethyl ester ethanedioic acid
Diethyl oxalate
Group-member nr.: 45-025
- Dimethyl ester methylpropanedioic acid [609-02-9]
Dimethyl methylmalonate
Group-member nr.: 45-133/S1
- 1,2-Ethandiol diacetate [111-55-7]
1,2-Ethandiol ester acetic acid
Ethylene glycol diacetate
Group-member nr.: 45-026/B+S1^E
- Hexanedioic acid [124-04-9]
Adipic acid
1,4-Butanedicarboxylic acid
Group-member nr.: 44-013



- 1-Ethyl-3-methyl-1*H*-imidazolium tetrafluoroborate [143314-16-3]
Group-member nr.: 72-017/S1



- Bromocyclohexane [108-85-0]
Cyclohexyl bromide

- Group-member nr.: 23-043/S1
- $C_6H_{11}Cl$
- Chlorocyclohexane [542-18-7]
Cyclohexyl chloride
Group-member nr.: 22-058/S1
 - 1-Chloro-1-methylcyclopentane [6196-85-6]
Group-member nr.: 22-059/S1
- $C_6H_{11}N$
- Hexanenitrile [628-73-9]
Capronitrile
Amyl cyanide
Group-member nr.: 32-020
- $C_6H_{11}NO$
- Cyclohexanone oxime [100-64-1]
Group-member nr.: 62-052
 - Hexahydro-2*H*-azepin-2-one [105-60-2]
 ϵ -Caprolactam
6-Hexanelactam
6-Aminohexanoic lactam
Group-member nr.: 62-053
- $C_6H_{11}NO_2$
- 4,4-Dimethoxybutanenitrile [14618-78-1]
 β -Cyanopropionaldehyde dimethyl acetal
Group-member nr.: 62-054
 - Tetrahydro-5,5-dimethyl-2*H*-1,3-oxazin-2-one [54953-79-6]
5,5-Dimethylperhydro-1,3-oxazin-2-one
Group-member nr.: 62-148/S1
- C_6H_{12}
- Cyclohexane [110-82-7]
Hexamethylene
Group-member nr.: 12-007/B+S1^E
 - 2,3-Dimethyl-2-butene [563-79-1]
Tetramethylethylene
Group-member nr.: 13-026
 - 3,3-Dimethyl-1-butene [558-37-2]
tert-Butylethylene
Neohexene
Group-member nr.: 13-027
 - 1-Hexene [592-41-6]
Hexylene
Group-member nr.: 13-028
 - (*Z*)-2-Hexene [7688-21-3]
cis-2-Hexene
Group-member nr.: 13-029
 - Methylcyclopentane [96-37-7]
Group-member nr.: 12-008
 - 4-Methyl-1-pentene [691-37-2]
Group-member nr.: 13-040/S1
- $C_6H_{12}BNO_3$
- 2,8,9-Trioxa-5-aza-1-borabicyclo[3.3.3]undecane [283-56-7]
2,2',2''-Nitrilotriethanol cyclic ester with boric acid (1:1)
Triethanolamine borate
Group-member nr.: 72-007
- $C_6H_{12}Cl_2$
- 1,6-Dichlorohexane [2163-00-0]
Hexamethylene chloride
Group-member nr.: 22-040
- $C_6H_{12}Cl_3O_4P$
- 2-Chloroethanol phosphate (3:1) [115-96-8]
Tri(2-chloroethyl)phosphate
Group-member nr.: 72-008
- $C_6H_{12}N_2$
- 1,4-Diazobicyclo[2.2.2]octane [280-57-9]
Triethylenediamine
Group-member nr.: 33-018
 - (1-Methylethylidene)hydrazone 2-propanone [627-70-3]
Acetone azine
Dimethyl ketazine
Group-member nr.: 34-008
- $C_6H_{12}O$
- Cyclohexanol [108-93-0]
Cyclohexyl alcohol
Group-member nr.: 42-038/B+S1
 - 3,3-Dimethyl-2-butanone [75-97-8]
tert-Butyl methyl ketone
Pinacolone
Group-member nr.: 43-019
 - 1-(Ethenyloxy)butane [111-34-2]
Butyl vinyl ether
Butoxyethylene
Group-member nr.: 41-013/B+S1
 - 1-(Ethenyloxy)-2-methylpropane [109-53-5]
Isobutyl vinyl ether
Isobutoxyethylene
Group-member nr.: 41-014
 - Hexanal [66-25-1]
Hexaldehyde
Caproaldehyde
Group-member nr.: 43-020
 - 2-Hexanone [591-78-6]
Butyl methyl ketone
Group-member nr.: 43-021
 - 3-Hexanone [589-38-8]
Ethyl propyl ketone
Group-member nr.: 43-022
 - 1-Methylcyclopentanol [1462-03-9]
Group-member nr.: 42-110/S1
 - 4-Methyl-2-pentanone [108-10-1]
Isobutyl methyl ketone
Group-member nr.: 43-023
- $C_6H_{12}O_2$
- Butyl acetate [123-86-4]
Butyl ethanoate
Group-member nr.: 45-027/B+S1^E
 - 1,1-Dimethylethyl acetate [540-88-5]
1,1-Dimethylethyl ethanoate
tert-Butyl acetate

- Group-member nr.: 45-028
- Ethyl butanoate [105-54-4]
Ethyl butyrate
Group-member nr.: 45-029
 - Ethyl 2-methylpropanoate [97-62-1]
Ethyl isobutyrate
Group-member nr.: 45-030
 - Hexanoic acid [142-62-1]
Caproic acid
Group-member nr.: 44-014
 - 3-Methylbutyl formate [110-45-2]
3-Methylbutyl methanoate
Isoamyl formate
Isopentyl formate
Group-member nr.: 45-033
 - Methyl 2,2-dimethylpropanoate [598-98-1]
Methyl ester 2,2-dimethylpropanoic acid
Methyl pivalate
Methyl trimethylacetate
Group-member nr.: 45-031
 - Methyl pentanoate [624-24-8]
Methyl valerate
Group-member nr.: 45-032
 - 2-Methylpropyl acetate [110-19-0]
2-Methylpropyl ethanoate
Isobutyl acetate
Group-member nr.: 45-034
 - Propyl propanoate [106-36-5]
Propyl propionate
Group-member nr.: 45-035/B+S1^E
 - Tetrahydro-2*H*-pyran-2-methanol [100-72-1]
Group-member nr.: 47-021
- $C_6H_{12}O_3$
- 2-Ethoxyethanol acetate [111-15-9]
2-Ethoxyethyl acetate
Cellosolve acetate
Group-member nr.: 47-022/B+S1
 - 2,4,6-Trimethyl-1,3,5-trioxane [123-63-7]
Paraldehyde
Group-member nr.: 46-018
- $C_6H_{12}S$
- Cyclohexanethiol [1569-69-3]
Cyclohexyl mercaptan
Group-member nr.: 52-015
 - Methylthiocyclopentane [7133-36-0]
Cyclopentyl methyl sulfide
Group-member nr.: 51-013
- $C_6H_{12}Si$
- Trimethyl-1-propynylsilane [6224-91-5]
1-Trimethylsilyl-1-propyne
Group-member nr.: 71-062/S1
- $C_6H_{13}Br$
- 1-Bromohexane [111-25-1]
n-Hexyl bromide
Group-member nr.: 23-034/B+S1
 - 3-Bromohexane [3377-87-5]
- Group-member nr.: 23-035
- $C_6H_{13}Cl$
- 1-Chlorohexane [544-10-5]
Hexyl chloride
Group-member nr.: 22-060/S1
- $C_6H_{13}I$
- 1-Iodohexane [638-45-9]
Hexyl iodide
Group-member nr.: 24-015/S1
- $C_6H_{13}N$
- Cyclohexanamine [108-91-8]
Cyclohexylamine
Group-member nr.: 31-022
 - Hexahydro-1*H*-azepine [111-49-9]
Perhydroazepine
Hexamethylenimine
Azacycloheptane
Group-member nr.: 33-019
 - 1-Methylpiperidine [626-67-5]
N-Methylpiperidine
Group-member nr.: 33-020
 - 2-Methylpiperidine [109-05-7]
2-Pipecoline
 α -Pipecoline
Group-member nr.: 33-021
 - 4-Methylpiperidine [626-58-4]
4-Pipecoline
 γ -Pipecoline
Group-member nr.: 33-022
- $C_6H_{13}NO$
- *N*-Butylacetamide [1119-49-9]
N-Butylethanamide
Group-member nr.: 62-055
 - *N,N*-Diethylacetamide [685-91-6]
N,N-Diethylethanamide
Group-member nr.: 62-056
 - *N*-Methylpentanamide [6225-10-1]
N-Methylvaleramide
Group-member nr.: 62-057
- $C_6H_{13}NO_2$
- Ethyl ester *N,N*-dimethylglycine [33229-89-9]
Ethyl ester *N,N*-dimethylaminoacetic acid
Group-member nr.: 62-149/S1
 - Methyl ester *N,N*-dimethyl-*L*-alanine [42293-86-7]
Methyl ester 2-dimethylaminopropionic acid
Group-member nr.: 62-150/S1
- C_6H_{14}
- 2,2-Dimethylbutane [75-83-2]
Neohexane
Group-member nr.: 11-011
 - 2,3-Dimethylbutane [79-29-8]
Diisopropyl
Group-member nr.: 11-012
 - Hexane [110-54-3]

- Group-member nr.: 11-013/B+S1^E
- 2-Methylpentane [107-83-5]
Dimethylpropylmethane
Group-member nr.: 11-014
 - 3-Methylpentane [96-14-0]
Diethylmethylmethane
Group-member nr.: 11-015
- C₆H₁₄N₂O
- Dipropyldiazene 1-oxide [17697-55-1]
Group-member nr.: 62-058
- C₆H₁₄O
- 3,3-Dimethyl-1-butanol [624-95-3]
Group-member nr.: 42-039
 - 2-Ethoxy-2-methylpropane [637-92-3]
tert-Butyl ethyl ether
Group-member nr.: 41-015
 - 2-Ethyl-1-butanol [97-95-0]
2-Ethylbutyl alcohol
Group-member nr.: 42-040
 - 1-Hexanol [111-27-3]
Hexyl alcohol
Group-member nr.: 42-041/B+S1
 - 2-Hexanol [626-93-7]
Group-member nr.: 42-042
 - 3-Hexanol [623-37-0]
Ethyl propyl carbinol
Group-member nr.: 42-043
 - 2-Methoxy-2-methylbutane [994-05-8]
Methyl *tert*-pentyl ether
3,3-Dimethyl-2-oxapentane
tert-Amyl methyl ether
Group-member nr.: 41-016
 - 2-Methyl-1-pentanol [105-30-6]
Group-member nr.: 42-044
 - 2-Methyl-2-pentanol [590-36-3]
Group-member nr.: 42-045
 - 3-Methyl-2-pentanol [565-60-6]
Group-member nr.: 42-046
 - 3-Methyl-3-pentanol [77-74-7]
Group-member nr.: 42-047
 - 4-Methyl-2-pentanol [108-11-2]
Group-member nr.: 42-048
 - 1,1'-Oxybispropane [111-43-3]
Dipropyl ether
Group-member nr.: 41-017/B+S1^E
 - 2,2'-Oxybispropane [108-20-3]
1,1'-Bis(methylethyl) ether
Diisopropyl ether
Group-member nr.: 41-018/B+S1^E
- C₆H₁₄O₂
- 2-Butoxyethanol [111-76-2]
3-Oxa-1-heptanol
Ethylene glycol monobutyl ether
Butyl cellosolve
Group-member nr.: 47-023/B+S1^E
 - 1,1-Diethoxyethane [105-57-7]
Acetaldehyde diethyl acetal
Acetal
Group-member nr.: 41-019
 - 1,2-Diethoxyethane [629-14-1]
3,6-Dioxaoctane
Ethylene glycol diethyl ether
Diethyl cellosolve
Group-member nr.: 41-020
 - 1,6-Hexanediol [629-11-8]
Group-member nr.: 42-111/S1
 - 1-Methoxy-2-propoxyethane [17081-22-0]
2,5-Dioxaoctane
Ethylene glycol methyl ether propyl ether
Group-member nr.: 41-021
 - 2-(2-Methylpropoxy)ethanol [4439-24-1]
2-Isobutoxyethanol
Group-member nr.: 47-057/S1
- C₆H₁₄O₃
- 2-(2-Ethoxyethoxy)ethanol [111-90-0]
Diethylene glycol monoethyl ether
Group-member nr.: 47-024/B+S1
 - 2-Ethyl-2-(hydroxymethyl)-1,3-propanediol [77-99-6]
1,1,1-Tris(hydroxymethyl)propane
Trimethylolpropane
Group-member nr.: 42-049
 - 2-(2-Hydroxypropoxy)-1-propanol [106-62-7]
Di(propylene glycol)
Group-member nr.: 47-058/S1
 - 1,1'-Oxybis(2-methoxyethane) [111-96-6]
2,5,8-Trioxanonane
Diethylene glycol dimethyl ether
Diglyme
Group-member nr.: 41-022/B+S1^E
- C₆H₁₄O₄
- 2,2'-[1,2-Ethanedylbis(oxy)]bisethanol [112-27-6]
1,8-Dihydroxy-3,6-dioxaoctane
Triethylene glycol
Group-member nr.: 47-025/B+S1^E
- C₆H₁₄O₆
- *D*-Mannitol [69-65-8]
Group-member nr.: 42-050
- C₆H₁₄S
- 1-Hexanethiol [111-31-9]
1-Hexyl mercaptan
Group-member nr.: 52-016/B+S1^E
 - 2-(Methylthio)pentane [13286-91-4]
3-Methyl-2-thiahexane
Methyl 1-methylbutyl sulfide
Group-member nr.: 51-014
 - 1,1'-Thiobispropane [111-47-7]
Dipropyl sulfide
Group-member nr.: 51-015
 - 2,2'-Thiobispropane [625-80-9]
Bis(1-methylethyl) sulfide
Diisopropyl sulfide
Group-member nr.: 51-016

- $C_6H_{14}S_2$
 • Dipropyl disulfide [629-19-6]
 4,5-Dithiaoctane
 Group-member nr.: 51-017
- $C_6H_{15}Al$
 • Triethylaluminium [97-93-8]
 Group-member nr.: 73-018
- $C_6H_{15}As$
 • Triethylarsine [617-75-4]
 Group-member nr.: 73-019
- $C_6H_{15}B$
 • Triethylborane [97-94-9]
 Group-member nr.: 72-009
- $C_6H_{15}Bi$
 • Triethylbismuthine [617-77-6]
 Group-member nr.: 73-020
- $C_6H_{15}ClSi$
 • Chlorotriethylsilane [994-30-9]
 Group-member nr.: 71-012
- $C_6H_{15}Ga$
 • Triethylgallium [1115-99-7]
 Group-member nr.: 73-021
- $C_6H_{15}In$
 • Triethylindium [923-34-2]
 Group-member nr.: 73-022
- $C_6H_{15}N$
 • *N,N*-Diethylethanamine [121-44-8]
 Triethylamine
 Group-member nr.: 31-023/B+S1^E
 • 1-Hexanamine [111-26-2]
 Hexylamine
 Group-member nr.: 31-024/B+S1^E
 • *N*-(1-Methylethyl)-2-propanamine [108-18-9]
 Diisopropylamine
 Group-member nr.: 31-047/S1
 • *N*-Propyl-1-propanamine [142-84-7]
 Dipropylamine
 Group-member nr.: 31-025/B+S1
- $C_6H_{15}NO$
 • 2-(Diethylamino)ethanol [100-37-8]
 Diethylethanamine
 Group-member nr.: 62-151/S1
- $C_6H_{15}NO_2$
 • 2,2'-(Ethylimino)bisethanol [139-87-7]
 Ethyldiethanolamine
 2-[Ethyl(2-hydroxyethyl)amino]ethanol
 Group-member nr.: 62-152/S1
 • 1,1'-Iminobis-2-propanol [110-97-4]
 Di-2-propanolamine
 Bis(2-hydroxypropyl)amine
 1,1'-Azanediylobis(propan-2-ol)
 Group-member nr.: 62-153/S1
- $C_6H_{15}NO_3$
 • 2,2',2''-Nitrilotrisethanol [102-71-6]
 Tri(2-hydroxyethyl)amine
 Triethanolamine
 Group-member nr.: 62-059/B+S1
- $C_6H_{15}N_2O_2$
 • 2,2'-(1,2-Ethanediyldiimino)bisethanol [4439-20-7]
 2,2'-(Ethylenediimino)diethanol
N,N'-Bis(2-hydroxyethyl)ethylenediamine
 Group-member nr.: 62-154/S1
- $C_6H_{15}N_3$
 • 1-Piperazineethanamine [140-31-8]
 1-(2-Aminoethyl)piperazine
 Group-member nr.: 33-023
- $C_6H_{15}P$
 • Triethylphosphine [554-70-1]
 Group-member nr.: 72-018/S1
- $C_6H_{15}Sb$
 • Triethylstibine [617-85-6]
 Triethylantimony
 Group-member nr.: 73-023
- $C_6H_{16}Si_2$
 • 1,1,3,3-Tetramethyl-1,3-disilacyclobutane [1627-98-1]
 Group-member nr.: 71-013
- $C_6H_{18}BN$
 • Triethylamineborane [1722-26-5]
N,N-Dimethylethanamine compd. with borane (1:1)
 Group-member nr.: 72-010
- $C_6H_{18}N_3OP$
 • Hexamethyl phosphoric triamide [680-31-9]
 Hexamethylphosphoramidate
 Group-member nr.: 72-011/B+S1
- $C_6H_{18}N_4$
 • *N,N'*-Bis(2-aminoethyl)-1,2-ethanediamine [112-24-3]
 Triethylenetetramine
 Group-member nr.: 31-026
- $C_6H_{18}OSi_2$
 • Hexamethyldisiloxane [107-46-0]
 Group-member nr.: 71-014
- $C_6H_{18}O_3Si_3$
 • Hexamethylcyclotrisiloxane [541-05-9]
 Group-member nr.: 71-015
- $C_6H_{18}Si_2$
 • Hexamethyldisilane [1450-14-2]
 Group-member nr.: 71-016
- $C_6H_{21}N_3Si_3$
 • 2,2,4,4,6,6-Hexamethylcyclotrisilazane [1009-93-4]
 Dimethylaminosilane trimer
 Group-member nr.: 71-017
- C_7F_8
 • Pentafluoro(trifluoromethyl)benzene [434-64-0]
 Octafluorotoluene

- Perfluorotoluene
Group-member nr.: 21-020
- C_7F_{14}
• (Trifluoromethyl)undecafluorocyclohexane [355-02-2]
Perfluoromethylcyclohexane
Group-member nr.: 21-021
- C_7F_{16}
• Hexadecafluoroheptane [335-57-9]
Perfluoroheptane
Group-member nr.: 21-022/B+S1
- $C_7H_3F_5$
• Pentafluoromethylbenzene [771-56-2]
2,3,4,5,6-Pentafluorotoluene
Group-member nr.: 21-023
- C_7H_4ClNO
• 1-Chloro-3-isocyanatobenzene [2909-38-8]
m-Chlorophenylisocyanate
Group-member nr.: 64-021
- $C_7H_4F_3NO_2$
• 1-Nitro-3-(trifluoromethyl)benzene [98-46-4]
m-Trifluoromethylnitrobenzene
Group-member nr.: 64-022
- C_7H_5ClO
• Benzoyl chloride [98-88-4]
Group-member nr.: 61-039
- $C_7H_5ClO_2$
• 2-Chlorobenzoic acid [118-91-2]
o-Chlorobenzoic acid
Group-member nr.: 61-040
• 3-Chlorobenzoic acid [535-80-8]
m-Chlorobenzoic acid
Group-member nr.: 61-041
• 4-Chlorobenzoic acid [74-11-3]
p-Chlorobenzoic acid
Group-member nr.: 61-042
- $C_7H_5F_3$
• (Trifluoromethyl)benzene [98-08-8]
 α, α, α -Trifluorotoluene
Group-member nr.: 21-024
- $C_7H_5F_4NO_2$
• 2,2,3,3-Tetrafluoropropyl ester 2-cyano-2-propenic acid [27827-91-4]
1,1,2,2-Tetrafluoropro-3-yl 2-cyanoacrylate
1,1,3-Trihydrotetrafluoropropyl α -cyanoacrylate
Group-member nr.: 64-037/S1
- C_7H_5N
• Benzonitrile [100-47-0]
Phenyl cyanide
Group-member nr.: 32-021/B+S1^E
- C_7H_5NO
• Benzoxazole [273-53-0]
Group-member nr.: 62-060
• Isocyanatobenzene [103-71-9]
- Phenyl isocyanate
Group-member nr.: 62-155/S1
- $C_7H_5NO_4$
• 2-Nitrobenzoic acid [552-16-9]
o-Nitrobenzoic acid
o-Nitrodraacylic acid
Group-member nr.: 62-061
• 3-Nitrobenzoic acid [121-92-6]
m-Nitrobenzoic acid
m-Nitrodraacylic acid
Group-member nr.: 62-062
• 4-Nitrobenzoic acid [62-23-7]
p-Nitrobenzoic acid
p-Nitrodraacylic acid
Group-member nr.: 62-063
- C_7H_5NS
• Benzothiazole [95-16-9]
Group-member nr.: 64-023
• Isothiocyanatobenzene [103-72-0]
Phenyl ester isothiocyanic acid
Group-member nr.: 64-024
- $C_7H_5N_3O_6$
• 2-Methyl-1,3,5-trinitrobenzene [118-96-7]
2,4,6-Trinitrotoluene
Tritol
TNT
Group-member nr.: 62-064
- $C_7H_5N_5O_8$
• *N*-Methyl-*N*,2,4,6-tetranitrobenzeneamine [479-45-8]
Trinitrophenylmethylnitroamine
Tetryl
Group-member nr.: 62-065
- $C_7H_6F_8O_3$
• Bis(2,2,3,3-tetrafluoropropyl) ester carbonic acid [1422-70-4]
Bis(2,2,3,3-tetrafluoropropyl) carbonate
Group-member nr.: 61-043
- $C_7H_6N_2O_4$
• 2-Methyl-1,3-dinitrobenzene [606-20-2]
2,6-Dinitrotoluene
Group-member nr.: 62-066
- C_7H_6O
• Benzaldehyde [100-52-7]
Benzoic aldehyde
Group-member nr.: 43-024
- $C_7H_6O_2$
• Benzoic acid [65-85-0]
Benzenecarboxylic acid
Carboxybenzene
Phenylformic acid
Group-member nr.: 44-015
• 2-Hydroxybenzaldehyde [90-02-8]
Salicyl aldehyde
Group-member nr.: 47-026



- 2-Hydroxybenzoic acid [69-72-7]
Salicylic acid
Group-member nr.: 47-027



- (Chloromethyl)benzene [100-44-7]
Benzyl chloride
Group-member nr.: 22-041
- 1-Chloro-2-methylbenzene [95-49-8]
2-Chlorotoluene
o-Chlorotoluene
o-Tolyl chloride
Group-member nr.: 22-042



- 1-Fluoro-2-methylbenzene [95-52-3]
2-Fluorotoluene
o-Tolyl fluoride
Group-member nr.: 21-025
- 1-Fluoro-3-methylbenzene [352-70-5]
3-Fluorotoluene
m-Tolyl fluoride
Group-member nr.: 21-026
- 1-Fluoro-4-methylbenzene [352-32-9]
4-Fluorotoluene
p-Tolyl fluoride
Group-member nr.: 21-027



- Benzamide [55-21-0]
Group-member nr.: 62-067



- 1-Methyl-3-nitrobenzene [99-08-1]
m-Nitrotoluene
Group-member nr.: 62-068
- 1-Methyl-4-nitrobenzene [99-99-0]
p-Nitrotoluene
Group-member nr.: 62-069
- 2-Propenyl ester 2-cyano-2-propenoic acid [7324-02-9]
Allyl α -cyanoacrylate
Group-member nr.: 62-156/S1



- 1-Methoxy-2-nitrobenzene [91-23-6]
o-Nitroanisole
Group-member nr.: 62-070
- 1-Methoxy-3-nitrobenzene [555-03-3]
m-Nitroanisole
Group-member nr.: 62-071
- 1-Methoxy-4-nitrobenzene [100-17-4]
p-Nitroanisole
Group-member nr.: 62-072



- Bicyclo[2.2.1]hepta-2,5-diene [121-46-0]
2,5-Norbornadiene
Group-member nr.: 14-009/B+S1
- 1,3,5-Cycloheptatriene [544-25-2]

Group-member nr.: 14-010

- Methylbenzene [108-88-3]
Toluene
Phenyl methane
Group-member nr.: 14-011/B+S1
- Tetracyclo[3.2.0.0^{2,7}.0^{4,6}]heptane [278-06-8]
Quadricyclane
Group-member nr.: 12-009/B+S1



- Dichloromethylphenylsilane [149-74-6]
Group-member nr.: 71-018



- Benzenemethanol [100-51-6]
Benzyl alcohol
Group-member nr.: 42-051
- Methoxybenzene [100-66-3]
Methyl phenyl ether
Anisole
Group-member nr.: 41-023
- 2-Methylphenol [95-48-7]
o-Hydroxytoluene
o-Cresol
Group-member nr.: 42-052
- 3-Methylphenol [108-39-4]
m-Hydroxytoluene
m-Cresol
Group-member nr.: 42-053
- 4-Methylphenol [106-44-5]
p-Hydroxytoluene
p-Cresol
Group-member nr.: 42-054



- 2,6-Dimethyl-4*H*-pyran-4-one [1004-36-0]
2,6-Dimethyl- γ -pyrone
Group-member nr.: 47-028



- Methylthiobenzene [100-68-5]
Methyl phenyl sulfide
Group-member nr.: 51-018



- *O*-Butyl ester 2,3,3-trichloro-2-propenethioic acid [79886-21-8]
O-Butyl ester trichlorothioacrylic acid
n-Butyl ester trichlorothioacrylate
Group-member nr.: 64-038/S1



- Benzenemethanamine [100-46-9]
Benzylamine
Phenylmethanamine
Aminotoluene
Group-member nr.: 31-027
- Bicyclo[3.1.0]hexane-1-carbonitrile [31357-72-9]
1-Bicyclo[3.1.0]hexyl cyanide
1-Cyanobicyclo[3.1.0]hexane

- Group-member nr.: 32-022
- 2,3-Dimethylpyridine [583-61-9]
 - 2,3-Lutidine
 - Group-member nr.: 33-024/B+S1
 - 2,4-Dimethylpyridine [108-47-4]
 - 2,4-Lutidine
 - Group-member nr.: 33-025/B+S1
 - 2,5-Dimethylpyridine [589-93-5]
 - 2,5-Lutidine
 - Group-member nr.: 33-026/B+S1
 - 2,6-Dimethylpyridine [108-48-5]
 - 2,6-Lutidine
 - Group-member nr.: 33-027/B+S1
 - 3,4-Dimethylpyridine [583-58-4]
 - 3,4-Lutidine
 - Group-member nr.: 33-028/B+S1
 - 3,5-Dimethylpyridine [591-22-0]
 - 3,5-Lutidine
 - Group-member nr.: 33-029/B+S1
 - *N*-Methylbenzenamine [100-61-8]
 - N*-Methylaniline
 - Methylphenylamine
 - Group-member nr.: 31-028
 - 2-Methylbenzenamine [95-53-4]
 - 2-Methylaniline
 - o*-Toluidine
 - Group-member nr.: 31-029/B+S1
 - 3-Methylbenzenamine [108-44-1]
 - 3-Methylaniline
 - m*-Toluidine
 - Group-member nr.: 31-030/B+S1
 - 4-Methylbenzenamine [106-49-0]
 - 4-Methylaniline
 - p*-Toluidine
 - Group-member nr.: 31-031/B+S1
- C_7H_{10}
- Bicyclo[2.2.1]hept-2-ene [498-66-8]
 - Norbornene
 - Norbornylene
 - Group-member nr.: 14-099/S1
- $C_7H_{11}N$
- Cyclohexanecarbonitrile [766-05-2]
 - Cyclohexyl cyanide
 - Cyanocyclohexane
 - Group-member nr.: 32-023
 - Isocyanocyclohexane [931-53-3]
 - Group-member nr.: 32-027/S1
- C_7H_{12}
- Bicyclo[4.1.0]heptane [286-08-8]
 - Norcarane
 - Group-member nr.: 12-010
 - (*Z*)-Cycloheptene [45510-00-7]
 - cis*-Cycloheptene
 - Group-member nr.: 14-012
 - 1-Ethylcyclopentene [2146-38-5]
 - Group-member nr.: 14-013
 - Ethylidenecyclopentane [2146-37-4]
 - Group-member nr.: 12-011
 - 4-Methylcyclohexene [591-47-9]
 - Group-member nr.: 14-014
 - Methylene cyclohexane [1192-37-6]
 - Group-member nr.: 12-012
- $C_7H_{12}O$
- Cycloheptanone [502-42-1]
 - Suberone
 - Group-member nr.: 43-025
 - 2-Methylcyclohexanone [583-60-8]
 - o*-Methylcyclohexanone
 - Group-member nr.: 43-026
 - 3-Methylcyclohexanone [591-24-2]
 - m*-Methylcyclohexanone
 - Group-member nr.: 43-027
 - 4-Methylcyclohexanone [589-92-4]
 - p*-Methylcyclohexanone
 - Group-member nr.: 43-028
- $C_7H_{12}O_2$
- Butyl 2-propenoate [141-32-2]
 - Butyl ester 2-propenoic acid
 - Butyl acrylate
 - Group-member nr.: 45-036/B+S1
 - 2-Propenyl butanoate [2051-78-7]
 - Allyl butyrate
 - Group-member nr.: 45-037
 - 2-Propenyl 2-methylpropanoate [15727-77-2]
 - 2-Propenyl ester 2-methylpropanoic acid
 - Allyl isobutyrate
 - Group-member nr.: 45-038
- $C_7H_{12}O_4$
- Diethyl propanedioate [105-53-3]
 - Diethyl ester propanedioic acid
 - Diethyl malonate
 - Group-member nr.: 45-039/B+S1
 - Dimethyl ester dimethylpropanedioic acid [6065-54-9]
 - Dimethyl dimethylmalonate
 - Group-member nr.: 45-134/S1
- $C_7H_{13}Cl$
- 1-Chloro-1-methylcyclohexane [931-78-2]
 - Group-member nr.: 22-061/S1
- $C_7H_{13}NO$
- Hexahydro-2(1*H*)-azocinone [673-66-5]
 - ω -Enantholactam
 - Group-member nr.: 62-073
 - 2-Methoxy-3,3-dimethylbutanenitrile [162047-91-8]
 - Group-member nr.: 62-157/S1
 - 2-Methoxy-2-methylpentanenitrile [162047-90-7]
 - Group-member nr.: 62-158/S1
- C_7H_{14}
- Cycloheptane [291-64-5]
 - Group-member nr.: 12-013
 - 1,1-Dimethylcyclopentane [1638-26-2]

- Group-member nr.: 12-014
- *cis*-1,2-Dimethylcyclopentane [1192-18-3]
 - Group-member nr.: 12-015
- *trans*-1,2-Dimethylcyclopentane [822-50-4]
 - Group-member nr.: 12-016
- *trans*-1,3-Dimethylcyclopentane [1759-58-6]
 - Group-member nr.: 12-017
- Ethylcyclopentane [1640-89-7]
 - Group-member nr.: 12-018
- 1-Heptene [592-76-7]
 - 1-Heptylene
 - Group-member nr.: 13-030/B+S1
- Methylcyclohexane [108-87-2]
 - Hexahydrotoluene
 - Group-member nr.: 12-019/B+S1
- C₇H₁₄ClNO
- Dipropylcarbamic chloride [27086-19-7]
 - N,N*-Dipropylcarbamoyl chloride
 - Group-member nr.: 64-025
- C₇H₁₄O
- Cycloheptanol [502-41-0]
 - Group-member nr.: 42-055
- 3,4-Dimethylpentanal [19353-21-0]
 - 3,4-Dimethylvaleraldehyde
 - Group-member nr.: 43-029
- 2,4-Dimethyl-3-pentanone [565-80-0]
 - Diisopropyl ketone
 - Group-member nr.: 43-030
- Heptanal [111-71-7]
 - Heptyl aldehyde
 - Enanthaldehyde
 - Group-member nr.: 43-031
- 2-Heptanone [110-43-0]
 - Methyl pentyl ketone
 - Group-member nr.: 43-032
- 4-Heptanone [123-19-3]
 - Dipropyl ketone
 - Group-member nr.: 43-033
- 1-Methylcyclohexanol [590-67-0]
 - Group-member nr.: 42-056/B+S1
- 2-Methylcyclohexanol [583-59-5]
 - o*-Methylcyclohexanol (unspecified stereoisomer and chirality)
 - Group-member nr.: 42-057
- *cis*-2-Methylcyclohexanol [7443-70-1]
 - Group-member nr.: 42-058
- *trans*-2-Methylcyclohexanol [7443-52-9]
 - Group-member nr.: 42-059
- 3-Methylcyclohexanol [591-23-1]
 - m*-Methylcyclohexanol (unspecified stereoisomer and chirality)
 - Group-member nr.: 42-060
- 4-Methylcyclohexanol [589-91-3]
 - p*-Methylcyclohexanol (unspecified stereoisomer)
 - Group-member nr.: 42-061
- 3-Methylhexanal [19269-28-4]
 - Group-member nr.: 43-034
- 2-Methyl-3-hexanone [7379-12-6]
 - Group-member nr.: 43-035
- C₇H₁₄O₂
- Ethyl 2,2-dimethylpropanoate [3938-95-2]
 - Ethyl ester 2,2-dimethylpropanoic acid
 - Ethyl pivalate
 - Group-member nr.: 45-040/B+S1
- Ethyl ester 2-methylbutanoic acid [7452-79-1]
 - Ethyl 2-methylbutyrate
 - Group-member nr.: 45-135/S1
- Ethyl 3-methylbutanoate [108-64-5]
 - Ethyl isovalerate
 - Group-member nr.: 45-041
- Ethyl pentanoate [539-82-2]
 - Ethyl valerate
 - Group-member nr.: 45-042
- Heptanoic acid [111-14-8]
 - Enanthic acid
 - Group-member nr.: 44-016
- 3-Methylbutyl acetate [123-92-2]
 - 3-Methylbutyl ethanoate
 - Isoamyl acetate
 - Isopentyl acetate
 - Group-member nr.: 45-043
- 2-Methylpropyl propanoate [540-42-1]
 - Isobutyl propionate
 - Group-member nr.: 45-044
- Pentyl acetate [628-63-7]
 - Pentyl ethanoate
 - Amyl acetate
 - Group-member nr.: 45-045/B+S1
- Propyl butanoate [105-66-8]
 - Propyl butyrate
 - Group-member nr.: 45-046/B+S1
- Propyl 2-methylpropanoate [644-49-5]
 - Propyl isobutyrate
 - Group-member nr.: 45-047
- C₇H₁₄O₃
- 2-Hydroxyethyl ester 2,2-dimethylpropanoic acid [20267-19-0]
 - 2-Hydroxyethyl pivalate
 - Group-member nr.: 47-059/S1
- C₇H₁₅Br
- 1-Bromoheptane [629-04-9]
 - n*-Heptyl bromide
 - Group-member nr.: 23-036/B+S1
- C₇H₁₅Cl
- 1-Chloroheptane [629-06-1]
 - Heptyl chloride
 - Group-member nr.: 22-062/S1
- 3-Chloroheptane [999-52-0]
 - Group-member nr.: 22-043
- C₇H₁₅I
- 1-Iodoheptane [4282-40-0]

- Heptyl iodide
Group-member nr.: 24-016/S1
- $C_7H_{15}N$
• Octahydroazocine [1121-92-2]
Perhydroazocine
Heptamethylenimine
Group-member nr.: 33-030
- $C_7H_{15}NO$
• 2-Piperidineethanol [1484-84-0]
2-Piperidin-2-ylethanol
Group-member nr.: 62-159/S1
- $C_7H_{15}NO_2$
• Methyl ester *N,N*,2-trimethylalanine [140653-59-4]
Methyl ester 2-dimethylamino-2-methylpropanoic acid
Group-member nr.: 62-160/S1
- C_7H_{16}
• 2,2-Dimethylpentane [590-35-2]
Group-member nr.: 11-016
• 2,3-Dimethylpentane [565-59-3]
Group-member nr.: 11-017
• 2,4-Dimethylpentane [108-08-7]
Group-member nr.: 11-018
• 3,3-Dimethylpentane [562-49-2]
Group-member nr.: 11-019
• 3-Ethylpentane [617-78-7]
Triethylmethane
Group-member nr.: 11-020
• Heptane [142-82-5]
Group-member nr.: 11-021
• 2-Methylhexane [591-76-4]
Isoheptane
Ethylisobutylmethane
Group-member nr.: 11-022
• 3-Methylhexane [589-34-4]
Group-member nr.: 11-023
• 2,2,3-Trimethylbutane [464-06-2]
Isopropyltrimethylmethane
Triptane
Group-member nr.: 11-024
- $C_7H_{16}O$
• 2-Ethoxy-2-methylbutane [919-94-8]
Ethyl *tert*-pentyl ether
4,4-Dimethyl-3-oxahexane
tert-Amyl ethyl ether
Group-member nr.: 41-024
• 3-Ethyl-3-pentanol [597-49-9]
Group-member nr.: 42-062
• 1-Heptanol [111-70-6]
Heptyl alcohol
Group-member nr.: 42-063/B+S1
• 2-Heptanol [543-49-7]
Group-member nr.: 42-064
• 4-Heptanol [589-55-9]
Dipropyl carbinol
Group-member nr.: 42-065
- $C_7H_{16}O_2$
• 1-Butoxy-2-methoxyethane [13343-98-1]
2,5-Dioxanonane
Ethylene glycol butyl ether methyl ether
Group-member nr.: 41-025
• 1,3-Diethoxypropane [3459-83-4]
3,7-Dioxanonane
Propylene glycol diethyl ether
Group-member nr.: 41-026
• 1,5-Dimethoxypentane [111-89-7]
2,8-Dioxanonane
Pentylene glycol dimethyl ether
Group-member nr.: 41-027
• 1-Ethoxy-4-methoxybutane [36865-47-1]
2,7-Dioxanonane
Butylene glycol ethyl ether methyl ether
Group-member nr.: 41-028
• 1-Ethoxy-2-propoxyethane [18854-31-4]
3,6-Dioxanonane
Ethylene glycol ethyl ether propyl ether
Group-member nr.: 41-029
• 1-Methoxy-3-propoxypropane [89851-49-0]
2,6-Dioxanonane
Propylene glycol methyl ether propyl ether
Group-member nr.: 41-030
- $C_7H_{16}O_3$
• 1,1',1''-[Methylidynetris(oxy)]trisethane [122-51-0]
Triethoxymethane
Triethyl ester orthoformic acid
Triethyl orthoformate
Group-member nr.: 41-031
• 2-(2-Propoxyethoxy)ethanol [6881-94-3]
Diethylene glycol monopropyl ether
Group-member nr.: 47-060/S1
- $C_7H_{16}S$
• 1-Heptanethiol [1639-09-4]
1-Heptyl mercaptan
Group-member nr.: 52-017/B+S1^E
• 2-(Methylthio)hexane [76858-84-9]
3-Methyl-2-thiaheptane
Methyl 1-methylpentyl sulfide
Group-member nr.: 51-019
- $C_7H_{17}NSi$
• 1-[2-(Trimethylsilyl)ethyl]aziridine [18387-12-7]
N-[(β -Trimethylsilyl)ethyl]ethylenimine
Group-member nr.: 71-043/S1
- $C_7H_{20}Si_2$
• Methylenebis[trimethylsilane] [2117-28-4]
2,2,4,4-Tetramethyl-2,4-disilapentane
Hexamethyldisilamethane
Bis(trimethylsilyl)methane
Group-member nr.: 71-019
- C_8BrF_{17}
• 1-Bromo-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctane [423-55-2]

- 1-Bromoperfluorooctane
Group-member nr.: 25-050/S1
- C_8D_8
• Ethenyl- d_3 -benzene- d_5 [19361-62-7]
Styrene- d_8
Group-member nr.: 14-100/S1
- $C_8D_{14}O_2$
• Butyl- d_9 ester 2-(methyl- d_3)-2-propenoic-3,3- d_2 acid [158612-79-4]
Perdeuterobutyl methacrylate
Group-member nr.: 45-136/S1
- C_8F_{16}
• Decafluorobis(trifluoromethyl)cyclohexane [26637-68-3]
Perfluorodimethylcyclohexane
Hexadecafluorodimethylcyclohexane (unspecified isomer)
Group-member nr.: 21-028
- $C_8F_{16}O$
• 2,2,3,3,4,5,5-Heptafluorotetrahydro-4-(nonafluorobutyl)furan [646-85-5]
Perfluoro-3-butyltetrahydrofuran
Group-member nr.: 61-044
- C_8F_{18}
• Octadecafluorooctane [307-34-6]
Perfluorooctane
Group-member nr.: 21-029
- $C_8F_{18}O_2$
• 1-[1-[Difluoro(pentafluoroethoxy)methyl]-1,2,2,2-tetrafluoroethoxy]-1,1,2,2,3,3,3-heptafluoropropane [66804-94-2]
5-Trifluoromethylperfluoro-3,6-dioxanone
Group-member nr.: 61-055/S1
- $C_8H_4Cl_2O_2$
• 1,2-Benzenedicarbonyl dichloride [88-95-9]
Phthaloyl chloride
Phthaloyl dichloride
Group-member nr.: 61-045
- $C_8H_4N_2$
• 1,2-Benzenedicarbonitrile [91-15-6]
1,2-Dicyanobenzene
Phthalonitrile
Group-member nr.: 32-024
- C_8H_6
• Ethynylbenzene [536-74-3]
Phenylacetylene
Group-member nr.: 14-015
- C_8H_6O
• Benzofuran [271-89-6]
Benzo[*b*]furan
Cumaron
Group-member nr.: 46-019
- $C_8H_6O_3$
• α -Oxobenzeneacetic acid [611-73-4]
Benzoyl formic acid
- Group-member nr.: 47-061/S1
- C_8H_6S
• Benzo[*b*]thiophene [95-15-8]
Group-member nr.: 53-012
- C_8H_7N
• Benzeneacetonitrile [140-29-4]
Phenylacetonitrile
Benzylcyanide
Group-member nr.: 32-028/S1
- $C_8H_7N_5O_8$
• *N*-Ethyl-*N*,2,4,6-tetranitrobenzeneamine [6052-13-7]
Trinitrophenylethylnitroamine
Ethyltetryl
Group-member nr.: 62-074
• 3-Methyl-2,4,6-trinitro-*N*-(nitromethyl)benzenamine [43072-20-4]
2,4,6-Trinitro-*N*-(methylnitro)-*m*-toluidine
Methyltetryl
Group-member nr.: 62-075
- C_8H_8
• 1,3,5,7-Cyclooctatetraene [629-20-9]
Group-member nr.: 14-016
• Ethenylbenzene [100-42-5]
Vinylbenzene
Styrene
Group-member nr.: 14-017
- C_8H_8O
• 2,3-Dihydrobenzofuran [496-16-2]
Coumaran
Group-member nr.: 46-020
• 2,5-Dihydrobenzo-3,4-furan [496-14-0]
Phthalan
o-Xylylene oxide
Group-member nr.: 46-029/S1
• 1-Phenylethanone [98-86-2]
Methyl phenyl ketone
Acetophenone
Acetyl benzene
Hypnone
Group-member nr.: 43-036/B+S1
- $C_8H_8O_2$
• Benzeneacetic acid [103-82-2]
Phenylacetic acid
Group-member nr.: 44-038/S1
• Methyl benzoate [93-58-3]
Methyl ester benzoic acid
Group-member nr.: 45-048/B+S1
• 2-Methylbenzoic acid [118-90-1]
o-Toluic acid
Group-member nr.: 44-017
• 3-Methylbenzoic acid [99-04-7]
m-Toluic acid
Group-member nr.: 44-018
• 4-Methylbenzoic acid [99-94-5]
p-Toluic acid

Group-member nr.: 44-019

$C_8H_8O_3$

- Methyl 2-hydroxybenzoate [119-36-8]
Methyl salicylate
Group-member nr.: 47-029
- 3a,4,7,7a-Tetrahydro-1,3-isobenzofurandione [85-43-8]
4-Cyclohexene-1,2-dicarboxylic acid anhydride
1,2,3,6-Tetrahydrophthalic anhydride
Group-member nr.: 44-020

$C_8H_9NO_2$

- *N*-(2-Hydroxyphenyl)acetamide [614-80-2]
o-Hydroxyacetanilide
Group-member nr.: 62-076
- Methyl ester phenylcarbamic acid [2603-10-3]
Methyl phenylcarbamate
Methyl ester carbanilic acid
Group-member nr.: 62-077

C_8H_{10}

- 1,2-Dimethylbenzene [95-47-6]
o-Xylene
Group-member nr.: 14-018/B+S1
- 1,3-Dimethylbenzene [108-38-3]
m-Xylene
Group-member nr.: 14-019/B+S1
- 1,4-Dimethylbenzene [106-42-3]
p-Xylene
Group-member nr.: 14-020/B+S1
- Ethylbenzene [100-41-4]
Phenylethane
Group-member nr.: 14-021/B+S1

$C_8H_{10}N_2$

- Phenylhydrazone acetaldehyde [935-07-9]
Group-member nr.: 34-009

$C_8H_{10}O$

- Benzeneethanol [60-12-8]
Phenethyl alcohol
2-Phenylethanol
Group-member nr.: 42-066
- Ethoxybenzene [103-73-1]
Ethyl phenyl ether
Phenetole
Group-member nr.: 41-032
- 1-Methoxy-4-methylbenzene [104-93-8]
Methyl 4-methylphenyl ether
p-Methylanisole
Methyl *p*-tolyl ether
p-Cresol methyl ether
Group-member nr.: 41-033

$C_8H_{10}O_2$

- 2-Phenoxyethanol [122-99-6]
Ethylene glycol monophenyl ether
Group-member nr.: 47-030

$C_8H_{10}O_4$

- Di-2-propenyl ethanedioate [615-99-6]
Di-2-propenyl ester ethanedioic acid

Diallyl oxalate

Group-member nr.: 45-049

$C_8H_{11}Cl_3OS$

- *O*-Pentyl ester 2,3,3-trichloro-2-propenethioic acid [76619-94-8]
O-Pentyl ester trichlorothioacrylic acid
n-Amyl trichlorothioacrylate
Group-member nr.: 64-039/S1

$C_8H_{11}N$

- Benzeneethanamine [64-04-0]
2-Phenylethylamine
Phenethylamine
Group-member nr.: 31-032
- *endo*-Bicyclo[2.2.1]heptane-2-carbonitrile [3211-87-8]
endo-2-Cyanobicyclo[2.2.1]heptane
endo-2-Norbornanecarbonitrile
Group-member nr.: 32-025/B+S1
- *exo*-Bicyclo[2.2.1]heptane-2-carbonitrile [3211-90-3]
exo-2-Cyanobicyclo[2.2.1]heptane
exo-2-Norbornanecarbonitrile
Group-member nr.: 32-026/B+S1
- *N,N*-Dimethylbenzenamine [121-69-7]
N,N-Dimethylaniline
Group-member nr.: 31-033/B+S1^E
- 2,4-Dimethylbenzenamine [95-68-1]
2,4-Dimethylaniline
2,4-Xylidine
Group-member nr.: 31-048/S1
- 2,5-Dimethylbenzenamine [95-78-3]
2,5-Dimethylaniline
2,5-Xylidine
Group-member nr.: 31-049/S1
- 2,6-Dimethylbenzenamine [87-62-7]
2,6-Dimethylaniline
2,6-Xylidine
Group-member nr.: 31-034/B+S1^E
- *N*-Ethylbenzenamine [103-69-5]
N-Ethylaniline
Ethylphenylamine
Group-member nr.: 31-050/S1
- 2-Ethylbenzenamine [578-54-1]
2-Ethylphenylamine
2-Ethylaniline
Group-member nr.: 31-051/S1
- α -Methylbenzenemethanamine [618-36-0]
 α -Methylbenzylamine
Group-member nr.: 31-052/S1
- 2,3,6-Trimethylpyridine [1462-84-6]
2,3,6-Collidine
Group-member nr.: 33-031
- 2,4,6-Trimethylpyridine [108-75-8]
2,4,6-Collidine
Group-member nr.: 33-032

$C_8H_{11}NO$

- 4-Ethoxybenzenamine [156-43-4]
p-Phenetidine

Group-member nr.: 62-161/S1

C_8H_{12}

- Bicyclo[2.2.2]oct-2-ene [931-64-6]
Group-member nr.: 14-022
- 1,5-Cyclooctadiene (unspecified stereoisomer) [111-78-4]
Group-member nr.: 14-023

$C_8H_{12}N_2$

- 1,6-Diisocyanohexane [929-57-7]
1,6-Hexamethylene isocyanide
1,6-Hexamethylene diisocyanide
Group-member nr.: 34-010

$C_8H_{12}N_2O_2$

- 1,6-Diisocyanatohexane [822-06-0]
Hexamethylene diisocyanate
Hexamethylene ester isocyanic acid
Group-member nr.: 62-078

$C_8H_{12}O$

- 2-(1,1-Dimethylethyl)furan [7040-43-9]
2-*tert*-Butylfuran
Group-member nr.: 46-030/S1

C_8H_{14}

- Bicyclo[2.2.2]octane [280-33-1]
Group-member nr.: 12-020
- *cis*-Bicyclo[4.2.0]octane [28282-35-1]
Group-member nr.: 12-021
- Cyclooctene (unspecified stereoisomer) [931-88-4]
Group-member nr.: 14-024
- Ethenylcyclohexane [695-12-5]
Vinylcyclohexane
Group-member nr.: 12-125/S1
- Ethylidenecyclohexane [1003-64-1]
Group-member nr.: 12-022
- *endo*-2-Methylbicyclo[2.2.1]heptane [765-90-2]
endo-2-Methylnorbornane
Group-member nr.: 12-023
- *exo*-2-Methylbicyclo[2.2.1]heptane [872-78-6]
exo-2-Methylnorbornane
Group-member nr.: 12-024
- *cis*-Octahydropentalene [1755-05-1]
cis-Bicyclo[3.3.0]octane
Group-member nr.: 12-025
- *trans*-Octahydropentalene [5597-89-7]
trans-Bicyclo[3.3.0]octane
Group-member nr.: 12-026
- (2-Propenyl)cyclopentane [3524-75-2]
Allylcyclopentane
Group-member nr.: 12-027

$C_8H_{14}O$

- 6-Methyl-5-hepten-2-one [110-93-0]
Group-member nr.: 43-037
- 3-Oxabicyclo[3.2.2]nonane [283-27-2]
Group-member nr.: 46-021

$C_8H_{14}O_2$

- Butyl 2-methyl-2-propenoate [97-88-1]
Butyl methacrylate

Group-member nr.: 45-050/B+S1

- 2-Propenyl pentanoate [6321-45-5]
Allyl valerate
Group-member nr.: 45-051

$C_8H_{14}O_4$

- Diethyl butanedioate [123-25-1]
Diethyl ester butanedioic acid
Diethyl succinate
Group-member nr.: 45-052
- Dipropyl ethanedioate [615-98-5]
Dipropyl ester ethanedioic acid
Dipropyl oxalate
Group-member nr.: 45-053
- 1,2-Ethandiol dipropionate [123-80-8]
1,2-Ethandiol ester propanoic acid
Ethylene glycol dipropionate
Group-member nr.: 45-054

$C_8H_{14}O_6$

- Diethyl ester 2,3-dihydroxy- $[R-(R^*,R^*)]$ -butanedioic acid [87-91-2]
Diethyl *L*(+)-tartarate
Group-member nr.: 47-031

$C_8H_{15}N$

- 3-Azabicyclo[3.2.2]nonane [283-24-9]
Group-member nr.: 33-033

$C_8H_{15}O_2Tl$

- Thallium(1+) salt octanoic acid [18993-50-5]
Thallium(I) octanoate
Group-member nr.: 74-027/S1

C_8H_{16}

- Cyclooctane [292-64-8]
Group-member nr.: 12-028
- 1,1-Dimethylcyclohexane [590-66-9]
Group-member nr.: 12-029
- *cis*-1,2-Dimethylcyclohexane [2207-01-4]
Group-member nr.: 12-030
- *trans*-1,2-Dimethylcyclohexane [6876-23-9]
Group-member nr.: 12-031
- *cis*-1,3-Dimethylcyclohexane [638-04-0]
Group-member nr.: 12-032
- *trans*-1,3-Dimethylcyclohexane [2207-03-6]
Group-member nr.: 12-033
- *cis*-1,4-Dimethylcyclohexane [624-29-3]
Group-member nr.: 12-034
- *trans*-1,4-Dimethylcyclohexane [2207-04-7]
Group-member nr.: 12-035
- Ethylcyclohexane [1678-91-7]
Group-member nr.: 12-036
- 1-Octene [111-66-0]
1-Octylene
1-Caprylene
Group-member nr.: 13-031
- Propylcyclopentane [2040-96-2]
Group-member nr.: 12-037
- 2,4,4-Trimethyl-1-pentene [107-39-1]

- Group-member nr.: 13-032
- 2,4,4-Trimethyl-2-pentene [107-40-4]
Group-member nr.: 13-033
- $C_8H_{16}O$
- Octanal [124-13-0]
Octyl aldehyde
Caprylic aldehyde
Group-member nr.: 43-038
 - 2-Octanone [111-13-7]
Hexyl methyl ketone
Group-member nr.: 43-039
- $C_8H_{16}O_2$
- Butyl butanoate [109-21-7]
Butyl butyrate
Group-member nr.: 45-055
 - Ethyl hexanoate [123-66-0]
Ethyl caproate
Group-member nr.: 45-056
 - (\pm)-2-Ethylhexanoic acid [83829-68-9]
Group-member nr.: 44-039/S1
 - Hexyl acetate [142-92-7]
Hexyl ethanoate
Group-member nr.: 45-057/B+S1
 - 3-Methylbutyl propanoate [105-68-0]
Isoamyl propionate
Isopentyl propionate
Group-member nr.: 45-059
 - Methyl heptanoate [106-73-0]
Methyl enanthoate
Group-member nr.: 45-058
 - 2-Methylpropyl butanoate [539-90-2]
Isobutyl butyrate
Group-member nr.: 45-060
 - 2-Methylpropyl 2-methylpropanoate [97-85-8]
Isobutyl isobutyrate
Group-member nr.: 45-061
 - Octanoic acid [124-07-2]
Caprylic acid
Group-member nr.: 44-021
 - Pentyl propanoate [624-54-4]
Amyl propionate
Group-member nr.: 45-062
 - Propyl pentanoate [141-06-0]
Propyl valerate
Group-member nr.: 45-063
- $C_8H_{16}O_4$
- 2-(2-Ethoxyethoxy)ethanol acetate [112-15-2]
2-(2-Ethoxyethoxy)ethyl acetate
Diethylene glycol ethyl ether acetate
Group-member nr.: 47-032
 - 1,4,7,10-Tetraoxacyclododecane [294-93-9]
Group-member nr.: 46-022
- $C_8H_{17}Br$
- 1-Bromooctane [111-83-1]
n-Octyl bromide
Group-member nr.: 23-037/B+S1
- $C_8H_{17}Cl$
- 1-Chlorooctane [111-85-3]
n-Octyl chloride
Group-member nr.: 22-063/S1
- $C_8H_{17}NO$
- *N,N*-Dipropylacetamide [1116-24-1]
Group-member nr.: 62-079
- C_8H_{18}
- 2,3-Dimethylhexane [584-94-1]
Group-member nr.: 11-025
 - 2,5-Dimethylhexane [592-13-2]
Group-member nr.: 11-026
 - 3,3-Dimethylhexane [563-16-6]
Group-member nr.: 11-027
 - 3-Ethyl-2-methylpentane [609-26-7]
Group-member nr.: 11-028
 - 2-Methylheptane [592-27-8]
Group-member nr.: 11-029
 - 3-Methylheptane [589-81-1]
Group-member nr.: 11-030
 - 4-Methylheptane [589-53-7]
Methyldipropylmethane
Group-member nr.: 11-031
 - Octane [111-65-9]
Group-member nr.: 11-032/B+S1^E
 - 2,2,3,3-Tetramethylbutane [594-82-1]
Group-member nr.: 11-033
 - 2,2,4-Trimethylpentane [540-84-1]
Isooctane
Group-member nr.: 11-034/B+S1^E
 - 2,3,3-Trimethylpentane [560-21-4]
Group-member nr.: 11-035
 - 2,3,4-Trimethylpentane [565-75-3]
Group-member nr.: 11-036
- $C_8H_{18}N_2O$
- Bis(1,1-dimethylethyl)diazene 1-oxide [16649-52-8]
Di-*tert*-butyldiazene *N*-oxide
Group-member nr.: 62-080
- $C_8H_{18}O$
- 2-Ethyl-1-hexanol [104-76-7]
Group-member nr.: 42-067/B+S1
 - 2-Methyl-1-heptanol [106-67-2]
Group-member nr.: 42-068
 - 2-Methyl-2-heptanol [625-25-2]
Group-member nr.: 42-069
 - 2-Methyl-4-heptanol [21570-35-4]
Group-member nr.: 42-070
 - 3-Methyl-2-heptanol [31367-46-1]
Group-member nr.: 42-071
 - 4-Methyl-2-heptanol [56298-90-9]
Group-member nr.: 42-072
 - 4-Methyl-3-heptanol [14979-39-6]
Group-member nr.: 42-073
 - 4-Methyl-4-heptanol [598-01-6]

- Group-member nr.: 42-074
- 5-Methyl-1-heptanol [7212-53-5]
Group-member nr.: 42-075
 - 5-Methyl-2-heptanol [54630-50-1]
Group-member nr.: 42-076
 - 6-Methyl-2-heptanol [4730-22-7]
Group-member nr.: 42-077
 - 6-Methyl-3-heptanol [18720-66-6]
Group-member nr.: 42-078
 - 1-Octanol [111-87-5]
Octyl alcohol
Group-member nr.: 42-079/B+S1
 - 2-Octanol [123-96-6]
Group-member nr.: 42-080
 - 3-Octanol [589-98-0]
Group-member nr.: 42-081
 - 4-Octanol [589-62-8]
Group-member nr.: 42-082
 - 1,1'-Oxybisbutane [142-96-1]
Dibutyl ether
Group-member nr.: 41-034/B+S1
- $C_8H_{18}O_2$
- Bis(1,1-dimethylethyl) peroxide [110-05-4]
tert-Butyl peroxide
Group-member nr.: 47-062/S1
 - 1,2-Dipropoxyethane [18854-56-3]
4,7-Dioxadecane
Ethylene glycol dipropyl ether
Group-member nr.: 41-035
- $C_8H_{18}O_3$
- 2-(2-Butoxyethoxy)ethanol [112-34-5]
Diethylene glycol monobutyl ether
Group-member nr.: 47-033/B+S1
 - 1,1'-Oxybis(2-ethoxyethane) [112-36-7]
3,6,9-Trioxaundecane
Diethylene glycol diethyl ether
Group-member nr.: 41-036
- $C_8H_{18}O_4$
- 2,5,8,11-Tetraoxadodecane [112-49-2]
Triethylene glycol dimethyl ether
Triglyme
Group-member nr.: 41-037/B+S1
- $C_8H_{18}O_5$
- 2,2'-[Oxybis(2,1-ethanedioxy)]bisethanol [112-60-7]
Tetraethylene glycol
Group-member nr.: 47-034/B+S1^E
- $C_8H_{18}S$
- 2-(Methylthio)heptane [54063-12-6]
3-Methyl-2-thiaoctane
Methyl 1-methylhexyl sulfide
Group-member nr.: 51-020
 - 1,1'-Thiobisbutane [544-40-1]
Dibutyl sulfide
Group-member nr.: 51-021
- $C_8H_{19}Al$
- Hydrobis(2-methylpropyl)aluminum [1191-15-7]
Diisobutylaluminium hydride
Group-member nr.: 73-038/S1
- $C_8H_{19}N$
- 2-Methyl-*N*-(2-methylpropyl)-1-propanamine [110-96-3]
Diisobutylamine
Group-member nr.: 31-035
 - 1-Octanamine [111-86-4]
Octylamine
Group-member nr.: 31-053/S1
- $C_8H_{19}NO$
- 2-[Bis(1-methylethyl)amino]ethanol [96-80-0]
Diisopropylethanolamine
2-Diisopropylaminoethanol
Group-member nr.: 62-162/S1
- $C_8H_{19}NO_2$
- 2,2'-(Butylimino)bisethanol [102-79-4]
Butyldiethanolamine
2-[Butyl(2-hydroxyethyl)amino]ethanol
Group-member nr.: 62-163/S1
 - 2,2'-[(1,1-Dimethylethyl)imino]bisethanol [2160-93-2]
tert-Butyldiethanolamine
2-[*tert*-Butyl(2-hydroxyethyl)amino]ethanol
Group-member nr.: 62-164/S1
- $C_8H_{19}NSi$
- 1-[2-(Trimethylsilyl)ethyl]azetidine [42525-64-4]
N-(β -Trimethylsilylethyl)trimethylenimine
Group-member nr.: 71-020
- $C_8H_{20}Ge$
- Tetraethylgermane [597-63-7]
Group-member nr.: 73-024
- $C_8H_{20}N_4$
- 1,4-Piperazinediethanamine [6531-38-0]
1,4-Bis(2-aminoethyl)piperazine
Group-member nr.: 33-034
 - *N*-[2-(1-Piperaziny)ethyl]-1,2-ethanediamine [24028-46-4]
1-[2-[(2-Aminoethyl)amino]ethyl]piperazine
Group-member nr.: 33-035
- $C_8H_{20}OZn$
- Diethyl[1,1'-oxybis(ethane)]zinc [58482-38-5]
Group-member nr.: 73-039/S1
- $C_8H_{20}O_4Si$
- Tetraethyl ester silicic acid [78-10-4]
Tetraethyl orthosilicate
Tetraethoxysilane
Group-member nr.: 71-021
- $C_8H_{20}Pb$
- Tetraethylplumbane [78-00-2]
Tetraethyllead
TEL
Group-member nr.: 73-025




- Tetraethylsilane [631-36-7]
Group-member nr.: 71-022/B+S1



- Tetraethylstannane [597-64-8]
Tetraethyltin
Group-member nr.: 73-026



- Diethyl[1,1'-tellurobis(ethane)]zinc [132851-15-1]
Complex dithylzinc with diethyltellurium
Group-member nr.: 73-040/S1



- *N*-(2-Aminoethyl)-
N'-[2-[(2-aminoethyl)amino]ethyl]-1,2-ethanediamine
[112-57-2]
Tetraethylenepentamine
Group-member nr.: 31-036



- Octamethyltrisiloxane [107-51-7]
Group-member nr.: 71-063/S1



- Octamethylcyclotetrasiloxane [556-67-2]
Group-member nr.: 71-023



- 2,2,4,4,6,6,8,8-Octamethylcyclotetrasilazane [1020-84-4]
Dimethylaminosilane tetramer
Group-member nr.: 71-024



- 1,3-Dihydro-1,3-dioxo-5-isobenzofurancarboxylic acid
[552-30-7]
1,2,4-Benzenetricarboxylic 1:2 anhydride
Trimellitic anhydride
Group-member nr.: 47-035



- 2,4-Diisocyanato-1-methylbenzene [584-84-9]
4-Methyl-*m*-phenyl diisocyanate
4-Methyl-1,3-phenylene ester isocyanic acid
2,4-Diisocyanate tolylene
Group-member nr.: 62-081



- 2-Chloro-3-phenyl-2-propenal [18365-42-9]
α-Chlorocinnamaldehyde
Group-member nr.: 61-046



- Isoquinoline [119-65-3]
Benzo[*c*]pyridine
Group-member nr.: 33-036
- Quinoline [91-22-5]
Benzo[*b*]pyridine
Group-member nr.: 33-037



- 1*H*-Indene [95-13-6]
Group-member nr.: 14-025



- 1-Phenyl-1*H*-imidazole [7164-98-9]
Group-member nr.: 33-053/S1
- 1-Phenyl-1*H*-pyrazole [1126-00-7]
Group-member nr.: 33-054/S1



- 3-Phenyl-2-propenal [104-55-2]
Cinnamaldehyde
Group-member nr.: 43-040



- 2,3-Dihydroindene [496-11-7]
Indan
Group-member nr.: 14-026
- (1-Methylethenyl)benzene [98-83-9]
Isopropenylbenzene
α-Methylstyrene
Group-member nr.: 14-027/B+S1



- 3,4-Dihydro-1*H*-2-benzopyran [493-05-0]
Isochroman
Group-member nr.: 46-023
- 3,4-Dihydro-2*H*-1-benzopyran [493-08-3]
Chroman
Group-member nr.: 46-024
- 1-Phenyl-1-propanone [93-55-0]
Ethyl phenyl ketone
Propiophenone
Group-member nr.: 43-041



- Ethyl benzoate [93-89-0]
Ethyl ester benzoic acid
Group-member nr.: 45-064/B+S1
- (Phenoxymethyl)oxirane [122-60-1]
Phenyl glycidyl ether
Group-member nr.: 47-036/B+S1
- Phenylmethyl acetate [140-11-4]
Phenylmethyl ester acetic acid
Benzyl acetate
Group-member nr.: 45-065



- 3a,4,7,7a-Tetrahydro-4-methyl-1,3-isobenzofurandione
[5333-84-6]
3-Methyl-4-cyclohexene-1,2-dicarboxylic acid anhydride
3-Methyl-1,2,3,6-tetrahydrophthalic anhydride
Group-member nr.: 44-022



- 1,2,3,4-Tetrahydroquinoline [635-46-1]
Group-member nr.: 33-038
- 5,6,7,8-Tetrahydroquinoline [10500-57-9]
2,3-Cyclohexenopyridine
Group-member nr.: 33-039



- 4-(Dimethylamino)benzaldehyde [100-10-7]
Group-member nr.: 62-165/S1

- C₉H₁₁NO₂
- Ethyl ester phenylcarbamic acid [101-99-5]
 - Ethyl phenylcarbamate
 - Ethyl ester carbanilic acid
 - Group-member nr.: 62-082
- C₉H₁₂
- 5-Ethenylbicyclo[2.2.1]hept-2-ene [3048-64-4]
 - 5-Vinylnorbornene
 - Group-member nr.: 14-101/S1
 - (Z)-5-Ethylidenebicyclo[2.2.1]hept-2-ene [28304-66-7]
 - cis*-5-Ethylidene-2-norbornene
 - Group-member nr.: 14-102/S1
 - (1-Methylethyl)benzene [98-82-8]
 - Isopropylbenzene
 - Cumene
 - Group-member nr.: 14-028/B+S1^E
 - Propylbenzene [103-65-1]
 - Group-member nr.: 14-029/B+S1^E
 - 1,2,3-Trimethylbenzene [526-73-8]
 - Hemimellitene
 - Group-member nr.: 14-030
 - 1,2,4-Trimethylbenzene [95-63-6]
 - Pseudocumene
 - Group-member nr.: 14-031
 - 1,3,5-Trimethylbenzene [108-67-8]
 - Mesitylene
 - Group-member nr.: 14-032/B+S1^E
- C₉H₁₂O
- Benzenepropanol [122-97-4]
 - 3-Phenyl-1-propanol
 - Phenylethyl carbinol
 - Hydrocinnamyl alcohol
 - Group-member nr.: 42-083
 - 1-Ethoxy-4-methylbenzene [622-60-6]
 - Ethyl-4-methylphenyl ether
 - p*-Methylphenetole
 - Ethyl *p*-tolyl ether
 - Group-member nr.: 41-038
 - 1-Methoxy-2,4-dimethylbenzene [6738-23-4]
 - Methyl 2,4-dimethylphenyl ether
 - 2,4-Dimethylanisole
 - Group-member nr.: 41-039
 - Propoxybenzene [622-85-5]
 - Phenyl propyl ether
 - Group-member nr.: 41-040
- C₉H₁₃N
- Benzenepropanamine [2038-57-5]
 - 3-Phenylpropylamine
 - Group-member nr.: 31-037
 - α,α -Dimethylbenzenemethanamine [585-32-0]
 - α,α -Dimethylbenzylamine
 - Group-member nr.: 31-054/S1
 - N,N*-Dimethylbenzenemethanamine [103-83-3]
 - N,N*-Dimethylbenzylamine
 - Group-member nr.: 31-055/S1
 - 2-(1-Methylethyl)benzenamine [643-28-7]
 - 2-Isopropylphenylamine
 - 2-Isopropylaniline
 - Group-member nr.: 31-056/S1
 - N,N,N*-Trimethylbenzenamine [609-72-3]
 - N,N*-Dimethyl-*o*-toluidine
 - Group-member nr.: 31-038
- C₉H₁₄O
- 2,5,6-Trimethyl-2-cyclohexen-1-one [20030-30-2]
 - Group-member nr.: 43-042
- C₉H₁₄O₆
- 1,2,3-Propanetriol triacetate [102-76-1]
 - 1,2,3-Propanetriyl ester acetic acid
 - Triacetin
 - Group-member nr.: 45-066
- C₉H₁₆
- cis*-Bicyclo[6.1.0]nonane [13757-43-2]
 - Group-member nr.: 12-038
 - Octahydro-1*H*-indene [496-10-6]
 - Hexahydroindan
 - Hydrindan (unspecified stereoisomer)
 - Group-member nr.: 12-039
 - cis*-Octahydro-1*H*-indene [4551-51-3]
 - cis*-Hexahydroindan
 - cis*-Hydrindan
 - Group-member nr.: 12-040
 - trans*-Octahydro-1*H*-indene [3296-50-2]
 - trans*-Hexahydroindan
 - trans*-Hydrindan
 - Group-member nr.: 12-041
 - (2-Propenyl)cyclohexane [2114-42-3]
 - Allylcyclohexane
 - Group-member nr.: 12-042
- C₉H₁₆O₂
- Ethyl cyclohexanecarboxylate [3289-28-9]
 - Ethyl ester cyclohexanecarboxylic acid
 - Group-member nr.: 45-067
- C₉H₁₆O₄
- Dipropyl propanedioate [1117-19-7]
 - Dipropyl ester propanedioic acid
 - Dipropyl malonate
 - Group-member nr.: 45-068
- C₉H₁₇N
- trans*-(±)-Decahydroquinoline [105728-23-2]
 - trans*-(*R,S*)-Decahydroquinoline
 - Group-member nr.: 33-055/S1
- C₉H₁₈
- Butylcyclopentane [2040-95-1]
 - Group-member nr.: 12-043
 - 1-Nonene [124-11-8]
 - Group-member nr.: 13-034/B+S1^E
 - Propylcyclohexane [1678-92-8]
 - Group-member nr.: 12-044
- C₉H₁₈O
- 2,6-Dimethyl-4-heptanone [108-83-8]

- Diisobutyl ketone
Group-member nr.: 43-043
- Nonanal [124-19-6]
Nonyl aldehyde
Pelargonic aldehyde
Group-member nr.: 43-044
 - 5-Nonanone [502-56-7]
Dibutyl ketone
Group-member nr.: 43-045
- $C_9H_{18}O_2$
- Butyl pentanoate [591-68-4]
Butyl valerate
Group-member nr.: 45-069
 - Heptyl acetate [112-06-1]
Group-member nr.: 45-137/S1
 - 3-Methylbutyl butanoate [106-27-4]
Isoamyl butyrate
Isopentyl butyrate
Group-member nr.: 45-071
 - 3-Methylbutyl 2-methylpropanoate [2050-01-3]
Isoamyl isobutyrate
Isopentyl isobutyrate
Group-member nr.: 45-072
 - Methyl octanoate [111-11-5]
Methyl caprylate
Group-member nr.: 45-070
 - 2-Methylpropyl pentanoate [10588-10-0]
Isobutyl valerate
Group-member nr.: 45-073
 - Nonanoic acid [112-05-0]
Pelargonic acid
Group-member nr.: 44-023
 - Pentyl butanoate [540-18-1]
Pentyl butyrate
Amyl butyrate
Group-member nr.: 45-074
- $C_9H_{18}O_4$
- 2-(2'-Hydroxyethoxy)ethyl ester 2,2-dimethylpropanoic acid [20267-21-4]
2-(2'-Hydroxyethoxy)ethyl pivalate
Group-member nr.: 47-063/S1
- $C_9H_{19}Br$
- 1-Bromononane [693-58-3]
n-Nonyl bromide
Group-member nr.: 23-038
- $C_9H_{19}NOS$
- *S*-Ethyl ester dipropylcarbamothionic acid [759-94-4]
S-Ethyl dipropylthiocarbamate
Group-member nr.: 64-026
- C_9H_{20}
- 3,3-Diethylpentane [1067-20-5]
Group-member nr.: 11-037
 - Nonane [111-84-2]
Group-member nr.: 11-038/B+S1
 - 2,2,3,3-Tetramethylpentane [7154-79-2]
Group-member nr.: 11-039
- $C_9H_{20}N_2O$
- Tetraethyl urea [1187-03-7]
Tetraethylcarbamide
Group-member nr.: 62-083
- $C_9H_{20}O$
- 1-Nonanol [143-08-8]
Nonyl alcohol
Group-member nr.: 42-084/B+S1
- $C_9H_{20}O_4$
- 1,1'-[(1-Methyl-1,2-ethanediyl)bis(oxy)]bis-2-propanol [1638-16-0]
Tri(propylene glycol)
Group-member nr.: 47-064/S1
- $C_9H_{21}Al$
- Tripropylaluminium [102-67-0]
Group-member nr.: 73-027/B+S1
- $C_9H_{21}ClO_3Si$
- (3-Chloropropyl)triethoxysilane [5089-70-3]
Group-member nr.: 71-025
- $C_9H_{23}NO_3Si$
- 3-(Triethoxysilyl)-1-propanamine [919-30-2]
3-(Triethoxysilyl)propylamine
3-Aminopropyltriethoxysilane
Group-member nr.: 71-026
- $C_9H_{24}Si_2$
- 1,3-Propanediylbis[trimethylsilane] [2295-05-8]
2,2,6,6-Tetramethyl-2,6-disilaheptane
Hexamethyldisilylpropane
Group-member nr.: 71-027
- $C_9H_{24}Si_3$
- 1,1,3,3,5,5-Hexamethyl-1,3,5-trisilacyclohexane [1627-99-2]
Group-member nr.: 71-028
- $C_{10}F_{16}$
- Hexadecafluoro-1,2,3,4,5,6,7,8-octahydronaphthalene [54939-04-7]
Group-member nr.: 21-030
- $C_{10}F_{18}$
- *cis*-Octadecafluorodecahydronaphthalene [60433-11-6]
cis-Perfluorodecaline
Group-member nr.: 21-031
 - *trans*-Octadecafluorodecahydronaphthalene [60433-12-7]
trans-Perfluorodecaline
Group-member nr.: 21-032
- $C_{10}H_2O_6$
- 1*H*,3*H*-Benzo[1,2-*c*:4,5-*c'*]difuran-1,3,5,7-tetrone [89-32-7]
1,2,4,5-Benzenetetracarboxylic 1,2:4,5 dianhydride
Pyromellitic dianhydride
Group-member nr.: 44-024

- $C_{10}H_6O_2S$
- 1-Oxide naphtho[1,8-*cd*]-1,2-dithiole [49833-12-7]
Naphthalene 1,8-disulfide-*S*-oxide
Group-member nr.: 63-005
- $C_{10}H_7Cl$
- 1-Chloronaphthalene [90-13-1]
Group-member nr.: 22-044/B+S1
 - 2-Chloronaphthalene [91-58-7]
Group-member nr.: 22-045
- $C_{10}H_7NO_2$
- 1-Nitronaphthalene [86-57-7]
 α -Nitronaphthalene
Group-member nr.: 62-084
- $C_{10}H_8$
- Naphthalene [91-20-3]
Group-member nr.: 14-033/B+S1
- $C_{10}H_8O$
- 1-Naphthol [90-15-3]
 α -Naphthol
Group-member nr.: 42-085
 - 2-Naphthol [135-19-3]
 β -Naphthol
Group-member nr.: 42-086
- $C_{10}H_9N$
- 1-Naphthalenamine [134-32-7]
1-Aminonaphthalene
 α -Naphthylamine
Group-member nr.: 31-057/S1
 - 2-Naphthalenamine [91-59-8]
2-Aminonaphthalene
 β -Naphthalenamine
Group-member nr.: 31-039
- $C_{10}H_{10}$
- Tricyclo[3.3.2.0^{2,8}]deca-3,6,9-triene [1005-51-2]
Group-member nr.: 14-034
- $C_{10}H_{10}Fe$
- Ferrocene [102-54-5]
Dicyclopentadienyliron
Group-member nr.: 73-028
- $C_{10}H_{10}N_2$
- 1-(Phenylmethyl)-1*H*-pyrazole [10199-67-4]
1-Benzylpyrazole
Group-member nr.: 33-056/S1
- $C_{10}H_{10}O$
- 3,4-Dihydro-1(2*H*)-naphthalenone [529-34-0]
 α -Tetralone
1,2,3,4-Tetrahydro-1-naphthalenone
Group-member nr.: 43-066/S1
- $C_{10}H_{10}O_2$
- 2-Propenyl benzoate [583-04-0]
2-Propenyl ester benzoic acid
Allyl benzoate
Group-member nr.: 45-075
- $C_{10}H_{10}O_4$
- Dimethyl 1,2-benzenedicarboxylate [131-11-3]
Dimethyl phthalate
Dimethyl ester 1,2-benzenedicarboxylic acid
Group-member nr.: 45-076/B+S1
 - Dimethyl 1,3-benzenedicarboxylate [1459-93-4]
Dimethyl isophthalate
Dimethyl ester 1,3-benzenedicarboxylic acid
Group-member nr.: 45-138/S1
 - Dimethyl 1,4-benzenedicarboxylate [120-61-6]
Dimethyl terephthalate
Dimethyl ester 1,4-benzenedicarboxylic acid
Group-member nr.: 45-077
- $C_{10}H_{12}$
- 1-Methylenepropylbenzene [2039-93-2]
 α -Ethylstyrene
Group-member nr.: 14-103/S1
 - (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-4,7-methano-1*H*-indene [1755-01-7]
endo-Dicyclopentadiene
Group-member nr.: 14-104/S1
 - 1,2,3,4-Tetrahydronaphthalene [119-64-2]
Tetralin
Group-member nr.: 14-035/B+S1
- $C_{10}H_{12}O$
- 1-(4-Ethylphenyl)ethanone [937-30-4]
4'-Ethylacetophenone
Group-member nr.: 43-046
 - 1-Methoxy-4-(1-propenyl)benzene [104-46-1]
p-Propenylanisole
Anethole
Group-member nr.: 41-041
- $C_{10}H_{12}O_2$
- 2-Methoxy-4-(2-propenyl)phenol [97-53-0]
4-Allyl-2-methoxyphenol
Eugenol
Group-member nr.: 47-037
 - Propyl benzoate [2315-68-6]
Propyl ester benzoic acid
Group-member nr.: 45-078
- $C_{10}H_{13}NO_2$
- Propyl ester phenylcarbamic acid [5532-90-1]
Propyl phenylcarbamate
Propyl ester carbanilic acid
Group-member nr.: 62-085
- $C_{10}H_{14}$
- Butylbenzene [104-51-8]
1-Phenylbutane
Group-member nr.: 14-036
 - (1,1-Dimethylethyl)benzene [98-06-6]
tert-Butylbenzene
2-Methyl-2-phenylpropane
Group-member nr.: 14-037
 - 1-Methyl-4-(1-methylethyl)benzene [99-87-6]
1-Isopropyl-4-methylbenzene

- p*-Cymene
Group-member nr.: 14-038
- (1-Methylpropyl)benzene [135-98-8]
sec-Butylbenzene
2-Phenylbutane
Group-member nr.: 14-039
 - 1,2,3,4-Tetramethylbenzene [488-23-3]
Prehnitene
Group-member nr.: 14-040
 - 1,2,3,5-Tetramethylbenzene [527-53-7]
Isodurene
Group-member nr.: 14-041
 - 1,2,4,5-Tetramethylbenzene [95-93-2]
Durene
Group-member nr.: 14-042
- C₁₀H₁₄O
- 2-(1,1-Dimethylethyl)phenol [88-18-6]
2-*tert*-Butylphenol
1-*tert*-Butyl-2-hydroxybenzene
Group-member nr.: 42-112/S1
 - (±)-2-Methyl-5-(1-methylethenyl)-2-cyclohexen-1-one [22327-39-5]
(±)-*p*-Mentha-6,8-dien-2-one
dl-Carvone
Group-member nr.: 43-067/S1
 - (*R*)-2-Methyl-5-(1-methylethenyl)-2-cyclohexen-1-one [6485-40-1]
(*R*)-*p*-Mentha-6,8-dien-2-one
l-Carvone
Group-member nr.: 43-068/S1
 - 2-Methyl-5-(1-methylethyl)phenol [499-75-2]
5-Isopropyl-2-methylphenol
Carvacrol
Group-member nr.: 42-087
- C₁₀H₁₄O₂
- 4-(1,1-Dimethylethyl)-1,2-benzenediol [98-29-3]
4-*tert*-Butylcatechol
4-*tert*-Butylpyrocatechol
Group-member nr.: 42-113/S1
- C₁₀H₁₄O₄
- Di-2-propenyl butanedioate [925-16-6]
Di-2-propenyl ester butanedioic acid
Diallyl succinate
Group-member nr.: 45-079
- C₁₀H₁₄Si
- Ethenyldimethylphenylsilane [1125-26-4]
Group-member nr.: 71-029
 - 1-Methyl-1-phenylsilacyclobutane [3944-08-9]
Group-member nr.: 71-064/S1
- C₁₀H₁₅N
- *N,N*-Diethylbenzenamine [91-66-7]
N,N-Diethylaniline
Group-member nr.: 31-040
 - 2,6-Diethylbenzenamine [579-66-8]
2,6-Diethylphenylamine
- 2,6-Diethylaniline
Group-member nr.: 31-058/S1
- 2-(1,1-Dimethylethyl)benzenamine [6310-21-0]
2-*tert*-Butylphenylamine
2-*tert*-Butylaniline
Group-member nr.: 31-059/S1
- C₁₀H₁₅NO
- (*E*)-(*R,S*)-2-Methyl-5-(1-methylethenyl)-2-cyclohexen-1-one oxime [55658-55-4]
dl-Carvoxime
Group-member nr.: 62-086
 - [*R*-(*E*)]-2-Methyl-5-(1-methylethenyl)-2-cyclohexen-1-one oxime [60827-56-7]
l-Carvoxime
Group-member nr.: 62-087
- C₁₀H₁₆
- 6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane [127-91-3]
 β -Pinene
Nopinene
Terebenthene
Group-member nr.: 12-045/B+S1
 - 4-Methylene-1-(1-methylethyl)bicyclo[3.1.0]hexane [3387-41-5]
Sabinene
Group-member nr.: 12-046
 - 1-Methyl-4-(1-methylethenyl)cyclohexene [138-86-3]
Limonene
Group-member nr.: 14-043/B+S1
 - (*R*)-1-Methyl-4-(1-methylethenyl)cyclohexene [5989-27-5]
d-Limonene
Group-member nr.: 14-105/S1
 - Octahydro-4,7-methano-1*H*-indene [6004-38-2]
Hexahydro-4,7-methanoindan
Tricyclo[5.2.1.0^{2,6}]decane
Tetrahydrodicyclopentadiene
Group-member nr.: 12-047
 - (3 α ,4 β ,7 β ,7 α)-Octahydro-4,7-methano-1*H*-indene [2825-82-3]
exo-Tetrahydrodicyclopentadiene
Group-member nr.: 12-126/S1
 - Tricyclo[3.3.1.1^{3,7}]decane [281-23-2]
Adamantane
Group-member nr.: 12-127/S1
 - 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene [80-56-8]
 α -Pinene
(*DL*)-Pin-2-ene
Group-member nr.: 14-106/S1
- C₁₀H₁₆O
- Camphor [76-22-2]
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one
Group-member nr.: 43-047
 - 3,7-Dimethyl-2,6-octadienal [5392-40-5]

- Citral
Group-member nr.: 43-048
- 3,7-Dimethyl-6-octen-1-yn-3-ol [29171-20-8]
Dehydrolinalol
Group-member nr.: 42-088
 - 5-Methyl-2-(1-methylethylidene)cyclohexanone [15932-80-6]
p-Menth-4(8)-en-3-one
1-Isopropylidene-4-methylcyclohexan-2-on
Pulegone
Group-member nr.: 43-049
- $C_{10}H_{18}$
- 1,1'-Bicyclopentyl [1636-39-1]
Cyclopentylcyclopentane
Group-member nr.: 12-048
 - *cis*-Decahydroazulene [16189-46-1]
cis-Perhydroazulene
cis-Bicyclo[5.3.0]decane
Group-member nr.: 12-049
 - Decahydronaphthalene [91-17-8]
Decalin (unspecified stereoisomer)
Group-member nr.: 12-050
 - *cis*-Decahydronaphthalene [493-01-6]
cis-Decalin
Group-member nr.: 12-051
 - *trans*-Decahydronaphthalene [493-02-7]
trans-Decalin
Group-member nr.: 12-052
 - Octahydromethyl-1*H*-indene [unknown]
Hexahydromethylindan
Methylhydrindan (unspecified isomer)
Group-member nr.: 12-053
 - 2,6,6-Trimethylbicyclo[3.1.1]heptane [473-55-2]
Pinane
Group-member nr.: 12-054
- $C_{10}H_{18}O$
- 3,7-Dimethyl-1,6-octadien-3-ol [78-70-6]
Linalol
Group-member nr.: 42-089
- $C_{10}H_{18}O_4$
- Bis(2-methylpropyl) ethanedioate [2050-61-5]
Bis(2-methylpropyl) ester ethanedioic acid
Diisobutyl oxalate
Group-member nr.: 45-080
 - Dipropyl butanedioate [925-15-5]
Dipropyl ester butanedioic acid
Dipropyl succinate
Group-member nr.: 45-081
 - 1,2-Ethanediyyl dibutanoate [105-72-6]
1,2-Ethanediyyl ester butanoic acid
1,2-Ethanediol dibutyrate
Ethylene glycol dibutyrate
Group-member nr.: 45-082
- $C_{10}H_{18}Si$
- Bicyclo[2.2.1]hept-5-en-2-yltrimethylsilane [17985-13-6]
5-Trimethylsilyl-2-norbornene
Group-member nr.: 71-065/S1
- $C_{10}H_{20}$
- Butylcyclohexane [1678-93-9]
Group-member nr.: 12-055
 - 1-Decene [872-05-9]
1-Decylene
 α -Decylene
Group-member nr.: 13-035/B+S1^E
 - Diethylcyclohexane (unspecified isomer) [1331-43-7]
Group-member nr.: 12-056
 - 1,4-Diethylcyclohexane [1679-00-1]
Group-member nr.: 12-057
 - (1,1-Dimethylethyl)cyclohexane [3178-22-1]
tert-Butylcyclohexane
Group-member nr.: 12-058
- $C_{10}H_{20}O$
- Decanal [112-31-2]
Decyl aldehyde
Capric aldehyde
Group-member nr.: 43-050
 - (1 α ,2 β ,5 α)-5-Methyl-2-(1-methylethyl)cyclohexanol [89-78-1]
(\pm)-Menthol
p-Menthan-3-ol
(\pm)-2-Isopropyl-5-methylcyclohexanol
Group-member nr.: 42-114/S1
- $C_{10}H_{20}O_2$
- Decanoic acid [334-48-5]
Capric acid
Group-member nr.: 44-025
 - Hexyl butanoate [2639-63-6]
Hexyl butyrate
Group-member nr.: 45-083
 - 3-Methylbutyl pentanoate [2050-09-1]
Isoamyl valerate
Isopentyl valerate
Group-member nr.: 45-084
 - Octyl acetate [112-14-1]
Group-member nr.: 45-085/B+S1
- $C_{10}H_{20}O_4$
- 2-(2-Butoxyethoxy)ethanol acetate [124-17-4]
2-(2-Butoxyethoxy)ethyl acetate
Diethylene glycol butyl ether acetate
Group-member nr.: 47-038
- $C_{10}H_{20}O_5$
- 1,4,7,10,13-Pentaoxacyclopentadecane [33100-27-5]
Group-member nr.: 46-025
- $C_{10}H_{21}NO$
- *N,N*-Dibutylacetamide [1563-90-2]
Group-member nr.: 62-088
- $C_{10}H_{22}$
- Decane [124-18-5]
Group-member nr.: 11-041/B+S1
 - 2,7-Dimethyloctane [1072-16-8]

- Group-member nr.: 11-042
- 2-Methylnonane [871-83-0]
Isodecane
Group-member nr.: 11-043
 - 3-Methylnonane [5911-04-6]
Group-member nr.: 11-044
 - 4-Methylnonane [17301-94-9]
Group-member nr.: 11-045
 - 5-Methylnonane [15869-85-9]
Group-member nr.: 11-046
- $C_{10}H_{22}N_4$
- 1,1'-(1,2-Ethanediy)bis piperazine [19479-83-5]
Dipiperazinylethane
Group-member nr.: 33-040
- $C_{10}H_{22}O$
- 1-Decanol [112-30-1]
Decyl alcohol
Group-member nr.: 42-090/B+S1
 - 5-Decanol [5205-34-5]
Group-member nr.: 42-091
 - 3,7-Dimethyl-1-octanol [106-21-8]
Group-member nr.: 42-092
 - 4-Propyl-4-heptanol [2198-72-3]
Group-member nr.: 42-093
- $C_{10}H_{22}O_2$
- 1,10-Decanediol [112-47-0]
Group-member nr.: 42-115/S1
 - 1,1'-[1,2-Ethanediybis(oxy)]bisbutane [112-48-1]
1,2-Dibutoxyethane
Ethylene glycol dibutyl ether
Group-member nr.: 41-042
 - 1,1'-[Ethylidenebis(oxy)]bisbutane [871-22-7]
1,1-Dibutoxyethane
Acetaldehyde dibutylacetal
6-Methyl-5,7-dioxaundercane
Group-member nr.: 41-043
- $C_{10}H_{22}O_5$
- 2,5,8,11,14-Pentaoxapentadecane [143-24-8]
Bis(methoxyethoxyethyl) ether
Tetraethylene glycol dimethyl ether
Group-member nr.: 41-044/B+S1
- $C_{10}H_{22}O_6$
- 3,6,9,12-Tetraoxatetradecane-1,14-diol [4792-15-8]
Pentaethylene glycol
Group-member nr.: 47-039
- $C_{10}H_{22}S$
- 1-Decanethiol [143-10-2]
1-Decyl mercaptan
Group-member nr.: 52-018/B+S1^E
 - 1-Ethylthiooctane [3698-94-0]
Ethyl *n*-octyl sulfide
Group-member nr.: 51-029/S1
 - 1,1'-Thiobispentane [872-10-6]
6-Thiaundercane
Dipentyl sulfide
- Group-member nr.: 51-022
- $C_{10}H_{22}Te$
- 1,1'-Tellurobispentane [71475-88-2]
Group-member nr.: 73-041/S1
- $C_{10}H_{23}N$
- 1-Decanamine [2016-57-1]
n-Decylamine
Group-member nr.: 31-061/S1
 - *N,N*-Dimethyloctanamine [7378-99-6]
Dimethyloctylamine
Group-member nr.: 31-060/S1
- $C_{10}H_{24}N_4$
- Octamethylethenetetramine [996-70-3]
Tetrakis(dimethylamino)ethylene
Group-member nr.: 31-062/S1
- $C_{10}H_{25}N_5$
- *N*-(2-Aminoethyl)-1,4-piperazinediethanamine [31295-54-2]
1-(2-Aminoethyl)-4-[2-[(2-aminoethyl)amino]ethyl]piperazine
Group-member nr.: 33-041
- $C_{10}H_{25}O_5U$
- Pentaethoxyuranium [unknown]
Uranium pentaethylate
Group-member nr.: 73-042/S1
- $C_{10}H_{26}O_3Si_3$
- 2,2,4,4-Tetraethyl-6,6-dimethylcyclotrisiloxane [110505-51-6]
Group-member nr.: 71-030
- $C_{11}H_{10}$
- 1-Methylnaphthalene [90-12-0]
 α -Methylnaphthalene
Group-member nr.: 14-044
 - 2-Methylnaphthalene [91-57-6]
 β -Methylnaphthalene
Group-member nr.: 14-045
- $C_{11}H_{12}O_2$
- Ethyl 3-phenyl-2-propenoate [103-36-6]
Ethyl ester 3-phenyl-2-propenoic acid
Ethyl cinnamate (unspecified stereoisomer)
Group-member nr.: 45-086
 - Methyl ester
pentacyclo[4.3.0.0^{2,5}.0^{3,8}.0^{4,7}]nonane-4-carboxylic acid [40317-63-3]
4-Carbomethoxyhomocubane
Group-member nr.: 45-139/S1
 - Phenylmethyl 2-methyl-2-propenoate [2495-37-6]
Phenylmethyl ester 2-methyl-2-propenoic acid
Benzyl methacrylate
Group-member nr.: 45-087
- $C_{11}H_{14}$
- 1,1-Dimethylindan [4912-92-9]
Group-member nr.: 14-046
 - 4,6-Dimethylindan [1685-82-1]

- Group-member nr.: 14-047
- 4,7-Dimethylindan [6682-71-9]
Group-member nr.: 14-048
 - (2-Methyl-1-methylenepropyl)benzene [17498-71-4]
 α -Isopropylstyrene
Group-member nr.: 14-107/S1
 - Octahydro-1,2,4-ethanylylidene-1*H*-cyclobuta
[*cd*]pentalene [4421-32-3]
Pentacyclo[5.4.0.0^{2,6}.0^{3,10}.0^{5,9}]undecane
Group-member nr.: 12-128/S1
- $C_{11}H_{14}O_2$
- Butyl benzoate [136-60-7]
Group-member nr.: 45-140/S1
 - Ethyl benzenepropanoate [2021-28-5]
Ethyl ester benzenepropanoic acid
Ethyl 3-phenylpropanoate
Ethyl hydrocinnamate
Group-member nr.: 45-088
- $C_{11}H_{14}O_3$
- 1,1-Dimethylethyl ester benzenecarboperoxoic acid
[614-45-9]
tert-Butyl peroxybenzoate
tert-Butyl perbenzoate
Group-member nr.: 47-065/S1
- $C_{11}H_{16}$
- Pentamethylbenzene [700-12-9]
Group-member nr.: 14-049
- $C_{11}H_{16}O$
- 2-(1,1-Dimethylethyl)-5-methylphenol [88-60-8]
2-*tert*-Butyl-5-methylphenol
Group-member nr.: 42-116/S1
- $C_{11}H_{16}Si$
- Ethenyldimethyl(phenylmethyl)silane [18001-46-2]
Benzyldimethylvinylsilane
Group-member nr.: 71-031
- $C_{11}H_{19}NO_2$
- Ethyl ester 2-cyano-3-methyl-2-(1-methylethyl)butanoic acid [62391-95-1]
Ethyl ester 2-cyano-2-isopropyl-3-methylbutyric acid
Group-member nr.: 62-166/S1
- $C_{11}H_{20}$
- Decahydro-1-methylnaphthalene [2958-75-0]
 α -Methyldecalin
Group-member nr.: 12-059
 - Decahydro-2-methylnaphthalene [2958-76-1]
 β -Methyldecalin
Group-member nr.: 12-060
 - Ethyloctahydro-1*H*-indene [95098-51-4]
Ethylhexahydroindan
Ethylhydrindan (unspecified isomer)
Group-member nr.: 12-061
- $C_{11}H_{20}O_2$
- Oxacyclododecan-2-one [1725-03-7]
Undecanolide
- Undecanolactone
Group-member nr.: 47-040
- $C_{11}H_{22}$
- 1-Undecene [821-95-4]
 α -Undecene
Group-member nr.: 13-036
- $C_{11}H_{22}O_2$
- Methyl decanoate [110-42-9]
Methyl caprate
Group-member nr.: 45-089
 - Nonyl acetate [143-13-5]
Group-member nr.: 45-141/S1
 - Undecanoic acid [112-37-8]
Undecylic acid
Group-member nr.: 44-026
- $C_{11}H_{24}$
- 2-Methyldecane [6975-98-0]
Group-member nr.: 11-047
 - Undecane [1120-21-4]
Hendecane
Group-member nr.: 11-048
- $C_{11}H_{24}O$
- 1-Methoxydecane [7289-52-3]
Decyl methyl ether
Group-member nr.: 41-045
 - 1-Undecanol [112-42-5]
Undecyl alcohol
Decyl carbinol
1-Hendecanol
Group-member nr.: 42-094
- $C_{12}F_{10}$
- 2,2',3,3',4,4',5,5',6,6'-Decafluoro-1,1'-biphenyl
[434-90-2]
Decafluorobiphenyl
Perfluorobiphenyl
Group-member nr.: 21-033
- $C_{12}F_{26}$
- Hexacosafuorododecane [307-59-5]
Perfluorododecane
Group-member nr.: 21-052/S1
- $C_{12}H_8$
- Acenaphthylene [208-96-8]
Group-member nr.: 14-050
- $C_{12}H_8Cl_2O_2S$
- 1,1'-Sulfonylbis(4-chlorobenzene) [80-07-9]
Bis(*p*-chlorophenyl)sulfone
4,4'-Dichlorodiphenyl sulfone
Group-member nr.: 64-027
- $C_{12}H_8N_2O_5$
- 1,1'-Oxybis(4-nitrobenzene) [101-63-3]
Bis(*p*-nitrophenyl) ether
4,4'-Dinitrodiphenyl ether
Group-member nr.: 62-089

- $C_{12}H_8O$
- Dibenzofuran [132-64-9]
Diphenylene oxide
Group-member nr.: 46-026/B+S1^E
- $C_{12}H_8OS$
- Phenoxathiin [262-20-4]
Group-member nr.: 63-007/S1
- $C_{12}H_8OS_2$
- Dibenzofuran[*c, e*][1,2]dithiin-5-oxide [49833-13-8]
Diphenylene 2,2'-disulfide-*S*-oxide
Group-member nr.: 63-006
- $C_{12}H_8S$
- Dibenzothiophene [132-65-0]
Group-member nr.: 53-013/B+S1
- $C_{12}H_8S_2$
- Thianthrene [92-85-3]
Group-member nr.: 53-014/S1
- $C_{12}H_9Cl$
- 2-Chloro-1,1'-biphenyl [2051-60-7]
o-Chlorobiphenyl
o-Chlorodiphenyl
Group-member nr.: 22-046
 - 4-Chloro-1,1'-biphenyl [2051-62-9]
p-Chlorobiphenyl
p-Chlorodiphenyl
Group-member nr.: 22-047
- $C_{12}H_9Cl_3Si$
- [1,1'-Biphenyl]-2-yltrichlorosilane [18030-62-1]
o-(Trichlorosilyl)biphenyl
o-Trichlorosilanediphenyl
Group-member nr.: 71-032
 - [1,1'-Biphenyl]-4-yltrichlorosilane [18030-61-0]
p-(Trichlorosilyl)biphenyl
p-Trichlorosilanediphenyl
Group-member nr.: 71-033
- $C_{12}H_{10}$
- Acenaphthene [83-32-9]
1,8-Dihydroacenaphthalene
Ethylenenaphthalene
Group-member nr.: 14-051
 - 1,1'-Biphenyl [92-52-4]
Diphenyl
Group-member nr.: 14-052/B+S1^E
- $C_{12}H_{10}N_2$
- Diphenyldiazene [103-33-3]
Azobenzene
Diphenyldiimide (unspecified stereoisomer)
Group-member nr.: 34-011/B+S1
 - (*E*)-Diphenyldiazene [17082-12-1]
trans-Azobenzene
trans-Diphenyldiimide
Group-member nr.: 34-012/B+S1
- $C_{12}H_{10}N_2O$
- 1-Oxide diphenyldiazene [495-48-7]
- N,N -Diphenyldiazene *N*-oxide
Azoxybenzene
Group-member nr.: 62-167/S1
- $C_{12}H_{10}O$
- 1,1'-Oxybisbenzene [101-84-8]
Diphenyl ether
Diphenyl oxide
Group-member nr.: 41-046
- $C_{12}H_{10}S$
- 1,1'-Thiobisbenzene [139-66-2]
Diphenyl sulfide
Phenyl sulfide
Group-member nr.: 51-023/B+S1
- $C_{12}H_{10}Te$
- Diphenyltelluride [1202-36-4]
Group-member nr.: 73-043/S1
- $C_{12}H_{11}N$
- (1,1'-Biphenyl)-2-amine [90-41-5]
2-Aminobiphenyl
Group-member nr.: 31-041
 - *N*-Phenylbenzenamine [122-39-4]
Diphenylamine
Group-member nr.: 31-042/B+S1
- $C_{12}H_{12}$
- 1,8-Dimethylnaphthalene [569-41-5]
Group-member nr.: 14-053
 - 2,3-Dimethylnaphthalene [581-40-8]
Group-member nr.: 14-054
 - 2,6-Dimethylnaphthalene [581-42-0]
Group-member nr.: 14-055
 - 2,7-Dimethylnaphthalene [582-16-1]
Group-member nr.: 14-056/B+S1
- $C_{12}H_{12}Ge$
- Diphenylgermane [1675-58-7]
Group-member nr.: 73-029
- $C_{12}H_{12}N_2O$
- 4,4'-Oxybisbenzenamine [101-80-4]
4,4'-Oxydianiline
4,4'-Diaminodiphenyl ether
Group-member nr.: 62-090
- $C_{12}H_{12}N_2O_2S$
- 4,4'-Sulfonylbisbenzenamine [80-08-0]
4,4'-Sulfonyldianiline
4-Aminophenyl sulfone
Dapsone
Group-member nr.: 64-028
- $C_{12}H_{14}N_4O$
- 4,4'-Oxybis-1,2-benzenediamine [2676-59-7]
3,3',4,4'-Tetraaminodiphenyl oxide
3,3',4,4'-Tetraaminodiphenyl ether
Group-member nr.: 62-168/S1
- $C_{12}H_{14}O_4$
- Diethyl 1,2-benzenedicarboxylate [84-66-2]

- Diethyl phthalate
Diethyl ester 1,2-benzenedicarboxylic acid
Group-member nr.: 45-090/B+S1
- Diethyl 1,4-benzenedicarboxylate [636-09-9]
Diethyl terephthalate
Diethyl ester 1,4-benzenedicarboxylic acid
Group-member nr.: 45-091
 - Monobutyl ester 1,2-benzenedicarboxylic acid [131-70-4]
Monobutyl phthalate
Group-member nr.: 45-142/S1
- $C_{12}H_{16}$
- Cyclohexylbenzene [827-52-1]
Phenylcyclohexane
Group-member nr.: 14-057
 - (2,2-Dimethyl-1-methylenepropyl)benzene [5676-29-9]
 α -*tert*-Butylstyrene
Group-member nr.: 14-108/S1
- $C_{12}H_{18}$
- 1,3-Bis(1-methylethyl)benzene [99-62-7]
1,3-Diisopropylbenzene
m-Diisopropylbenzene
Group-member nr.: 14-109/S1
 - 1,4-Bis(1-methylethyl)benzene [100-18-5]
1,4-Diisopropylbenzene
p-Diisopropylbenzene
Group-member nr.: 14-110/S1
 - (*E,E,Z*)-1,5,9-Cyclododecatriene [706-31-0]
trans,trans,cis-1,5,9-Cyclododecatriene
Group-member nr.: 14-058
 - Decahydrodimethanonaphthalene [unknown]
Dimethanodecalin (unspecified isomer)
Group-member nr.: 12-062
 - Hexamethylbenzene [87-85-4]
Mellitene
Group-member nr.: 14-059
 - Hexylbenzene [1077-16-3]
1-Phenylhexane
Group-member nr.: 14-060
 - 1,3,5-Triethylbenzene [102-25-0]
Group-member nr.: 14-111/S1
- $C_{12}H_{18}O$
- 2,6-Bis(1-methylethyl)phenol [2078-54-8]
2,6-Diisopropylphenol
Group-member nr.: 42-117/S1
 - 2-(1,1-Dimethylethyl)-4,6-dimethylphenol [1879-09-0]
2-*tert*-Butyl-4,6-dimethylphenol
Group-member nr.: 42-118/S1
- $C_{12}H_{19}N$
- 2,6-Bis(1-methylethyl)benzenamine [24544-04-5]
2,6-Diisopropylphenylamine
2,6-Diisopropylaniline
Group-member nr.: 31-063/S1
- $C_{12}H_{20}$
- 1,3-Dimethyltricyclo[3.3.1.1^{3,7}]decane [702-79-4]
1,3-Dimethyladamantane
Group-member nr.: 12-063/B+S1
 - Dodecahydroacenaphthylene [2146-36-3]
Perhydroacenaphthylene
Tricyclo[7.2.1.0^{5,12}]dodecane (mixture of stereoisomers)
Group-member nr.: 12-129/S1
 - (3 α ,4 β ,7 β ,7 α)-Octahydrodimethyl-4,7-methano-1*H*-indene [28014-61-1]
exo-Tetrahydrodi(methylcyclopentadiene)
Group-member nr.: 12-130/S1
 - Tricyclo[6.2.1.1^{3,6}]dodecane [281-84-5]
Group-member nr.: 12-064
- $C_{12}H_{20}O$
- 2,5-Bis(1,1-dimethylethyl)furan [4789-40-6]
2,5-Di-*tert*-butylfuran
Group-member nr.: 46-031/S1
- $C_{12}H_{20}O_6$
- 1,2,3-Propanetriyl tripropanoate [139-45-7]
1,2,3-Propanetriyl ester propanoic acid
Tripropionin
Group-member nr.: 45-092
- $C_{12}H_{22}$
- 1,1'-Bicyclohexyl [92-51-3]
Cyclohexylcyclohexane
Dodecahydrobiphenol
Group-member nr.: 12-065
 - Decahydrodimethylnaphthalene [28777-88-0]
Dimethyldecalin (unspecified isomer)
Group-member nr.: 12-066
 - Ethyldecahydronaphthalene [25551-49-9]
Ethyldecalin (unspecified isomer)
Group-member nr.: 12-067
 - 1-Ethyldecahydronaphthalene [1008-17-9]
1-Ethyldecalin
 α -Ethyldecalin (unspecified stereoisomer)
Group-member nr.: 12-068
 - 2-Ethyldecahydronaphthalene [1618-23-1]
2-Ethyldecalin
 β -Ethyldecalin (unspecified stereoisomer)
Group-member nr.: 12-069
 - Octahydro(1-methylethyl)-1*H*-indene [88889-26-3]
Hexahydroisopropylindan
Isopropylhydrindan (unspecified isomer)
Group-member nr.: 12-070
- $C_{12}H_{22}O$
- *trans*-[1,1'-Bicyclohexyl]-2-ol [58879-21-3]
trans-2-Cyclohexylcyclohexanol
Group-member nr.: 42-119/S1
- $C_{12}H_{22}O_2$
- Nonyl 2-propenoate [2664-55-3]
Nonyl ester 2-propenoic acid
Nonyl acrylate
Group-member nr.: 45-093
 - Octyl 2-methyl-2-propenoate [2157-01-9]
Octyl ester 2-methyl-2-propenoic acid
Octyl methacrylate

- Group-member nr.: 45-094
- $C_{12}H_{22}O_4$
- Bis(3-methylbutyl) ethanedioate [2051-00-5]
Bis(3-methylbutyl) ester ethanedioic acid
Diisoamyl oxalate
Group-member nr.: 45-095
 - Bis(2-methylpropyl) butanedioate [925-06-4]
Bis(2-methylpropyl) ester butanedioic acid
Diisobutyl succinate
Group-member nr.: 45-096
 - Dibutyl butanedioate [141-03-7]
Dibutyl ester butanedioic acid
Dibutyl succinate
Group-member nr.: 45-097
- $C_{12}H_{22}O_4Pb$
- Lead(2+) salt hexanoic acid [15773-53-2]
Lead(II) hexanoate
Lead(II) caproate
Group-member nr.: 74-004
- $C_{12}H_{22}S$
- 1,1'-Thiobiscyclohexane [7133-46-2]
Dicyclohexyl sulfide
Group-member nr.: 51-030/S1
- $C_{12}H_{24}$
- 1-Dodecene [112-41-4]
 α -Dodecylene
Group-member nr.: 13-037
- $C_{12}H_{24}N_2O_2$
- *N,N'*-Dipropylhexanediamine [10263-96-4]
N,N'-Dipropyladipamide
Group-member nr.: 62-091
- $C_{12}H_{24}O_2$
- Decyl acetate [112-17-4]
Group-member nr.: 45-098/B+S1
 - Dodecanoic acid [143-07-7]
Lauric acid
Group-member nr.: 44-027
- $C_{12}H_{25}NO$
- *N,N*-Dipentylacetamide [16238-16-7]
Group-member nr.: 62-092
- $C_{12}H_{26}$
- Dodecane [112-40-3]
Group-member nr.: 11-049/B+S1^E
 - 2,2,4,6,6-Pentamethylheptane [13475-82-6]
Group-member nr.: 11-050
- $C_{12}H_{26}O$
- 1-Dodecanol [112-53-8]
Dodecyl alcohol
Lauryl alcohol
Group-member nr.: 42-095/B+S1
- $C_{12}H_{26}O_3$
- 1,1'-[Oxybis(2,1-ethanedioxy)]bisbutane [112-73-2]
Bis(2-butoxyethyl)ether
Diethylene glycol dibutyl ether
- 5,8,11-Trioxapentadecane
Group-member nr.: 41-047/B+S1
- $C_{12}H_{26}O_5$
- 2-[2-[2-(2-Hydroxypropoxy)propoxy]propoxy]-1-propanol [24800-25-7]
Tetra(propylene glycol)
Group-member nr.: 47-066/S1
- $C_{12}H_{26}O_7$
- 3,6,9,12,15-Pentaoxaheptadecane-1,17-diol [2615-15-8]
Hexa(ethylene glycol)
Group-member nr.: 47-067/S1
- $C_{12}H_{26}S$
- 1,1'-Thiobishexane [6294-31-1]
7-Thiatridecane
Dihexyl sulfide
Group-member nr.: 51-024
- $C_{12}H_{27}O_4P$
- Tributyl ester phosphoric acid [126-73-8]
Tributyl phosphate
Group-member nr.: 72-019/S1
- $C_{12}H_{28}O_4Si$
- Tetrapropyl ester silicic acid [682-01-9]
Tetrapropyl orthosilicate
Tetrapropoxysilane
Group-member nr.: 71-034
- $C_{12}H_{30}OSi_2$
- Hexaethylidisiloxane [994-49-0]
Group-member nr.: 71-035
- $C_{12}H_{30}O_3Si_3$
- Hexaethylcyclotrisiloxane [2031-79-0]
Group-member nr.: 71-036
- $C_{13}H_9F_3N_2O_2$
- 2-[[3-(Trifluoromethyl)phenyl]amino]-3-pyridinecarboxylic acid [4394-00-7]
Niflumic acid
Group-member nr.: 64-040/S1
- $C_{13}H_9N$
- Acridine [260-94-6]
Benzo[*b*]quinoline
2,3,5,6-Dibenzopyridine
Group-member nr.: 33-042
 - Benzo[*h*]quinoline [230-27-3]
7,8-Benzoquinoline
Group-member nr.: 33-043
 - Phenanthridine [229-87-8]
Benzo[*c*]quinoline
Group-member nr.: 33-044
- $C_{13}H_{10}$
- 9*H*-Fluorene [86-73-7]
 α -Diphenylenemethane
Group-member nr.: 14-061/B+S1
- $C_{13}H_{10}N_2$
- *N,N'*-Methanetetraylbisbenzenamine [622-16-2]

- Diphenylcarbodiimide
Group-member nr.: 34-013
- $C_{13}H_{10}O$
- Diphenyl methanone [119-61-9]
Diphenyl ketone
Benzophenone
Group-member nr.: 43-051
- $C_{13}H_{10}O_3$
- Phenyl ester 2-hydroxybenzoic acid [118-55-8]
Phenyl salicylate
Salol
Group-member nr.: 47-041
- $C_{13}H_{11}Cl$
- 1,1'-(Chloromethylene)bisbenzene [90-99-3]
Diphenylchloromethane
Group-member nr.: 22-048
- $C_{13}H_{11}N$
- 9-Methyl-9*H*-carbazole [1484-12-4]
Group-member nr.: 33-045
- $C_{13}H_{12}$
- 1,1'-Methylenebisbenzene [101-81-5]
Diphenylmethane
Benzylbenzene
Group-member nr.: 14-062
- $C_{13}H_{13}N$
- N*-Methyl-*N*-phenylbenzenamine [552-82-9]
N-Methyldiphenylamine
Group-member nr.: 31-043
- $C_{13}H_{14}N_2$
- 4,4'-Methylenebisbenzenamine [101-77-9]
4,4'-Methylenedianiline
Bis-(4-aminophenyl)methane
Group-member nr.: 31-044
- $C_{13}H_{15}N$
- 2,3,4,9-Tetrahydro-9-methyl-1*H*-carbazole [6303-88-4]
1,2,3,4-Tetrahydro-9-methylcarbazole
Group-member nr.: 33-046
- $C_{13}H_{15}NO$
- 1-(1-Isocyanato-1-methylethyl)-3-(1-methylethenyl)benzene [2094-99-7]
m-Isopropenyl- α,α -dimethylbenzyl ester isocyanic acid
Group-member nr.: 62-093
 - 1-(1-Isocyanato-1-methylethyl)-4-(1-methylethenyl)benzene [2889-58-9]
p-Isopropenyl- α,α -dimethylbenzyl ester isocyanic acid
Group-member nr.: 62-094
- $C_{13}H_{18}$
- 1,1,4,6-Tetramethylindan [941-60-6]
Group-member nr.: 14-063
 - 1,1,4,7-Tetramethylindan [1078-04-2]
Group-member nr.: 14-064
- $C_{13}H_{19}NO_2$
- Hexyl ester phenylcarbamic acid [7461-26-9]
- Hexyl phenylcarbamate
Hexyl ester carbanilic acid
Group-member nr.: 62-095
- $C_{13}H_{20}$
- Heptylbenzene [1078-71-3]
1-Phenylheptane
Group-member nr.: 14-065
- $C_{13}H_{20}O$
- 6,10-Dimethyl-3,5,9-undecatriene-2-one [141-10-6]
Pseudoionone
 ψ -Ionone
Group-member nr.: 43-052
 - 6,10-Dimethyl-4,5,9-undecatriene-2-one [16647-05-5]
Group-member nr.: 43-053
 - 4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one [14901-07-6]
 β -Ionone
Group-member nr.: 43-054
- $C_{13}H_{22}$
- 1,3,5-Trimethyltricyclo[3.3.1.1^{3,7}]decane [707-35-7]
1,3,5-Trimethyladamantane
Group-member nr.: 12-071
- $C_{13}H_{24}$
- Decahydro(1-methylethyl)naphthalene [27193-29-9]
Isopropyldecalin (unspecified isomer)
Group-member nr.: 12-072
 - Decahydro-1-(1-methylethyl)naphthalene [1010-74-8]
Decahydro-1-isopropyldecalin
 α -Isopropyldecalin
Group-member nr.: 12-073
 - Decahydro-1-propylnaphthalene [91972-45-1]
1-Propyldecalin
 α -Propyldecalin
Group-member nr.: 12-074
 - 2-Methyl-1,1'-bicyclohexyl [66324-47-8]
1-Methylcyclohexylcyclohexane
Group-member nr.: 12-075
 - 1,1'-Methylenebicyclohexane [3178-23-2]
Dicyclohexylmethane
Group-member nr.: 12-076
- $C_{13}H_{24}O_2$
- Nonyl 2-methyl-2-propenoate [2696-43-7]
Nonyl ester 2-methyl-2-propenoic acid
Nonyl methacrylate
Group-member nr.: 45-099
 - Oxacyclotetradecan-2-one [1725-04-8]
Tridecanolide
Tridecanolactone
Group-member nr.: 47-042
- $C_{13}H_{25}NO_3$
- α -[(Cyclohexyloxy)methyl]-4-morpholineethanol [95639-17-1]
1-Morpholino-3-cyclohexyloxy-2-propanol
Group-member nr.: 62-169/S1

- $C_{13}H_{26}$
 • Heptylcyclohexane [5617-41-4]
 Group-member nr.: 12-077
- $C_{13}H_{26}O$
 • 6,10-Dimethyl-2-undecanone [1604-34-8]
 Hexahydropseudoionone
 Group-member nr.: 43-055
- $C_{13}H_{26}O_2$
 • Tridecanoic acid [638-53-9]
 Tridecylic acid
 Group-member nr.: 44-028
 • Undecyl acetate [1731-81-3]
 Group-member nr.: 45-143/S1
- $C_{13}H_{26}O_2Si_3$
 • 1,1,1,3,5,5,5-Heptamethyl-3-phenyltrisiloxane [546-44-1]
 Group-member nr.: 71-037
- $C_{13}H_{28}$
 • Tridecane [629-50-5]
 Group-member nr.: 11-051
- $C_{13}H_{28}O$
 • 5-Butyl-5-nonanol [597-93-3]
 Group-member nr.: 42-096
 • 1-Tridecanol [112-70-9]
n-Tridecyl alcohol
 Group-member nr.: 42-097/B+S1^E
- $C_{14}F_{30}$
 • Triacontafluorotetradecane [307-62-0]
 Perfluorotetradecane
 Group-member nr.: 21-053/S1
- $C_{14}H_8O_2$
 • 9,10-Anthracenedione [84-65-1]
 9,10-Antraquinone
 Group-member nr.: 43-056
- $C_{14}H_{10}$
 • Anthracene [120-12-7]
 Group-member nr.: 14-066/B+S1^E
 • 1,1'-(1,2-Ethynediyl)bisbenzene [501-65-5]
 1,2-Diphenylacetylene
 Tolan
 Group-member nr.: 14-067
 • Phenanthrene [85-01-8]
 Group-member nr.: 14-068/B+S1^E
- $C_{14}H_{12}$
 • (*E*)-1,1'-(1,2-Ethenediyl)bisbenzene [103-30-0]
trans-1,2-Diphenylethylene
 Stilbene
 Tolulene
 Group-member nr.: 14-070
 • 1,1'-Ethenylidenebisbenzene [530-48-3]
 1,1-Diphenylethylene
 Group-member nr.: 14-071/B+S1^E
 • 9,10-Dihydroanthracene [613-31-0]
 Group-member nr.: 14-112/S1
 • 9,10-Dihydrophenanthrene [776-35-2]
 Group-member nr.: 14-069
- $C_{14}H_{12}O$
 • (3-Methylphenyl)phenylmethanone [643-65-2]
 3-Methylbenzophenone
 Phenyl *m*-tolyl ketone
 Group-member nr.: 43-057
- $C_{14}H_{12}O_4$
 • Dimethyl ester 2,6-naphthalenedicarboxylic acid [840-65-3]
 Group-member nr.: 45-144/S1
- $C_{14}H_{14}$
 • 2,2'-Dimethyl-1,1'-biphenyl [605-39-0]
 2,2'-Dimethylbiphenyl
 Group-member nr.: 14-113/S1
 • 1,1'-(1,2-Ethanediy)bisbenzene [103-29-7]
 Bibenzyl
 1,2-Diphenylethane
sym-Diphenylethane
 Dibenzyl
 Group-member nr.: 14-072
 • 2-Ethyl-1,1'-biphenyl [1812-51-7]
 2-Ethylbiphenyl
 Group-member nr.: 14-114/S1
 • 1,1'-Ethylidenebisbenzene [612-00-0]
 1,1-Diphenylethane
unsym-Diphenylethane
 Group-member nr.: 14-073/B+S1^E
 • 1-Methyl-2-(phenylmethyl)benzene [713-36-0]
 Phenyl-*o*-tolylmethane
 Group-member nr.: 14-115/S1
 • 1,2,3,4-Tetrahydroanthracene [2141-42-6]
 Group-member nr.: 14-116/S1
 • 1,2,3,4-Tetrahydrophenanthrene [1013-08-7]
 Group-member nr.: 14-117/S1
- $C_{14}H_{14}N_2O_3$
 • Bis(4-methoxyphenyl)diazene-1-oxide [1562-94-3]
 4,4'-Dimethoxyazoxybenzene
p-Azoxyanisole
 Group-member nr.: 62-096
- $C_{14}H_{14}O$
 • 1,1'-[Oxybis(methylene)]bisbenzene [103-50-4]
 Dibenzyl ether
 Group-member nr.: 41-050/S1
- $C_{14}H_{16}$
 • Dodecahydro-1,3,4,6-ethanediyliidenedicyclopenta-
 [*c,d,g,h*]pentalene [17872-39-8]
 Heptacyclo[6.6.0^{2,6}.0^{3,13}.0^{4,11}.0^{5,9}.0^{10,14}]tetradecane
 Group-member nr.: 12-131/S1
- $C_{14}H_{16}N_2O_2$
 • 1,3-Bis(1-isocyanato-1-methylethyl)benzene [2778-42-9]
α,α,α',α'-Tetramethyl-*m*-xylylene ester isocyanic acid
 Group-member nr.: 62-097
 • 1,4-Bis(1-isocyanato-1-methylethyl)benzene [2778-41-8]
α,α,α',α'-Tetramethyl-*p*-xylylene ester isocyanic acid
 Group-member nr.: 62-098

C₁₄H₁₈

- Dodecahydro-4,7-methano-2,3,8-methenocyclopent[*a*]indene (stereoisomer HNN) [66289-74-5]

Hexacyclic *endo,endo*-dihydrodinorbornadiene

Group-member nr.: 12-132/S1

- Dodecahydro-4,7-methano-2,3,8-methenocyclopent[*a*]indene (stereoisomer HXN) [66289-73-4]

Hexacyclic *exo,endo*-dihydrodinorbornadiene

Group-member nr.: 12-133/S1

- Dodecahydro-4,7-methano-2,3,8-methenocyclopent[*a*]indene (stereoisomer HXX) [64162-49-8]

Hexacyclic *exo,exo*-dihydrodinorbornadiene

Group-member nr.: 12-134/S1

- 1,2,3,4,5,6,7,8-Octahydroanthracene [1079-71-6]
Group-member nr.: 14-074

C₁₄H₂₀

- Decahydro-3,5,1,7-[1,2,3,4]butanetetraylnaphthalene [2292-79-7]

Diamantane

Group-member nr.: 12-078

- Dodecahydro-1,4:5,8-dimethanobiphenylene [25079-41-8]

Pentacyclic *exo,trans,exo*-tetrahydrodinorbornadiene

Group-member nr.: 12-135/S1

C₁₄H₂₀O₃

- 1-[4-(1,1-Diethoxyethyl)phenyl]ethanone [64533-95-5]

p-Diacetylbenzene diethyl ketal

Group-member nr.: 47-043

C₁₄H₂₂

- Octylbenzene [2189-60-8]

1-Phenyloctane

Group-member nr.: 14-075

C₁₄H₂₂N₂O

- 1-Anilino-3-piperidino-2-propanol [14585-29-6]

Group-member nr.: 62-170/S1

C₁₄H₂₃NO₂

- Decyl ester 2-cyano-2-propenoic acid [3578-07-2]

n-Decyl α -cyanacrylate

Group-member nr.: 62-171/S1

C₁₄H₂₄

- Dodecahydro-9-methylfluorene [92431-75-9]

9-Methylperhydrofluorene

Group-member nr.: 12-079

- Tetradehydrophenanthrene [5743-97-5]

Perhydrophenanthrene

Perhydrophenanthrene

Tricyclo[8.4.0.0^{2,7}]tetradecane (mixture of stereoisomers)

Group-member nr.: 12-080/B+S1

- (4 α ,4 β ,8 α ,10 α)-Tetradehydrophenanthrene

[27425-35-0]

cis-syn-trans-Perhydrophenanthrene

Group-member nr.: 12-081

- (4 α ,4 β ,8 α ,10 α)-Tetradehydrophenanthrene [27389-73-7]

trans-anti-cis-Perhydrophenanthrene

Group-member nr.: 12-082

- (4 α ,4 β ,8 α ,10 β)-Tetradehydrophenanthrene [2108-89-6]

trans-anti-trans-Perhydrophenanthrene

Group-member nr.: 12-083

C₁₄H₂₆

- 1-Butyldecahydronaphthalene [92369-80-7]

1-Butyldecalin

α -Butyldecalin

Group-member nr.: 12-084

- 1-(Cyclohexylmethyl)-2-methylcyclohexane [66826-96-8]

Cyclohexyl(2-methylcyclohexyl)methane

Group-member nr.: 12-085

- Decahydro-1-(1-methylpropyl)naphthalene [92369-82-9]

1-*sec*-Butyldecahydronaphthalene

α -*sec*-Butyldecalin

Group-member nr.: 12-086

- Decahydro-1-(2-methylpropyl)naphthalene [92369-83-0]

Decahydro-1-isobutyldecalin

α -Isobutyldecalin

Group-member nr.: 12-087

- (1,1-Dimethylethyl)decahydronaphthalene [27193-30-2]

tert-Butyldecalin (unspecified isomer)

Group-member nr.: 12-088

- 1,1'-(1,2-Ethanediy)bis(cyclohexane) [3321-50-4]

1,2-Dicyclohexylethane

Group-member nr.: 12-089

- 2-Ethyl-1,1'-bicyclohexyl [66826-94-6]

2-Ethylcyclohexylcyclohexane

Group-member nr.: 12-090

- 1,1'-Ethylidenebis(cyclohexane) [2319-61-1]

1,1-Dicyclohexylethane

Group-member nr.: 12-091

C₁₄H₂₆O

- 2-(1,2-Dimethylpropyl)-5,6-dimethyl-2-heptenal

[99914-84-8]

Group-member nr.: 43-058

- 2-Pentyl-2-nonenal [3021-89-4]

Group-member nr.: 43-059

C₁₄H₂₆O₂

- Decyl 2-methyl-2-propenoate [3179-47-3]

Decyl ester 2-methyl-2-propenoic acid

Decyl methacrylate

Group-member nr.: 45-100

C₁₄H₂₆O₄

- Bis(3-methylbutyl) butanedioate [818-04-2]

Bis(3-methylbutyl) ester butanedioic acid

Diisooamyl succinate

Group-member nr.: 45-101

- Dibutyl ester hexanedioic acid [105-99-7]

Dibutyl adipate

Group-member nr.: 45-145/S1

- $C_{14}H_{26}O_4Pb$
 • Lead(2+) salt heptanoic acid [16180-10-2]
 Lead(II) heptanoate
 Lead(II) oenanthate
 Group-member nr.: 74-028/S1
- $C_{14}H_{27}NO_2$
 • α -[(Cyclohexyloxy)methyl]-1-piperidineethanol [96450-92-9]
 1-Piperidino-3-cyclohexoxy-2-propanol
 Group-member nr.: 62-172/S1
- $C_{14}H_{28}O$
 • 2-Tetradecanone [2345-27-9]
 Dodecyl methyl ketone
 Group-member nr.: 43-060
- $C_{14}H_{28}O_2$
 • Dodecyl acetate [112-66-3]
 Group-member nr.: 45-146/S1
 • Tetradecanoic acid [544-63-8]
 Myristic acid
 Group-member nr.: 44-029
- $C_{14}H_{30}$
 • Tetradecane [629-59-4]
 Group-member nr.: 11-052/B+S1^E
- $C_{14}H_{30}O$
 • 1-Tetradecanol [112-72-1]
n-Tetradecyl alcohol
 Myristyl alcohol
 Group-member nr.: 42-098/B+S1
- $C_{14}H_{30}S$
 • 1,1'-Thiobisheptane [629-65-2]
 8-Thiapentadecane
 Diheptyl sulfide
 Group-member nr.: 51-025
- $C_{15}H_{10}N_2O_2$
 • 1,1'-Methylenebis[4-isocyanatobenzene] [101-68-8]
 Methylene-di-*p*-phenylene ester isocyanic acid
 Diphenylmethane-4,4'-diisocyanate
 Group-member nr.: 62-099/B+S1
- $C_{15}H_{12}$
 • 4-Methylphenanthrene [832-64-4]
 Group-member nr.: 14-076
- $C_{15}H_{16}$
 • (1-Methylethyl)-1,1'-biphenyl [25640-78-2]
 Isopropylbiphenyl
 Isopropylidiphenyl (unspecified isomer)
 Group-member nr.: 14-077
 • 1,1'-(1,3-Propanediyl)bisbenzene [1081-75-0]
 1,3-Diphenylpropane
 Group-member nr.: 14-118/S1
- $C_{15}H_{16}N_2O_3$
 • (4-Ethoxyphenyl)(4-methoxyphenyl)diazene-*N*-oxide [56095-14-8]
 4-Ethoxy-4'-methoxyazoxybenzene
- p*-Azoxyanisoylphenetole
 Group-member nr.: 62-100
- $C_{15}H_{16}O_2$
 • 4,4'-(1-Methylethylidene)bisphenol [80-05-7]
 4,4'-Isopropylidenediphenol
 4,4'-Dihydroxydiphenyl-2,2-propane
 Group-member nr.: 42-099
- $C_{15}H_{16}S_2$
 • 1,1'-[(1-Methylethylidene)bis(thio)]bisbenzene [14252-46-1]
 2,2'-Bis(phenylthio)propane
 Group-member nr.: 51-031/S1
- $C_{15}H_{24}$
 • 1,3,5-Tris(1-methylethyl)benzene [717-74-8]
 1,3,5-Triisopropylbenzene
 Group-member nr.: 14-119/S1
- $C_{15}H_{26}$
 • 1,1':3',1''-Tercyclopentane [6051-40-7]
 1,3-Dicyclopentylcyclopentane
 Group-member nr.: 12-092
- $C_{15}H_{26}O_6$
 • 1,2,3-Propanetriyl tributanoate [60-01-5]
 1,2,3-Propanetriyl ester butanoic acid
 Tributyrin
 Group-member nr.: 45-102
- $C_{15}H_{28}$
 • Cyclohexyl(ethylcyclohexyl)methane (unspecified isomer) [97239-02-6]
 Group-member nr.: 12-093
 • 1-(Cyclohexylmethyl)-2-ethylcyclohexane [66374-71-8]
 Cyclohexyl(2-ethylcyclohexyl)methane
 Group-member nr.: 12-094
 • 1,2-Dicyclohexylpropane [41851-34-7]
 Group-member nr.: 12-095
 • (1-Methylethyl)-1,1'-bicyclohexyl [31624-59-6]
 Isopropylbicyclohexyl
 Isopropylcyclohexylcyclohexane (unspecified isomer and stereoisomer)
 Group-member nr.: 12-096
- $C_{15}H_{28}O$
 • 3,7,11-Trimethyl-1-dodecyn-3-ol [1604-35-9]
 Group-member nr.: 42-100
- $C_{15}H_{28}O_2$
 • Oxacyclohexadecan-2-one [106-02-5]
 Pentadecanolide
 Pentadecanolactone
 15-Hydroxypentadecanoic acid lactone
 Group-member nr.: 47-044
- $C_{15}H_{30}$
 • Decylcyclopentane [1795-21-7]
 Cyclopentyldecane
 Group-member nr.: 12-097
- $C_{15}H_{30}InN_3S_6$
 • Tri(diethylcarbamodithioato-*S,S'*)indium [15741-07-8]

- Group-member nr.: 73-044/S1
- $C_{15}H_{30}O$
- 2-Pentadecanone [2345-28-0]
Methyl tridecyl ketone
Group-member nr.: 43-061
- $C_{15}H_{30}O_2$
- Methyl tetradecanoate [124-10-7]
Methyl myristate
Group-member nr.: 45-103
 - Pentadecanoic acid [1002-84-2]
Pentadecylic acid
Group-member nr.: 44-030
- $C_{15}H_{32}$
- Pentadecane [629-62-9]
Group-member nr.: 11-053
- $C_{15}H_{32}O$
- 1-Pentadecanol [629-76-5]
n-Pentadecyl alcohol
Group-member nr.: 42-101
- $C_{15}H_{32}O_6$
- 2,5,8,11-Tetramethyl-3,6,9,12-tetraoxapentadecane-1,14-diol [21482-12-2]
Penta(propylene glycol)
Group-member nr.: 47-068/S1
- $C_{16}F_{34}$
- Tetratriacontafluorohexadecane [355-49-7]
Perfluorohexadecane
Group-member nr.: 21-054/S1
- $C_{16}H_{10}$
- Fluoranthene [206-44-0]
Group-member nr.: 14-078/B+S1^E
 - Pyrene [129-00-0]
Group-member nr.: 14-079/B+S1^E
- $C_{16}H_{12}Ge$
- Diethynyldiphenylgermane [1675-59-8]
Group-member nr.: 73-030
- $C_{16}H_{12}Si$
- Diethynyldiphenylsilane [1675-57-6]
Group-member nr.: 71-038
- $C_{16}H_{14}$
- 4,5,9,10-Tetrahydropyrene [781-17-9]
Group-member nr.: 14-120/S1
- $C_{16}H_{14}O_2$
- 1,4-Diphenyl-1,4-butanedione [495-71-6]
1,2-Dibenzoylthane
Group-member nr.: 43-062
- $C_{16}H_{15}N$
- 4'-Propyl[1,1'-biphenyl]-4-carbonitrile [58743-76-3]
4'-Propylbiphenyl-4-carbonitrile
Group-member nr.: 32-029/S1
- $C_{16}H_{16}$
- 1,2,3,6,7,8-Hexahydropyrene [1732-13-4]
Group-member nr.: 14-121/S1
- $C_{16}H_{16}N_2O_2$
- [(4-Methoxyphenyl)methylene]hydrazone-4-methoxybenzaldehyde [2299-73-2]
p-Anisaldehydeazine
Anisaldazine
Group-member nr.: 62-101
- $C_{16}H_{18}$
- 1,1'-(2-Methylpropylidene)bisbenzene [1634-11-3]
2-Methyl-1,1-diphenylpropane
Group-member nr.: 14-122/S1
- $C_{16}H_{18}N_2O_3$
- Bis(4-ethoxyphenyl)diazene-1-oxide [4792-83-0]
4,4'-Diethoxyazoxybenzene
p-Azoxyphenetole
Group-member nr.: 62-102
- $C_{16}H_{20}Cr$
- Bis[(1,2,3,4,5,6- η)-ethylbenzene]chromium [12212-68-9]
Bis(ethylbenzene)chromium
Group-member nr.: 73-045/S1
- $C_{16}H_{22}OSi_2$
- 1,1,3,3-Tetramethyl-1,3-diphenyldisiloxane [56-33-7]
Group-member nr.: 71-039/B+S1
- $C_{16}H_{22}O_3Si_3$
- 2,2,4,4-Tetramethyl-6,6-diphenylcyclotrisiloxane [1693-51-2]
Group-member nr.: 71-040
- $C_{16}H_{22}O_4$
- Dibutyl 1,2-benzenedicarboxylate [84-74-2]
Dibutyl ester 1,2-benzenedicarboxylic acid
Dibutyl phthalate
Group-member nr.: 45-104/B+S1
- $C_{16}H_{25}NO_2$
- Nonyl phenylcarbamate [33689-71-3]
Nonyl ester phenylcarbamic acid
Nonyl ester carbanilic acid
Group-member nr.: 62-103
- $C_{16}H_{27}N$
- [*trans(trans)*]-4'-Propyl-[1,1'-bicyclohexyl]-4-carbonitrile [65355-35-3]
trans,trans-4'-Propylbicyclohexyl-4-carbonitrile
Group-member nr.: 32-030/S1
- $C_{16}H_{28}$
- 1-Cyclohexyloctahydro-3-methyl-1*H*-indene [2320-05-0]
1-Cyclohexyl-3-methylhydrindan
Group-member nr.: 12-098
 - 2-Ethyltetradecahydrophenanthrene [90591-84-7]
2-Ethylperhydrophenanthrene
Group-member nr.: 12-099
- $C_{16}H_{30}$
- Cyclohexyl[(1-methylethyl)cyclohexyl]methane [97676-41-0]
Cyclohexyl(isopropylcyclohexyl)methane (unspecified isomer)

- Group-member nr.: 12-101
- 1,1'-(1-Methyl-1,3-propanediyl)biscyclohexane [41851-35-8]
 - 1,3-Dicyclohexylbutane
 - Group-member nr.: 12-100
- $C_{16}H_{30}HgO_4$
- Mercury(2+) salt octanoic acid [28043-54-1]
 - Mercury(II) octanoate
 - Mercury(II) caprylate
 - Group-member nr.: 74-005
- $C_{16}H_{30}O_4Pb$
- Lead(2+) salt octanoic acid [7319-86-0]
 - Lead(II) octanoate
 - Lead(II) caprylate
 - Group-member nr.: 74-006
- $C_{16}H_{32}$
- Decylcyclohexane [1795-16-0]
 - Cyclohexyldecane
 - Group-member nr.: 12-102
 - 1-Hexadecene [629-73-2]
 - α -Hexadecylene
 - Cetene
 - Group-member nr.: 13-038
- $C_{16}H_{32}O_2$
- Hexadecanoic acid [57-10-3]
 - Palmitic acid
 - Group-member nr.: 44-031/B+S1
 - Tetradecyl acetate [638-59-5]
 - Group-member nr.: 45-147/S1
- $C_{16}H_{34}$
- 2,2,4,4,6,8,8-Heptamethylnonane [4390-04-9]
 - Group-member nr.: 11-054/B+S1
 - Hexadecane [544-76-3]
 - Cetane
 - Group-member nr.: 11-055/B+S1^E
- $C_{16}H_{34}O$
- 1-Hexadecanol [36653-82-4]
 - n*-Hexadecyl alcohol
 - Cetyl alcohol
 - Group-member nr.: 42-102/B+S1
 - 1,1'-Oxybisoctane [629-82-3]
 - Dioctyl ether
 - Group-member nr.: 41-051/S1
- $C_{16}H_{34}S$
- 1,1'-Thiobisoctane [2690-08-6]
 - 9-Thiaheptadecane
 - Dioctyl sulfide
 - Group-member nr.: 51-026/B+S1
- $C_{16}H_{35}N$
- *N,N*-Dimethyl-2-pentyl-1-nonanamine [99916-30-0]
 - N,N*-Dimethyl-2-pentylnonylamine
 - Group-member nr.: 31-045
 - *N*-Octyl-1-octanamine [1120-48-5]
 - N,N*-Dioctylamine
- Group-member nr.: 31-064/S1
- $C_{16}H_{36}Ge$
- Tetrabutylgermane [1067-42-1]
 - Group-member nr.: 73-031
- $C_{16}H_{36}O_4Si$
- Tetrabutyl ester silicic acid [4766-57-8]
 - Tetrabutyl orthosilicate
 - Tetrabutoxysilane
 - Group-member nr.: 71-041
- $C_{16}H_{36}O_4Ti$
- Titanium(4+) salt 1-butanol [5593-70-4]
 - Tetrabutoxytitanium
 - Group-member nr.: 74-007
- $C_{16}H_{40}O_4Si_4$
- Octaethylcyclotetrasiloxane [1451-99-6]
 - Group-member nr.: 71-042
- $C_{17}H_{14}N_2O_2$
- (1-Methylethylidene)di-1,4-phenylene ester cyanic acid [1156-51-0]
 - 2,2-Bis(4-cyanatophenyl)propane
 - Group-member nr.: 62-173/S1
- $C_{17}H_{30}$
- Cyclopentylbicyclohexyl (unspecified isomer) [26447-22-3]
 - Group-member nr.: 12-103
- $C_{17}H_{32}$
- Bis(ethylcyclohexyl)methane (unspecified isomer) [98028-64-9]
 - Group-member nr.: 12-104
 - 1-Cyclohexyl-1-(1-methylethyl)cyclohexylethane [26637-18-3]
 - 1-Cyclohexyl-1-(isopropylcyclohexyl)ethane (unspecified isomer)
 - Group-member nr.: 12-105
- $C_{17}H_{34}O_2$
- Heptadecanoic acid [506-12-7]
 - Margaric acid
 - Group-member nr.: 44-032
 - 1-Methylethyl ester tetradecanoic acid [110-27-0]
 - Isopropyl myristate
 - Group-member nr.: 45-148/S1
- $C_{17}H_{36}$
- Heptadecane [629-78-7]
 - Group-member nr.: 11-056/B+S1
- $C_{18}HF_{15}Ge$
- Tris[2,3,4,5,6-pentafluorophenyl]germane [42371-50-6]
 - Tri(pentafluorophenyl)germane
 - Group-member nr.: 73-046/S1
- $C_{18}H_{12}$
- Triphenylene [217-59-4]
 - 9,10-Benzophenanthrene
 - Group-member nr.: 14-080

- $C_{18}H_{14}$
- 1,1':2',1''-Terphenyl [84-15-1]
o-Terphenyl
Group-member nr.: 14-081
 - 1,1':3',1''-Terphenyl [92-06-8]
m-Terphenyl
Group-member nr.: 14-082
 - 1,1':4',1''-Terphenyl [92-94-4]
p-Terphenyl
Group-member nr.: 14-083/B+S1^E
- $C_{18}H_{15}ClSi$
- Chlorotriphenylsilane [76-86-8]
Group-member nr.: 71-044
- $C_{18}H_{15}OP$
- Triphenylphosphine oxide [791-28-6]
Oxotriphenylphosphorane
Oxotriphenylphosphorus
Group-member nr.: 72-012
- $C_{18}H_{15}O_4P$
- Triphenyl ester phosphoric acid [115-86-6]
Triphenyl phosphate
Group-member nr.: 72-013
- $C_{18}H_{18}$
- 1-Methyl-7-(1-methylethyl)phenanthrene [483-65-8]
7-Isopropyl-1-methylphenanthrene
Retene
Group-member nr.: 14-084
- $C_{18}H_{18}N_2O_5$
- Diethyl ester 4,4'-azoxybisbenzoic acid [6421-04-1]
Diethyl 4,4'-azoxybisbenzoate
Ethyl-*p,p*-azoxybenzoate
Group-member nr.: 62-104
- $C_{18}H_{21}NO$
- 4-Butyl-*N*-[(4-methoxyphenyl)methylene]benzenamine [26227-73-6]
N-(*p*-Methoxybenzylidene)-*p*-butylaniline
MBBA
Group-member nr.: 62-105
- $C_{18}H_{21}NO_2$
- 2-[[[4-Butylphenyl]imino]methyl]-4-methoxyphenol [52218-22-1]
N-(*o*-Hydroxy-*p*-methoxybenzylidene)-*p*-butylaniline
2,4-OHMBBA
Group-member nr.: 62-106
- $C_{18}H_{22}$
- *ar,ar'*-Bis(1-methylethyl)-1,1'-biphenyl [36876-13-8]
Diisopropylbiphenyl (unspecified isomer)
Group-member nr.: 14-085
- $C_{18}H_{22}N_2O$
- (*E*)-(4-Butylphenyl)(4-ethoxyphenyl)diazene [98644-12-3]
Group-member nr.: 62-107
- $C_{18}H_{22}N_2O_3$
- Bis(4-propoxyphenyl)diazene-1-oxide [23315-55-1]
- 4,4'-Dipropoxyazoxybenzene
Group-member nr.: 62-108
- $C_{18}H_{28}O_2Si_3$
- 1,1,1,5,5,5-Hexamethyl-3,3-diphenyltrisiloxane [797-77-3]
Group-member nr.: 71-045
- $C_{18}H_{28}O_4Si_4$
- 2,2,4,4,6,6-Hexamethyl-8,8-diphenylcyclotetrasiloxane [30026-85-8]
Group-member nr.: 71-046
- $C_{18}H_{30}$
- Dodecylbenzene [123-01-3]
1-Phenyldodecane
Group-member nr.: 14-123/S1
 - 3-Ethylhexadecahydropyrene [94262-24-5]
3-Ethylperhydropyrene
Group-member nr.: 12-106
- $C_{18}H_{30}O_4$
- 1,4-Bis(1,1-diethoxyethyl)benzene [47189-08-2]
p-Diacetylbenzene tetraethyl ketal
Ethylacetal *p*-diacetyl benzene
Group-member nr.: 41-048
- $C_{18}H_{32}$
- 1-Cyclohexyloctahydro-1,3,3-trimethyl-1*H*-indene [22236-61-9]
1-Cyclohexyl-1,3,3-trimethylhydrindan
Group-member nr.: 12-107
 - 1,1':2',1''-Tercyclohexane [2456-43-1]
o-Tercyclohexane
Group-member nr.: 12-108
 - 1,1':3',1''-Tercyclohexane [1706-50-9]
m-Tercyclohexane
Group-member nr.: 12-109
 - 1,1':4',1''-Tercyclohexane [1795-19-3]
p-Tercyclohexane
Group-member nr.: 12-110
- $C_{18}H_{32}O$
- 6,10,14-Trimethyl-3,5-pentadecadien-2-one [1604-32-6]
Group-member nr.: 43-063
- $C_{18}H_{34}$
- 1,1-Bis(dimethylcyclohexyl)ethane (unspecified isomer) [98803-06-6]
Group-member nr.: 12-112
 - 1,1-Bis(ethylcyclohexyl)ethane (unspecified isomer) [98803-07-7]
Group-member nr.: 12-111
- $C_{18}H_{34}O_2$
- (*Z*)-9-Octadecenoic acid [112-80-1]
Oleic acid
Group-member nr.: 44-033/B+S1
- $C_{18}H_{34}O_4$
- Dibutyl decanedioate [109-43-3]
Dibutyl ester decanedioic acid
Dibutyl sebacate
Group-member nr.: 45-105

- $C_{18}H_{34}O_4Pb$
 • Lead(2+) salt nonanoic acid [63400-08-8]
 Lead(II) nonanoate
 Lead(II) pelargonate
 Group-member nr.: 74-029/S1
- $C_{18}H_{36}$
 • Dodecylcyclohexane [1795-17-1]
 Cyclohexyldodecane
 Group-member nr.: 12-113
 • Hexaethylcyclohexane (unspecified isomer) [98803-61-3]
 Group-member nr.: 12-114
- $C_{18}H_{36}N_2O_2$
 • *N,N'*-Dihexylhexanediamide [21150-82-3]
N,N'-Dihexyladipamide
 Group-member nr.: 62-109
- $C_{18}H_{36}O$
 • (*Z*)-9-Octadecen-1-ol [143-28-2]
 Oleyl alcohol
 Group-member nr.: 42-120/S1
 • 6,10,14-Trimethyl-2-pentadecanone [502-69-2]
 Phytone
 Group-member nr.: 43-064
- $C_{18}H_{36}O_2$
 • Octadecanoic acid [57-11-4]
 Stearic acid
 Group-member nr.: 44-034/B+S1
- $C_{18}H_{37}Cl$
 • 1-Chlorooctadecane [3386-33-2]
 Group-member nr.: 22-049
- $C_{18}H_{38}$
 • Octadecane [593-45-3]
 Group-member nr.: 11-057/B+S1
- $C_{18}H_{38}O$
 • 1-Octadecanol [112-92-5]
n-Octadecyl alcohol
 Stearyl alcohol
 Group-member nr.: 42-103/B+S1
- $C_{18}H_{38}O_7$
 • 2,5,8,11,14-Pentamethyl-3,6,9,12,15-pentaoxaoctadecane [74388-92-4]
 Hexa(propylene glycol)
 Group-member nr.: 47-069/S1
- $C_{18}H_{38}S$
 • 1,1'-Thiobisnonane [929-98-6]
 10-Thianonadecane
 Dinonyl sulfide
 Group-member nr.: 51-027
- $C_{19}H_{15}Cl$
 • 1,1',1''-(Chloromethylidene)trisbenzene [76-83-5]
 Triphenylchloromethane
 Group-member nr.: 22-064/S1
- $C_{19}H_{16}$
 • 1,1',1''-Methylidynetrisbenzene [519-73-3]
- Triphenylmethane
 Tritane
 Group-member nr.: 14-086
- $C_{19}H_{20}F_3N_3O_3$
 • 2-(4-Morpholinyl)ethyl ester
 2-[[3-(trifluoromethyl)phenyl]amino]-3-pyridinecarboxylic acid [65847-85-0]
 Morniflumate
 Group-member nr.: 64-041/S1
- $C_{19}H_{20}O_4$
 • Butyl phenylmethyl ester 1,2-benzenedicarboxylic acid [85-68-7]
 Benzyl butyl phthalate
 Group-member nr.: 45-149/S1
- $C_{19}H_{22}ClNO$
 • 4-Chloro-*N*-[[4-(hexyloxy)phenyl]methylene]benzenamine [5219-48-7]
p-n-Hexyloxybenzylideneamino-*p'*-chlorobenzene
 Group-member nr.: 64-029
- $C_{19}H_{22}FNO$
 • 4-Fluoro-*N*-[[4-(hexyloxy)]methylene]benzenamine [56544-26-4]
p-n-Hexyloxybenzylideneamino-*p'*-fluorobenzene
 Group-member nr.: 64-030
- $C_{19}H_{23}NO$
 • 4-Butyl-*N*-[(4-ethoxyphenyl)methylene]benzenamine [29743-08-6]
p-Butyl-*N*-(*p*-ethoxybenzylidene)aniline
 Group-member nr.: 62-110
 • *N*-[[4-(Hexyloxy)phenyl]methylene]benzenamine [5219-49-8]
p-n-Hexyloxybenzylideneaniline
 Group-member nr.: 62-111
- $C_{19}H_{36}$
 • Bis(2,4,6-trimethylcyclohexyl)methane [94380-80-0]
 Group-member nr.: 12-115
 • 4-Heptyl-1,1'-bicyclohexyl [96667-88-8]
 4-Heptylcyclohexylcyclohexane
 Group-member nr.: 12-116
 • 1,1'-Heptylidenebiscyclohexane [2090-15-5]
 1,1-Dicyclohexylheptane
 Group-member nr.: 12-117
- $C_{19}H_{38}O_2$
 • 1-Methylethyl ester hexadecanoic acid [142-91-6]
 Isopropyl palmitate
 Group-member nr.: 45-150/S1
 • Nonadecanoic acid [646-30-0]
 Nonadecylic acid
 Group-member nr.: 44-035
- $C_{19}H_{40}$
 • Nonadecane [629-92-5]
 Group-member nr.: 11-058/B+S1
 • 2,6,10,14-Tetramethylpentadecane [1921-70-6]
 Pristane

- Group-member nr.: 11-059
- $C_{19}H_{40}O$
- 1-Nonadecanol [1454-84-8]
Group-member nr.: 42-121/S1
- $C_{20}F_{42}$
- Dotetracontafluoroeicosane [37589-57-4]
Perfluoroeicosane
Group-member nr.: 21-055/S1
- $C_{20}H_{12}$
- Benzo[*a*]pyrene [50-32-8]
3,4-Benzopyrene
Group-member nr.: 14-124/S1
 - Perylene [198-55-0]
Group-member nr.: 14-087/B+S1^E
- $C_{20}H_{14}$
- 9,10-Dihydro-9,10[1',2']-benzenoanthracene [477-75-8]
Triptycene
Group-member nr.: 14-088
- $C_{20}H_{22}N_2O$
- 4-[[[4-(Hexyloxy)phenyl]methylene]amino]benzotrile [35280-78-5]
p-n-Hexyloxybenzylideneamino-*p'*-benzotrile
Group-member nr.: 62-112
- $C_{20}H_{24}N_2O_3$
- (*E*)-4-[(4-Methoxyphenyl)azo]phenyl ester heptanoic acid [97402-83-0]
Group-member nr.: 62-113
- $C_{20}H_{25}NO$
- *N*-[[4-(Hexyloxy)phenyl]methylene]-4-methylbenzenamine [25959-51-7]
p-n-Hexyloxybenzylidene-*p'*-toluidine
Group-member nr.: 62-114
- $C_{20}H_{26}N_2O_3$
- Bis(4-butoxyphenyl)diazene-1-oxide [17051-01-3]
4,4'-Dibutoxyazoxybenzene
Group-member nr.: 62-115
- $C_{20}H_{30}O_3Si_3$
- 2,2,4,4-Tetraethyl-6,6-diphenylcyclotrisiloxane [108543-32-4]
Group-member nr.: 71-047
- $C_{20}H_{34}$
- Diethylhexadecahydropyrene [26446-93-5]
Diethylperhydropyrene
Group-member nr.: 12-118
- $C_{20}H_{34}O_5Si_5$
- Octamethyldiphenylcyclopentasiloxane (unspecified isomer) [51134-26-0]
Group-member nr.: 71-048
- $C_{20}H_{38}HgO_4$
- Mercury(2+) salt decanoic acid [27394-49-6]
Mercury(II) decanoate
Mercury(II) caprate
Group-member nr.: 74-008
- $C_{20}H_{38}O$
- 3,7,11,15-Tetramethyl-1-hexadecyn-3-ol [29171-23-1]
Group-member nr.: 42-104
- $C_{20}H_{38}PbO_4$
- Lead(2+) salt decanoic acid [15773-52-1]
Lead(II) decanoate
Lead(II) caprate
Group-member nr.: 74-009
- $C_{20}H_{40}O$
- 3,7,11,15-Tetramethyl-1-hexadecen-3-ol [505-32-8]
Isophytol
Group-member nr.: 42-105
- $C_{20}H_{40}O_2$
- Eicosanoic acid [506-30-9]
Icosanic acid
Arachidic acid
Group-member nr.: 44-036
- $C_{20}H_{42}$
- Eicosane [112-95-8]
Icosane
Group-member nr.: 11-060/B+S1
- $C_{20}H_{42}O$
- 1-Eicosanol [629-96-9]
Group-member nr.: 42-122/S1
 - 2-Octyl-1-dodecanol [5333-42-6]
9-Hydroxymethylnonadecane
Group-member nr.: 42-123/S1
- $C_{20}H_{42}O_6$
- 3,6,9,12,15-Pentaoxapentacosan-1-ol [23244-49-7]
Pentaoxyethylene glycol decyl ether
Group-member nr.: 47-070/S1
- $C_{20}H_{42}S$
- 1,1'-Thiobisdecane [693-83-4]
11-Thiaheneicosane
11-Thiahenicane
Didecyl sulfide
Group-member nr.: 51-028
- $C_{20}H_{44}Sn$
- Tetrapentylstannane [3765-65-9]
Tetrapentyltin
Group-member nr.: 73-032
- $C_{21}H_{14}N_2O_4$
- 1,1'-(Methylenedi-4,1-phenylene)bis-1*H*-pyrrole-2,5-dione [13676-54-5]
Bis-(4-maleic acidimidphenyl)methane
Group-member nr.: 62-116
- $C_{21}H_{16}$
- 1-(2-Naphthalenylmethyl)naphthalene [611-48-3]
1,2'-Dinaphthylmethane
Group-member nr.: 14-089
- $C_{21}H_{21}O_4P$
- Tris(methylphenyl)ester phosphoric acid [1330-78-5]
Tricresyl phosphate

- Tritolyl phosphate (unspecified isomer)
Group-member nr.: 72-014
- $C_{21}H_{24}O_3Si_3$
• (2 α ,4 α ,6 α)-2,4,6-Trimethyl-2,4,6-triphenylcyclotrisiloxane [3424-57-5]
cis-2,4,6-Trimethyl-2,4,6-triphenylcyclotrisiloxane
Group-member nr.: 71-049
• (2 α ,4 α ,6 β)-2,4,6-Trimethyl-2,4,6-triphenylcyclotrisiloxane [6138-53-0]
trans-2,4,6-Trimethyl-2,4,6-triphenylcyclotrisiloxane
Group-member nr.: 71-050
- $C_{21}H_{24}O_4$
• 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane [1675-54-3]
Group-member nr.: 47-045
- $C_{21}H_{38}$
• 9-(2-Ethylhexyl)dodecahydrofluorene [95135-48-1]
9-(2-Ethylhexyl)perhydrofluorene
Group-member nr.: 12-119
• 1,1',1''-(1-Propanyl-2-ylidene)triscyclohexane [55682-89-8]
1,1,3-Tricyclohexylpropane
Group-member nr.: 12-120
- $C_{21}H_{38}O_6$
• 1,2,3-Propanetriyl ester hexanoic acid [621-70-5]
1,2,3-Propanetriyl trihexanoate
Trihexanoin
Tricaproin
Group-member nr.: 45-106
- $C_{21}H_{40}$
• 4-Nonyl-1,1'-bicyclohexyl [95135-87-8]
4-Nonylcyclohexylcyclohexane
Group-member nr.: 12-121
- $C_{21}H_{40}O_4$
• 1-Methyl-1,2-ethanediyl ester nonanoic acid [41395-83-9]
Propylene dinonanoate
Propyleneglycol dipelargonate
Group-member nr.: 45-151/S1
- $C_{21}H_{42}InN_3S_6$
• Tris[bis(1-methylethyl)carbomodithioato-*S,S'*]indium [85883-33-6]
Group-member nr.: 73-047/S1
• Tris(dipropylcarbomodithiato-*S,S'*)indium [87052-01-5]
Group-member nr.: 73-048/S1
- $C_{21}H_{42}O_4$
• 2,3-Dihydroxypropyl ester octadecanoic acid [123-94-4]
1-Monostearin
Group-member nr.: 47-046
- $C_{21}H_{44}$
• Heneicosane [629-94-7]
Henicosane
Group-member nr.: 11-061
- $C_{22}H_{14}$
• Pentacene [135-48-8]
- 2,3,6,7-Dibenzoanthracene
Group-member nr.: 14-090/B+S1^E
- $C_{22}H_{14}O_4$
• 1,1'-(1,4-Phenylene)bis[2-phenylethanedione] [3363-97-1]
1,4-Bis(phenylglyoxaloyl)benzene
Group-member nr.: 43-069/S1
- $C_{22}H_{24}O_6$
• *trans*-Bis(4-methoxyphenyl)ester
1,4-cyclohexanedicarboxylic acid [26379-55-5]
Di(*p*-methoxyphenyl)-*trans*-cyclohexane-1,4-dicarboxylate
Group-member nr.: 47-047
- $C_{22}H_{29}NO$
• 4-Butyl-*N*-[[4-(pentyloxy)phenyl]methylene]benzenamine [29743-10-0]
N-p-n-Pentyloxybenzylidene-*p'*-*n*-butylaniline
Group-member nr.: 62-117
- $C_{22}H_{30}N_2O_3$
• Bis(4-pentyloxyphenyl)diazene-1-oxide [19482-05-4]
4,4'-Bis(pentyloxy)azoxybenzene
Group-member nr.: 62-118
- $C_{22}H_{42}O_4$
• Bis(2-ethylhexyl) hexanedioate [103-23-1]
Bis(2-ethylhexyl) adipate
Bis(2-ethylhexyl) ester hexanedioic acid
Group-member nr.: 45-107/B+S1^E
• Dihexyl decanedioate [2449-10-7]
Dihexyl ester decanedioic acid
Dihexyl sebacate
Group-member nr.: 45-108
- $C_{22}H_{42}O_4Pb$
• Lead(2+) salt undecanoic acid [63400-07-7]
Lead(II) undecanoate
Group-member nr.: 74-030/S1
- $C_{22}H_{44}N_2O_2$
• *N,N'*-Dihexyldecanediamine [31827-03-9]
N,N'-Dihexylsebacamide
Group-member nr.: 62-119
- $C_{22}H_{44}O_2$
• Butyl octadecanoate [123-95-5]
Butyl ester octadecanoic acid
Butyl stearate
Group-member nr.: 45-109
- $C_{22}H_{45}Br$
• 1-Bromodocosane [6938-66-5]
n-Docosyl bromide
Group-member nr.: 23-039
- $C_{22}H_{46}$
• Docosane [629-97-0]
Group-member nr.: 11-062
- $C_{22}H_{46}O$
• 1-Docosanol [661-19-8]
Group-member nr.: 42-124/S1

- $C_{22}H_{46}O_6$
- 3,6,9,12,15-Pentaoxaheptacosan-1-ol [3055-95-6]
Pentaoxyethylene glycol dodecyl ether
Group-member nr.: 47-071/S1
- $C_{22}H_{46}O_7$
- 3,6,9,12,15,18-Hexaoxaoctacosan-1-ol [5168-89-8]
Hexaoxyethylene glycol decyl ether
Group-member nr.: 47-072/S1
- $C_{23}H_{31}NO$
- 4-Butyl-*N*-[[4-(hexyloxy)phenyl]methylene]benzenamine [29743-11-1]
N-p-n-Hexyloxybenzylidene-*p'*-*n*-butylaniline
Group-member nr.: 62-120
- $C_{23}H_{44}O_5$
- 3-(Acetyloxy)-2-hydroxypropyl ester octadecanoic acid [820-17-7]
3-Aceto-1-stearin
Group-member nr.: 47-048
- $C_{23}H_{48}$
- Tricosane [638-67-5]
Group-member nr.: 11-063
- $C_{24}F_{50}$
- Pentacontafuorotetracosane [1766-41-2]
Perfluorotetracosane
Group-member nr.: 21-056/S1
- $C_{24}H_{18}$
- 5'-Phenyl-1,1':3',1''-terphenyl [612-71-5]
1,3,5-Triphenylbenzene
Group-member nr.: 14-091
 - 1,1':3',1'':3'',1'''-Quaterphenyl [1166-18-3]
m-Quaterphenyl
Group-member nr.: 14-092
- $C_{24}H_{32}O_3$
- 4-(Heptyloxy)phenyl ester 4-butylbenzoic acid [38454-35-2]
p-(Heptyloxy)phenyl *p*-butylbenzoate
Group-member nr.: 47-049
- $C_{24}H_{34}$
- 1,1-Diphenyldodecane [1603-53-8]
Group-member nr.: 14-093
- $C_{24}H_{34}N_2O_3$
- Bis(4-hexyloxyphenyl)diazene-1-oxide [2587-42-0]
4,4'-Bis(hexyloxy)azoxybenzene
Group-member nr.: 62-121
- $C_{24}H_{36}Cr$
- Bis[(1,2,3,4,5,6- η)-bis(1-methylethyl)benzene]chromium [38744-20-6]
Bis[diisopropylbenzene]chromium
Group-member nr.: 73-049/S1
- $C_{24}H_{38}O_4$
- Bis(2-ethylhexyl)-1,2-benzenedicarboxylate [117-81-7]
Bis(2-ethylhexyl) ester phthalic acid
Group-member nr.: 45-110/B+S1
- $C_{24}H_{40}$
- (1-Cyclohexyldodecyl)benzene [62155-50-4]
1-Cyclohexyl-1-phenyldodecane
Group-member nr.: 14-094
- $C_{24}H_{46}CdO_4$
- Cadmium salt dodecanoic acid [2605-44-9]
Cadmium dodecanoate
Cadmium laurate
Group-member nr.: 74-010
- $C_{24}H_{46}HgO_4$
- Mercury(2+) salt dodecanoic acid [23186-25-6]
Mercury(II) dodecanoate
Mercury(II) laurate
Group-member nr.: 74-011
- $C_{24}H_{46}O_4Pb$
- Lead(2+) salt dodecanoic acid [15773-55-4]
Lead(II) dodecanoate
Lead(II) laurate
Group-member nr.: 74-012
- $C_{24}H_{50}$
- Tetracosane [646-31-1]
Group-member nr.: 11-064
- $C_{24}H_{50}O_7$
- 3,6,9,12,15,18-Hexaoxatriacontan-1-ol [3055-96-7]
Hexaoxyethylene glycol dodecyl ether
Group-member nr.: 47-073/S1
- $C_{24}H_{51}N$
- *N,N*-Dioctyl-1-octanamine [1116-76-3]
N,N,N-Trioctylamine
Group-member nr.: 31-065/S1
- $C_{24}H_{52}ClNO_4$
- *N,N,N*-Trihexyl-1-hexanaminium perchlorate [4656-81-9]
Tetrahexylammonium perchlorate
Group-member nr.: 74-013
- $C_{24}H_{52}O_4Si$
- Tetrakis(2-ethylbutyl) ester silicic acid [78-13-7]
Tetrakis(2-ethylbutyl) orthosilicate
Tetrakis(2-ethylbutoxy)silane
Group-member nr.: 71-051
- $C_{25}H_{34}O_2S$
- *S*-(4-Pentylphenyl) ester 4-(heptyloxy)benzenecarbothioic acid [61519-00-4]
4-*n*-Pentylphenyl-4'-heptyloxythiobenzoate
Group-member nr.: 63-008/S1
- $C_{25}H_{42}O_3$
- 4-(Octadecyloxy)benzoic acid [15872-50-1]
p-n-Octadecyloxybenzoic acid
Group-member nr.: 47-074/S1
- $C_{25}H_{44}$
- Nonadecylbenzene [29136-19-4]
Group-member nr.: 14-125/S1
- $C_{25}H_{46}$
- 4'-Heptyl-1,1':3',1''-tercyclohexane [unknown]

- 4-Heptyl-*m*-tercyclohexyl
Group-member nr.: 12-122
- $C_{25}H_{46}O_6$
• 2,3-Bis(acetyloxy)propyl ester octadecanoic acid [33599-07-4]
1,2-Diacetostearin
Group-member nr.: 45-111
- $C_{25}H_{48}O_4$
• Bis(2-ethylhexyl) nonanedioate [103-24-2]
Bis(2-ethylhexyl) azelate
Bis(2-ethylhexyl) ester nonanedioic acid
Group-member nr.: 45-112
- $C_{25}H_{50}$
• Nonadecylcyclohexane [22349-03-7]
Group-member nr.: 12-136/S1
- $C_{25}H_{52}$
• Pentacosane [629-99-2]
Group-member nr.: 11-065
- $C_{26}H_{18}$
• 9,10-Diphenylanthracene [1499-10-1]
Group-member nr.: 14-095/B+S1^E
- $C_{26}H_{26}OSi_2$
• 1,3-Dimethyl-1,1,3,3-tetraphenyldisiloxane [807-28-3]
Group-member nr.: 71-052
- $C_{26}H_{36}O_3Si_3$
• 2,2-Dimethyl-4,4,6,6-tetraphenylcyclotrisiloxane [1438-86-4]
Group-member nr.: 71-053
- $C_{26}H_{38}N_2O_3$
• Bis(4-heptyloxyphenyl)diazene-1-oxide [2635-26-9]
4,4'-Bis(heptyloxy)azoxybenzene
Group-member nr.: 62-122
- $C_{26}H_{50}O_4$
• Dioctyl decanedioate [2432-87-3]
Dioctyl ester decanedioic acid
Dioctyl sebacate
Group-member nr.: 45-113
- $C_{26}H_{50}O_4Pb$
• Lead(2+) salt tridecanoic acid [50354-80-8]
Lead(II) tridecanoate
Group-member nr.: 74-031/S1
- $C_{26}H_{54}$
• Hexacosane [630-01-3]
Group-member nr.: 11-066
- $C_{26}H_{54}O_9$
• 3,6,9,12,15,18,21,24-Octaoxatetatriacontan-1-ol [24233-81-6]
Octaoxyethylene glycol decyl ether
Group-member nr.: 47-075/S1
- $C_{27}H_{46}O$
• Cholesterol [57-88-5]
5-Cholesten-3 β -ol
Group-member nr.: 42-125/S1
- $C_{27}H_{48}$
• (5 α)-Cholestane [481-21-0]
17-(1,5-Dimethylhexyl)-10,13-dimethylhexahydro-1*H*-cyclopenta[*a*]phenanthrene
Group-member nr.: 12-137/S1
- 11-Phenylheneicosane [6703-80-6]
(1-Decylundecyl)benzene
11-Phenylheneicosane
Group-member nr.: 14-096
- $C_{27}H_{50}$
• 4'-Nonyl-1,1':3',1''-tercyclohexane [unknown]
4-Nonyl-*m*-tercyclohexyl
Group-member nr.: 12-123
- $C_{27}H_{50}O_6$
• 1,2,3-Propanetriyl ester octanoic acid [538-23-8]
1,2,3-Propanetriyl trioctanoate
Trioctanoin
Group-member nr.: 45-114
- $C_{27}H_{54}$
• (1-Decylundecyl)cyclohexane [6703-99-7]
11-Cyclohexylheneicosane
11-Cyclohexylheneicosane
Group-member nr.: 12-124
- $C_{27}H_{54}AsN_3S_6$
• Tris(dibutylcarbamodithioato-*S,S'*)arsenic [48233-55-2]
Group-member nr.: 73-050/S1
- $C_{27}H_{54}BiN_3S_6$
• Tris(dibutylcarbamodithioato-*S,S'*)bismuth [34410-99-6]
Group-member nr.: 73-051/S1
- $C_{27}H_{54}InN_3S_6$
• Tris[bis(2-methylpropyl)carbamodithioato-*S,S'*]indium [85129-27-7]
Group-member nr.: 73-052/S1
- Tris(dibutylcarbamodithioato-*S,S'*)indium [23467-56-3]
Group-member nr.: 73-053/S1
- $C_{27}H_{54}N_3PS_6$
• Tris(anhydrosulfide) with phosphorotrithious acid dibutylcarbamodithioic acid [69267-83-0]
Group-member nr.: 72-020/S1
- $C_{27}H_{54}N_3S_6Sb$
• Tris(dibutylcarbamodithioato-*S,S'*)antimony [14907-93-8]
Group-member nr.: 73-054/S1
- $C_{27}H_{56}$
• Heptacosane [593-49-7]
Group-member nr.: 11-067
- $C_{28}H_{28}P$
• 1,4-Butanediylbis(diphenylphosphine) [7688-25-7]
1,4-Bis(diphenylphosphino)butane
Tetramethylenebis(diphenylphosphine)
Group-member nr.: 72-015
- $C_{28}H_{32}O_4Si_4$
• 2,2,4,4-Tetramethyl-6,6,8,8-tetraphenylcyclotetrasiloxane [1693-47-6]

- Group-member nr.: 71-054
- 2,4,6,8-Tetramethyl-2,4,6,8-tetraphenylcyclotetrasiloxane [77-63-4]
Group-member nr.: 71-055
- $C_{28}H_{42}N_2O_3$
- Bis(4-octyloxyphenyl)diazene-1-oxide [25729-12-8]
4,4'-Bis(octyloxy)azoxybenzene
Group-member nr.: 62-123
- $C_{28}H_{54}CdO_4$
- Cadmium salt tetradecanoic acid [10196-67-5]
Cadmium tetradecanoate
Cadmium myristate
Group-member nr.: 74-014
- $C_{28}H_{54}HgO_4$
- Mercury(2+) salt tetradecanoic acid [36215-49-3]
Mercury(II) tetradecanoate
Mercury(II) myristate
Group-member nr.: 74-015
- $C_{28}H_{54}O_2$
- Decyl ester (Z)-9-octadecenoic acid [3687-46-5]
Decyl oleate
Group-member nr.: 45-152/S1
- $C_{28}H_{54}O_4Pb$
- Lead(2+) salt tetradecanoic acid [32112-52-0]
Lead(II) tetradecanoate
Lead(II) myristate
Group-member nr.: 74-016
- $C_{28}H_{58}$
- Octacosane [630-02-4]
Group-member nr.: 11-068
- $C_{29}H_{42}O_4$
- 4-(Hexyloxy)phenyl ester 4-(decyloxy)benzoic acid [68162-09-4]
4-Hexyloxyphenyl-4'-n-decyloxybenzoate
Group-member nr.: 47-050
- $C_{30}H_{32}P_2$
- 1,6-Hexanediyldiphenylphosphine [19845-69-3]
1,6-Bis(diphenylphosphino)hexane
Group-member nr.: 72-021/S1
- $C_{30}H_{46}N_2O_3$
- Bis(4-nonyloxyphenyl)diazene-1-oxide [25729-13-9]
4,4'-Bis(nonyloxy)azoxybenzene
Group-member nr.: 62-124
- $C_{30}H_{58}O_4$
- Didecyl decanedioate [2432-89-5]
Didecyl ester decanedioic acid
Didecyl sebacate
Group-member nr.: 45-115
- $C_{30}H_{61}Br$
- 1-Bromotriacontane [4209-22-7]
n-Triacontyl bromide
Group-member nr.: 23-040
- $C_{30}H_{62}$
- 2,6,10,15,19,23-Hexamethyltetracosane [111-01-3]
Squalane
Group-member nr.: 11-069
- $C_{30}H_{62}O_2$
- Triacontane [638-68-6]
Group-member nr.: 11-070
- $C_{31}H_{32}O_2P_2$
- [[(4R,5R)-2,2-Dimethyl-1,3-dioxolane-4,5-diyl]bis(methylene)]bis[diphenylphosphine] [32305-98-9]
(-)-2,3-O-Isopropylidene-2,3-dihydroxy-1,4-bis(diphenylphosphino)butane
Group-member nr.: 72-022/S1
- $C_{31}H_{52}O_3$
- 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-1-benzopyran-6-ol acetate [7695-91-2]
 α -Tocopherol acetate
Group-member nr.: 47-051
- $C_{31}H_{62}O$
- 16-Hentriacontanone [502-73-8]
Dipentadecyl ketone
Group-member nr.: 43-070/S1
- $C_{31}H_{64}$
- 11-Decylheneicosane [55320-06-4]
11-Decylhenicosane
Group-member nr.: 11-071
 - Hentriacontane [630-04-6]
Untriacontane
Group-member nr.: 11-072
- $C_{32}H_{50}N_2O_3$
- Bis(4-decyloxyphenyl)diazene-1-oxide [2312-12-1]
4,4'-Bis(decyloxy)azoxybenzene
Group-member nr.: 62-125
- $C_{32}H_{54}O_4$
- Bis(2,4-diethyloctyl) ester 1,2-benzenedicarboxylic acid [40989-56-8]
Diisododecyl phthalate
Group-member nr.: 45-153/S1
- $C_{32}H_{62}CdO_4$
- Cadmium salt hexadecanoic acid [6427-86-7]
Cadmium hexadecanoate
Cadmium palmitate
Group-member nr.: 74-017
- $C_{32}H_{62}HgO_4$
- Mercury(2+) salt hexadecanoic acid [16888-60-1]
Mercury(II) hexadecanoate
Mercury(II) palmitate
Group-member nr.: 74-018
- $C_{32}H_{62}O_4Pb$
- Lead(2+) salt hexadecanoic acid [15773-56-5]
Lead(II) hexadecanoate
Lead(II) palmitate
Group-member nr.: 74-019

- $C_{32}H_{66}$
 • Dotriacontane [544-85-4]
 Group-member nr.: 11-073
- $C_{33}H_{62}O_6$
 • 1,2,3-Propanetriyl ester decanoic acid [621-71-6]
 1,2,3-Propanetriyl tridecanoate
 Tridecanoin
 Group-member nr.: 45-116
- $C_{33}H_{68}$
 • Tritriacontane [630-05-7]
 Group-member nr.: 11-074
- $C_{34}H_{54}N_2O_3$
 • Bis[4-(undecyloxy)phenyl]diazene-1-oxide [2312-13-2]
 4,4'-Bis(undecyloxy)azoxybenzene
 Group-member nr.: 62-126
- $C_{34}H_{66}O_4$
 • Didodecyl decanedioate [2432-88-4]
 Didodecyl ester decanedioic acid
 Didodecyl sebacate
 Group-member nr.: 45-117
- $C_{34}H_{70}$
 • Tetratriacontane [14167-59-0]
 Group-member nr.: 11-075
- $C_{35}H_{72}$
 • Pentatriacontane [630-07-9]
 Group-member nr.: 11-076
- $C_{36}H_{24}$
 • 1,1',1''-(1,3,5-Benzenetriyl)trisnaphthalene [7059-70-3]
 1,3,5-Tri- α -naphthylbenzene
 Group-member nr.: 14-097
- $C_{36}H_{48}N_2O_2$
 • (*E,E*)-*N,N'*-Bis[[4-(octyloxy)phenyl]methylene]-1,4-benzenediamine [29273-90-3]
N,N'-Bis(4-*n*-octyloxybenzal)-1,4-phenylenediamine
 Group-member nr.: 62-174/S1
- $C_{36}H_{58}N_2O_3$
 • Bis[4-(dodecyloxy)phenyl]diazene-1-oxide [2312-14-3]
 4,4'-Bis(dodecyloxy)azoxybenzene
 Group-member nr.: 62-127
- $C_{36}H_{68}O_2$
 • (*Z*)-9-Octadecenyl ester (*Z*)-9-octadecenoic acid [3687-45-4]
 Oleyl oleate
 Group-member nr.: 45-154/S1
- $C_{36}H_{70}CdO_4$
 • Cadmium salt octadecanoic acid [2223-93-0]
 Cadmium octadecanoate
 Cadmium stearate
 Group-member nr.: 74-020
- $C_{36}H_{70}HgO_4$
 • Mercury(2+) salt octadecanoic acid [645-99-8]
 Mercury(II) octadecanoate
 Mercury(II) stearate
- Group-member nr.: 74-021
- $C_{36}H_{70}O_4Pb$
 • Lead(2+) salt octadecanoic acid [1072-35-1]
 Lead(II) octadecanoate
 Lead(II) stearate
 Group-member nr.: 74-022
- $C_{36}H_{74}$
 • Hexatriacontane [630-06-8]
 Group-member nr.: 11-077/B+S1
- $C_{37}H_{54}Si$
 • Tribenzylhexadecylsilane [4033-52-7]
 Group-member nr.: 71-056
- $C_{38}H_{70}O_8$
 • 1,6-Hexanediyldihexyl ester decanedioic acid [55205-81-7]
 Dihexyl hexamethylenesebacate
 Group-member nr.: 45-118
- $C_{38}H_{74}O_4$
 • Ditetradecyl decanedioate [26719-47-1]
 Ditetradecyl ester decanedioic acid
 Ditetradecyl sebacate
 Group-member nr.: 45-119
- $C_{39}H_{74}O_6$
 • 1,2,3-Propanetriyl ester dodecanoic acid [538-24-9]
 1,2,3-Propanetriyl tridodecanoate
 Trilaurin
 Group-member nr.: 45-120/B+S1
- $C_{39}H_{78}O$
 • 20-Nonatriacontanone [22986-70-5]
 Dinonadecyl ketone
 Group-member nr.: 43-071/S1
- $C_{40}H_{82}$
 • Tetracontane [4181-95-7]
 Group-member nr.: 11-078
- $C_{41}H_{72}O_2$
 • Cholest-5-en-3-ol (3β) tetradecanoate [1989-52-2]
 Cholesterol myristate
 Group-member nr.: 45-121
- $C_{42}H_{66}O_{12}$
 • 1,2,3,4,5,6-Benzenehexayl ester hexanoic acid [65201-69-6]
 Benzene hexa-*n*-hexanoate
 Group-member nr.: 45-122
- $C_{42}H_{82}O_4$
 • Dihexadecyl decanedioate [26719-48-2]
 Dihexadecyl ester decanedioic acid
 Dihexadecyl sebacate
 Group-member nr.: 45-123
- $C_{42}H_{86}$
 • Dotetracontane [7098-20-6]
 Group-member nr.: 11-079
- $C_{43}H_{88}$
 • Tritetracontane [7098-21-7]

- Group-member nr.: 11-080
- $C_{44}H_{90}$
- Tetratetracontane [7098-22-8]
Group-member nr.: 11-081
- $C_{45}H_{86}O_6$
- 1,2,3-Propanetriyl ester tetradecanoic acid [555-45-3]
1,2,3-Propanetriyl tritradecanoate
Trimyristin
Group-member nr.: 45-124/B+S1
- $C_{46}H_{90}O_4$
- Dioctadecyl decanedioate [3072-03-5]
Dioctadecyl ester decanedioic acid
Dioctadecyl sebacate
Group-member nr.: 45-125
- $C_{47}H_{90}O_6$
- 2,3-Bis[(1-oxotetradecyl)oxy]propyl ester hexadecanoic acid [60138-13-8]
1,2-Dimyristoyl-3-palmitoyl triglyceride
Group-member nr.: 45-155/S1
- $C_{48}H_{40}P_2$
- [1,1'-Binaphthalene]-2,2'-diylbis[bis(4-methylphenyl)phosphine] [153305-67-0]
2,2'-Bis(di-*p*-toluenephosphino)-1,1'-binaphthyl
Group-member nr.: 72-023/S1
- $C_{48}H_{78}O_{12}$
- 1,2,3,4,5,6-Benzenehexayl ester heptanoic acid [65201-70-9]
Benzene hexa-*n*-heptanoate
Group-member nr.: 45-126
- $C_{48}H_{98}$
- Octatetracontane [7098-26-2]
Group-member nr.: 11-082
- $C_{49}H_{92}O_6$
- 2,3-Bis[(1-oxotetradecyl)oxy]propyl ester (Z)-9-octadecenoic acid [74160-01-3]
1,2-Dimyristoyl-3-oleoyl triglyceride
Group-member nr.: 45-156/S1
- $C_{50}H_{102}$
- Pentacontane [6596-40-3]
Group-member nr.: 11-083
- $C_{51}H_{98}O_6$
- 1,2,3-Propanetriyl ester hexadecanoic acid [555-44-2]
1,2,3-Propanetriyl trihexadecanoate
Tripalmitin
Group-member nr.: 45-127/B+S1
- $C_{53}H_{100}O_6$
- 2,3-Bis[(1-oxohexadecyl)oxy]propyl ester (Z)-9-octadecenoic acid [1867-91-0]
1,2-Dipalmitoyl-3-oleoyl triglyceride
Group-member nr.: 45-157/S1
- $C_{54}H_{90}O_{12}$
- 1,2,3,4,5,6-Benzenehexayl ester octanoic acid [65201-71-0]
- Benzene hexa-*n*-octanoate
- Group-member nr.: 45-128
- $C_{54}H_{98}O_{12}$
- 10,19,28,37-Tetraoxodihexyl ester
11,18,29,36-tetraoxahexatetracosanedioic acid [55205-82-8]
Dihexyl bis(hexamethylenesebacate)
Group-member nr.: 45-129
- $C_{55}H_{102}O_6$
- 1-[[[(1-Oxohexadecyl)oxy]methyl]-1,2-ethanediyl ester (Z)-9-octadecenoic acid [2190-30-9]
1,2-Dioleoyl-3-palmitoyl triglyceride
3-Palmito-1,2-diolein
Group-member nr.: 45-158/S1
- $C_{57}H_{92}O_6$
- (9Z,9'Z,9''Z,12Z,12'Z,12''Z,15Z,15'Z,15''Z)-1,2,3-Propanetriyl ester 9,12,15-octadecatrienoic acid [14465-68-0]
Trilinolein
Group-member nr.: 45-159/S1
- $C_{57}H_{110}O_6$
- 1,2,3-Propanetriyl ester octadecanoic acid [555-43-1]
1,2,3-Propanetriyl trioctadecanoate
Tristearin
Group-member nr.: 45-130/B+S1
- $C_{66}H_{96}O_{12}$
- 2,3,6,7,10,11-Triphenylenehexayl ester octanoic acid [70351-94-9]
2,3,6,7,10,11-Hexa-*n*-octanoyloxy triphenylene
Group-member nr.: 45-160/S1
- CID
- Hydrochlorid acid-*d* [7698-05-7]
Deuterium chloride
Group-member nr.: 02-030
- $ClFO_3$
- Perchloryl fluoride ((ClO₃)F) [7616-94-6]
Group-member nr.: 02-031/B+S1
- ClF_3
- Chlorine fluoride (ClF₃) [13637-63-3]
Chlorine trifluoride
Group-member nr.: 02-032
- CIH
- Hydrochlorid acid [7647-01-0]
Hydrogen chloride
Group-member nr.: 02-033
- $ClHO_4$
- Perchloric acid [7601-90-3]
Group-member nr.: 02-034
- CII
- Iodine chloride [7790-99-0]
Iodine monochloride
Group-member nr.: 02-035
- $ClNaO_3$
- Sodium salt chloric acid [7775-09-9]

- Sodium chlorate
Group-member nr.: 02-036
- Cl₂
• Chlorine [7782-50-5]
Group-member nr.: 01-004
- Cl₂OS
• Thionyl chloride [7719-09-7]
Group-member nr.: 02-037
- Cl₂O₂S
• Sulfuryl chloride [7791-25-5]
Group-member nr.: 02-038
- Cl₂O₅S₂
• Disulfuryl chloride [7791-27-7]
Pyrosulfuryl chloride
Group-member nr.: 02-039
- Cl₂S₂
• Sulfur chloride (S₂Cl₂) [10025-67-9]
Sulfur monochloride
Group-member nr.: 02-040
- Cl₂Sn
• Tin chloride (SnCl₂) [7772-99-8]
Group-member nr.: 02-041
- Cl₃HSi
• Trichlorosilane [10025-78-2]
Group-member nr.: 02-042
- Cl₃OP
• Phosphoryl chloride [10025-87-3]
Group-member nr.: 02-043
- Cl₃P
• Phosphorous trichloride [7719-12-2]
Phosphorus chloride (PCl₃)
Group-member nr.: 02-044
- Cl₄Ge
• Tetrachlorogermane [10038-98-9]
Germanium tetrachloride
Group-member nr.: 02-045
- Cl₄Si
• Tetrachlorosilane [10026-04-7]
Silicon chloride
Group-member nr.: 02-046
- Cl₄Sn
• Tetrachlorostannane [7646-78-8]
Tin(IV) chloride
Tin tetrachloride
Group-member nr.: 02-047
- Cl₄Te
• Tellurium chloride (TeCl₄) [10026-07-0]
Tellurium tetrachloride
Group-member nr.: 02-048
- Cl₄Ti
• Titanium chloride (TiCl₄) [7550-45-0]
Titanium tetrachloride
- Titanic chloride
Group-member nr.: 02-049
- Cl₆N₃P₃
• 2,2,4,4,6,6-Hexachloro-2,2,4,4,6,6-hexahydro-1,3,5,2,4,6-triazatriphosphorine [940-71-6]
Hexachlorocyclotriphosphazene
Group-member nr.: 02-104/S1
- Cl₈N₄P₄
• 2,2,4,4,6,6,8,8-Octachloro-2,2,4,4,6,6,8,8-octahydro-1,3,5,7,2,4,6,8-tetrazatetraphosphorine [2950-45-0]
Octachlorocyclotetraphosphazene
Group-member nr.: 02-105/S1
- Cs
• Cesium [7440-46-2]
Group-member nr.: 01-005
- CsF₂H
• Cesium fluoride (Cs(HF₂)) [12280-52-3]
Cesium hydrogen difluoride
Group-member nr.: 02-050
- DH
• Deuterium molecule with hydrogen [13983-20-5]
Hydrogen deuteride
Group-member nr.: 02-051
- DI
• Hydroiodic acid-*d* [14104-45-1]
Deuterium iodide
Group-member nr.: 02-052
- D₂
• Deuterium (D₂) [7782-39-0]
Group-member nr.: 01-006/B+S1^E
• ortho-Deuterium (D₂) [unknown]
Group-member nr.: 01-007
- D₂O
• Water-*d*₂ [7789-20-0]
Heavy water
Deuterium oxide
Group-member nr.: 02-053
- D₂O₂
• Hydrogen-*d*₂ peroxide [6909-54-2]
Deuterium peroxide
Group-member nr.: 02-054
- D₂S
• Hydrogen sulfide-*d*₂ [13536-94-2]
Deuterium sulfide
Group-member nr.: 02-055
- D₂Se
• Hydrogen selenide-*d*₂ [13536-95-3]
Deuterium selenide
Group-member nr.: 02-056
- D₃N
• Ammonia-*d*₃ [13550-49-7]
Deuterium ammonia
Trideuterated ammonia

- Group-member nr.: 02-057
- FH
- Hydrofluoric acid [7664-39-3]
Hydrogen fluoride
Group-member nr.: 02-058
- F₂
- Fluorine [7782-41-4]
Group-member nr.: 01-008
- F₂HRb
- Rubidium fluoride (Rb(HF₂)) [12280-64-7]
Rubidium hydrogen difluoride
Group-member nr.: 02-059
- F₂H₅N
- Ammonium fluoride ((NH₄)(HF₂)) [1341-49-7]
Ammonium hydrogen difluoride
Group-member nr.: 02-060
- F₂O
- Oxygen fluoride [7783-41-7]
Group-member nr.: 02-061
- F₂OS
- Thionyl fluoride [7783-42-8]
Group-member nr.: 02-062
- F₂O₂S
- Sulfuryl fluoride [2699-79-8]
Group-member nr.: 02-063/B+S1^E
- F₃N
- Nitrogen fluoride (NF₃) [7783-54-2]
Nitrogen trifluoride
Group-member nr.: 02-064
- F₃OP
- Phosphoryl fluoride [13478-20-1]
Group-member nr.: 02-065
- F₃P
- Phosphorous trifluoride [7783-55-3]
Phosphorus trifluoride
Phosphorous fluoride (PF₃)
Group-member nr.: 02-066
- F₄Si
- Tetrafluorosilane [7783-61-1]
Silicon tetrafluoride
Group-member nr.: 02-106/S1
- F₅I
- Iodine fluoride (IF₅) [7783-66-6]
Iodine pentafluoride
Group-member nr.: 02-067
- F₅Nb
- Niobium fluoride (NbF₅) [7783-68-8]
Niobium pentafluoride
Group-member nr.: 02-068
- F₆Mo
- Molybdenum fluoride (MoF₆) [7783-77-9]
Molybdenum hexafluoride
- Group-member nr.: 02-069
- F₆S
- Sulfur fluoride (SF₆) [2551-62-4]
Sulfur hexafluoride
Group-member nr.: 02-070/B+S1
- F₆Se
- Selenium fluoride (SeF₆) [7783-79-1]
Hexafluoroselenium
Group-member nr.: 02-107/S1
- F₆U
- Uranium(VI) fluoride [7783-81-5]
Uranium hexafluoride
Group-member nr.: 02-071
- F₆W
- Tungsten fluoride (WF₆) [69175-55-9]
Hexafluorotungsten
Group-member nr.: 02-108/S1
- Ga
- Gallium [7440-55-3]
Group-member nr.: 01-009
- GeH₄
- Germane [7782-65-2]
Group-member nr.: 02-072/B+S1
- HI
- Hydroiodic acid [10034-85-2]
Hydrogen iodide
Group-member nr.: 02-073
- HNO₃
- Nitric acid [7697-37-2]
Group-member nr.: 02-074
- H₂
- Hydrogen [1333-74-0]
Group-member nr.: 01-010
 - para-Hydrogen [unknown]
Group-member nr.: 01-011
- H₂O
- Water [7732-18-5]
Group-member nr.: 02-075
- H₂¹⁸O
- Water-¹⁸O [14314-42-2]
Heavy Oxygen Water
Group-member nr.: 02-109/S1
- H₂O₂
- Hydrogen peroxide [7722-84-1]
Group-member nr.: 02-076
- H₂O₄S
- Sulfuric acid [7664-93-9]
Group-member nr.: 02-077
- H₂O₇S₂
- Disulfuric acid [7783-05-3]
Pyrosulfuric acid
Group-member nr.: 02-078

- H₂S
 • Hydrogen sulfide [7783-06-4]
 Group-member nr.: 02-079
- H₂S₂
 • Hydrogen sulfide (H₂S₂) [13465-07-1]
 Dihydrogen disulfide
 Group-member nr.: 02-080
- H₂S₃
 • Hydrogen sulfide (H₂S₃) [13845-23-3]
 Dihydrogen trisulfide
 Group-member nr.: 02-081
- H₂S₄
 • Hydrogen sulfide (H₂S₄) [13845-25-5]
 Dihydrogen tetrasulfide
 Group-member nr.: 02-082
- H₂S₅
 • Hydrogen sulfide (H₂S₅) [13845-24-4]
 Dihydrogen pentasulfide
 Group-member nr.: 02-083
- H₂S₆
 • Hydrogen sulfide (H₂S₆) [13845-51-7]
 Dihydrogen hexasulfide
 Group-member nr.: 02-084
- H₂Se
 • Hydrogen selenide [7783-07-5]
 Group-member nr.: 02-085
- H₃N
 • Ammonia [7664-41-7]
 Group-member nr.: 02-086/B+S1
- H₃O₄P
 • Phosphoric acid [7664-38-2]
 Group-member nr.: 02-087
- H₃P
 • Phosphine [7803-51-2]
 Group-member nr.: 02-088
- H₄N₂
 • Hydrazine [302-01-2]
 Group-member nr.: 02-089
- H₄Si
 • Silane [7803-62-5]
 Group-member nr.: 02-090
- H₅NO
 • Ammonium hydroxide [1336-21-6]
 Group-member nr.: 02-091
- H₅N₃O₃
 • Hydrazine mononitrate [13464-97-6]
 Hydrazine nitrate
 Group-member nr.: 02-092
- H₈N₂O
 • Ammonium oxide [12161-77-2]
 Group-member nr.: 02-093
- He
 • Helium (isotope of mass 3) [14762-55-1]
 Group-member nr.: 01-013
 • Helium [7440-59-7]
 Group-member nr.: 01-012
- Hg
 • Mercury [7439-97-6]
 Group-member nr.: 01-014
- HgI₂
 • Mercury iodide (HgI₂) [7774-29-0]
 Group-member nr.: 02-094
- I₂
 • Iodine [7553-56-2]
 Group-member nr.: 01-015
- I₄Sn
 • Tetraiodostannane [7790-47-8]
 Tin iodide
 Stannic iodide
 Group-member nr.: 02-095
- In
 • Indium [7440-74-6]
 Group-member nr.: 01-016
- K
 • Potassium [7440-09-7]
 Kalium
 Group-member nr.: 01-017
- Kr
 • Krypton [7439-90-9]
 Group-member nr.: 01-018
- Li
 • Lithium [7439-93-2]
 Group-member nr.: 01-019
- LiNO₃
 • Lithium salt nitric acid [7790-69-4]
 Lithium nitrate
 Group-member nr.: 02-096
- NO
 • Nitrogen oxide (NO) [10102-43-9]
 Nitrogen monoxide
 Nitric oxide
 Group-member nr.: 02-097
- NO₂
 • Nitrogen oxide (NO₂) [10102-44-0]
 Nitrogen dioxide
 Group-member nr.: 02-098
- N₂
 • Nitrogen [7727-37-9]
 Group-member nr.: 01-020
- N₂O
 • Nitrogen oxide (N₂O) [10024-97-2]
 Dinitrogen monoxide
 Nitrous oxide
 Group-member nr.: 02-099/B+S1^E



- Nitrogen oxide (N_2O_4) [10544-72-6]
Dinitrogen tetroxide
Nitrogen peroxide
Nitrogen tetroxide
Group-member nr.: 02-100



- Sodium [7440-23-5]
Natrium
Group-member nr.: 01-021



- Neon [7440-01-9]
Group-member nr.: 01-022



- Oxygen [7782-44-7]
Group-member nr.: 01-023



- Sulfur dioxide [7446-09-5]
Group-member nr.: 02-101



- Ozone [10028-15-6]
Group-member nr.: 01-024



- Sulfur trioxide [7446-11-9]

Group-member nr.: 02-102



- Phosphorus oxide (P_4O_6) [12440-00-5]
Group-member nr.: 02-103



- Phosphorus mol. (P_4) [12185-10-3]
Group-member nr.: 01-025



- Rubidium [7440-17-7]
Group-member nr.: 01-026



- Sulfur [7704-34-9]
Group-member nr.: 01-027



- Selenium [7782-49-2]
Group-member nr.: 01-028



- Tin [7440-31-5]
Stannane
Group-member nr.: 01-029



- Xenon [7440-63-3]
Group-member nr.: 01-030

Name: Deuterium (D₂)
Formula: D₂

CAS-RN: 7782-39-0
Group No.: 1-006
Molar Mass: 4.03

Table 1.6.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
35CLU/BAR	N	19.4–21.7	8	nosp	99.7	estim	sat	BSIO	36CLU/GOL
64GRE/WHI	N	19.9–22.0	3	1.20	not specified		sat	BSAO	64GRE/WHI
35CLU/BAR	content of HD 0.3%								
64GRE/WHI	sample contained 78.7% para-Deuterium								

Name: Trifluoroborane
Formula: BF₃

CAS-RN: 7637-07-2
Group No.: 2-008
Molar Mass: 67.81

Table 2.8.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter			
				%	method		Type	Reference		
38EUC/SCH		145.0–173.0	5	S	nosp	99.3	melpt	<i>p</i>	BSAO	38EUC/SCH
58KOS/SAM	N	145.8–149.0	4		nosp	99.79	melpt	<i>p</i>	BSAO	54STR/ICK
58KOS/SAM	data from a graph only									

Table 2.8.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
38EUC/SCH	145.0–173.0	5	0.80 #	0.027	2.72–3	0.02	3.67–4	1
58KOS/SAM	147.0–149.0	3	0.80 #	0.251	2.49–2	0.20	–5.11–4	–1

Table 2.8.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	9	8	0.179	1.78–2	0.14	3.78–5	0
Temp. range K	A_1		A_2		Level of uncertainty		
145.0–173.0	1.08324+1		1.04203		IV		

Name: Carbon dioxide
Formula: CO₂

CAS-RN: 124-38-9
Group No.: 2-026
Molar Mass: 44.01

Table 2.26.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
26MAA/BAR	N	257.5	1	nosp	not specified	avg	DSIO	20MAA/HAT	
28EUC/HAU		220.0–290.0	8	S	nosp	not specified	sat	BSIO	28EUC/HAU
86MAG/ELY		220.4–303.0	77	0.50	99.9946	chrom	sat	BSAO	61GOO
94HAA/TIL	N	295.4–304.0	11	nosp	not specified	sat	not specified		
26MAA/BAR	average value in temperature range 217–298 K								
94HAA/TIL	calorimeter described in Tillmann W.: Dissertation, Aachen (1993)								


Table 2.26.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
86MAG/ELY	220.4–303.0	77	0.70 #	1.251	4.99–1	0.88	–6.17–2	–6
94HAA/TIL	295.4–303.4	10	0.70 #	3.408	2.01	2.39	6.81–1	–2
Rejected data								
26MAA/BAR	(4.57–1, 4.05, –4.57–1, –1)		28EUC/HAU	(4.56–1, 4.18, –4.15–1, –7)				

Table 2.26.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used	%				
p	97	87	1.720	8.63–1	1.20	2.37–2	–8
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
220.4–270.0	–1.78373+2		2.47895+2	–1.09362+2	1.62199+1	IV	
270.0–290.0	–5.20709+3		5.83536+3	–2.17879+3	2.71705+2	IV	
290.0–300.0	–2.21391+5		2.29474+5	–7.92955+4	9.13570+3	V	
300.0–303.4	–3.06917+7		3.06998+7	–1.02361+7	1.13767+6	V	

2-026



Selected data Rejected data
 ○ 86MAG/ELY ▲ 26MAA/BAR
 □ 94HAA/TIL ▼ 28EUC/HAU

Name: Perchloryl fluoride ((ClO₃)F)
 Formula: ClFO₃

CAS-RN: 7616-94-6
 Group No.: 2-031
 Molar Mass: 102.45

Table 2.31.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
58JAR/FRI	N	226.1–360.2	33	nosp	99.9	anal	sat	BSAO	58JAR/FRI
58KOE/GIA		130.5–223.3	15	nosp	99.999	melpt	sat	BSIO	28GIA/WIEI

58JAR/FRI uncertainty estimated by authors is 0.5% up to 340 K and 3% at 360 K

Table 2.31.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
58JAR/FRI	226.1–360.2	33	1.00 #	1.972	3.95–1	1.97	5.18–2	13
58KOE/GIA	130.5–223.3	15	0.40 #	1.047	4.69–2	0.42	–1.19–2	–3

Table 2.31.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	48	48	1.856	3.51–1	1.77	3.19–2	10
sat	48	48	1.664	3.08–1	1.59	2.66–2	8
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
130.5–250.0	1.62679+1		–9.29989	4.61991	–6.19907–1	IV	
250.0–350.0	–8.47500+1		1.11922+2	–4.38687+1	5.84524	V	
350.0–360.2	–5.96396+5		5.11236+5	–1.46079+5	1.39140+4	VI	
130.5–250.0	1.52656+1		–7.70718	3.81068	–4.89344–1	IV	
250.0–350.0	–4.91040+1		6.95364+1	–2.70868+1	3.63031	V	
350.0–360.2	–4.56439+5		3.91261+5	–1.11796+5	1.06483+4	VI	

Name: Sulfuryl fluoride
Formula: F₂O₂S

CAS-RN: 2699-79-8
Group No.: 2-063
Molar Mass: 102.06

Table 2.63.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
60BOC/PET	142.3–209.6	20	0.10	99.71	melpt	sat	BSAO	55PAC/PIE
76MOU/WEI	137.3–138.4	2	1.00	99.57	melpt	sat	BSAO	76MOU/WEI

Name: Sulfur fluoride (SF₆)
Formula: F₆S

CAS-RN: 2551-62-4
Group No.: 2-070
Molar Mass: 146.06

Table 2.70.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
38EUC/SCH	225.0–230.0	2	nosp	99.6	melpt	p	BSAO	38EUC/SCH
94OHT/YAM	226.0–249.6	9	nosp	99.99	melpt	sat	BSAO	87YAM/OGU

Table 2.70.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
94OHT/YAM	226.0–249.6	9	0.15 #	0.345	7.81–3	0.05	6.28–5	2
Rejected data								
38EUC/SCH	(6.44–1.4.48, –6.44–1, –1)							

Table 2.70.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	11	9	0.463	1.05-2	0.07	6.28-5	2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
226.0-249.6		5.23398+2	-6.40173+2	2.66578+2	-3.66717+1		II

Name: Germane
Formula: GeH₄

CAS-RN: 7782-65-2
Group No.: 2-072
Molar Mass: 76.64

Table 2.72.1. Experimental heat capacities

Reference	Temp. range K	No. pnts.	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
42CLU/FAB	112.7-165.4	8	nosp	not specified		<i>p</i>	BSIO	36CLU/GOL
78MOU/WEI	107.8-110.8	4	1.00	99.98	melpt	sat	BSAO	76MOU/WEI

Table 2.72.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
42CLU/FAB	112.7-165.4	8	1.50 #	0.738	8.14-2	1.11	-2.23-2	-2
78MOU/WEI	107.8-110.8	4	1.00	0.662	5.08-2	0.66	2.21-2	2

Table 2.72.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	12	12	0.824	8.39-2	1.13	-7.49-3	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
107.8-165.4		1.59426+1	-1.25867+1	4.55734			IV

Name: Ammonia
Formula: H₃N

CAS-RN: 7664-41-7
Group No.: 2-086
Molar Mass: 17.03

Table 2.86.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
18OSB/VAN	N	226.8-319.1	41	0.40	99.98	anal	sat	BSIO	18OSB/VAN
18OSB/VAN	N	234.2-308.9	9	0.40	99.98	anal	sat	BSIO	18OSB/VAN
24EUC/KAR		199.5-221.1	7	3.00	not specified		sat	BSIO	24EUC/KAR
26DAN/JEN		246.8-290.4	10	2.00	not specified		sat	BSIO	26DAN/JEN
37OVE/GIA		197.8-238.3	13	nosp	99.999	melpt	sat	BSIO	37GIA/EGA
71POP/MAN		199.2-200.8	2	1.00	99.99	anal	<i>p</i>	BSAO	68BAG/KUC

18OSB/VAN used method of measurements under saturation conditions

18OSB/VAN used method of measurements at constant pressure with full vessel of liquid

Table 2.86.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
18OSB/VAN	226.8–319.1	41	0.40	0.206	7.75–3	0.08	–6.65–4	–5
18OSB/VAN	234.2–308.9	9	0.40	0.202	7.60–3	0.08	2.62–3	2
37OVE/GIA	197.8–238.3	13	0.30 #	0.406	1.10–2	0.12	1.67–5	1
71POP/MAN	199.2–200.8	2	1.00	0.174	1.54–2	0.17	1.44–2	2
Rejected data								
24EUC/KAR	(3.38–1,3.66,3.15–1,7)		26DAN/JEN	(2.75–1,2.82,2.18–1,6)				


Table 2.86.3. Parameters of regression polynomial \pm

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	82	65	0.266	9.08–3	0.10	3.91–4	0
sat	82	65	0.258	8.60–3	0.09	2.94–4	0
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
197.8–319.1	–1.17631		1.20127+1	–4.94002	7.19471–1	III	
197.8–319.1	6.00878–1		9.65070	–3.88986	5.62935–1	III	

Table 2.86.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	82	65	0.409	1.30–2	0.14	8.66–4	3
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
197.8–319.1	405.60	–3.40434–1	3.77221–1	7.86096	7.68086–2	IV	

2-086



Selected data Rejected data
 O 18OSB/VAN ◊ 24EUC/KAR
 □ 18OSB/VAN + 26DAN/JEN
 ▲ 37OVE/GIA
 ▼ 71POP/MAN

Name: Nitrogen oxide (N₂O)
 Formula: N₂O

CAS-RN: 10024-97-2
 Group No.: 2-099
 Molar Mass: 44.01

Table 2.99.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
35BLU/GIA	183.6–187.1	5	nosp	99.999	estim	sat	BSIO	28GIA/WIE1
74ATA/CHI	183.1–184.4	6	nosp	99.999	melpt	sat	BSAO	74ATA/CHI
94HAA/TIL	N 295.2–309.5	11	nosp	not specified		sat	not specified	
94HAA/TIL	calorimeter described in Tillmann W.: Dissertation, Aachen (1993)							

Name: 2,2,4,4,6,6-Hexachloro-2,2,4,4,6,6-hexahydro-1,3,5,2,4,6-triazatriphosphorine
 Formula: Cl₆N₃P₃

CAS-RN: 940-71-6
 Group No.: 2-104
 Molar Mass: 347.66

Table 2.104.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99LEB/KUL2	423.1–450.5	7	1.50	not specified		<i>p</i>	BDHT	69YAG

Table 2.104.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used					
<i>p</i>	7	7	0.573	3.09–1	0.86	3.81–3	5
Temp. range K	A_1		A_2		Level of uncertainty		
423.1–450.5	2.37508+1		2.91470		V		

Name: 2,2,4,4,6,6,8,8-Octachloro-2,2,4,4,6,6,8,8-octahydro-1,3,5,7,2,4,6,8-tetrazatetraphosphorine
Formula: Cl₈N₄P₄

CAS-RN: 2950-45-0
Group No.: 2-105
Molar Mass: 463.54

Table 2.105.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99LEB/KUL2	441.0–450.0	4	1.50	not specified		<i>p</i>	BDHT	69YAG

Table 2.105.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used					
<i>p</i>	4	4	0.088	6.22–2	0.13	1.23–4	–2
Temp. range K							Level of uncertainty
441.0–450.0	4.71189+1						V

Name: Tetrafluorosilane
Formula: F₄Si

CAS-RN: 7783-61-1
Group No.: 2-106
Molar Mass: 104.08

Table 2.106.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
58KOS/SAM	N	187.6–194.4	7	nosp	99.16	melpt	<i>p</i>	BSAO	54STR/ICK
63PAC/MOS		190.1–193.9	4	nosp	99.97	melpt	sat	BSAO	55PAC/PIE
58KOS/SAM	data from a graph only								

Table 2.106.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	±
Selected data								
58KOS/SAM	187.6–194.4	7	1.00 #	1.489	2.24–1	1.49	–1.56–1	–5
63PAC/MOS	190.1–193.9	4	0.60 #	1.761	1.65–1	1.06	1.06–1	2

Table 2.106.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used					
C	11	11	1.761	2.26–1	1.49	–6.09–2	–3
Temp. range K							Level of uncertainty
187.6–194.4	1.25573+1						IV

Name: Selenium fluoride (SeF₆)
Formula: F₆Se

CAS-RN: 7783-79-1
Group No.: 2-107
Molar Mass: 192.95

Table 2.107.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96OHT/YAM	240.70	0.7845	0.10	99.99	melpt	sat	BSAO	87YAM/OGU

Name: Tungsten fluoride (WF₆)
Formula: F₆W

CAS-RN: 69175-55-9
Group No.: 2-108
Molar Mass: 297.83

Table 2.108.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96OHT/YAM	276.3–291.0	8	0.10	99.95	melpt	sat	BSAO	87YAM/OGU

Table 2.108.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	8	8	0.374	7.65–3	0.04	8.82–6	1
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
276.3–291.0	6.70136+1		–3.54279+1	6.70041	II		

Name: Water-¹⁸O
Formula: H₂¹⁸O

CAS-RN: 14314-42-2
Group No.: 2-109
Molar Mass: 20.02

Table 2.109.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
93NAG/MIY	N	275.5–300.5	11	0.30	99.9993	melpt	sat	BSAO	84OGA/KOB
93NAG/MIY	the abundance of ¹⁸ O isotop is 96.2%								

Table 2.109.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	11	11	0.123	3.41–3	0.04	1.91–6	0
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
275.5–300.5	1.79955+1		–5.89072	9.84278–1	II		

Name: Ethane
Formula: C₂H₆

CAS-RN: 74-84-0
Group No.: 11-004
Molar Mass: 30.07

Table 11.4.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
28EUC/HAU		18	S	nosp	not specified	sat	BSIO	28EUC/HAU	
30WIE/HUB	N	15		1.00	99.0	estim	sat	BSIO	30WIE/HUB
37WIT/KEM		29		0.40	99.5	melpt	<i>p</i>	BSIO	28GIA/WIE1
76ATA/CHI		11		nosp	99.999	melpt	<i>p</i>	BSAO	74ATA/CHI
76ROD1		1		nosp	not specified	<i>p</i>	BSAO		61GOO
76ROD2		106		0.50	99.98	chrom	sat	BSAO	61GOO
94HAA/TIL	N	9		nosp	not specified	sat	not specified		
30WIE/HUB 94HAA/TIL	error below and above n.b.t. 0.5% and 1.0%, respectively calorimeter described in Tillmann W.: Dissertation, Aachen (1993)								

Table 11.4.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
30WIE/HUB	96.8–138.2	15	1.00	0.428	3.56–2	0.43	1.63–3	–1
37WIT/KEM	91.6–180.9	29	0.40	1.001	3.39–2	0.40	2.20–4	7
76ATA/CHI	90.9–102.4	11	0.10 #	0.386	3.18–3	0.04	1.33–3	4
76ROD1	92.2	1	0.30 #	0.427	1.06–2	0.13	1.06–2	1
76ROD2	93.7–301.5	106	0.50	1.572	1.37–1	0.79	3.22–4	–21
94HAA/TIL	295.4–303.9	8	3.00 #	0.844	1.15	2.53	–6.92–1	–4
Rejected data								
28EUC/HAU	(1.70,15.54,1.63,18)							


Table 11.4.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	189	170	1.364	2.78–1	0.88	–3.20–2	–14
sat	189	170	1.023	1.54–1	0.67	–1.91–2	–13
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
91.0–150.0			6.09172	5.32742	–4.46188	1.29835	II
150.0–220.0			1.10928+1	–4.67472	2.20622	–1.83445–1	III
220.0–285.0			–1.43159+2	2.05669+2	–9.34047+1	1.43031+1	IV
285.0–300.0			–6.74890+4	7.10960+4	–2.49672+4	2.92352+3	V
300.0–303.9			–1.11741+7	1.11777+7	–3.72718+6	4.14281+5	V
91.0–150.0			6.47989	4.33507	–3.63542	1.07473	II
150.0–220.0			1.05600+1	–3.82507	1.80467	–1.34180–1	III
220.0–285.0			–9.10276+1	1.34703+2	–6.11628+1	9.40635	IV
285.0–300.0			–3.90170+4	4.11094+4	–1.44383+4	1.69094+3	V
300.0–303.9			–6.00983+6	6.01193+6	–2.00471+6	2.22832+5	V

Table 11.4.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	189	169	1.089	4.29–1	1.07	–6.48–2	–17	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
90.9–303.0	305.33	–2.09832	2.67682–1	7.93333	–2.03952	–3.39326	3.23774	IV

11-004



Selected data +94HAA/TIL
 O 30WIE/HUB
 □ 37WIT/KEM
 △ 76ATA/CHI
 ▽ 76ROD1
 ◇ 76ROD2

Name: Hexane
 Formula: C₆H₁₄

CAS-RN: 110-54-3
 Group No.: 11-013
 Molar Mass: 86.18

Table 11.13.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
30PAR/HUF2	183.5–295.1	8	nosp	not specified		<i>p</i>	BSIO	25PAR
31HUF/PAR	188.8–293.5	5	1.00	not specified		<i>p</i>	BSIO	25PAR
37STU	180.0–320.0	15 S	nosp	not specified		<i>p</i>	BDHO	37STU
39PHI	300.6	1	nosp	not specified		<i>p</i>	BSIO	49WEI
46DOU/HUF2	N 180.4–301.0	24	0.10	99.992	melpt	<i>p</i>	BSAO	43RUE/HUF
51CON/SAG	299.8–366.5	13 S	0.70	not specified		<i>p</i>	BSAO	39SAG/EVA
69WIL/ROT	293.1	1	0.40	not specified		<i>p</i>	BDAO	65FIN/GRU
71AMI/ALI	N 343.1–506.1	19 S	2.00	not specified		<i>p</i>	not specified	
71REC/SAD	303.1	1	0.30	not specified		<i>p</i>	BSIO	70REC
74DIA/REN	298.2–324.7	14	0.30	not specified		<i>p</i>	BSAO	74DIA/REN
75GRI/RAS	N 304.5–463.1	9	1.00	not specified		<i>p</i>	BDAO	75RAS/GRI
76KAR/GRO	298.2	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
80KAL/JED	180.6–301.4	33	0.20	99.95	chrom	<i>p</i>	BSAO	80KAL/JED
81GRO/ING	298.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
82WIL/ING	298.1	1	nosp	99.5	estim	<i>p</i>	FSIT	71PIC/LED
82ZAR	298.0–323.0	2	0.60	not specified		<i>p</i>	BDCT	82ZAR
84BEN/DAR	298.1	1	nosp	99.98	melpt	<i>p</i>	FSIT	71PIC/LED
84BRA/PIN	298.1	1	nosp	99.0	melpt	<i>p</i>	FSIT	71PIC/LED
85COS/PAT1	298.2	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
85COS/PAT8	298.1–313.1	2	nosp	99.	estim	<i>p</i>	FSIT	71PIC/LED
85CZA	299.9	1	nosp	not specified		<i>p</i>	BSIO	79CZA
86BEN/DAR1	298.1	1	nosp	99.88	anal	<i>p</i>	FSIT	71PIC/LED
86NAZ/BAS2	308.4–333.1	2	2.00	99.8	estim	<i>p</i>	BDHO	86NAZ/BAS1
88MEL/VER	183.1–473.1	11	2.50	not specified		sat	not specified	
88SAI/TAN	298.1	1	nosp	99.95	anal	<i>p</i>	FSIT	71PIC/LED
89OHN/FUJ	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
89VOG/SCH	333.1	1	nosp	not specified		<i>p</i>	BDHT	69PER/COM

Table 11.13.1. Experimental heat capacities—Continued

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91OGA/MIT	298.1	1	nosp	not specified		<i>p</i>	FSIO	85OGA/MUR
91PES/NIK	298.1	1	nosp	not specified		<i>p</i>	BSAO	83KUK/KOR
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
93CON/GIR1	298.0–333.0	eqn	5.00	not specified		sat	BDHT	93CON/GIR1
46DOU/HUF2	smoothed data in 67MES/GUT							
71AMI/ALI	calculated from C_v measured at the saturation line							
75GRI/RAS	all values (except the first one) at pressures above the vapor pressure							
91PES/NIK	water content below 0.05%							

Name: Octane

Formula: C₈H₁₈

CAS-RN: 111-65-9

Group No.: 11-032

Molar Mass: 114.23

Table 11.32.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*98LOU	344.9	1	nosp	not specified		avg	DSIO	*98LOU
30PAR/HUF2	223.0–293.7	8	nosp	not specified		<i>p</i>	BSIO	25PAR
31HUF/PAR	227.0–298.3	5	nosp	not specified		<i>p</i>	BSIO	25PAR
47OSB/GIN	285.6–305.6	5 S	0.10	99.96	estim	sat	BSAO	47OSB/GIN
49TSC/WET	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
51CON/SAG	299.8–366.5	13 S	nosp	not specified		<i>p</i>	BSAO	39SAG/EVA
54FIN/GRO	222.6–297.6	18	0.20	99.94	melpt	sat	BSAO	43RUE/HUF
61ROU	283.1–312.3	15	nosp	99.83	anal	<i>p</i>	BSAO	61ROU
70AKH	293.1	1	nosp	not specified		<i>p</i>	BDHO	59ABA/MUS
71AMI/ALI	403.1–567.2	21 S	2.00	not specified		<i>p</i>	not specified	
75GRI/RAS	303.9–462.1	9	1.00	not specified		<i>p</i>	BDAO	75RAS/GRI
77NAZ/MUS	303.2–383.2	5	1.50	not specified		<i>p</i>	BSAO	77NAZ/MUS
80SHA/LYU	216.4–300.0	12 S	0.50	99.57	melpt	<i>p</i>	BSAO	80SHA/LYU
81GRO/ING	298.1	1	nosp	99.0	chrom	<i>p</i>	FSIT	71PIC/LED
82ZAR	298.0–363.0	3	0.60	not specified		<i>p</i>	BDCT	82ZAR
84GRI/AND	297.5–386.1	7	0.50	not specified		<i>p</i>	BSAO	67RAS/GAN
84ROU/GRO	298.1	1	0.30	99.	estim	<i>p</i>	FSIT	71PIC/LED
85COS/PAT2	298.2	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
85LAI/GRO	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
85LAI/ROD	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
86BEN/DAR1	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
91BAN/GAR	318.1–373.1	12	0.40	98.8	chrom	<i>p</i>	BDCT	91BAN/GAR
91OGA/MIT	298.1	1	nosp	not specified		<i>p</i>	FSIO	85OGA/MUR
91SOE/NAK	298.1	1	nosp	99.99	chrom	<i>p</i>	FSIO	85OGA/MUR
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
92LAI/ROD	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
93CZA1	298.8	1	2.00	not specified		<i>p</i>	BSIO	79CZA
99BUR/ZOC	298.1–323.1	2	2.00	not specified		<i>p</i>	FSIO	99BUR/ZOC
99TAM/OSA	298.1	1	nosp	99.99	anal	<i>p</i>	FSIO	85OGA/MUR

*98LOU average value in temperature range 294–396 K

54FIN/GRO smoothed data in 67MES/GUT

71AMI/ALI calculated from C_v measured at the saturation line

75GRI/RAS grade: pure; the last five values at pressures higher than vapor pressure

84GRI/AND grade: pure

Name: 2,2,4-Trimethylpentane
Formula: C₈H₁₈

CAS-RN: 540-84-1
Group No.: 11-034
Molar Mass: 114.23

Table 11.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
30PAR/HUF2	169.6–295.2	15	1.00	not specified		<i>p</i>	BSIO	25PAR
40PIT2	171.1–317.3	8	0.20	99.99	melpt	<i>p</i>	BSIO	28LAT/GRE
47OSB/GIN	285.6–305.6	5 S	0.10	99.96	melpt	sat	BSAO	47OSB/GIN
49TSC/WET	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
50AUE/SAG	299.8–366.5	13	1.00	99.9	melpt	<i>p</i>	BSAO	39SAG/EVA
61ROU	300.4–315.4	12	nosp	99.99	anal	<i>p</i>	BSAO	61ROU
73SUB/RAJ	N 298.1–323.1	3	0.30	not specified		<i>p</i>	BSIO	64MOE/THO
76FOR/BEN1	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
84FIL/LAU	293.0	1	2.00	not specified		<i>p</i>	BDHO	84FIL/LAU
87KAL/KOH	293.1–313.1	2	nosp	99.98	chrom	<i>p</i>	FSIT	71PIC/LED
88COS/VAN	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
88SHI/OGA1	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
94BEN/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
99PIN/BRA	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
73SUB/RAJ	same data in 74RAJ/SUB							

Name: Nonane
Formula: C₉H₂₀

CAS-RN: 111-84-2
Group No.: 11-038
Molar Mass: 128.26

Table 11.38.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
30PAR/HUF2	224.5–299.1	8	1.00	not specified		<i>p</i>	BSIO	25PAR
31HUF/PAR	228.3–297.9	8	1.00	not specified		<i>p</i>	BSIO	25PAR
47OSB/GIN	283.1–313.1	4 S	0.10	99.96	estim	sat	BSAO	47OSB/GIN
54FIN/GRO	N 225.0–313.9	22	0.20	99.88	melpt	sat	BSAO	43RUE/HUF
58SWI/ZIE1	N 348.8	1	nosp	not specified		avg	DSIO	58SWI/ZIE1
70AKH	293.1	1	nosp	not specified		<i>p</i>	BDHO	59ABA/MUS
76MUS	307.8–417.8	10	2.50	not specified		<i>p</i>	BDAO	71MUS
79GRO/HAM	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
82WIL/ING	298.1	1	nosp	99.0	estim	<i>p</i>	FSIT	71PIC/LED
82ZAR	323.0–363.0	2	0.60	not specified		<i>p</i>	BDCT	82ZAR
88AND/PAT	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
91BAN/GAR	318.1–373.1	12	0.40	99.8	chrom	<i>p</i>	BDCT	91BAN/GAR
91OGA/MIT	298.1	1	nosp	not specified		<i>p</i>	FSIO	85OGA/MUR
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
97TOV/CAR2	288.1–308.1	3	nosp	99.0	anal	<i>p</i>	BDCT	83ROU/ROU
54FIN/GRO	smoothed data in 67MES/GUT							
58SWI/ZIE1	average value in temperature range 295–402 K							

Table 11.38.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
47OSB/GIN	283.1–313.1	4	0.10	1.666	5.69–2	0.17	2.63–3	0
54FIN/GRO	225.0–313.9	22	0.20	0.311	2.08–2	0.06	5.57–3	2
79GRO/HAM	298.1	1	0.50 #	0.283	4.83–2	0.14	–4.83–2	–1
82WIL/ING	298.1	1	0.50 #	0.495	8.44–2	0.25	–8.44–2	–1
82ZAR	323.0–363.0	2	0.60	0.844	1.87–1	0.51	–1.86–1	–2
88AND/PAT	298.1	1	0.50 #	0.224	3.83–2	0.11	3.83–2	1
91BAN/GAR	318.1–373.1	12	0.40 #	0.555	8.06–2	0.22	–3.49–2	–6
91TRE/COS	298.1	1	0.50 #	0.072	1.22–2	0.04	–1.22–2	–1
97TOV/CAR2	288.1–308.1	3	0.30 #	0.187	1.93–2	0.06	2.77–3	–1
Rejected data								
30PAR/HUF2	(4.25–1,1.29,–4.24–1,–7)		31HUF/PAR	(3.05–1,0.93,–2.99–1,–8)				
58SWI/ZIE1	(1.63,4.21,1.63,1)		70AKH	(5.78–1,1.67,5.78–1,1)				
76MUS	(9.01–1,2.44,–8.00–1,–6)		91OGA/MIT	(2.04–1,0.59,2.04–1,1)				


Table 11.38.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	76	47	0.670	6.59–2	0.18	–1.61–2	–9
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
225.0–300.0		1.23776+2	–1.01511+2	3.61333+1	–4.07916		II
300.0–373.1		–8.31340+1	1.05399+2	–3.28368+1	3.58418		III

Table 11.38.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	76	47	1.899	1.20–1	0.35	5.16–3	1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
225.0–373.1	594.90	1.61014+1	1.36656+1	1.55105+1	4.74287		III

11-038



Name: Decane
Formula: C₁₀H₂₂

CAS-RN: 124-18-5
Group No.: 11-041
Molar Mass: 142.28

Table 11.41.1. Experimental heat capacities

Reference		Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
					%	method		Type	Reference
*98LOU	N	360.9	1	nosp	not specified		avg	DSIO	*98LOU
30PAR/HUF2		242.3–295.5	6	1.00	not specified		<i>p</i>	BSIO	25PAR
31HUF/PAR		251.2–297.7	6	1.00	not specified		<i>p</i>	BSIO	25PAR
47OSB/GIN		290.6–305.6	4 S	0.10	99.96	estim	sat	BSAO	47OSB/GIN
52SCH/SAG		299.8–366.5	13 S	1.00	99.7	estim	sat	BSAO	39SAG/EVA
54FIN/GRO	N	247.0–318.6	17	0.20	99.91	melpt	sat	BSAO	43RUE/HUF
70AKH		293.1	1	nosp	not specified		<i>p</i>	BDHO	59ABA/MUS
75GRI/RAS	N	303.3–462.4	9	1.00	not specified		<i>p</i>	BDAO	75RAS/GRI
79GRO/HAM		298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
82PFE/KUC		298.1	1	nosp	not specified		<i>p</i>	BDCT	68WAD
82WIL/ING		298.1	1	nosp	99.0	estim	<i>p</i>	FSIT	71PIC/LED
82ZAR		298.0–363.0	3	0.60	not specified		<i>p</i>	BDCT	82ZAR
83SID/SVE		293.1	1	nosp	99.9	melpt	<i>p</i>	FSIT	71PIC/LED
84GRO/ING		298.1	1	nosp	99.0	melpt	<i>p</i>	FSIT	71PIC/LED
84ROU/GRO		298.1	1	nosp	98.0	estim	<i>p</i>	FSIT	71PIC/LED
85BAL/BRA		298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
85COS/PAT3		298.2	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
85COS/PAT8		283.1–313.1	3	nosp	99.	estim	<i>p</i>	FSIT	71PIC/LED
85LAI/ROD		298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
85LAI/WIL		298.1	1	0.30	99.	estim	<i>p</i>	FSIT	71PIC/LED
86GAT/WOO		298.1–368.1	4	nosp	99.	anal	<i>p</i>	BDCT	83ROU/ROU
87WIL/ING		298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
88COS/VAN		298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
88KUZ/KHA		293.8–335.2	15	nosp	99.8	chrom	<i>p</i>	FSIO	75SAF/GER
88KUZ/KHA		310.1–421.9	16	nosp	99.8	chrom	<i>p</i>	BSAO	67RAS/GAN
88PIN/BRA		298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
91BAN/GAR		318.1–373.1	12	0.40	98.9	chrom	<i>p</i>	BDCT	91BAN/GAR
91TRE/COS		298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
92LAI/ROD		298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
93CZA2		298.9	1	2.00	not specified		<i>p</i>	BSIO	79CZA
94JIM/ROM		298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
96ROU/HER		298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
*98LOU		average value in temperature range 295–427 K							
54FIN/GRO		smoothed data in 67MES/GUT							
75GRI/RAS		last two values at pressures above the vapor pressure							

Table 11.41.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
54FIN/GRO	247.0–318.6	17	0.20	0.179	1.34–2	0.04	2.28–3	0
75GRI/RAS	303.3–462.4	9	1.00	0.661	2.75–1	0.66	–7.23–2	–1
82ZAR	298.0–363.0	3	0.60	0.948	2.27–1	0.57	–2.12–1	–3
84GRO/ING	298.1	1	0.50 #	0.280	5.28–2	0.14	–5.28–2	–1
84ROU/GRO	298.1	1	0.50 #	0.101	1.91–2	0.05	–1.91–2	–1
86GAT/WOO	298.1–368.1	4	0.30 #	1.063	1.29–1	0.32	–1.27–1	–4
88KUZ/KHA	293.8–335.2	15	0.50 #	0.451	8.66–2	0.23	7.99–2	15
88KUZ/KHA	310.1–421.9	16	0.60 #	0.343	8.81–2	0.21	4.16–2	5
91BAN/GAR	318.1–373.1	12	0.40	0.340	5.73–2	0.14	2.46–2	3
93CZA2	298.9	1	2.00	0.043	3.22–2	0.09	–3.22–2	–1
94JIM/ROM	298.1	1	0.50 #	0.637	1.20–1	0.32	–1.20–1	–1
96ROU/HER	298.1	1	0.50 #	0.612	1.15–1	0.31	–1.15–1	–1
Rejected data								
*98LOU	(4.04–1,0.96,4.04–1,1)			30PAR/HUF2		(6.58–1,1.85,–6.19–1,–5)		
31HUF/PAR	(3.08–1,0.85,–3.04–1,–6)			47OSB/GIN		(3.29–1,0.87,–2.14–2,0)		
52SCH/SAG	(3.97–1,1.02,–3.59–1,–11)			70AKH		(4.46–1,1.20,–4.46–1,–1)		
79GRO/HAM	(1.28–1,0.34,–1.28–1,–1)			82PFE/KUC		(2.64–1,0.70,–2.64–1,–1)		
82WIL/ING	(2.22–1,0.59,–2.22–1,–1)			83SID/SVE		(2.21–1,0.59,–2.21–1,–1)		
85BAL/BRA	(1.36–1,0.36,–1.36–1,–1)			85COS/PAT3		(1.28–1,0.34,1.28–1,1)		
85COS/PAT8	(1.58–1,0.41,4.81–2,1)			85LAI/ROD		(1.66–1,0.44,–1.66–1,–1)		
85LAI/WIL	(1.54–1,0.41,–1.54–1,–1)			87WIL/ING		(1.74–1,0.46,–1.74–1,–1)		
88COS/VAN	(1.14–1,0.30,1.14–1,1)			88PIN/BRA		(1.49–1,0.40,–1.49–1,–1)		
91TRE/COS	(1.31–1,0.35,1.31–1,1)			92LAI/ROD		(2.13–1,0.57,–2.13–1,–1)		


Table 11.41.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	128	81	0.498	1.26–1	0.31	7.86–4	10
sat	128	81	0.499	1.26–1	0.31	8.16–4	10
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
247.0–314.0	8.23450+1		–5.00004+1	1.66449+1	–1.63834	II	
314.0–462.4	3.62508+1		–5.96135	2.61979	–1.49470–1	III	
247.0–314.0	8.19315+1		–4.95633+1	1.64917+1	–1.62051	II	
314.0–462.4	3.74686+1		–7.08286	2.96287	–1.84328–1	III	

Table 11.41.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	128	81	1.196	2.20–1	0.52	–6.42–3	2
p	128	81	1.196	2.20–1	0.52	–6.42–3	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
247.0–462.4	617.65	–8.48603	2.02090	2.41615+1	8.90849	III	
247.0–462.4	617.65	–8.48603	2.02090	2.41615+1	8.90849	III	

11-041



Selected data + 86GAT/WOO • 96ROU/HER
 O 54FIN/GRO2 x 88KUZ/KHA
 □ 75GR1/RAS * 88KUZ/KHA
 △ 82ZAR ★ 91BAN/GAR
 ▽ 84GRO/ING ◀ 93CZA2
 ◊ 84ROU/GRO ▶ 94JIM/ROM

Rejected data
 ■ 31HUF/PAR
 ▲ 47OSB/GIN
 ▼ 82WIL/ING
 ◆ 83SID/SVE
 * 85COS/PAT8

Name: Dodecane
Formula: C₁₂H₂₆

CAS-RN: 112-40-3
Group No.: 11-049
Molar Mass: 170.34

Table 11.49.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31HUF/PAR	275.1–297.7	4	1.00	not specified		<i>p</i>	BSIO	25PAR
54FIN/GRO	266.7–317.4	11	0.20	99.93	melpt	<i>sat</i>	BSAO	43RUE/HUF
71REC/SAD								
73KAL/WOY	303.1	1	0.20	99.5	chrom	<i>p</i>	BSIO	70REC
77NAZ/MUS	303.2–483.2	10	1.50	not specified		<i>p</i>	BSAO	77NAZ/MUS
81GRO/ING	298.1	1	nosp	99.0	chrom	<i>p</i>	FSIT	71PIC/LED
82ZAR	298.0–363.0	3	0.60	not specified		<i>p</i>	BDCT	82ZAR
84GRO/BEN	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
84KUM/BEN	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
84ROU/GRO	298.1	1	nosp	98.	estim	<i>p</i>	FSIT	71PIC/LED
85BEN/KUM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
85COS/PAT4	298.2	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
85COS/PAT8	283.1–313.1	3	nosp	99.0	estim	<i>p</i>	FSIT	71PIC/LED
85LAI/ROD	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
86BEN/DAR3	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
86WIL/LAI	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
88AND/PAT	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
88COS/VAN	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
89LAI/ROD	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
89VOG/SCH	333.1	1	nosp	not specified		<i>p</i>	BDHT	69PER/COM
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
92LAI/ROD	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
98SAL/FER	293.0–370.0	eqn	nosp	99.	chrom	<i>p</i>	BDHT	98SAL/FER
99BUR/ZOC	298.1–323.1	2	2.00	99.5	chrom	<i>p</i>	FSIO	99BUR/ZOC

54FIN/GRO smoothed data in 67MES/GUT

Name: Tetradecane
Formula: C₁₄H₃₀

CAS-RN: 629-59-4
Group No.: 11-052
Molar Mass: 198.39

Table 11.52.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
34PAR/LIG	280.6–290.6	4	1.00	not specified		<i>p</i>	BSIO	25PAR
54FIN/GRO	282.7–302.8	7	0.20	99.93	melpt	sat	BSAO	43RUE/HUF
76MUS	307.8–501.5	18	2.50	not specified		<i>p</i>	BDAO	71MUS
82ZAR	298.0–363.0	3	0.60	not specified		<i>p</i>	BDCT	82ZAR
84GRI/AND	296.2–433.3	8	0.80	not specified		<i>p</i>	BSAO	67RAS/GAN
84GRO/BEN	298.1	1	nosp	99.5	estim	<i>p</i>	FSIT	71PIC/LED
84GRO/ING	298.1	1	nosp	99.	estim	<i>p</i>	FSIT	71PIC/LED
84ROU/GRO	298.1	1	nosp	99.	estim	<i>p</i>	FSIT	71PIC/LED
85BAL/BRA	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
85LAI/WIL	298.1	1	0.30	99.5	estim	<i>p</i>	FSIT	71PIC/LED
86WIL/LAI	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
87WIL/ING	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
88COS/VAN	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
92LAI/ROD	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
96ROU/HER	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED

54FIN/GRO smoothed data in 67MES/GUT

Name: 2,2,4,4,6,8,8-Heptamethylnonane
Formula: C₁₆H₃₄

CAS-RN: 4390-04-9
Group No.: 11-054
Molar Mass: 226.45

Table 11.54.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
88COS/VAN	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
99PIN/BRA	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED

Table 11.54.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
88COS/VAN	298.1	1	0.50 #	1.140	3.14–1	0.57	3.14–1	1
99PIN/BRA	298.1	1	0.50 #	1.127	3.07–1	0.56	–3.07–1	–1

Table 11.54.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	2	2	1.603	4.40–1	0.80	3.53–3	0
Temp. range K	A_1						Level of uncertainty
298.1–298.1	5.48662+1						IV

Name: Hexadecane
Formula: C₁₆H₃₄

CAS-RN: 544-76-3
Group No.: 11-055
Molar Mass: 226.45

Table 11.55.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
49PAR/MOO	290.0–300.0	2	S	1.00	95.	estim	<i>p</i>	BSIO	25PAR
54FIN/GRO	N	295.4–320.3	9	0.20	99.88	melpt	sat	BSAO	43RUE/HUF
56SCH/GOT	292.1–294.6	4	2.00	not specified			<i>p</i>	BSAO	33SOU/BRI
62GOL/BEL	310.9–422.0	3	nosp	96.9	chrom	<i>p</i>		BDHT	63GUD/CAM
68REC1	N	298.0–313.0	eqn	nosp	not specified		<i>p</i>	BSAO	68REC1
70AKH	293.1	1	nosp	not specified			<i>p</i>	BDHO	59ABA/MUS
71REC/SAD	303.1	1	0.30	not specified			<i>p</i>	BSIO	70REC
72REC/SAD	298.1	1	0.30	not specified			<i>p</i>	BSIO	70REC
73KAL/WOY	303.1	1	0.20	99.5	chrom	<i>p</i>		BSIO	70REC
74DIA/REN	300.1–323.5	9	0.30	not specified			<i>p</i>	BSAO	74DIA/REN
74PET/TER	297.8–453.5	14	1.00	98.	melpt	<i>p</i>		BDCT	74PET/TER
81GRO/ING	298.1	1	nosp	not specified			<i>p</i>	FSIT	71PIC/LED
82PFE/KUC	298.1	1	nosp	not specified			<i>p</i>	BDCT	68WAD
82ZAR	298.0–363.0	3	0.60	not specified			<i>p</i>	BDCT	82ZAR
85COS/PAT5	298.2	1	nosp	99.	anal	<i>p</i>		FSIT	71PIC/LED
85LAI/ROU	298.1	1	nosp	not specified			<i>p</i>	FSIT	71PIC/LED
86WIL/LAI	298.1	1	nosp	99.	anal	<i>p</i>		FSIT	71PIC/LED
88COS/VAN	298.1	1	nosp	99.	anal	<i>p</i>		FSIT	71PIC/LED
89LAI/ROD	298.1	1	nosp	99.	anal	<i>p</i>		FSIT	71PIC/LED
91BAN/GAR	318.1–373.1	12	0.40	99.4	chrom	<i>p</i>		BDCT	91BAN/GAR
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>		FSIT	71PIC/LED
92LAI/ROD	298.1	1	nosp	99.	anal	<i>p</i>		FSIT	71PIC/LED
94BEN/ROU	298.1	1	nosp	98.	anal	<i>p</i>		FSIT	71PIC/LED
54FIN/GRO	smoothed data in 67MES/GUT								
68REC1	same data in 68REC3								

Name: Heptadecane
Formula: C₁₇H₃₆

CAS-RN: 629-78-7
Group No.: 11-056
Molar Mass: 240.47

Table 11.56.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
67MES/GUT	301.9–384.4	11	0.10	99.89	melpt	sat	BSAO	47HUF
70AKH	293.1	1	nosp	not specified		<i>p</i>	BDHO	59ABA/MUS
#00VAN	299.0–401.1	46	0.20	99.	anal	<i>p</i>	BSAO	98VAN/VAN

Table 11.56.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w		d_r %	d_b/R	\pm
				d/R	d/R			
Selected data								
67MES/GUT	301.9–384.4	11	0.10	2.823	1.98–1	0.28	–1.56–1	–9
#00VAN	299.0–401.1	46	0.20	1.193	1.67–1	0.24	1.51–1	45


Table 11.56.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	58	57	1.684	1.78–1	0.25	9.20–2	36
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
299.0–401.1	6.17907+1		–5.83983	2.22416	II		

Table 11.56.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_f	s_b/R	\pm
	total	used					
C	58	57	1.881	1.48-1	0.21	2.00-3	18
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
299.0-401.1	735.00	-1.06915+1	1.34417+1	3.51130+1	2.12600	II	

11-056



Selected data
 O 67MES/GUT
 □ #00VAN

Name: Octadecane
 Formula: C₁₈H₃₈

CAS-RN: 593-45-3
 Group No.: 11-057
 Molar Mass: 254.50

Table 11.57.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
49PAR/MOO	300.0	1	1.00	96.	estim	<i>p</i>	BSIO	25PAR	
67MES/GUT	304.4-378.7	11	0.10	99.98	melpt	sat	BSAO	47HUF	
81HOE	325.0-375.0	3 S	5.00	not specified		<i>p</i>	BDHT	69PER/COM	
83MEY/MEY	N	303.0	1	nosp	99.5	melpt	<i>p</i>	BSIO	83MEY/MEY
86DJO/LAU	N	315.0	1	nosp	not specified		<i>p</i>	BDHT	69PER/COM
93DUR/AOU	N	373.0-473.0	51	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
#00VAN	306.7-401.1	38	0.20	99.8	anal	<i>p</i>	BSAO	98VAN/VAN	

83MEY/MEY in the article temperature unspecified; probably above melting temperature
 86DJO/LAU very suspect value
 93DUR/AOU an equation in 96DUR/AOU

Table 11.57.2. Correlated heat capacities

Reference	Temp. range K	No. Pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
49PAR/MOO	300.0	1	1.00	0.370	2.51-1	0.37	-2.51-1	-1
67MES/GUT	304.4-378.7	11	0.10	2.481	1.84-1	0.25	-1.41-1	-11
83MEY/MEY	303.0	1	1.00 #	0.247	1.69-1	0.25	1.69-1	1
#00VAN	306.7-401.1	38	0.20	1.229	1.81-1	0.25	1.66-1	34
Rejected data								
81HOE	(2.53,3.63,-2.52,-3)			86DJO/LAU	(1.04+1,13.03,1.04+1,1)			
93DUR/AOU	(1.22,1.54,1.21,5)							


Table 11.57.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	106	51	1.615	1.88-1	0.26	9.14-2	23
Temp. range K		A_1	A_2	A_3			Level of uncertainty
300.0-401.1		7.28757+1	-1.04237+1	2.94698			II

Table 11.57.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	106	51	1.837	1.61-1	0.22	-3.25-3	19
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
300.0-401.1	746.00	4.80074	2.37668+1	3.07599+1	2.42430-1		II

11-057



Selected data **Rejected data**
 ○ 49PAR/MOO ◇ 81HOE
 □ 67MES/GUT + 86DJO/LAU
 △ 83MEY/MEY × 93DUR/AOU
 ▽ #00VAN

Name: Nonadecane
Formula: C₁₉H₄₀

CAS-RN: 629-92-5
Group No.: 11-058
Molar Mass: 268.53

Table 11.58.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				method	Type		Type	Reference
69ATK/LAR	305.0–453.0	eqn	nosp	99.9	chrom	<i>p</i>	BSAO	58WES/GIN
84GRI/AND	313.1–433.2	10	0.70	not specified		<i>p</i>	BSAO	67RAS/GAN
93DUR/AOU	N	51	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
99VAN/OON	306.2–380.0	47	0.20	99.54	melpt	<i>p</i>	BSAO	87VAN/VAN
93DUR/AOU	an equation in 96DUR/AOU							

Table 11.58.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
69ATK/LAR	305.0–453.0	9	0.50 #	0.933	3.53–1	0.47	–2.85–1	–9
84GRI/AND	313.1–433.2	10	0.70	1.046	5.66–1	0.73	–5.28–1	–10
99VAN/OON	306.4–380.0	45	0.20	0.709	1.08–1	0.14	1.92–2	–1
Rejected data								
93DUR/AOU	(1.92,2.29,3.27–1,5)							

Table 11.58.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	117	64	0.824	2.82–1	0.37	–1.09–1	–20
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
305.0–453.0	5.26380+1		3.62494	9.36989–1	III		

Table 11.58.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	117	64	1.280	2.60–1	0.35	4.48–2	30
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
305.0–453.0	756.20	–7.05468	1.92176–1	4.20334+1	6.47435+1	IV	



Name: Eicosane
 Formula: $C_{20}H_{42}$

CAS-RN: 112-95-8
 Group No.: 11-060
 Molar Mass: 282.55

Table 11.60.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
81HOE	325.0–400.0	4 S	5.00	not specified		<i>p</i>	BDHT	69PER/COM
99VAN/OON	310.9–398.1	61	0.20	99.91	melpt	<i>p</i>	BSAO	87VAN/VAN

Table 11.60.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
99VAN/OON	310.9–398.1	61	0.20	0.218	3.53–2	0.04	3.19–5	–2
Rejected data								
81HOE	(1.34, 1.59, 1.23, 3)							

Table 11.60.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	65	61	0.225	3.66–2	0.05	3.19–5	–2
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
310.9–398.1	1.72485+2		–9.24405+1	2.71671+1	–2.35443	II	

Table 11.60.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	65	61	0.326	5.30-2	0.07	6.30-5	3
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
310.9-398.1	774.60	-1.16426+1	1.83175+1	3.95512+1	1.85001		III



Name: Hexatriacontane
Formula: $C_{36}H_{74}$

CAS-RN: 630-06-8
Group No.: 11-077
Molar Mass: 506.98

Table 11.77.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48MAZ	350.1-359.1	2	nosp	not specified		p	BDHO	33STR/MAL
69ATK/LAR	349.0-453.0	eqn	nosp	not specified		p	BSAO	58WES/GIN
81HOE	375.0-500.0	6 S	5.00	not specified		p	BDHT	69PER/COM
91JIN/WUN	360.0-430.0	8	1.00	98.	anal	p	BDHT	90JIN/WUN
93DUR/AOU	N	51	nosp	not specified		p	BDCT	86MER/BEN
99WAN/TAN	350.2-370.0	9	0.50	99.45	melpt	p	BSAO	83TAN/ZHO
93DUR/AOU	an equation in 96DUR/AOU							

Table 11.77.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm	
				Selected data					
69ATK/LAR	349.0–453.4	10	0.80 #	1.616	1.94	1.29	-6.79-1	-2	
91JIN/WUN	360.0–430.0	8	1.00	1.739	2.62	1.74	-2.53	-8	
99WAN/TAN	352.1–370.0	8	0.50	1.730	1.32	0.86	1.03	4	
Rejected data									
48MAZ	(7.05,4.53,7.01,2)		81HOE	(1.06+1,7.19,-1.05+1,-4)					
93DUR/AOU	(4.83,3.14,-4.78,-41)								

Table 11.77.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	86	26	1.759	2.10	1.40	-7.21-1	-6
Temp. range K	A_1		A_2		Level of uncertainty		
349.0–453.4	9.14193+1		1.61279+1		V		



Name: Cyclohexane
Formula: C₆H₁₂

CAS-RN: 110-82-7
Group No.: 12-007
Molar Mass: 84.16

Table 12.7.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
19DEJ	295.6–323.3	10	nosp	not specified		<i>p</i>	BSIO	19DEJ
30PAR/HUF2	283.1–298.9	5	0.30	not specified		<i>p</i>	BSIO	25PAR
39PHI	304.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
43AST/SZA	281.6–292.5	4	nosp	99.905	melpt	<i>p</i>	BSAO	39AST/EID1
43RUE/HUF	282.3–301.3	7	0.10	99.985	melpt	<i>p</i>	BSAO	43RUE/HUF
48TSC2	292.6	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
48TSC6	293.6	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
50AUE/SAG	299.8–366.5	13	nosp	99.9	melpt	<i>p</i>	BSAO	39SAG/EVA
60SWI/ZIE	N 311.6–322.2	2	nosp	not specified		avg	DSIO	58SWI/ZIE1
61ROU	300.4–315.8	7	nosp	99.94	anal	<i>p</i>	BSAO	61ROU
64MOE/THO	298.0–327.7	4	0.50	not specified		<i>p</i>	BSIO	64MOE/THO
66KLE	293.1–343.1	11 S	0.10	not specified		<i>p</i>	BSAO	66KLE
66NIK/RAB	283.1–333.1	11 S	0.30	not specified		<i>p</i>	BSAO	47SKU
68REC1	N 298.0–313.0	eqn	nosp	not specified		<i>p</i>	BSAO	68REC1
69WIL/SCH	293.1–313.1	3	0.40	not specified		<i>p</i>	BDAO	65FIN/GRU
73SUB/RAJ	298.1–323.1	3	0.30	not specified		<i>p</i>	BSIO	64MOE/THO
74WIL/ZET	283.1–323.1	5	nosp	not specified		<i>p</i>	BSAO	64ARN1
75JOL/BOI	298.1	1	0.30	99.9	melpt	<i>p</i>	FSIT	71PIC/LED
75SAN	N 398.1–523.2	9 S	1.00	not specified		<i>p</i>	FSIO	75SAN
78GRO/WIL	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
78SAF	299.1–311.7	7	0.30	not specified		<i>p</i>	BSAO	67RAS/GAN
78SAF	299.1–311.7	7	0.30	not specified		<i>p</i>	FSIO	75SAF/GER
78SAF	299.1–311.7	7	nosp	not specified		<i>p</i>	BSAO	67RAS/GAN
79FOR/DAR	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
79MAR/BRA	298.1	1	1.00	not specified		<i>p</i>	BDCT	70PAZ/PAZ
79WIL/GRO	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
82GRO/ING	298.1	1	0.30	99.5	melpt	<i>p</i>	FSIT	71PIC/LED
82TAN	293.1–303.1	3 S	0.30	99.99	chrom	<i>p</i>	FSIT	71PIC/LED
83SID/SVE	293.1	1	0.30	99.9	chrom	<i>p</i>	FSIT	71PIC/LED
85NKI/CHA	298.0	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
85TAN/NAK	283.1–318.1	3	0.30	100.0	chrom	<i>p</i>	FSIT	71PIC/LED
86JIM/ROM	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
86ORT	298.1	1	1.00	99.5	anal	<i>p</i>	BDCT	70PAZ/PAZ
87KAL/KOH	293.1–313.1	2	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
88SHI/OGA2	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
89JIM/ROU	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
89LAI/ROD	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
90JAL/ROB	293.0	1	5.00	99.	anal	<i>p</i>	BDHT	87PER/COM
91OGA/MIT	298.1	1	nosp	not specified		<i>p</i>	FSIO	85OGA/MUR
91TRE/COS	298.1	1	nosp	99.98	anal	<i>p</i>	FSIT	71PIC/LED
94BEN/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
94CON/GIA1	298.1	1	nosp	not specified		<i>p</i>	FSIT	88CON/GIA
94CON/GIA2	298.1	1	nosp	99.8	anal	<i>p</i>	FSIT	88CON/GIA
94LAI/WIL	298.1–298.1	2	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
95LOW/PEU	298.2	1	1.00	not specified		<i>p</i>	BDCO	95LOW/PEU
97CON/GIA	298.1	1	nosp	not specified		<i>p</i>	FSIT	88CON/GIA
97TOV/CAR1	288.1–308.1	3	nosp	99.9	anal	<i>p</i>	BDCT	83ROU/ROU
99BRO/CAL	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIT	71PIC/LED

60SWI/ZIE average values in temperature ranges 294–329 K and 294–350 K

68REC1 same data in 68REC2

75SAN same data in 76SAN/MEL; C_p at the saturation pressure extrapolated from high pressure measurement

Name: Tetracyclo[3.2.0.0^{2,7}.0^{4,6}]heptane
Formula: C₇H₈

CAS-RN: 278-06-8
Group No.: 12-009
Molar Mass: 92.14

Table 12.9.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
73HAL/SMI	297.1	1	nosp	99.9	chrom	<i>p</i>	BDHT	71DU/COM
78STE	N 298.1	1	nosp	not specified		<i>p</i>	not specified	
78STE	unspecified DSC instrument used for measurement							

Table 12.9.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
78STE	298.1	1	1.00 #	0.000	0.00	0.00	0.00	0

Table 12.9.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	1	0.000	0.00	0.00	0.00	0
Temp. range K	A_1						Level of uncertainty
298.1–298.1	1.89548+1						V

Name: Methylcyclohexane
Formula: C₇H₁₄

CAS-RN: 108-87-2
Group No.: 12-019
Molar Mass: 98.19

Table 12.19.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
30PAR/HUF1	151.4–294.2	12	1.00	not specified		<i>p</i>	BSIO	25PAR
46DOU/HUF1	155.1–285.8	15	0.10	99.989	melpt	<i>p</i>	BSAO	43RUE/HUF
48TSC2	292.6	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
48TSC6	293.6	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
66HWA/ZIE	174.8–308.1	32	nosp	99.0	melpt	<i>p</i>	BSAO	45SCO/MEY
75HOL/ZIE	144.0–312.0	eqn	0.20	99.88	anal	<i>p</i>	BSAO	45SCO/MEY
79WIL/GRO	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
82GRO/ING	298.1	1	0.30	99.5	estim	<i>p</i>	FSIT	71PIC/LED
83SID/SVE	293.1	1	0.30	99.9	chrom	<i>p</i>	FSIT	71PIC/LED
85TAN	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
88SHI/OGA2	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
#00BEC/AUF	288.2–353.2	14	0.20	99.95	chrom	sat	BDCT	#00BEC/AUF

Table 12.19.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
46DOU/HUF1	155.1–285.8	15	0.10	0.956	1.72–2	0.10	2.96–3	3
66HWA/ZIE	174.8–308.1	32	0.20 #	0.580	2.33–2	0.12	1.44–2	22
75HOL/ZIE	144.0–312.3	34	0.20	0.489	1.72–2	0.10	–1.34–2	–27
79WIL/GRO	298.1	1	0.30	0.223	1.48–2	0.07	–1.48–2	–1
85TAN	298.1	1	0.30	0.156	1.04–2	0.05	1.04–2	1
#00BEC/AUF	288.2–353.2	14	0.20	0.608	2.88–2	0.12	–1.24–2	–6
Rejected data								
30PAR/HUF1	(7.04–2, 0.36, –3.52–2, –2)		48TSC2	(6.83–2, 0.31, –6.83–2, –1)				
48TSC6	(6.90–2, 0.31, –6.90–2, –1)		82GRO/ING	(5.01–2, 0.22, 5.01–2, 1)				
83SID/SVE	(1.34–1, 0.60, 1.34–1, 1)		88SHI/OGA2	(5.93–2, 0.27, –5.93–2, –1)				


Table 12.19.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	114	97	0.642	2.18–2	0.11	–1.34–3	–8
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
144.0–290.0		1.52819+1	–9.30055–2	6.91448–1	4.09100–2		II
290.0–353.2		2.90944+1	–1.43818+1	5.61863	–5.25433–1		II

Table 12.19.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	114	97	1.571	5.98–2	0.28	–6.32–3	–1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
144.0–353.2	572.20	–4.85992	3.99105	9.49688	1.47948		III

12-019



Selected data + #00BEC/AUF
 O 46DOU/HUF1
 □ 66HWA/ZIE
 △ 75HOL/ZIE
 ▽ 79WIL/GRO
 ◇ 85TAN

Rejected data
 x 30PAR/HUF1
 * 82GRO/ING
 * 83SID/SVE

Name: 6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane
 Formula: C₁₀H₁₆

CAS-RN: 127-91-3
 Group No.: 12-045
 Molar Mass: 136.24

Table 12.45.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81BER/OGI	243.1–303.1	3	S	nosp	not specified	avg	DSIO	*79BER
98SAM/NIE	313.1–403.1	19	1.50	98.84	chrom	<i>p</i>	BDCT	86MER/BEN

Table 12.45.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
98SAM/NIE	318.1–403.1	18	1.50	0.037	1.90–2	0.06	5.32–5	–1

Table 12.45.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	22	18	0.042	2.15–2	0.06	5.32–5	–1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
318.1–403.1	2.76642+2		–2.03575+2	5.48167+1	–4.73167	V	

Name: 1,3-Dimethyltricyclo[3.3.1.1^{3,7}]decane
Formula: C₁₂H₂₀

CAS-RN: 702-79-4
Group No.: 12-063
Molar Mass: 164.29

Table 12.63.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
77STE/WAT	N	298.1	1	nosp	not specified	<i>p</i>	not specified		
96STE/CHI1		300.0–700.0	21	S	1.00	99.95	chrom	<i>p</i> sat BDHT	89KNI/ARC
77STE/WAT	unspecified DSC calorimeter was used								

Table 12.63.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
96STE/CHI1	300.0–700.0	21	1.00	0.539	3.33–1	0.54	4.93–3	–1

Table 12.63.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	22	21	0.617	3.81–1	0.62	4.93–3	–1
sat	22	21	0.394	2.25–1	0.39	1.69–3	–3
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
300.0–650.0	–2.77796+1		3.04061+1	–4.62286	3.16275–1	IV	
650.0–700.0	–6.31253+4		2.91523+4	–4.48492+3	2.30075+2	IV	
300.0–650.0	–2.26751+1		2.64800+1	–3.63254	2.34218–1	IV	
650.0–700.0	–3.79884+4		1.75491+4	–2.69942+3	1.38480+2	IV	

Table 12.63.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	22	21	0.193	1.00–1	0.19	4.50–4	–5	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
300.0–700.0	708.00	–3.45464	3.36440–1	–1.45488+1	1.35298+2	–9.23507+1	2.26084+1	IV

Name: Tetradecehydrophenanthrene
Formula: C₁₄H₂₄

CAS-RN: 5743-97-5
Group No.: 12-080
Molar Mass: 192.34

Table 12.80.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
63GUD/CAM	313.1–483.1	4	nosp	not specified		<i>p</i>	BDHT	63GUD/CAM
#00ROH/CEN	305.4–335.2	21	1.00	not specified		<i>p</i>	BDCT	91BAN/GAR

Table 12.80.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
63GUD/CAM	313.1–483.1	4	2.00 #	1.093	9.75–1	2.19	6.84–1	2
#00ROH/CEN	305.4–335.2	21	1.00	0.206	8.17–2	0.21	–3.01–2	–3

Table 12.80.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	25	25	0.496	4.14–1	0.93	8.41–2	–1
Temp. range K		A_1	A_2				Level of uncertainty
305.4–483.1		5.62985	1.04600+1				V

Name: Ethenylcyclohexane

Formula: C_8H_{14}

CAS-RN: 695-12-5

Group No.: 12-125

Molar Mass: 110.20

Table 12.125.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93LEB/SMI	146.5–400.0	8 S	0.20	99.13	melpt	p	BSAO	76LEB/LIT

Table 12.125.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	8	8	2.588	1.07–1	0.52	5.25–4	2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
146.5–400.0		1.56136+1	1.12286	5.97453–1			IV

Table 12.125.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	8	8	3.528	1.46–1	0.71	1.33–3	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
146.5–400.0	607.00	–6.80584	1.33774	1.27684+1	8.65629		IV

Name: (3 α ,4 β ,7 β ,7 α)-Octahydro-4,7-methano-1*H*-indene
Formula: C₁₀H₁₆

CAS-RN: 2825-82-3
Group No.: 12-126
Molar Mass: 136.24

Table 12.126.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78GOO/SCO	275.0–365.0	eqn	nosp	not specified		sat	BDHT	69PER/COM
78MOY/SAS	210.0–340.0	eqn	nosp	96.8	melpt	<i>p</i>	BDHT	69PER/COM
79SMI/GOO	298.1	1	nosp	not specified		<i>p</i>	BDHT	69PER/COM
80GOO/THO	260.0–465.0	eqn	nosp	99.98	chrom	sat	BDHT	69PER/COM

Table 12.126.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
78MOY/SAS	210.0–340.0	27	3.00 #	1.082	8.22–1	3.25	–6.47–1	–21
80GOO/THO	260.0–465.0	42	2.00 #	0.551	2.84–1	1.10	2.06–1	26
Rejected data								
78GOO/SCO	(3.32,10.93,3.31,19)		79SMI/GOO	(3.14,11.04,3.14,1)				

Table 12.126.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	89	69	0.820	5.72–1	2.26	–1.27–1	5
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
210.0–465.0	6.03009		5.44583	3.42303–1	V		

Name: Tricyclo[3.3.1.1^{3,7}]decane
Formula: C₁₀H₁₆

CAS-RN: 281-23-2
Group No.: 12-127
Molar Mass: 136.24

Table 12.127.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00KAB/BLO	543.2–600.0	7 S	nosp	99.98	chrom	<i>p</i>	BDHT	92KAB/KOZ

Table 12.127.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	7	7	0.102	9.68–2	0.20	2.06–4	1
Temp. range K	A_1		A_2	Level of uncertainty			
543.2–600.0	4.14351–1		8.12859	V			

Name: Octahydro-1,2,4-ethanylylidene-1*H*-cyclobuta[*cd*]pentalene
 Formula: C₁₁H₁₄

CAS-RN: 4421-32-3
 Group No.: 12-128
 Molar Mass: 146.23

Table 12.128.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95KAB/KOZ	475.80	2.315	2.00	98.9	chrom	<i>p</i>	BDHT	92KAB/KOZ

Name: Dodecahydroacenaphthylene
 Formula: C₁₂H₂₀

CAS-RN: 2146-36-3
 Group No.: 12-129
 Molar Mass: 164.29

Table 12.129.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00ROH/CEN	307.9–327.8	9	1.00	not specified		<i>p</i>	BDCT	91BAN/GAR

Table 12.129.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used					
<i>p</i>	9	9	0.125	4.44–2	0.13	8.73–5	1
Temp. range K	A_1		A_2		Level of uncertainty		
307.9–327.8	9.96115		7.97931		IV		

Name: (3 α ,4 β ,7 β ,7 α)-Octahydrodimethyl-4,7-methano-1*H*-indene
 Formula: C₁₂H₂₀

CAS-RN: 28014-61-1
 Group No.: 12-130
 Molar Mass: 164.29

Table 12.130.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78GOO/SCO	260.0–360.0	eqn	nosp	not specified		sat	BDHT	69PER/COM
79SMI/GOO	298.1	1	nosp	not specified		<i>p</i>	BDHT	69PER/COM

Table 12.130.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	±
Selected data								
78GOO/SCO	260.0–360.0	21	3.00 #	0.003	3.11–3	0.01	3.01–3	6
79SMI/GOO	298.1	1	2.00 #	0.038	2.79–2	0.08	–2.79–2	–1

Table 12.130.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	22	22	0.009	7.01-3	0.02	1.60-3	5
Temp. range K		A_1	A_2				Level of uncertainty
260.0-360.0		1.16673+1	8.32461				V

Name: Dodecahydro-1,3,4,6-ethanediylidenedicyclopenta[*cd,gh*]pentalene
 Formula: C₁₄H₁₆

CAS-RN: 17872-39-8
 Group No.: 12-131
 Molar Mass: 184.28

Table 12.131.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94KAB/KOZ	440.0-500.0	7 S	2.00	99.8	chrom	<i>p</i>	BDHT	92KAB/KOZ

Table 12.131.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	7	7	0.000	2.41-6	0.00	-1.09-6	0
Temp. range K		A_1	A_2				Level of uncertainty
440.0-500.0		1.25697+1	6.59986				V

Name: Dodecahydro-4,7-methano-2,3,8-methenocyclopent[*a*]indene (stereoisomer HNN)
 Formula: C₁₄H₁₈

CAS-RN: 66289-74-5
 Group No.: 12-132
 Molar Mass: 186.30

Table 12.132.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78MOY/SAS	292.0-339.0	eqn	nosp	98.5	melpt	<i>p</i>	BDHT	69PER/COM

Table 12.132.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	10	10	0.000	1.51-6	0.00	1.91-7	0
Temp. range K		A_1	A_2				Level of uncertainty
292.0-338.8		-2.32681	1.14372+1				V

Name: Dodecahydro-4,7-methano-2,3,8-methenocyclopent[*a*]indene (stereoisomer HXN)
Formula: C₁₄H₁₈

CAS-RN: 66289-73-4
Group No.: 12-133
Molar Mass: 186.30

Table 12.133.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78MOY/SAS	326.0–344.0	eqn	nosp	98.3	melpt	<i>p</i>	BDHT	69PER/COM

Table 12.133.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	8	8	0.000	0.00	0.00	0.00	0
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
326.0–344.2	2.92447		9.84351		V		

Name: Dodecahydro-4,7-methano-2,3,8-methenocyclopent[*a*]indene (stereoisomer HXX)
Formula: C₁₄H₁₈

CAS-RN: 64162-49-8
Group No.: 12-134
Molar Mass: 186.30

Table 12.134.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78MOY/SAS	297.0–341.0	eqn	nosp	97.3	melpt	<i>p</i>	BDHT	69PER/COM

Table 12.134.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	15	15	0.000	2.24–6	0.00	–2.54–7	0
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
297.0–340.4	–3.70098		1.18122+1		V		

Name: Dodecahydro-1,4:5,8-dimethanobiphenylene
Formula: C₁₄H₂₀

CAS-RN: 25079-41-8
Group No.: 12-135
Molar Mass: 188.31

Table 12.135.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78MOY/SAS	344.0–384.0	eqn	nosp	97.8	melpt	<i>p</i>	BDHT	69PER/COM

Table 12.135.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	8	8	0.000	3.12-6	0.00	1.91-6	0
Temp. range K		A_1	A_2				Level of uncertainty
344.0-383.9		-8.89704	1.33615+1				V

Name: Nonadecylcyclohexane
Formula: $C_{25}H_{50}$

CAS-RN: 22349-03-7
Group No.: 12-136
Molar Mass: 350.67

Table 12.136.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
83MEY/MEY	N	316.15	2.184	nosp	94.5	melpt	p	BSIO	83MEY/MEY
83MEY/MEY	in the article temperature unspecified; probably above melting temperature of stable modification								

Name: (5 α)-Cholestane
Formula: $C_{27}H_{48}$

CAS-RN: 481-21-0
Group No.: 12-137
Molar Mass: 372.68

Table 12.137.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00MOK/RUZ	357.6-486.7	30	1.00	97.8	chrom	p	BDCT	91BAN/GAR

Table 12.137.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	30	30	0.219	2.22-1	0.22	8.83-4	7
Temp. range K		A_1	A_2	A_3			Level of uncertainty
357.6-486.7		1.13527+1	2.45732+1	-7.57983-1			IV

Name: 1-Butene
Formula: C_4H_8

CAS-RN: 106-98-9
Group No.: 13-007
Molar Mass: 56.11

Table 13.7.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
36TOD/PAR	81.3-253.4	24	0.50	99.9	estim	p	BSIO	25PAR	
46AST/FIN	89.8-258.5	18	0.30	99.54	melpt	p	BSIO	28GIA/WIE1	
49SCH/SAG	310.9-366.5	11	1.50	not specified		p	BSAO	39SAG/EVA	
91TAK/YAM	89.8-299.8	81	0.20	99.78	melpt	sat	BSAO	87YAM/OGU	
46AST/FIN	errors below and above 200 K 0.3% and 0.5%, respectively								

Table 13.7.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
36TOD/PAR	81.3–253.4	24	0.50	0.636	4.19–2	0.32	–6.75–3	–7
46AST/FIN	89.8–258.5	18	0.30	1.349	5.27–2	0.40	–3.22–2	–9
49SCH/SAG	310.9–366.5	11	1.50	0.250	6.82–2	0.38	5.23–3	1
91TAK/YAM	89.8–299.8	81	0.20	0.420	1.11–2	0.08	3.57–3	30


Table 13.7.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	134	134	0.670	3.46–2	0.24	–2.95–3	15
sat	134	134	0.672	3.51–2	0.25	–3.64–3	13
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
81.3–200.0			1.63560+1	–5.93600	2.88498	–3.45255–1	II
200.0–310.0			1.28979+1	–7.48819–1	2.91400–1	8.70088–2	II
310.0–366.5			–2.57468+2	2.60896+2	–8.41101+1	9.16244	V
81.3–200.0			1.63527+1	–5.92847	2.87955	–3.43987–1	II
200.0–310.0			1.35057+1	–1.65800	7.44315–1	1.18853–2	II
310.0–366.5			–2.08986+2	2.13656+2	–6.87120+1	7.48030	V

Table 13.7.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	134	86	2.015	7.42–2	0.52	5.77–3	2	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
141.9–366.5	419.95	–1.98272	5.98736–1	1.08233+1	–7.90902–2	3.82303–1	7.46031–2	V

13–007



Selected data
 ○ 36TOD/PAR
 □ 46AST/FIN
 ▲ 49SCH/SAG
 ▼ 91TAK/YAM

Name: 1-Pentene
Formula: C₅H₁₀

CAS-RN: 109-67-1
Group No.: 13-021
Molar Mass: 70.13

Table 13.21.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
47TOD/OLI	125.7–295.3	24	0.20	not specified		sat	BSAO	47HUF
49SCH/SAG	310.9–366.5	11	1.50	not specified		<i>p</i>	BSAO	39SAG/EVA
90MES/TOD	111.0–308.4	25	0.10	99.913	melpt	sat	BSAO	47HUF
95TAK/YAM	108.8–303.5	65	0.10	99.1	melpt	sat	BSAO	82MOR/MAT

Table 13.21.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
47TOD/OLI	125.7–295.3	24	0.20	0.614	1.99–2	0.12	3.60–3	3
49SCH/SAG	310.9–366.5	11	1.50	01.000	3.02–1	1.50	–2.77–1	–11
90MES/TOD	111.0–308.4	25	0.10	1.367	2.43–2	0.14	–8.45–3	3
95TAK/YAM	108.8–303.5	65	0.10	1.119	1.87–2	0.11	3.20–3	12


Table 13.21.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	125	125	1.111	9.35–2	0.47	–2.37–2	7
sat	125	125	1.110	9.07–2	0.46	–2.29–2	6
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
108.8–250.0	1.82932+1		–4.45103	1.90781	–1.22834–1	II	
250.0–366.5	2.36815+1		–1.09170+1	4.49421	–4.67686–1	V	
108.8–250.0	1.83222+1		–4.50466	1.93972	–1.28928–1	II	
250.0–366.5	2.52519+1		–1.28203+1	5.26598	–5.72429–1	V	

Table 13.21.4. Parameters of quasi-polynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	125	125	2.663	5.12–2	0.30	6.60–3	–3	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
108.8–366.5	464.78	6.74740+1	4.61088	1.03754+1	6.96221+1	–7.31450	8.70906+1	V

13-021



Selected data
 O47TOD/OLI
 □49SCH/SAG
 △90MES/TOD
 ▽95TAK/YAM

Name: 1-Heptene
 Formula: C₇H₁₄

CAS-RN: 592-76-7
 Group No.: 13-030
 Molar Mass: 98.19

Table 13.30.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
36PAR/TOD2	151.1–295.1	21	0.50	99.85	melpt	<i>p</i>	BSIO	25PAR
57MCC/FIN1	157.1–299.6	22	0.10	99.86	melpt	sat	BBAO	47HUF
88GUS/MIR1	303.1–343.1	3	nosp	not specified		<i>p</i>	BDHT	84GUS/MIR1

Table 13.30.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
57MCC/FIN1	157.1–299.6	22	0.10	0.239	5.68–3	0.02	3.21–4	1
88GUS/MIR1	303.1–343.1	3	0.80 #	0.767	1.59–1	0.61	–1.48–1	–3
Rejected data								
36PAR/TOD2	(1.04–1.044, 5.21–3, –2)							


Table 13.30.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	46	25	0.379	6.04–2	0.23	–1.74–2	–2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
157.1–343.1		2.98111+1	–1.12277+1	4.61440	–4.48681–1		II

Table 13.30.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
C	46	25	0.798	8.58-2	0.32	3.10-3	0	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
157.1-343.1	537.30	5.70825+2	5.71077+1	-3.78482+1	5.48469+2	6.00042+1	4.34554+2	IV

13-030



Selected data Rejected data
 O 57MCC/FIN1 Δ 36PAR/TOD2
 □ 88GUS/MIR1

Name: 1-Nonene
 Formula: C₉H₁₈

CAS-RN: 124-11-8
 Group No.: 13-034
 Molar Mass: 126.24

Table 13.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
88GUS/MIR1	303.1-383.1	5	nosp	not specified		<i>p</i>	BDHT	84GUS/MIR
90MES/TOD	199.4-380.3	25	0.10	99.979	melpt	sat	BSAO	47HUF

Name: 1-Decene
 Formula: C₁₀H₂₀

CAS-RN: 872-05-9
 Group No.: 13-035
 Molar Mass: 140.27

Table 13.35.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
57MCC/FIN1	211.4-355.8	19	0.10	99.9	melpt	sat	BSAO	47HUF
88GUS/MIR1	303.1-423.1	7	nosp	not specified		<i>p</i>	BDHT	84GUS/MIR1

Name: Ethyne
Formula: C₂H₂

CAS-RN: 74-86-2
Group No.: 13-039
Molar Mass: 26.04

Table 13.39.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
07MCI	N	200.90	4.400	nosp	not specified	<i>p</i>	BSIO	07MCI
07MCI	pressure of liquid Ethyne corresponded to this temperature is about 160 kPa							

Name: 4-Methyl-1-pentene
Formula: C₆H₁₂

CAS-RN: 691-37-2
Group No.: 13-040
Molar Mass: 84.16

Table 13.40.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94LEB/SMI2	N	118.9–327.0	45 S	0.20	96.02	melpt	BSAO	76LEB/LIT
97STE/CHI1		290.0–460.0	eqn	1.00	99.95	chrom	BDHT	89KNI/ARC
94LEB/SMI2	only a graph given in the paper; smoothed values provided by the author							

Table 13.40.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
94LEB/SMI2	118.9–300.0	39	0.60 #	0.896	1.16–1	0.54	–3.76–2	–3
97STE/CHI1	290.0–460.0	35	1.00	1.227	3.03–1	1.23	1.27–1	5


Table 13.40.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	80	74	1.103	2.32–1	0.96	4.05–2	2
sat	80	74	1.062	2.13–1	0.92	3.84–2	2
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
118.9–300.0	1.69996+1		5.58370–1	–4.39679–1	2.83278–1	IV	
300.0–460.0	2.24431+1		–4.88515	1.37483	8.16664–2	IV	
118.9–300.0	1.67502+1		9.43967–1	–6.26921–1	3.11907–1	IV	
300.0–460.0	3.32602+1		–1.55660+1	4.87640	–2.99573–1	IV	

Table 13.40.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	80	74	1.136	2.21–1	0.92	1.18–2	–3	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
118.9–460.0	495.00	4.71336–1	6.87283–4	1.72768+1	6.34515–1	–3.54662	2.92533+1	IV

13-040



Selected data
 O94LEB/SMI2
 O97STE/CHI1

Name: Benzene
 Formula: C₆H₆

CAS-RN: 71-43-2
 Group No: 14-003
 Molar Mass: 78.11

Table 14.3.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
19DEJ	297.6–323.1	16	nosp	not specified		<i>p</i>	BSIO	19DEJ
21TRE	289.4–331.3	12	nosp	not specified		<i>p</i>	BSIO	49WEI
24WIL/DAN	305.0–335.0	eqn	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
25WIL/DAN	293.1–333.1	5 S	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
26AND/LYN	293.0–383.0	eqn	nosp	not specified		<i>p</i>	DSIO	26AND/LYN
30HUF/PAR1	281.1–300.0	6	1.00	not specified		<i>p</i>	BSIO	25PAR
31FIO/GIN	328.1–378.1	6 S	0.10	not specified		sat	BSIO	31FIO/GIN
33KOL/UDO	287.9	1	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
37COH/BUI	283.1–295.1	7	nosp	not specified		<i>p</i>	BSAO	20COH/MOE
39PHI	301.4	1	nosp	not specified		<i>p</i>	BSIO	49WEI
41ZHD	281.4–318.8	3	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
42ZIE/AND	283.5–322.6	9	2.00	99.99	melpt	<i>p</i>	BDHO	37STU
47KUR	290.0–321.8	5	nosp	not specified		avg	DSIO	47KUR
48OLI/EAT	286.9–336.9	9	0.20	99.967	melpt	sat	BSAO	43RUE/HUF
48TSC1	295.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
48TSC5	295.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
51SIE/CRU	293.1	1	nosp	not specified		<i>p</i>	not specified	
55STA/TUP	288.4–346.9	13	0.20	not specified		<i>p</i>	BSAO	55STA/TUP
56DUF/EVE	303.1–353.1	6 S	0.50	not specified		<i>p</i>	not specified	
60SWI/ZIE	316.3–322.1	2	nosp	not specified		avg	DSIO	58SWI/ZIE1
62RAB/NIK	283.1–303.1	5 S	0.30	not specified		<i>p</i>	BSAO	47SKU
65FIN/GRU	300.0	1	0.40	not specified		<i>p</i>	BDAO	65FIN/GRU
65KAU/BIT	293.1–349.1	8	1.00	not specified		<i>p</i>	FSIO	65KAU/BIT
67PAC	298.1	1	nosp	not specified		<i>p</i>	BDHT	79DU/COM
67RAS/GAN	293.1–353.1	4 S	0.50	not specified		<i>p</i>	BSAO	67RAS/GAN
68REC1	298.0–313.0	eqn	nosp	not specified		<i>p</i>	BSAO	68REC1
71DES/BHA	298.1–318.1	3 S	1.00	not specified		<i>p</i>	BSIO	58MUR/VAN
71KHA/SUB	298.1–313.1	2	nosp	not specified		<i>p</i>	BSIO	64MOE/THO
74RAJ/SUB	298.1–323.1	3	0.30	not specified		<i>p</i>	BSIO	64MOE/THO
75RAS/GRI	305.1–463.1	9	nosp	not specified		<i>p</i>	BDAO	75RAS/GRI
75SAN	433.1–493.1	6 S	1.00	not specified		<i>p</i>	FSIO	75SAN

Table 14.3.1 Experimental heat capacities—Continued

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
76FOR/BEN2	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
77BEL/BUB	298.1	1	nosp	not specified		<i>p</i>	BDCT	68WAD
77WIL/GRO	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
78GRO/WIL	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
81ATA/ELS	293.1	1	2.50	not specified		<i>p</i>	BDHO	81ATA/ELS
82GOR/SIM2	279.0–353.0	eqn	nosp	99.9	anal	<i>p</i>	FSIO	83GOR/SIM
82GRO/ING	298.1	1	nosp	98.5	melpt	<i>p</i>	FSIT	71PIC/LED
82TAN	293.1–303.1	3 S	0.30	99.99	melpt	<i>p</i>	FSIT	71PIC/LED
82WIL/FAR	298.1	1	nosp	98.5	melpt	<i>p</i>	FSIT	71PIC/LED
83GOR/SIM	N 283.8–348.5	12	0.25	99.9	anal	<i>p</i>	FSIO	83GOR/SIM
85OGA/MUR	298.1	1	0.10	not specified		<i>p</i>	FSIO	85OGA/MUR
85TAN	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
86NAZ/BAS1	322.0–351.1	2	2.00	not specified		<i>p</i>	BDHO	86NAZ/BAS1
87GRO/ROU	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
87KAL/KOH	293.1–313.1	2	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
87TAN	293.1–303.1	3	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
88SHI/OGA1	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
89LAI/ROD	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
89PFE/SCH	313.1	1	nosp	not specified		<i>p</i>	BDCT	68WAD
89PRA/RAJ	318.1–333.1	4	3.00	not specified		<i>p</i>	BDHT	89PRA/RAJ
90YAM/OGA	298.1	1	nosp	99.97	chrom	<i>p</i>	FSIO	85OGA/MUR
91CZA	298.5	1	2.00	not specified		<i>p</i>	BSIO	79CZA
91GRO/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
91TAN/ADA	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
91WIL/JIM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
92MIY/TAM1	298.1	1	nosp	99.99	chrom	<i>p</i>	FSIO	85OGA/MUR
92MIY/TAM2	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
93DUR/AOU	303.0–347.0	23	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
93GRO/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
94CHI/STE	300.0–540.0	13 S	1.00	99.9	chrom	sat	BDHT	89KNI/ARC
95DUR/AOU	303.0–347.0	eqn	2.00	99.99	anal	<i>p</i>	BDCT	86MER/BEN
95FUJ/TAM2	298.1	1	nosp	99.95	chrom	<i>p</i>	FSIO	85OGA/MUR
97HU/TAM1	298.1	1	nosp	99.96	chrom	<i>p</i>	FSIO	85OGA/MUR
97TAN/NAK	298.1–303.1	2	nosp	100.0	chrom	<i>p</i>	FSIT	71PIC/LED
97TAN/TOY	298.1	1	0.15	99.95	chrom	<i>p</i>	FSIT	71PIC/LED
31FIO/GIN	water content below 0.01%; data calculated using procedure by 85WIL/CHA							
33KOL/UDO	same datum in 34KOL/UDO							
51SIE/CRU	heat of mixing calorimeter used							
56DUF/EVE	measured by a non-calorimetric method (piezo-thermometric)							
60SWI/ZIE	average values in temperature ranges 294–339 K and 294–350 K							
68REC1	same data in 68REC2							
71KHA/SUB	reproducibility given as 0.3%							
75RAS/GRI	data above 343 K measured at superambient pressures up to 1.33 MPa							
75SAN	same data in 76SAN/MEL; C_p at saturation curve extrapolated from high pressure measurements							
83GOR/SIM	same data in 82GOR/GRI							

Table 14.3.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
48OLI/EAT	286.9–336.9	9	0.20	0.366	1.20–2	0.07	1.03–2	8
56DUF/EVE	303.1–353.1	6	0.50	0.593	5.03–2	0.30	1.36–2	2
65FIN/GRU	300.0	1	0.40	0.191	1.25–2	0.08	1.25–2	1
71KHA/SUB	298.1–313.1	2	0.50 #	0.387	3.23–2	0.19	–2.24–2	–1
75RAS/GRI	305.1–463.1	9	0.80 #	0.876	1.42–1	0.70	–6.45–2	–3
75SAN	433.1–493.1	6	1.00	1.828	4.42–1	1.83	3.26–1	4
76FOR/BEN2	298.1	1	0.30	0.326	1.60–2	0.10	–1.60–2	–1
77WIL/GRO	298.1	1	0.30	0.720	3.52–2	0.22	–3.52–2	–1
78GRO/WIL	298.1	1	0.30	0.696	3.40–2	0.21	–3.40–2	–1
82GOR/SIM2	279.0–353.1	4	1.00 #	0.464	7.94–2	0.46	7.86–2	4
82GRO/ING	298.1	1	0.50 #	0.255	2.08–2	0.13	–2.08–2	–1
82TAN	293.1–303.1	3	0.30	0.424	2.08–2	0.13	–2.05–2	–3
85OGA/MUR	298.1	1	0.10	1.228	2.01–2	0.12	2.01–2	1
85TAN	298.1	1	0.30	0.425	2.08–2	0.13	–2.08–2	–1
87GRO/ROU	298.1	1	0.50 #	0.211	1.72–2	0.11	–1.72–2	–1
87TAN	293.1–303.1	3	0.50 #	0.315	2.58–2	0.16	–2.55–2	–3
89LAI/ROD	298.1	1	0.50 #	0.403	3.28–2	0.20	–3.28–2	–1
91CZA	298.5	1	2.00	0.019	6.14–3	0.04	–6.14–3	–1
91GRO/ROU	298.1	1	0.50 #	0.373	3.04–2	0.19	–3.04–2	–1
91TAN/ADA	298.1	1	0.50 #	0.314	2.56–2	0.16	–2.56–2	–1
92MIY/TAM1	298.1	1	0.50 #	0.069	5.66–3	0.03	5.66–3	1
92MIY/TAM2	298.1	1	0.50 #	0.025	2.05–3	0.01	2.05–3	1
93GRO/ROU	298.1	1	0.50 #	0.299	2.44–2	0.15	–2.44–2	–1
94CHI/STE	300.0–540.0	13	1.00	0.842	2.05–1	0.84	–1.25–1	–7
95FUJ/TAM2	298.1	1	0.50 #	0.196	1.60–2	0.10	–1.60–2	–1
97HU/TAM1	298.1	1	0.50 #	0.069	5.66–3	0.03	5.66–3	1
97TAN/NAK	298.1–303.1	2	0.50 #	0.313	2.57–2	0.16	–2.56–2	–2
97TAN/TOY	298.1	1	0.15	0.997	2.44–2	0.15	–2.44–2	–1
Rejected data								
19DEJ	(2.75–1,1.61,2.49–1,16)		21TRE	(1.64–1,0.97,4.66–2,4)				
24WIL/DAN	(3.10–1,1.80,4.42–2,0)		25WIL/DAN	(3.44–1,1.97,6.48–3,–1)				
26AND/LYN	(3.46–1,2.08,–4.66–2,1)		30HUF/PAR1	(1.02–1,0.64,–9.93–2,–6)				
31FIO/GIN	(1.30–1,0.73,1.22–1,6)		33KOL/UDO	(2.90–1,1.83,–2.90–1,–1)				
37COH/BUI	(2.23–1,1.40,–2.22–1,–7)		39PHI	(7.61–2,0.47,–7.61–2,–1)				
41ZHD	(3.64–2,0.22,6.96–3,0)		42ZIE/AND	(1.57–1,0.94,–7.00–2,–7)				
47KUR	(2.67–1,1.68,–1.76–1,–3)		48TSC1	(2.29–1,1.43,–2.29–1,–1)				
48TSC5	(1.50–1,0.93,–1.50–1,–1)		51SIE/CRU	(2.03–1,1.27,–2.03–1,–1)				
55STA/TUP	(1.23–1,0.73,–1.11–1,–13)		60SWI/ZIE	(5.22–1,3.20,–3.15–1,0)				
62RAB/NIK	(1.04–1,0.64,–1.03–1,–5)		65KAU/BIT	(3.62–1,2.04,1.14–1,0)				
67PAC	(6.21–1,3.95,–6.21–1,–1)		67RAS/GAN	(8.31–2,0.47,6.21–2,2)				
68REC1	(6.13–2,0.37,–6.11–2,–3)		71DES/BHA	(1.95–1,1.19,–1.95–1,–3)				
74RAJ/SUB	(6.49–2,0.39,–5.82–2,–3)		77BEL/BUB	(7.22–2,0.44,–7.22–2,–1)				
81ATA/ELS	(1.51–1,0.94,–1.51–1,–1)		82WIL/FAR	(3.52–2,0.22,–3.52–2,–1)				
83GOR/SIM	(9.01–2,0.53,7.97–2,12)		86NAZ/BAS1	(1.78–1,1.02,1.26–3,0)				
87KAL/KOH	(5.34–2,0.32,–4.85–2,–2)		88SHI/OGA1	(1.52–1,0.94,–1.52–1,–1)				
89PFE/SCH	(2.81–1,1.65,2.81–1,1)		89PRA/RAJ	(4.47–1,2.67,–4.29–1,–4)				
90YAM/OGA	(8.21–2,0.51,–8.21–2,–1)		91WIL/JIM	(3.52–2,0.22,–3.52–2,–1)				
93DUR/AOU	(2.85–1,1.65,2.84–1,23)		95DUR/AOU	(2.75–1,1.60,2.72–1,4)				

Table 14.3.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	252	75	0.818	1.68-1	0.72	-3.46-3	-9
sat	252	75	0.833	1.68-1	0.74	-3.11-3	-8
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
279.0-380.0	2.18305+1		-8.42889	2.92873	-2.41104-1	II	
380.0-490.0	-4.33672+1		4.30429+1	-1.06165+1	9.47073-1	IV	
490.0-540.0	-2.78251+3		1.72007+3	-3.52866+2	2.42294+1	IV	
279.0-380.0	2.05209+1		-7.34142	2.64185	-2.17800-1	II	
380.0-490.0	-2.50391+1		2.86271+1	-6.82355	6.12497-1	IV	
490.0-540.0	-1.30420+3		8.11788+2	-1.66652+2	1.14852+1	IV	

Table 14.3.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	252	75	0.843	1.66-1	0.72	-1.94-2	-24
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
279.0-540.0	562.16	-2.70938	2.02562-1	9.06286	9.05991	IV	



Name: Cyclohexene
Formula: C₆H₁₀

CAS-RN: 110-83-8
Group No.: 14-006
Molar Mass: 82.15

Table 14.6.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
30PAR/HUF1	175.2–293.2	12	1.00	not specified		<i>p</i>	BSIO	25PAR
48HUF/EAT	178.8–300.6	19	0.10	99.997	melpt	sat	BSAO	43RUE/HUF
77HAI/SUG1	171.2–293.4	42	nosp	99.96	melpt	sat	BSAO	65SUG/SEK
88KAL/WOY	183.0–298.1	26	nosp	not specified		<i>p</i>	BSAO	80KAL/JED
93STE/CHI2	N 298.1	1	1.00	99.95	chrom	<i>p</i>	BDHT	89KNI/ARC
93STE/CHI2	same datum in 96STE/CHI2							

Name: Bicyclo[2.2.1]hepta-2,5-diene
Formula: C₇H₈

CAS-RN: 121-46-0
Group No.: 14-009
Molar Mass: 92.14

Table 14.9.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
73HAL/SMI	297.1	1	nosp	99.9	chrom	<i>p</i>	BDHT	71DU/COM
78STE	N 298.1	1	nosp	not specified		<i>p</i>	not specified	
78STE	unspecified DSC instrument used for measurement							

Table 14.9.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
78STE	298.1	1	1.00 #	0.000	0.00	0.00	0.00	0

Table 14.9.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	2	1	0.000	0.00	0.00	0.00	0
Temp. range K	A_1						Level of uncertainty
298.1–298.1	1.93878+1						IV

Name: Methylbenzene
Formula: C₇H₈

CAS-RN: 108-88-3
Group No.: 14-011
Molar Mass: 92.14

Table 14.11.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	304.8–341.3	7 S	nosp	not specified		avg	DSIO	*81VON
*86SCH	309.3–329.0	11 S	nosp	not specified		avg	DSIO	*86SCH
07BAT	181.1–248.1	6	nosp	not specified		<i>p</i>	BSIO	07BAT
24WIL/DAN	305.0–348.0	eqn	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
25WIL/DAN	293.1–333.1	5 S	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
29KEL5	183.8–284.4	11	nosp	not specified		<i>p</i>	BSIO	29KEL1
30SOU/AND	183.8–244.8	7	0.50	not specified		<i>p</i>	BSAO	30SOU/AND
31SMI/AND1	184.4–298.5	9	nosp	not specified		<i>p</i>	DSIO	26AND/LYN
35AOY/KAN	195.2–227.8	2	nosp	not specified		<i>p</i>	BSAO	35AOY/KAN
37VOL	298.1	1	nosp	not specified		<i>p</i>	BSIO	37VOL
41ZHD	278.5–320.4	3	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
47KUR	241.9–310.5	4	nosp	not specified		avg	DSIO	47KUR
48TSC1	295.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
48TSC5	295.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
56SCH/GOT	270.0–292.5	10	2.00	not specified		<i>p</i>	BSAO	33SOU/BRI
58SWI/ZIE2	323.9–333.2	2	nosp	not specified		avg	DSIO	58SWI/ZIE1
62SCO/GUT	183.2–371.0	23	0.20	99.999	melpt	sat	BSAO	47HUF
66HWA/ZIE	180.9–304.4	34	nosp	99.99	melpt	<i>p</i>	BSAO	45SCO/MEY
67RAS/GAN	293.1–373.1	5 S	0.50	not specified		<i>p</i>	BSAO	67RAS/GAN
71DES/BHA	298.1–318.1	3 S	1.00	not specified		<i>p</i>	BSIO	58MUR/VAN
73AKH/EKS	298.1	1	0.20	not specified		<i>p</i>	FSIO	59RIB/EGO
74RAJ/SUB	298.1–323.1	3	0.30	not specified		<i>p</i>	BSIO	64MOE/THO
75HOL/ZIE	162.0–312.0	eqn	0.20	not specified		<i>p</i>	BSAO	45SCO/MEY
75PED/KAY	300.6–347.3	19	nosp	not specified		<i>p</i>	BSIO	75PED/KAY
75RAS/GRI	303.0–462.7	9	1.00	not specified		<i>p</i>	BDAO	75RAS/GRI
76FOR/BEN1	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
76SAN/MEL	393.1–503.1	8 S	1.00	not specified		<i>p</i>	FSIO	75SAN
77BEL/BUB	298.1	1	nosp	not specified		<i>p</i>	BDCT	68WAD
77FOR/BEN	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
77WIL/GRO	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
79AND/GRI	293.1–373.3	9	0.50	not specified		<i>p</i>	BSAO	67RAS/GAN
80NEF/FIL	300.0–520.0	12 S	nosp	not specified		sat	BDHO	84FIL/LAU
81ATA/ELS	293.1	1	2.50	not specified		<i>p</i>	BDHO	81ATA/ELS
82GRO/ING	298.1	1	0.30	99.5	estim	<i>p</i>	FSIT	71PIC/LED
82WIL/FAR	298.1	1	0.30	99.5	estim	<i>p</i>	FSIT	71PIC/LED
84STE/OLS	266.1–318.1	11 S	nosp	99.5	melpt	<i>p</i>	BDHT	69PER/COM
85COS/PAT6	298.2	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
86ROU/GRO	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
87OKH/RAZ	181.4–380.4	15	0.30	not specified		sat	BDAO	87OKH/RAZ
88SHI/OGA1	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
88STE/CHI	300.0–580.0	29 S	nosp	not specified		sat	BDHT	89KNI/ARC
89PRA/RAJ	318.1–333.1	4	3.00	not specified		<i>p</i>	BDHT	89PRA/RAJ
90RAO/RAJ	318.1–333.1	4	4.00	not specified		<i>p</i>	BDHT	89PRA/RAJ
91COB/GAR	298.1–368.1	4	nosp	not specified		<i>p</i>	BDCT	83ROU/ROU
91TAN/ADA	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
91WIL/JIM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
93CON/GIR1	298.0–359.0	eqn	5.00	not specified		sat	BDHT	93CON/GIR1
93GRO/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
94CHI/STE	300.0–570.0	15 S	1.00	99.9	chrom	sat	BDHT	89KNI/ARC
94GRO/ROU	298.1	1	nosp	99.0	chrom	<i>p</i>	FSIT	71PIC/LED
94JIM/ROM	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
94PRA/RAJ	293.1–323.1	4	nosp	not specified		<i>p</i>	BDHT	89PRA/RAJ
95FUJ/TAM2	298.1	1	nosp	99.95	chrom	<i>p</i>	FSIO	85OGA/MUR
97TAN/NAK	298.1–303.1	2	nosp	100.0	chrom	<i>p</i>	FSIT	71PIC/LED
97TAN/TOY	298.1	1	0.15	99.95	chrom	<i>p</i>	FSIT	71PIC/LED
99BRO/CAL	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
#00BEC/AUF	302.0–337.0	8	0.30	99.95	chrom	sat	BDCT	#00BEC/AUF
#00BEC/AUF	288.1–353.2	14	0.20	99.95	chrom	sat	BDCT	#00BEC/AUF

Table 14.11.1. Experimental heat capacities—Continued

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
07BAT	same data in 08BAT							
29KEL5	high sample purity							
30SOU/AND	high sample purity							
58SWI/ZIE2	average values in temperature ranges 294–354 K and 294–372 K							
75RAS/GRI	data above 364 K measured at superambient pressures up to 0.72 MPa							
76SAN/MEL	C_p at saturation curve extrapolated from high pressure measurements							
79AND/GRI	grade: pure							
#00BEC/AUF	“step by step” method was used							
#00BEC/AUF	“three-step” method was used							

Table 14.11.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
62SCO/GUT	183.2–371.0	23	0.20	0.483	1.98–2	0.10	–4.97–3	–1
66HWA/ZIE	180.9–304.5	34	0.20 #	0.451	1.59–2	0.09	1.15–3	–6
75HOL/ZIE	162.0–312.0	31	0.20	0.383	1.44–2	0.08	–8.09–3	–16
76FOR/BEN1	298.1	1	0.30	0.361	2.04–2	0.11	–2.04–2	–1
77FOR/BEN	298.1	1	0.50 #	0.146	1.38–2	0.07	–1.38–2	–1
77WIL/GRO	298.1	1	0.30	0.544	3.08–2	0.16	–3.08–2	–1
79AND/GRI	293.1–373.3	9	0.50	0.663	6.51–2	0.33	5.68–2	9
82GRO/ING	298.1	1	0.30	0.395	2.24–2	0.12	–2.24–2	–1
82WIL/FAR	298.1	1	0.30	0.097	5.52–3	0.03	–5.52–3	–1
86ROU/GRO	298.1	1	0.50 #	0.148	1.39–2	0.07	–1.39–2	–1
91COB/GAR	298.1–368.1	4	0.50 #	0.367	3.63–2	0.18	–3.40–2	–4
91TAN/ADA	298.1	1	0.50 #	0.262	2.48–2	0.13	–2.48–2	–1
91WIL/JIM	298.1	1	0.50 #	0.199	1.88–2	0.10	–1.88–2	–1
94CHI/STE	300.0–570.0	15	1.00	0.514	1.72–1	0.51	2.90–2	6
94GRO/ROU	298.1	1	0.50 #	0.081	7.71–3	0.04	7.71–3	1
94JIM/ROM	298.1	1	0.50 #	0.335	3.18–2	0.17	3.18–2	1
95FUJ/TAM2	298.1	1	0.30 #	0.199	1.13–2	0.06	1.13–2	1
97TAN/NAK	298.1–303.1	2	0.50 #	0.381	3.62–2	0.19	–3.55–2	–2
97TAN/TOY	298.1	1	0.15	0.955	2.70–2	0.14	–2.70–2	–1
99BRO/CAL	298.1	1	0.50 #	0.084	7.93–3	0.04	–7.93–3	–1
#00BEC/AUF	302.0–337.0	8	0.30	0.663	3.88–2	0.20	–1.65–2	–4
#00BEC/AUF	288.1–353.2	14	0.20	0.868	3.43–2	0.17	2.93–2	13
Rejected data								
35AOY/KAN	(1.55–1,0.91,1.28–1,2)		75PED/KAY	(9.90–2,0.50,3.55–2,1)				
75RAS/GRI	(9.39–2,0.44,2.58–2,3)		76SAN/MEL	(7.80–1,2.73,6.07–1,8)				
77BEL/BUB	(6.70–2,0.36,–6.70–2,–1)		84STE/OLS	(1.58–1,0.82,1.48–1,11)				
87OKH/RAZ	(1.41–1,0.71,9.30–2,10)		88SHI/OGA1	(1.49–1,0.79,–1.49–1,–1)				
88STE/CHI	(5.22–1,1.86,4.62–1,26)		94PRA/RAJ	(3.65–1,1.88,3.29–1,4)				


Table 14.11.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	252	153	0.531	6.12-2	0.21	3.63-3	-12
sat	252	153	0.530	4.78-2	0.19	3.59-3	-15
Temp. range K							Level of uncertainty
		A_1	A_2	A_3	A_4		
162.0-350.0		2.16638+1	-7.51813	2.97181	-2.55049-1		II
350.0-500.0		2.78361	8.66490	-1.65192	1.85306-1		III
500.0-570.0		-1.69932+3	1.02992+3	-2.05904+2	1.38021+1		IV
162.0-350.0		2.17474+1	-7.62609	3.01725	-2.61290-1		II
350.0-500.0		6.44050	5.49414	-7.31388-1	9.57235-2		III
500.0-570.0		-8.78996+2	5.36756+2	-1.06984+2	7.17922		IV

Table 14.11.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	252	153	3.102	1.64-1	0.77	2.81-2	1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
162.0-570.0	591.79	-3.12743	8.57315-2	1.37282+1	1.28971	6.42297	4.10989	V

14-011



Selected data	+ 79AND/GRI	• 94GRO/ROU	Rejected data
○ 62SCO/GUT	× 82WIL/FAR	■ 95FUJ/TAM2	◆ 35AOY/KAN
□ 66HWA/ZIE	* 86ROU/GRO	▲ 97TAN/NAK	☆ 75PED/KAY
△ 75HOL/ZIE	★ 91COB/GAR	▼ 99BRO/CAL	• 75RAS/GRI
▽ 76FOR/BEN1	◀ 91WIL/JIM	◆ 00BEC/AUF	
◇ 77FOR/BEN	▶ 94CHI/STE	★ 00BEC/AUF	

Name: 1,2-Dimethylbenzene
Formula: C₈H₁₀

CAS-RN: 95-47-6
Group No.: 14-018
Molar Mass: 106.17

Table 14.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
24WIL/DAN	303.0–348.0	eqn	nosp	not specified		<i>p</i>	BDAO	24WIL/DAN
30HUF/PAR1	253.3–295.1	8	1.00	not specified		<i>p</i>	BSIO	25PAR
43PIT/SCO	251.6–301.9	9	0.20	99.88	melpt	<i>p</i>	BSIO	28LAT/GRE
47KUR	308.8–346.6	3	nosp	not specified		avg	DSIO	47KUR
48TSC3	293.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
48TSC6	294.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
58SWI/ZIE2	N 347.3	1	nosp	not specified		avg	DSIO	58SWI/ZIE1
75RAS/GRI	N 303.2–463.1	10	1.00	not specified		<i>p</i>	BDAO	75RAS/GRI
77FOR/BEN	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
79FOR/BEN	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
91TAN/ADA	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
92JAI/CHA	303.6–321.6	7	nosp	98.	anal	<i>p</i>	BDCT	91BAN/GAR
93GAR/BAN	318.1–373.1	12	nosp	99.6	chrom	<i>p</i>	BDCT	91BAN/GAR
97CHI/KN11	252.0–413.2	17	0.10	99.93	melpt	sat	BDAO	88STE/ARC
97CHI/KN11	420.0–550.0	8 S	1.00	99.93	melpt	sat	BDHT	89KNI/ARC
97TAN/TOY	298.1	1	0.15	99.95	chrom	<i>p</i>	FSIT	71PIC/LED
58SWI/ZIE2	average value in temperature range 333–373 K							
75RAS/GRI	data above 348 K measured at superambient pressures up to 0.51 MPa							

Table 14.18.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
43PIT/SCO	251.6–301.9	9	0.20	1.157	5.16–2	0.23	2.27–2	4
75RAS/GRI	303.2–463.1	10	1.00	0.826	2.04–1	0.83	–1.05–1	–6
77FOR/BEN	298.1	1	0.50 #	0.211	2.38–2	0.11	–2.38–2	–1
79FOR/BEN	298.1	1	0.30	0.230	1.55–2	0.07	–1.55–2	–1
91TAN/ADA	298.1	1	0.50 #	0.226	2.55–2	0.11	–2.55–2	–1
92JAI/CHA	303.6–321.6	7	0.30 #	0.357	2.49–2	0.11	–2.06–2	–6
97CHI/KN11	252.0–413.2	17	0.10	0.187	4.69–3	0.02	–4.45–4	–1
97CHI/KN11	420.0–550.0	8	1.00	0.166	5.60–2	0.17	–1.33–2	–4
97TAN/TOY	298.1	1	0.15	0.740	2.50–2	0.11	–2.50–2	–1
Rejected data								
24WIL/DAN	(8.21–1.3.60, –8.21–1, –5)			30HUF/PAR1	(2.30–1, 1.06, –2.20–1, –8)			
47KUR	(2.86–1, 1.24, –2.68–1, –3)			48TSC3	(4.91–1, 2.24, –4.91–1, –1)			
48TSC6	(5.28–1, 2.41, –5.28–1, –1)			58SWI/ZIE2	(2.53–1, 1.02, 2.53–1, 1)			
93GAR/BAN	(1.94–1, 0.80, –1.93–1, –12)							

Table 14.18.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	86	55	0.652	9.71–2	0.39	–2.18–2	–17
sat	86	55	0.649	9.51–2	0.39	–1.97–2	–17
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
251.6–350.0	2.27698+1		–5.97535	2.66140	–2.27424–1	II	
350.0–550.0	7.49507		7.11732	–1.07936	1.28839–1	IV	
251.6–350.0	2.27487+1		–5.96269	2.66041	–2.27713–1	II	
350.0–550.0	1.01285+1		4.85463	–4.30255–1	6.66358–2	IV	

Table 14.18.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	86	55	1.653	1.24-1	0.45	-1.75-2	9	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
251.6-550.0	630.30	2.75413	2.81260-2	1.65019+1	7.32563	1.36401+1	1.15983+1	IV



Selected data

- + 92JAI/CHA
- O 43PIT/SCO
- 75RAS/GRI
- △ 77FOR/BEN
- ▽ 79FOR/BEN
- ◇ 91TAN/ADA

Rejected data

- × 97CHI/KN11
- * 97CHI/KN11
- ◀ 30HUF/PAR1
- ▶ 47KUR
- ★ 58SWI/ZIE2

Name: 1,3-Dimethylbenzene
Formula: C₈H₁₀

CAS-RN: 108-38-3
Group No.: 14-019
Molar Mass: 106.17

Table 14.19.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	308.9-334.8	11	S	nosp	not specified	avg	DSIO	*86SCH
24WIL/DAN	303.0-348.0	eqn	nosp	not specified	p	BSAO	24WIL/DAN	
30HUF/PAR1	217.0-275.3	6	1.00	not specified	p	BSIO	25PAR	
43PIT/SCO	231.4-318.2	11	0.20	97.66	melpt	p	BSIO	28LAT/GRE
47KUR	309.8-347.7	3	nosp	not specified	avg	DSIO	47KUR	
48TSC3	293.1	1	nosp	not specified	p	BSIO	48TSC1	
48TSC6	294.1	1	nosp	not specified	p	BSIO	48TSC1	
58SWI/ZIE2	336.8	1	nosp	not specified	avg	DSIO	58SWI/ZIE1	
75RAS/GRI	302.9-462.5	9	1.00	not specified	p	BDAO	75RAS/GRI	
75SAN	411.1-540.2	8	S	1.00	not specified	p	FSIO	75SAN
77FOR/BEN	298.1	1	nosp	not specified	p	FSIT	71PIC/LED	
79FOR/BEN	298.1	1	0.30	not specified	p	FSIT	71PIC/LED	
91TAN/ADA	298.1	1	nosp	not specified	p	FSIT	71PIC/LED	
92JAI/CHA	303.6-321.6	7	nosp	98.	anal	p	BDCT	91BAN/GAR

Table 14.19.1. Experimental heat capacities—Continued

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93GAR/BAN	318.1–373.1	12	nosp	99.3	chrom	<i>p</i>	BDCT	91BAN/GAR
93GRO/ROU	298.1	1	nosp	99.0	anal	<i>p</i>	FSIT	71PIC/LED
97CHI/KNI2	232.3–423.4	17	0.10	99.9	melpt	sat	BSAO	88STE/ARC
97CHI/KNI2	440.0–550.0	7 S	1.00	99.9	melpt	sat	BDHT	89KNI/ARC
30HUF/PAR1	low sample purity							
43PIT/SCO	corrected for content of 1,4-Dimethylbenzene							
58SWI/ZIE2	average value in temperature range 333–373 K							
75RAS/GRI	data above 384 K measured at superambient pressures up to 0.45 MPa							
75SAN	same data in 76SAN/MEL; C_p at saturation line extrapolated from high pressure measurement							

Table 14.19.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
75RAS/GRI	324.1–462.5	8	1.00	0.407	1.08–1	0.41	8.19–3	2
75SAN	411.1–523.2	7	1.00	0.658	1.92–1	0.66	1.33–1	3
77FOR/BEN	298.1	1	0.50 #	0.122	1.33–2	0.06	–1.33–2	–1
79FOR/BEN	298.1	1	0.30	0.079	5.15–3	0.02	–5.15–3	–1
92JAI/CHA	303.6–321.6	7	0.50 #	0.426	4.79–2	0.21	–4.53–2	–7
93GAR/BAN	318.1–373.1	12	0.50 #	0.874	1.05–1	0.44	–1.01–1	–12
97CHI/KNI2	232.3–423.4	17	0.10	0.345	7.76–3	0.03	3.23–3	4
97CHI/KNI2	440.0–550.0	7	1.00	0.266	8.94–2	0.27	–2.77–2	–4
Rejected data								
*86SCH	(3.97–1, 1.68, 3.74–1, 11)		24WIL/DAN	(6.20–1, 2.77, –6.20–1, –5)				
30HUF/PAR1	(1.77–1, 0.84, 1.74–1, 2)		43PIT/SCO	(1.69–1, 0.80, 1.62–1, 10)				
47KUR	(8.43–1, 3.46, 8.15–1, 3)		48TSC3	(4.27–3, 0.02, –4.27–3, –1)				
48TSC6	(2.77–1, 1.26, 2.77–1, 1)		58SWI/ZIE2	(4.52–1, 1.89, 4.52–1, 1)				
91TAN/ADA	(3.04–2, 0.14, –3.04–2, –1)		93GRO/ROU	(3.65–1, 1.64, 3.65–1, 1)				


Table 14.19.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	103	60	0.561	1.01–1	0.37	–1.15–2	–16
sat	103	60	0.556	9.77–2	0.36	–9.15–3	–15
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
232.3–400.0	2.04036+1		–4.53989	2.18373	–1.67503–1	II	
400.0–550.0	–1.93184+1		2.52516+1	–5.26415	4.53154–1	IV	
232.3–400.0	2.06739+1		–4.83253	2.28833	–1.79839–1	II	
400.0–550.0	–1.01961+1		1.83199+1	–3.49978	3.02503–1	IV	

Table 14.19.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	103	60	10.960	2.50–1	1.18	1.10–1	26
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
232.3–550.0	617.05	–2.35405	5.81487–2	8.42181	2.38248+1	V	

14-019



Selected data +93GAR/BAN Rejected data ▲91TAN/ADA
 ○75RAS/GRI ×97CHI/KN12 ★86SCH
 □75SAN *97CHI/KN12 ◄24WIL/DAN
 ▲77FOR/BEN ►30HUF/PAR1
 ▼79FOR/BEN ●43PIT/SCO
 ◇92JAI/CHA ■48TSC3

Name: 1,4-Dimethylbenzene
Formula: C₈H₁₀

CAS-RN: 106-42-3
Group No.: 14-020
Molar Mass: 106.17

Table 14.20.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	312.2–335.7	6 S	nosp	not specified		avg	DSIO	*86SCH
24WIL/DAN	303.0–348.0	eqn	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
30HUF/PAR1	290.7–299.4	5	1.00	not specified		<i>p</i>	BSIO	25PAR
43PIT/SCO	292.0–354.6	10	0.20	99.98	melpt	<i>p</i>	BSIO	28LAT/GRE
47COR/GIN	293.1–573.2	15 S	0.20	99.9	melpt	sat	DSTO	50GIN/DOU
47KUR	309.3–349.1	3	nosp	not specified		avg	DSIO	47KUR
48TSC3	293.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
48TSC6	294.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
58SWI/ZIE2	N	336.6–347.0	2	nosp	not specified	avg	DSIO	58SWI/ZIE1
61ROU		298.0–315.9	20	nosp	not specified	<i>p</i>	BSAO	61ROU
71KHA/SUB	N	298.1–313.1	2	nosp	not specified	<i>p</i>	BSIO	64MOE/THO
75RAS/GRI	N	303.6–462.9	9	1.00	not specified	<i>p</i>	BDAO	75RAS/GRI
77BEL/BUB		298.1	1	nosp	not specified	<i>p</i>	BDCT	68WAD
77FOR/BEN		298.1	1	nosp	not specified	<i>p</i>	FSIT	71PIC/LED
77WIL/GRO		298.1	1	nosp	not specified	<i>p</i>	FSIT	71PIC/LED
79FOR/BEN		298.1	1	0.30	not specified	<i>p</i>	FSIT	71PIC/LED
79OTT/GOA		288.1–328.1	9 S	0.30	99.9	melpt	<i>p</i>	FSIT
85COS/PAT7		298.2	1	nosp	99.	anal	<i>p</i>	FSIT
88MES/FIN		295.4–373.4	11	0.10	99.996	melpt	sat	BSAO
89PFE/SCH	N	313.1	1	nosp	not specified	<i>p</i>	BDCT	68WAD
89PRA/RAJ		318.1–333.1	4	3.00	not specified	<i>p</i>	BDHT	89PRA/RAJ
91TAN/ADA		298.1	1	nosp	not specified	<i>p</i>	FSIT	71PIC/LED
91WIL/JIM		298.1	1	nosp	99.	anal	<i>p</i>	FSIT
92JAI/CHA		303.6–321.6	7	nosp	98.	anal	<i>p</i>	BDCT
93GAR/BAN		318.1–373.1	12	nosp	99.7	chrom	<i>p</i>	BDCT

58SWI/ZIE2 average values in temperature ranges 294–379 K and 295–399 K
 71KHA/SUB reproducibility given as 0.3%
 75RAS/GRI data above 386 K measured at superambient pressures up to 0.49 MPa
 89PFE/SCH the publish value at 298.15 K the same as 77BEL/BUB


Table 14.20.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
47COR/GIN	293.1–573.2	15	0.20	1.896	9.53–2	0.38	–5.29–2	–6
75RAS/GRI	303.6–462.9	9	1.00	0.572	1.53–1	0.57	3.63–2	1
77FOR/BEN	298.1	1	0.50 #	0.298	3.26–2	0.15	–3.26–2	–1
79FOR/BEN	298.1	1	0.30	0.234	1.54–2	0.07	–1.54–2	–1
79OTT/GOA	288.1–328.1	9	0.30	0.829	5.48–2	0.25	–2.87–2	–7
88MES/FIN	295.4–373.4	11	0.10	1.197	2.92–2	0.12	2.40–2	11
89PFE/SCH	313.1	1	0.50 #	0.503	5.68–2	0.25	5.68–2	1
91TAN/ADA	298.1	1	0.50 #	0.401	4.39–2	0.20	–4.39–2	–1
91WIL/JIM	298.1	1	0.50 #	0.324	3.55–2	0.16	3.55–2	1
92JAI/CHA	303.6–321.6	7	0.30 #	0.689	4.64–2	0.21	–4.48–2	–7
Rejected data								
*86SCH	(2.61–1,1.11,2.47–1,6)		24WIL/DAN	(7.38–1,3.34,–7.32–1,–5)				
30HUF/PAR1	(2.16–1,1.00,–2.09–1,–5)		43PIT/SCO	(4.40–1,1.86,1.65–1,6)				
47KUR	(8.61–1,3.52,8.19–1,3)		48TSC3	(3.20–1,1.50,–3.20–1,–1)				
48TSC6	(3.08–1,1.44,–3.08–1,–1)		58SWI/ZIE2	(3.07–1,1.28,3.06–1,2)				
61ROU	(8.09–1,3.50,8.05–1,20)		71KHA/SUB	(1.02–1,0.45,–9.04–2,–2)				
77BEL/BUB	(3.31–1,1.53,–3.31–1,–1)		77WIL/GRO	(6.19–2,0.28,–6.19–2,–1)				
85COS/PAT7	(1.89–1,0.85,1.89–1,1)		89PRA/RAJ	(3.12–1,1.32,2.87–1,4)				
93GAR/BAN	(1.50–1,0.63,–1.47–1,–12)							

Table 14.20.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	130	56	1.274	8.91–2	0.35	–1.38–2	–9
sat	130	56	1.256	8.42–2	0.34	–1.53–2	–9
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
288.1–420.0			1.64349+1	–1.61036	1.52541	–1.24370–1	II
420.0–573.2			–7.50004+1	6.37006+1	–1.40248+1	1.10978	IV
288.1–420.0			1.23631+1	1.78263	5.97989–1	–4.14533–2	II
420.0–573.2			–3.77237+1	3.75589+1	–7.92017	6.34591–1	IV

14-020



Name: Ethylbenzene
Formula: C₈H₁₀

CAS-RN: 100-41-4
Group No.: 14-021
Molar Mass: 106.17

Table 14.21.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	304.8–362.1	8	S	nosp	not specified	avg	DSIO	*81VON
*86SCH	309.0–335.7	11	S	nosp	not specified	avg	DSIO	*86SCH
24WIL/DAN	303.0–343.0			nosp	not specified	<i>p</i>	BSAO	24WIL/DAN
30HUF/PAR1	185.0–304.9	16		1.00	not specified	<i>p</i>	BSIO	25PAR
31BLA/LEI	286.1–368.1	25		3.00	not specified	sat	BSIO	31BLA/LEI
31SMI/ANDI	184.4–298.5	9		nosp	99.9	estim	DSIO	26AND/LYN
34KOL/UDO	N	302.7	1	nosp	not specified	<i>p</i>	BSIT	34KOL/UDO
44GUT/SPI	181.5–305.4	16		0.10	99.93	melpt	BSAO	43RUE/HUF
45SCO/BRI	178.2–300.0	27	S	0.10	99.993	melpt	BSAO	33SOU/BRI
47KUR	308.8–372.8	4		nosp	not specified	avg	DSIO	47KUR
48TSCI	295.1	1		nosp	not specified	<i>p</i>	BSIO	48TSCI
48TSC5	295.1	1		nosp	not specified	<i>p</i>	BSIO	48TSCI
76FOR/BEN2	298.1	1		0.30	not specified	<i>p</i>	FSIT	71PIC/LED
77FOR/BEN	298.1	1		nosp	not specified	<i>p</i>	FSIT	71PIC/LED
79AND/GRI	N	293.3–393.0	10	0.50	not specified	sat	BSAO	67RAS/GAN
79FOR/BEN	298.1	1		nosp	not specified	<i>p</i>	FSIT	71PIC/LED
83GRO/FARI	298.1	1		nosp	not specified	<i>p</i>	FSIT	71PIC/LED
91TAN/ADA	298.1	1		nosp	not specified	<i>p</i>	FSIT	71PIC/LED
91WIL/JIM	298.1	1		nosp	99.	anal	FSIT	71PIC/LED
92JAI/CHA	303.6–321.6	7		nosp	98.	anal	BDCT	91BAN/GAR
93GAR/BAN	318.1–373.1	12		nosp	99.5	chrom	BDCT	91BAN/GAR
95FUJ/TAM1	298.1	1		nosp	99.95	chrom	FSIO	85OGA/MUR
97CHI/KN13	183.4–412.4	18		0.10	99.99	melpt	BSAO	88STE/ARC
97CHI/KN13	420.0–550.0	8	S	1.00	99.99	melpt	BDHT	89KNI/ARC
34KOL/UDO	same datum in 34KOL/UDO1							
79AND/GRI	error 0.5% below 373 K and 0.8% at 433 K							

Table 14.21.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
44GUT/SPI	181.5–305.4	16	0.20 #	0.267	1.14–2	0.05	–6.08–3	–5
45SCO/BRI	178.1–300.0	27	0.10	0.412	8.57–3	0.04	6.68–3	22
76FOR/BEN2	298.1	1	0.30	0.264	1.77–2	0.08	–1.77–2	–1
77FOR/BEN	298.1	1	0.50 #	0.397	4.43–2	0.20	–4.43–2	–1
79AND/GRI	293.3–393.0	10	0.50	1.084	1.38–1	0.54	–1.00–1	–6
79FOR/BEN	298.1	1	0.50 #	0.383	4.27–2	0.19	–4.27–2	–1
83GRO/FAR1	298.1	1	0.50 #	0.180	2.01–2	0.09	–2.01–2	–1
91TAN/ADA	298.1	1	0.50 #	0.353	3.94–2	0.18	–3.94–2	–1
91WIL/JIM	298.1	1	0.50 #	0.148	1.65–2	0.07	–1.65–2	–1
92JAI/CHA	303.6–321.6	7	1.00 #	0.214	4.95–2	0.21	4.54–2	7
97CHI/KN13	183.4–412.4	18	0.10	0.626	1.36–2	0.06	–5.93–3	–10
97CHI/KN13	420.0–550.0	8	1.00	0.433	1.45–1	0.43	–3.36–2	–3
Rejected data								
*81VON	(3.42–1,1.41,–4.57–2,0)		*86SCH	(3.23–1,1.35,3.07–1,11)				
24WIL/DAN	(6.35–1,2.81,–6.31–1,–4)		30HUF/PAR1	(3.00–1,1.39,–2.55–1,–16)				
31BLA/LEI	(8.70–1,3.42,4.33–1,15)		31SMI/AND1	(4.48–1,2.33,–4.23–1,–9)				
34KOL/UDO	(1.04,4.86,–1.04,–1)		47KUR	(7.75–1,2.98,6.70–1,4)				
48TSC1	(3.74–2,0.17,3.74–2,1)		48TSC5	(1.44–1,0.64,1.44–1,1)				
93GAR/BAN	(1.57–1,0.66,–1.45–1,–12)		95FUJ/TAM1	(1.54–1,0.69,–1.54–1,–1)				

Table 14.21.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	185	92	0.556	6.69–2	0.24	–1.26–2	–1
sat	185	92	0.546	5.75–2	0.22	–1.18–2	1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
178.2–320.0	2.43915+1		–8.47695	3.64407	–3.45198–1	I	
320.0–550.0	1.13184+1		3.77907	–1.85942–1	5.37611–2	IV	
178.2–320.0	2.43241+1		–8.39297	3.60991	–3.40664–1	I	
320.0–550.0	1.33155+1		1.92754	3.84754–1	–4.71070–3	IV	

Table 14.21.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	185	92	2.908	2.79-1	0.84	6.30-2	10	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
178.1-550.0	617.24	1.28213+1	4.02331-1	1.60550+1	1.53738+1	1.82459+1	2.00389+1	V



Name: (1-Methylethenyl)benzene
Formula: C₉H₁₀

CAS-RN: 98-83-9
Group No.: 14-027
Molar Mass: 118.18

Table 14.27.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
67LEB/RAB1	N	250.8-300.0	6 S	0.50	99.5	melpt	p	BSAO	66NIK/LEB
97STE/CHI3		300.0-620.0	17	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
99VER5		298.1	1	nosp	100.0	chrom	p	BDHT	69PER/COM
67LEB/RAB1	same data in 71LEB/RAB2								

Table 14.27.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
67LEB/RAB1	250.8-300.0	6	0.50	0.725	8.56-2	0.36	-4.11-2	-1
97STE/CHI3	300.0-620.0	17	1.00	1.091	3.85-1	1.09	6.77-2	3
Rejected data								
99VER5	(4.69, 23.89, -4.69, -1)							


Table 14.27.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	24	23	1.140	3.77-1	1.08	3.94-2	2
sat	24	23	0.984	2.82-1	0.90	3.79-2	-1
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
250.8-500.0			3.12275+1	-1.36766+1	5.19242	-4.64379-1	IV
500.0-620.0			-7.76948+2	4.71229+2	-9.17886+1	6.00102	IV
250.8-500.0			3.00599+1	-1.26930+1	4.92945	-4.42476-1	IV
500.0-620.0			-5.32911+2	3.25090+2	-6.26271+1	4.06129	IV

Table 14.27.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	24	23	1.573	3.85-1	1.15	6.67-2	7	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
250.8-620.0	645.00	-2.62522	2.25884-1	4.87272	4.94109+1	-2.69630+1	5.31247	V

14-027



Selected data Rejected data
 O67LEB/RAB1 A99VER5
 O97STE/CHI3

Name: (1-Methylethyl)benzene
Formula: C₉H₁₂

CAS-RN: 98-82-8
Group No.: 14-028
Molar Mass: 120.19

Table 14.28.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter			
				%	method		Type	Reference		
34KOL/UDO	N	302.0	1	nosp	not specified	<i>p</i>	BSIT	34KOL/UDO		
47KUR		308.8–359.6	4	nosp	not specified	avg	DSIO	47KUR		
52SCH/SAG		299.8–366.5	13	S	1.00	99.8	estim	<i>p</i>	BSAO	39SAG/EVA
73KIS/SUG		179.9–313.1	45	nosp	99.93	melpt	sat	BSAO	65SUG/SEK	
79AND/GRI	N	296.0–412.8	7	0.50	not specified		sat	BSAO	67RAS/GAN	
95FUJ/TAM1		298.1	1	nosp	99.95	chrom	<i>p</i>	FSIO	85OGA/MUR	
34KOL/UDO	same datum in 34KOL/UDO									
79AND/GRI	error 0.5% below 373 K and 0.8% at 433 K									

Name: Propylbenzene
Formula: C₉H₁₂

CAS-RN: 103-65-1
Group No.: 14-029
Molar Mass: 120.19

Table 14.29.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*86SCH		308.6–346.9	9	S	nosp	not specified	avg	DSIO	*86SCH
48TSC1		295.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
48TSC5		294.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
65MES/TOD2		180.9–370.5	23	0.10	99.97	melpt	sat	BSAO	47HUF
83GRO/FAR2		298.1	1	nosp	99.0	estim	<i>p</i>	FSIT	71PIC/LED
95FUJ/TAM1		298.1	1	nosp	99.95	chrom	<i>p</i>	FSIO	85OGA/MUR

Name: 1,3,5-Trimethylbenzene
Formula: C₉H₁₂

CAS-RN: 108-67-8
Group No.: 14-032
Molar Mass: 120.19

Table 14.32.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter			
				%	method		Type	Reference		
*81VON		303.9–348.8	4	S	nosp	not specified	avg	DSIO	*81VON	
*86SCH		320.5–349.4	8	S	nosp	not specified	avg	DSIO	*86SCH	
47KUR		309.9–359.3	5	nosp	not specified		avg	DSIO	47KUR	
55HEL/HEI		294.3–377.6	16	S	nosp	99.78	melpt	<i>p</i>	BSAO	39SAG/EVA
55TAY/KIL		230.0–304.5	20	0.30	99.95	melpt	<i>p</i>	BSIO	55TAY/JOH	
65ZIE	N	315.6–366.3	3	nosp	not specified		avg	DSIO	58SWI/ZIEI	
68REC1	N	298.0–313.0	eqn	nosp	not specified		<i>p</i>	BSAO	68REC1	
77FOR/BEN		298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED	
79AND/GRI	N	295.0–423.6	8	0.50	not specified		sat	BSAO	67RAS/GAN	
79WIL/FAR		298.1	1	0.30	99.0	estim	<i>p</i>	FSIT	71PIC/LED	
93GRO/ROU		298.1	1	nosp	99.0	anal	<i>p</i>	FSIT	71PIC/LED	
65ZIE	average values in temperature ranges 295–438 K and 294–338 K									
68REC1	same data in 68REC2									
79AND/GRI	error 0.5% below 373 K and 0.8% at 433 K									

Name: Naphthalene
Formula: C₁₀H₈

CAS-RN: 91-20-3
Group No.: 14-033
Molar Mass: 128.17

Table 14.33.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*90PIC	353.0–372.0	2	4.00	not specified		<i>p</i>	BDHO	*90PIC
26AND/LYN	354.0–473.0	eqn	nosp	not specified		<i>p</i>	DSIO	26AND/LYN
31BLA/LEI	382.0–465.8	17	3.00	not specified		sat	BSIO	31BLA/LEI
32SPA/THO	363.1–463.1	11	1.00	not specified		<i>p</i>	BDHO	31THO/PAR
41SCH	353.0–473.0	eqn	nosp	not specified		<i>p</i>	not specified	
44EIB	353.0–473.0	eqn	nosp	not specified		<i>p</i>	not specified	
57MCC/FIN2	357.0–370.8	6	0.20	99.985	melpt	sat	BSAO	47HUF
64RAS/BAS	359.1	1	1.50	not specified		<i>p</i>	BSIO	64RAS/BAS
93CHI/KNI2	357.9–440.3	13	0.10	99.93	melpt	sat	BSAO	88STE/ARC
93CHI/KNI2	460.0–700.0	13	1.00	99.93	melpt	sat	BDHT	89KNI/ARC
93DUR/AOU	373.0–473.0	102	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU	373.0–473.0	eqn	2.00	99.	anal	<i>p</i>	BDCT	86MER/BEN

26AND/LYN calculated from temperature dependence of enthalpy by the compilers

Table 14.33.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
57MCC/FIN2	357.0–370.8	6	0.20	0.557	2.98–2	0.11	–2.79–2	–6
93CHI/KNI2	357.9–440.3	13	0.10	0.205	5.53–3	0.02	3.13–3	5
93CHI/KNI2	460.0–700.0	13	1.00	0.253	1.01–1	0.25	1.02–2	2
Rejected data								
*90PIC	(4.08,13.11,4.08,1)		26AND/LYN	(1.16,3.66,1.09,7)				
31BLA/LEI	(5.81,16.30,5.74,17)		32SPA/THO	(8.56–1,2.86,8.53–1,11)				
41SCH	(2.55–1,0.82,1.36–1,3)		44EIB	(3.36–1,1.23,–2.46–1,–5)				
64RAS/BAS	(2.40,8.33,2.40,1)		93DUR/AOU	(9.44–1,3.10,7.52–1,102)				
95DUR/AOU	(2.24–1,0.79,1.90–1,10)							

Table 14.33.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	201	32	0.346	7.15–2	0.18	2.09–4	1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
357.0–520.0	1.27115+1		1.99429	7.60133–1	–7.02083–2	III	
520.0–700.0	–4.76592+1		3.68236+1	–5.93780	3.59147–1	V	

Table 14.33.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
C	201	32	0.507	5.70–2	0.15	4.57–3	7	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
357.0–700.0	748.40	–1.74338	4.84034–2	4.59781	5.32247+1	–2.32848+1	3.48887	V



Name: 1,2,3,4-Tetrahydronaphthalene
 Formula: C₁₀H₁₂

CAS-RN: 119-64-2
 Group No.: 14-035
 Molar Mass: 132.21

Table 14.35.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
22HER/SCH	289.6	1	nosp	not specified		<i>p</i>	DSIO	22HER/SCH
57MCC/FIN2	248.4–318.5	11	0.20	99.97	melpt	sat	BSAO	47HUF
88STE/CHI	300.0–720.0	43 S	nosp	not specified		sat	BDHT	89KNI/ARC
98RUZ/MOK	307.7–396.8	27	1.00	99.9	chrom	sat	BDCT	91BAN/GAR

88STE/CHI last two points at 710 K and 720 K are extrapolated values

Table 14.35.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
57MCC/FIN2	248.4–318.5	11	0.20	0.225	1.11–2	0.04	3.41–3	0
88STE/CHI	300.0–710.0	42	1.00 #	0.876	4.73–1	0.88	2.11–2	6
98RUZ/MOK	307.7–396.9	27	1.00	0.491	1.39–1	0.49	–5.11–2	–12
Rejected data								
22HER/SCH	(1.15, 4.29, 1.15, 1)							

Table 14.35.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	82	80	0.729	3.66-1	0.72	-5.71-3	-6
sat	82	80	0.527	2.12-1	0.52	-9.70-3	-6
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
248.4-320.0			3.76177+1	-2.22115+1	9.08395	-9.80732-1	II
320.0-640.0			3.06225	1.01843+1	-1.03973	7.38174-2	IV
640.0-710.0			-1.31743+4	6.18709+3	-9.66181+2	5.03416+1	V
248.4-320.0			3.59220+1	-2.04591+1	8.48467	-9.12926-1	II
320.0-640.0			4.75060	8.76414	-6.47589-1	3.83514-2	IV
640.0-710.0			-7.73784+3	3.63811+3	-5.67732+2	2.95740+1	IV

Table 14.35.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	82	80	0.903	2.81-1	0.80	9.62-2	23	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
248.4-710.0	721.00	-3.39311	2.48434-1	6.37947	5.20169+1	-2.47725+1	4.22034	V



Selected data Rejected data
 O57MCC/FIN2 ▽22HER/SCH
 □88STE/CHI
 △98RUZ/MOK

Name: 1-Methyl-4-(1-methylethenyl)cyclohexene
 Formula: C₁₀H₁₆

CAS-RN: 138-86-3
 Group No.: 14-043
 Molar Mass: 136.24

Table 14.43.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
33KOL/UDO	N	293.4	1	nosp	not specified	<i>p</i>	BSIT	34KOL/UDO
98SAM/NIE		318.1–403.1	18	1.50	99.96	chrom	BDCT	86MER/BEN
33KOL/UDO	same datum in 34KOL/UDO							

Table 14.43.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
33KOL/UDO	293.4	1	3.00 #	0.208	1.87–1	0.62	–1.87–1	–1
98SAM/NIE	318.1–403.1	18	1.50	0.203	1.07–1	0.30	3.27–3	–2

Table 14.43.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	19	19	0.221	1.23–1	0.36	–6.74–3	–3
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
293.4–403.1	2.27187+1		–3.14553–1	9.75296–1	V		

Name: 1,1'-Biphenyl
 Formula: C₁₂H₁₀

CAS-RN: 92-52-4
 Group No.: 14-052
 Molar Mass: 154.21

Table 14.52.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31FOR/BRU	350.8–469.6	22	2.00	not specified		<i>p</i>	BSIO	31FOR/BRU
31FOR/BRU	420.8–620.2	8	2.00	not specified		<i>p</i>	FSIO	31FOR/BRU
31NEW/KAU	N	344.0–573.0	eqn	1.00	not specified	<i>p</i>		not specified
32SPA/THO		353.1–373.1	3 S	nosp	not specified	<i>p</i>	BDHO	31THO/PAR
41SCH		342.0–473.0	eqn	nosp	not specified	<i>p</i>		not specified
50KUR		386.4–492.8	10	nosp	not specified	avg	DSIO	47KUR
56MCE/MAL		422.0–588.7	4 S	nosp	not specified	<i>p</i>		not specified
58WAL/BRO		429.8–533.3	3	2.00	not specified	<i>p</i>	DSIO	56WAL/GRA
83ORO/MRA		350.0–480.0	24 S	1.50	99.9	chrom	BDHT	69PER/COM
89CHI/KNI		349.1–440.3	11	0.10	99.983	melpt	BSAO	47HUF
89CHI/KNI		360.0–700.0	18	1.00	99.983	melpt	BDHT	89KNI/ARC
93DUR/AOU		373.0–473.0	51	nosp	not specified	<i>p</i>	BDCT	86MER/BEN
95DUR/AOU		373.0–473.0	eqn	2.00	99.	anal	BDCT	86MER/BEN
31NEW/KAU	four different calorimeters used							

Name: 2,7-Dimethylnaphthalene
Formula: C₁₂H₁₂

CAS-RN: 582-16-1
Group No.: 14-056
Molar Mass: 156.23

Table 14.56.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
77FIN/MES	372.6–391.0	6	0.20	99.95	melpt	sat	BSAO	47HUF
93CHI/KNI2	N	13	0.10	99.95	melpt	sat	BSAO	88STE/ARC
93CHI/KNI2	460.0–700.0	13	1.00	99.95	melpt	sat	BDHT	89KNI/ARC

93CHI/KNI2 the first 6 data points originally published in 77FIN/MES converted to the temperature scale ITS-90 by authors

Table 14.56.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
93CHI/KNI2	372.6–434.0	13	0.10	0.848	3.02–2	0.08	–5.40–4	–3
93CHI/KNI2	460.0–700.0	13	1.00	0.271	1.25–1	0.27	5.99–2	7
Rejected data								
77FIN/MES	(3.18–2,0.09, –9.67–3, –2)							

Table 14.56.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	32	26	0.669	9.71–2	0.21	2.97–2	4
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
372.6–700.0	1.33259+1		5.70950	–9.23097–3	III		

Table 14.56.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	32	26	0.667	9.12–2	0.20	3.19–2	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
372.6–700.0	775.00	1.68789–1	1.61721–4	1.34072+1	4.40417+1	III	

Name: 9H-Fluorene
Formula: C₁₃H₁₀

CAS-RN: 86-73-7
Group No.: 14-061
Molar Mass: 166.22

Table 14.61.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
44EIB	387.0–473.0	eqn	nosp	not specified		p	not specified	
77FIN/MES	392.6–426.7	8	0.20	99.992	melpt	sat	BSAO	47HUF
95FUJ/FUJ	391.9–419.1	10	0.30	99.71	melpt	sat	BSAO	93FUJ/OGU1

Table 14.61.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
44EIB	387.0–473.7	18	1.00 #	0.640	2.27–1	0.64	–1.23–1	–4
77FIN/MES	392.6–426.7	8	0.20	0.345	2.56–2	0.07	–1.08–2	–1
95FUJ/FUJ	391.9–419.1	10	0.30	0.377	4.13–2	0.11	4.01–2	10


Table 14.61.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used			%		
C	36	36	0.543	1.70–1	0.48	–5.30–2	5
Temp. range K		A_1	A_2	A_3			Level of uncertainty
387.0–473.7		2.83115+1	–1.91187	9.63811–1			III

Table 14.61.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used			%		
C	36	36	1.008	1.44–1	0.40	8.78–3	9
Temp. range K	T_c	A_1	A_2	A_3	A_4		Level of uncertainty
387.0–473.7	825.00	–1.30843+1	3.09162	1.45798+1	1.38439+1		III

14–061



Selected data
 ○ 44EIB
 □ 77FIN/MES
 △ 95FUJ/FUJ

Name: Anthracene
Formula: C₁₄H₁₀

CAS-RN: 120-12-7
Group No.: 14-066
Molar Mass: 178.23

Table 14.66.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
17HIL/DUS	N	526.2–541.2	2	nosp	not specified		avg	DSIO	11LEW/RAN
70GOU/GIR	N	496.7–511.3	5	0.10	99.99		sat	BSAO	53WES/HAT
93DUR/AOU		492.0–592.0	51	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU		492.0–592.0	eqn	2.00	99.9		<i>p</i>	BDCT	86MER/BEN
17HIL/DUS 70GOU/GIR	average values in temperature ranges 489–563 K and 489–593 K smoothed value at 500 K in 68GOU/GIR								

Name: Phenanthrene
Formula: C₁₄H₁₀

CAS-RN: 85-01-8
Group No.: 14-068
Molar Mass: 178.23

Table 14.68.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
41SCH	371.0–473.0	eqn	nosp	not specified		<i>p</i>	not specified	
44EIB	371.0–473.0	eqn	nosp	not specified		<i>p</i>	not specified	
64RAS/BAS	379.1	1	1.50	not specified		<i>p</i>	BSIO	64RAS/BAS
77FIN/MES	383.3–408.6	4	0.20	99.987		sat	BSAO	47HUF
93DUR/AOU	392.0–492.0	51	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU	392.0–492.0	eqn	2.00	98.0		<i>p</i>	BDCT	86MER/BEN

Name: 1,1'-Ethenylidenebisbenzene
Formula: C₁₄H₁₂

CAS-RN: 530-48-3
Group No.: 14-071
Molar Mass: 180.25

Table 14.71.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31SMI/AND1	286.0–298.5	2	nosp	99.3		<i>p</i>	DSIO	26AND/LYN
99VER/EBE	298.1	1	nosp	99.99		<i>p</i>	BDHT	69PER/COM

Name: 1,1'-Ethylidenebisbenzene
Formula: C₁₄H₁₄

CAS-RN: 612-00-0
Group No.: 14-073
Molar Mass: 182.27

Table 14.73.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31SMI/AND1	259.8–298.5	4	nosp	not specified		<i>p</i>	DSIO	26AND/LYN
99VER1	298.1	1	nosp	99.99		<i>p</i>	BDHT	69PER/COM

Name: Fluoranthene
Formula: C₁₆H₁₀

CAS-RN: 206-44-0
Group No.: 14-078
Molar Mass: 202.26

Table 14.78.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
71WON/WES	393.7–422.6	5	0.10	99.936	melpt	sat	BSAO	68WES/WES
71WON/WES	386.4–451.7	10	0.10	99.61	melpt	sat	BSAO	68WES/WES
93DUR/AOU	492.0–592.0	51	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU	492.0–592.0	eqn	2.00	98.	anal	<i>p</i>	BDCT	86MER/BEN

Name: Pyrene
Formula: C₁₆H₁₀

CAS-RN: 129-00-0
Group No.: 14-079
Molar Mass: 202.26

Table 14.79.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
71WON/WES	430.6–478.8	7	0.10	99.97	melpt	sat	BSAO	68WES/WES
93DUR/AOU	492.0–592.0	51	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU	492.0–592.0	eqn	2.00	99.0	anal	<i>p</i>	BDCT	86MER/BEN

Name: 1,1':4',1''-Terphenyl
Formula: C₁₈H₁₄

CAS-RN: 92-94-4
Group No.: 14-083
Molar Mass: 230.31

Table 14.83.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
83CHA	487.0–580.0	6 S	0.50	99.9	chrom	<i>p</i>	BDHT	69PER/COM
93DUR/AOU	492.0–592.0	102	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU	492.0–592.0	eqn	2.00	99.0	anal	<i>p</i>	BDCT	86MER/BEN

Name: Perylene
Formula: C₂₀H₁₂

CAS-RN: 198-55-0
Group No.: 14-087
Molar Mass: 252.32

Table 14.87.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
80WON/WES	554.4–573.0	5	0.10	99.97	melpt	<i>p</i>	BSAO	68WES/WES
93DUR/AOU	552.0–652.0	51	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU	552.0–652.0	eqn	2.00	99.0	anal	<i>p</i>	BDCT	86MER/BEN

Name: Pentacene
Formula: C₂₂H₁₄

CAS-RN: 135-48-8
Group No.: 14-090
Molar Mass: 278.35

Table 14.90.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93DUR/AOU	546.0–594.0	25	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU	546.0–594.0	eqn	2.00	not specified		<i>p</i>	BDCT	86MER/BEN

Name: 9,10-Diphenylanthracene
Formula: C₂₆H₁₈

CAS-RN: 1499-10-1
Group No.: 14-095
Molar Mass: 330.43

Table 14.95.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93DUR/AOU	522.0–622.0	51	nosp	not specified		<i>p</i>	BDCT	86MER/BEN
95DUR/AOU	522.0–620.0	eqn	2.00	99.	anal	<i>p</i>	BDCT	86MER/BEN

Name: 1,3-Cyclopentadiene
Formula: C₅H₆

CAS-RN: 542-92-7
Group No.: 14-098
Molar Mass: 66.10

Table 14.98.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
77LEB/LIT2	N	181.1–244.2	12	0.20	97.6	melpt	<i>p</i>	BSAO	76LEB/LIT
77LEB/LIT2	data from a graph only; above 230 K begin a dimerization								

Table 14.98.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	12	12	1.021	6.36–2	0.51	5.53–4	0
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
181.1–244.2	9.40931		1.42944		III		

Name: Bicyclo[2.2.1]hept-2-ene
Formula: C₇H₁₀

CAS-RN: 498-66-8
Group No.: 14-099
Molar Mass: 94.16

Table 14.99.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92LEB/SMI	320.8–329.5	4	0.20	99.16	melpt	<i>p</i>	BSAO	76LEB/LIT
96STE/CHI3	340.0–580.0	13 S	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 14.99.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	<i>d_w</i>	<i>d/R</i>	<i>d_r</i> %	<i>d_b/R</i>	±
92LEB/SMI	320.8–329.5	4	0.50 #	0.120	1.19–2	0.06	–4.07–4	–1
96STE/CHI2	340.0–580.0	13	1.00	1.185	4.56–1	1.18	1.67–2	1


Table 14.99.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	17	17	1.235	4.75-1	1.23	1.26-2	0
sat	17	17	0.786	2.74-1	0.78	3.60-3	2
Temp. range K							Level of uncertainty
		A_1	A_2	A_3	A_4		
320.8-520.0		-6.04209	1.19280+1	-1.78313	1.66625-1		IV
520.0-580.0		-1.27981+4	7.39194+3	-1.42102+3	9.11431+1		V
320.8-520.0		-6.71452	1.19450+1	-1.62478	1.35841-1		IV
520.0-580.0		-7.98697+3	4.61594+3	-8.87008+2	5.68912+1		V

Table 14.99.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	17	17	0.193	5.25-2	0.18	-1.37-3	2	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
320.8-580.0	590.00	-2.25197	3.72027-1	-8.66639	6.88171+1	-4.70249+1	1.19851+1	IV

14-099



Selected data
 O92LEB/SMI
 □96STE/CHI3

Name: Ethenyl- d_3 -benzene- d_5
 Formula: C_8D_8

CAS-RN: 19361-62-7
 Group No.: 14-100
 Molar Mass: 112.20

Table 14.100.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
85LEB/LEB	N	240.5-328.8	0.20	99.35	melpt	p	BSAO	76LEB/LIT
85LEB/LEB	data from a graph only							

Table 14.100.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	17	17	0.748	$3.46-2$	0.15	$8.77-5$	0
Temp. range K		A_1	A_2				Level of uncertainty
240.5–328.8		1.36534+1	3.47456				III

Name: 5-Ethenylbicyclo[2.2.1]hept-2-ene
Formula: C_9H_{12}

CAS-RN: 3048-64-4
Group No.: 14-101
Molar Mass: 120.19

Table 14.101.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96STE/CHI3	315.0–415.0	6	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 14.101.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	6	6	0.143	$4.37-2$	0.14	$6.71-5$	1
sat	6	6	0.142	$4.32-2$	0.14	$6.71-5$	1
Temp. range K		A_1	A_2	A_3			Level of uncertainty
315.0–415.0		1.62014+1	$1.26484-1$	$8.92547-1$			V
315.0–415.0		1.57512+1	$3.99457-1$	$8.51252-1$			V

Name: (Z)-5-Ethylidenebicyclo[2.2.1]hept-2-ene
Formula: C_9H_{12}

CAS-RN: 28304-66-7
Group No.: 14-102
Molar Mass: 120.19

Table 14.102.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI1	290.0–440.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 14.102.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	16	16	0.008	$2.09-3$	0.01	0.00	-1
sat	16	16	0.000	$1.18-6$	0.00	$-1.19-7$	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
290.0–440.0		5.78025	6.04643	$1.32937-2$			IV
290.0–440.0		5.39998	6.28001	$-2.23518-2$			IV

Table 14.102.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
total	used						
p	16	16	0.007	1.85-3	0.01	-1.55-6	-2
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
290.0-440.0	629.00	-1.89211-1	2.34408-4	5.70533	3.81821+1		IV

Name: 1-Methylenpropylbenzene
Formula: C₁₀H₁₂

CAS-RN: 2039-93-2
Group No.: 14-103
Molar Mass: 132.21

Table 14.103.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER/EBE	298.15	1.310	nosp	99.99	chrom	p	BDHT	69PER/COM

Name: (3 α ,4 α ,7 α ,7 α)-3 α ,4,7,7 α -Tetrahydro-4,7-methano-1*H*-indene
Formula: C₁₀H₁₂

CAS-RN: 1755-01-7
Group No.: 14-104
Molar Mass: 132.21

Table 14.104.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
77LEB/LIT2	N	303.5-331.3	2 S	0.20	99.	melpt	p	BSAO	76LEB/LIT
77LEB/LIT2	data from a graph only								

Table 14.104.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
303.5-331.3		4.18630	6.83559				III

Name: (*R*)-1-Methyl-4-(1-methylethenyl)cyclohexene
Formula: C₁₀H₁₆

CAS-RN: 5989-27-5
Group No.: 14-105
Molar Mass: 136.24

Table 14.105.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96GAL/VAN1	202.0-250.1	24	0.20	99.31	melpt	p	BSAO	87VAN/VAN

Table 14.105.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	24	24	0.206	1.08-2	0.04	6.99-6	-2
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
202.0-220.0	-8.49715+2		1.21115+3	-5.59014+2	8.61210+1	II	
220.0-250.1	2.00414+2		-2.20843+2	9.18923+1	-1.25012+1	II	

Name: 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene
Formula: C₁₀H₁₆

CAS-RN: 80-56-8
Group No.: 14-106
Molar Mass: 136.24

Table 14.106.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98SAM/NIE	313.1-403.1	19	1.50	99.56	chrom	p	BDCT	86MER/BEN

Table 14.106.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	19	19	0.199	9.51-2	0.30	4.34-4	1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
313.1-403.1	2.33551+2		-1.68608+2	4.50789+1	-3.80816	V	

Name: (2-Methyl-1-methylenpropyl)benzene
Formula: C₁₁H₁₄

CAS-RN: 17498-71-4
Group No.: 14-107
Molar Mass: 146.23

Table 14.107.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER/EBE	298.15	1.720	nosp	99.99	chrom	p	BDHT	69PER/COM

Name: (2,2-Dimethyl-1-methylenpropyl)benzene
Formula: C₁₂H₁₆

CAS-RN: 5676-29-9
Group No.: 14-108
Molar Mass: 160.26

Table 14.108.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER/EBE	298.15	1.600	nosp	99.99	chrom	p	BDHT	69PER/COM

Name: 1,3-Bis(1-methylethyl)benzene
Formula: C₁₂H₁₈

CAS-RN: 99-62-7
Group No.: 14-109
Molar Mass: 162.27

Table 14.109.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98VER2	298.15	1.480	nosp	99.30	chrom	<i>p</i>	BDHT	69PER/COM

Name: 1,4-Bis(1-methylethyl)benzene
Formula: C₁₂H₁₈

CAS-RN: 100-18-5
Group No.: 14-110
Molar Mass: 162.27

Table 14.110.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98VER2	298.15	1.300	nosp	99.92	chrom	<i>p</i>	BDHT	69PER/COM

Name: 1,3,5-Triethylbenzene
Formula: C₁₂H₁₈

CAS-RN: 102-25-0
Group No.: 14-111
Molar Mass: 162.27

Table 14.111.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI3	300.0–660.0	19	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 14.111.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	19	19	0.503	3.20–1	0.50	2.93–3	1
sat	19	19	0.318	1.93–1	0.32	1.07–3	1
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	Level of uncertainty	
300.0–580.0	1.67825+1		5.05053	5.40640–1	–4.24952–2	IV	
580.0–660.0	–4.65613+3		2.42208+3	–4.16188+2	2.39074+1	IV	
300.0–580.0	1.74528+1		4.35538	7.68465–1	–6.63189–2	IV	
580.0–660.0	–2.92089+3		1.52419+3	–2.61272+2	1.49935+1	IV	

Table 14.111.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±	
	total	used						
<i>p</i>	19	19	0.401	2.14–1	0.40	1.84–3	1	
Temp. range K	<i>T_c</i> K	<i>A₁</i>	<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	<i>A₅</i>	<i>A₆</i>	Level of uncertainty
300.0–660.0	679.00	–3.48736	3.37789–1	2.22386	9.18798+1	–5.70646+1	1.28197+1	IV

Name: 9,10-Dihydroanthracene
Formula: C₁₄H₁₂

CAS-RN: 613-31-0
Group No.: 14-112
Molar Mass: 180.25

Table 14.112.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
87CHI/HOS1	387.6–440.2	8	0.10	99.72	melpt	sat	BSAO	43RUE/HUF

Table 14.112.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	8	8	0.089	3.64–3	0.01	2.86–6	I
Temp. range K	A_1		A_2	A_3			Level of uncertainty
387.5–440.2	6.33712		1.03905+1	–4.89641–1			II

Name: 2,2'-Dimethyl-1,1'-biphenyl
Formula: C₁₄H₁₄

CAS-RN: 605-39-0
Group No.: 14-113
Molar Mass: 182.27

Table 14.113.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
87CHI/HOS2	N	272.6–398.4	26	0.10	99.969	melpt	sat	BSAO	43RUE/HUF
87CHI/HOS2	low temperature limit is below n.m.t.(293.1 K); undercooled liquid								

Table 14.113.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	26	26	0.195	7.42–3	0.02	3.23–6	–1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
272.6–398.4	3.50429+1		–8.64834	4.06938	–3.61494–1	II	

Name: 2-Ethyl-1,1'-biphenyl
Formula: C₁₄H₁₄

CAS-RN: 1812-51-7
Group No.: 14-114
Molar Mass: 182.27

Table 14.114.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
87CHI/HOS2	274.6–440.4	19	0.10	99.84	melpt	sat	BSAO	43RUE/HUF

Table 14.114.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	19	19	0.122	4.74–3	0.01	1.20–6	2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
274.6–440.4		3.03193+1	–4.33476	2.89671	–2.53954–1		II

Name: 1-Methyl-2-(phenylmethyl)benzene
Formula: C₁₄H₁₄

CAS-RN: 713-36-0
Group No.: 14-115
Molar Mass: 182.27

Table 14.115.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
87CHI/HOS1	N	268.1–378.4	44	0.10	99.61	melpt	sat	BSAO	43RUE/HUF
87CHI/HOS1	low temperature limit is below n.m.t.(279.8 K); undercooled liquid								

Table 14.115.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	44	44	0.709	2.72–2	0.07	3.59–5	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
268.1–378.4		2.18722+1	2.78081	6.20570–1			II

Name: 1,2,3,4-Tetrahydroanthracene
Formula: C₁₄H₁₄

CAS-RN: 2141-42-6
Group No.: 14-116
Molar Mass: 182.27

Table 14.116.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
87CHI/HOS1	380.5–438.4	10	0.10	99.98	melpt	sat	BSAO	43RUE/HUF

Table 14.116.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	10	10	0.164	6.90–3	0.02	2.67–6	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
380.5–438.4		9.56036	9.09631	–2.74384–1			II

Name: 1,2,3,4-Tetrahydrophenanthrene
Formula: C₁₄H₁₄

CAS-RN: 1013-08-7
Group No.: 14-117
Molar Mass: 182.27

Table 14.117.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
94CHI/GAM	N	307.7–431.3	19	0.10	99.945	melpt	sat	BSAO	88STE/ARC
94CHI/GAM	preliminary data in 87CHI/HOS								

Table 14.117.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	19	19	0.156	5.72–3	0.02	2.01–6	0
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
307.7–431.3	2.11243+1		–1.51663	2.63644	–2.48262–1	II	

Name: 1,1'-(1,3-Propanediyl)bisbenzene
Formula: C₁₅H₁₆

CAS-RN: 1081-75-0
Group No.: 14-118
Molar Mass: 196.29

Table 14.118.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95FUJ/TAM2	298.15	1.665	nosp	99.8	chrom	<i>p</i>	FSIO	85OGA/MUR

Name: 1,3,5-Tris(1-methylethyl)benzene
Formula: C₁₅H₂₄

CAS-RN: 717-74-8
Group No.: 14-119
Molar Mass: 204.36

Table 14.119.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98VER2	298.15	0.9600	nosp	99.89	chrom	<i>p</i>	BDHT	69PER/COM

Name: 4,5,9,10-Tetrahydropyrene
Formula: C₁₆H₁₄

CAS-RN: 781-17-9
Group No.: 14-120
Molar Mass: 206.29

Table 14.120.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CHI/KNI1	418.4–518.5	11	0.10	99.982	melpt	sat	BSAO	88STE/ARC
93CHI/KNI1	420.0–700.0	15	1.00	99.982	melpt	sat	BDHT	89KNI/ARC

Table 14.120.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
93CHI/KNI1	418.4–518.5	11	0.10	0.103	5.21–3	0.01	4.10–4	1
93CHI/KNI1	420.0–700.0	15	1.00	0.241	1.13–1	0.24	–2.93–2	–2

Table 14.120.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	26	26	0.207	9.14-2	0.19	-1.68-2	-1
sat	26	26	0.210	9.26-2	0.20	-1.72-2	-2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
418.4-700.0		3.68228	1.25378+1	-5.45308-1			IV
418.4-700.0		3.35770	1.26786+1	-5.60495-1			IV

Table 14.120.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	26	26	0.796	1.20-1	0.23	1.96-2	5	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
418.4-700.0	900.00	-8.59436-1	8.54448-1	-1.17289+1	1.81115+2	-1.52830+2	4.90632+1	IV

Name: 1,2,3,6,7,8-Hexahydrophyrene
Formula: C₁₆H₁₆

CAS-RN: 1732-13-4
Group No.: 14-121
Molar Mass: 208.30

Table 14.121.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CHI/KNI1	412.7-441.3	10	0.10	99.984	melpt	sat	BSAO	88STE/ARC
93CHI/KNI1	420.0-700.0	15	1.00	99.984	melpt	sat	BDHT	89KNI/ARC

Table 14.121.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
93CHI/KNI1	412.8-441.3	10	0.10	0.204	9.66-3	0.02	3.36-5	-1
93CHI/KNI1	420.0-700.0	15	1.00	0.050	2.84-2	0.05	-2.13-3	-2

Table 14.121.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	25	25	0.147	2.49-2	0.04	-1.27-3	-3
sat	25	25	0.147	2.43-2	0.04	-1.44-3	-3
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
412.8-700.0		-9.98795	2.02755+1	-1.94754	8.79145-2		IV
412.8-700.0		-9.13253	1.97180+1	-1.82719	7.93183-2		IV

Table 14.121.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	25	25	0.154	2.23-2	0.04	1.69-4	-1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
412.8-700.0	920.00	-3.08927	4.82780-1	-6.77064	1.60239+2	-1.19600+2	3.25447+1	IV

Name: 1,1'-(2-Methylpropylidene)bisbenzene
Formula: C₁₆H₁₈

CAS-RN: 1634-11-3
Group No.: 14-122
Molar Mass: 210.32

Table 14.122.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER1	298.15	2.000	nosp	99.99	chrom	p	BDHT	69PER/COM

Name: Dodecylbenzene
Formula: C₁₈H₃₀

CAS-RN: 123-01-3
Group No.: 14-123
Molar Mass: 246.44

Table 14.123.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00MOK/RUZ	307.8-446.6	41	1.00	99.90	chrom	p	BDCT	91BAN/GAR

Table 14.123.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	41	41	0.323	2.19-1	0.32	1.31-3	6
Temp. range K	A_1	A_2	A_3				Level of uncertainty
307.8-446.6	3.53061+1	6.02669	5.50021-1				IV

Table 14.123.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	41	41	0.320	2.16-1	0.32	1.28-3	5
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
307.8-446.6	501.60	-1.39847	1.09279-2	3.02296+1	4.47415+1		IV

Name: Benzo[*a*]pyrene
Formula: C₂₀H₁₂

CAS-RN: 50-32-8
Group No.: 14-124
Molar Mass: 252.32

Table 14.124.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98RUZ/MOK	457.2–496.4	15	1.00	99.5	chrom	sat	BDCT	91BAN/GAR

Table 14.124.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	15	15	0.176	9.98–2	0.18	3.13–4	4
Temp. range K	A_1		A_2		Level of uncertainty		
457.2–496.4	2.55746+1		6.53727		IV		

Name: Nonadecylbenzene
Formula: C₂₅H₄₄

CAS-RN: 29136-19-4
Group No.: 14-125
Molar Mass: 344.62

Table 14.125.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
83MEY/MEY	N	303.15	2.117	nosp	99.7	melpt	<i>p</i>	BSIO 83MEY/MEY
83MEY/MEY	in the article temperature unspecified; probably above melting temperature of stabile modification							

Name: Tetrafluoromethane
Formula: CF₄

CAS-RN: 75-73-0
Group No.: 21-001
Molar Mass: 88.00

Table 21.1.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
38EUC/SCH	100.0–145.0	6	S	nosp	99.9	estim	<i>p</i>	BSAO 38EUC/SCH
58KOS/SAM	90.0–94.8	14		nosp	99.92	melpt	<i>p</i>	BSAO 54STR/ICK
69ENO/SHI2	90.4–91.7	2		nosp	99.985	melpt	<i>p</i>	BSAO 66SHI/ATA
69SMI/PAC	92.0–139.9	21		nosp	99.985	melpt	sat	BSAO 55PAC/PIE
72COP/REA	121.6–141.4	6		nosp	99.9	estim	<i>p</i>	BSAO 68WES/FUR
58KOS/SAM	data from a graph only							


Table 21.1.2. Correlated heat capacities

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
Selected data							
58KOS/SAM	90.0–94.8	14	0.40 #	0.714	2.69–2	0.29	8.58–3 2
69SMI/PAC	92.0–139.9	21	0.20 #	0.700	1.31–2	0.14	–1.37–3 –2
Rejected data							
38EUC/SCH	(1.10–1,1.17,1.07–1,4)		69ENO/SHI2		(4.66–2,0.49,3.49–2,2)		
72COP/REA	(7.41–2,0.79,7.25–2,5)						

Table 21.1.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	49	35	0.738	2.07-2	0.22	2.61-3	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
90.0-139.9		1.30227+1	-6.72786	3.01662			II

21-001



Name: 1,1,1-Trifluoroethane
Formula: C₂H₃F₃

CAS-RN: 420-46-2
Group No.: 21-005
Molar Mass: 84.04

Table 21.5.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
44RUS/GOL	165.4-220.7	11	0.10	99.95	melpt	<i>p</i>	BSAO	41YOS/GAR
98MAG	164.8-343.4	80	0.70	99.93	chrom	sat	BSAO	61GOO

Table 21.5.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
44RUS/GOL	165.4-220.7	11	0.10	0.924	1.18-2	0.09	-1.14-3	-5
98MAG	164.8-343.4	80	0.70	1.062	2.14-1	0.74	1.23-2	18


Table 21.5.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	91	91	1.083	2.07-1	0.72	1.07-2	13
sat	91	91	0.737	8.76-2	0.45	8.33-3	23
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
164.8-280.0			9.30610	3.94544	-2.30613	5.99355-1	II
280.0-330.0			-8.43898+2	9.18093+2	-3.28787+2	3.94662+1	IV
330.0-343.4			-3.02931+5	2.75543+5	-8.35485+4	8.44550+3	V
164.8-280.0			1.06075+1	1.76313	-1.08728	3.72614-1	II
280.0-330.0			-5.38048+2	5.89608+2	-2.11032+2	2.53660+1	IV
330.0-343.4			-1.50079+5	1.36536+5	-4.14070+4	4.18657+3	IV

Table 21.5.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	91	91	1.201	3.12-1	0.79	4.76-3	22	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
164.8-343.4	346.30	-2.57393	2.57442-1	1.13207+1	-2.79514	-9.04613-1	2.71412	V

21-005



Selected data
 O44RUS/GOL
 □ 98MAC

Name: Hexafluorobenzene
Formula: C₆F₆

CAS-RN: 392-56-3
Group No.: 21-010
Molar Mass: 186.06

Table 21.10.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
65COU/GRE	281.9–305.9	8	0.20	99.97	melpt	<i>p</i>	BSAO	63AND/COU1
70MES/FIN	284.8–342.7	8	0.20	99.93	melpt	sat	BSAO	47HUF
82GOR/SIM1	284.0–349.7	18	0.50	99.74	melpt	<i>p</i>	FSIO	83GOR/SIM
82GOR/SIM2	279.0–353.0	eqn	nosp	99.9	anal	<i>p</i>	FSIO	83GOR/SIM
87WIL/LAI	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
82GOR/SIM1	same data in 82GOR/GRI							

Name: 1,2-Difluorobenzene
Formula: C₆H₄F₂

CAS-RN: 367-11-3
Group No.: 21-016
Molar Mass: 114.09

Table 21.16.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
63SCO/MES	229.0–357.2	20	0.20	99.998	melpt	sat	BSAO	47HUF
91LIC	225.3	1	2.00	99.	anal	<i>p</i>	BDCT	89BRE/LIC
63SCO/MES	smoothed value at 298.15 K in 62GOO/LAC							

Name: 1,3-Difluorobenzene
Formula: C₆H₄F₂

CAS-RN: 372-18-9
Group No.: 21-017
Molar Mass: 114.09

Table 21.17.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
70MES/FIN	214.3–354.9	15	0.20	99.999	melpt	sat	BSAO	47HUF
91LIC	204.0	1	2.00	99.	anal	<i>p</i>	BDCT	89BRE/LIC
70MES/FIN	smoothed value at 298.15 K in 62GOO/LAC							

Name: 1,4-Difluorobenzene
Formula: C₆H₄F₂

CAS-RN: 540-36-3
Group No.: 21-018
Molar Mass: 114.09

Table 21.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
62GOO/LAC	298.1	1	nosp	not specified		<i>p</i>	not specified	
91LIC	238.0–324.0	eqn	2.00	99.	anal	<i>p</i>	BDCT	89BRE/LIC
62GOO/LAC 91LIC	origin of data is not clear low temperature limit is below n.m.t.; undercooled liquid							

Table 21.18.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
62GOO/LAC	298.1	1	0.50 #	0.622	5.89–2	0.31	–5.89–2	–1
91LIC	238.0–324.4	10	2.00	0.297	1.15–1	0.59	9.63–2	9

Table 21.18.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	11	0.376	1.23-1	0.64	8.22-2	8
Temp. range K		A_1	A_2				Level of uncertainty
238.0-324.4		1.40138+1	1.67429				V

Name: Hexadecafluoroheptane
Formula: C_7F_{16}

CAS-RN: 335-57-9
Group No.: 21-022
Molar Mass: 388.05

Table 21.22.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
51OLI/GRI1	221.9-310.0	10 S	0.20	99.94	melpt	sat	BSAO	43RUE/HUF
57YAR/KAY	295.0-345.0	eqn	1.10	not specified		p	BSIO	75PED/KAY
97STE/CHI2	300.0-470.0	10	1.00	99.97	chrom	sat	BDHT	89KNI/ARC

Table 21.22.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
51OLI/GRI1	221.9-310.0	10	0.20	0.228	2.18-2	0.05	-1.71-3	-1
97STE/CHI2	300.0-470.0	10	1.00	2.095	1.62	2.10	1.31-1	2
Rejected data								
57YAR/KAY	(7.18-1, 1.42, -7.05-1, -9)							


Table 21.22.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	29	20	1.720	1.33	1.71	6.48-2	1
sat	29	20	1.049	7.22-1	1.04	3.25-2	2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
221.9-430.0		2.87965+1	8.66306	-8.49044-1	1.23279-1		III
430.0-470.0		-4.10255+4	2.86512+4	-6.66190+3	5.16484+2		V
221.9-430.0		3.02751+1	6.80646	-8.15833-2	1.88636-2		III
430.0-470.0		-2.44345+4	1.70753+4	-3.96949+3	3.07725+2		V

Table 21.22.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	29	20	0.288	1.46-1	0.25	1.84-2	5	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
221.9-470.0	474.80	-2.70258	3.50776-1	2.43069+1	5.27572+1	-3.16186+1	7.04356	IV

21-022



Selected data Rejected data
 O51OL1/GR11 Δ57YAR/KAY
 □97STE/CH12

Name: Difluoromethane
 Formula: CH₂F₂

CAS-RN: 75-10-5
 Group No.: 21-034
 Molar Mass: 52.02

Table 21.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96LUD/MAG	141.2–342.2	101	0.70	99.94	anal	sat	BSAO	61GOO

Table 21.34.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used					
p	101	101	0.486	5.46–2	0.34	4.47–4	–3
sat	101	101	0.373	3.61–2	0.26	2.07–4	5
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
141.2–260.0	1.07387+1		2.47424–1	–1.13523	3.87077–1	IV	
260.0–320.0	–1.40100+2		1.74292+2	–6.80755+1	8.96917	IV	
320.0–342.2	–1.83313+4		1.72286+4	–5.39754+3	5.64122+2	IV	
141.2–260.0	1.10069+1		–3.08467–1	–7.62033–1	3.05663–1	IV	
260.0–320.0	–8.36697+1		1.08934+2	–4.27783+1	5.69236	IV	
320.0–342.2	–1.08289+4		1.01825+4	–3.19078+3	3.33609+2	IV	

Table 21.34.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	101	92	0.438	3.31–2	0.31	2.86–4	–4	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
150.0–342.2	351.35	–2.54682	2.68218–1	8.09230	6.53929	–2.15841+1	1.21412+1	IV

Name: Pentafluoroethane
Formula: C₂HF₅

CAS-RN: 354-33-6
Group No.: 21-035
Molar Mass: 120.02

Table 21.35.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93DU/SUV3	N	11	nosp	not specified		p	not specified	
96LUD/MAG	175.9–278.0	93	0.70	99.736	anal	sat	BSAO	61GOO
93DU/SUV3	table is based on experimental data from the database at the National Institute of Standards and Technology (NIST)							

Table 21.35.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
93DU/SUV3	187.1–225.0	11	1.00 #	0.629	9.98–2	0.63	4.03–2	5
96LUD/MAG	175.9–278.0	93	0.70	0.356	3.95–2	0.25	–2.06–3	–14


Table 21.35.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	104	104	0.402	5.05–2	0.32	2.42–3	–9
sat	104	104	0.395	4.95–2	0.31	2.33–3	–8
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
175.9–278.0		3.93992	1.42448+1	–6.75695	1.25822		III
175.9–278.0		6.84907	9.78813	–4.46906	8.64196–1		III

Table 21.35.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	104	104	0.393	4.84–2	0.31	1.96–3	–7
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
175.9–278.0	339.40	–1.67282	3.51224–1	1.19475+1	1.99185		III

21-035



Selected data
 O 93DU /SUV3
 □ 96LUD/MAG

Name: 1,1,1,2-Tetrafluoroethane
 Formula: C₂H₂F₄

CAS-RN: 811-97-2
 Group No.: 21-036
 Molar Mass: 102.03

Table 21.36.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92DU/SUV	N	174.1–247.1	26 S	nosp	not specified		<i>p</i>	not specified
92DU/SUV	in original paper all data in the step 1 K							

Table 21.36.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	26	26	0.031	4.44–3	0.03	2.20–6	4
sat	26	26	0.032	4.65–3	0.03	2.27–6	2
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
174.2–200.0	1.27436+2		–1.72216+2	8.63585+1	–1.42523+1	IV	
200.0–247.1	1.57516+1		–4.68922	2.59533	–2.91742–1	IV	
174.2–200.0	1.29611+2		–1.75659+2	8.81717+1	–1.45698+1	IV	
200.0–247.1	1.54984+1		–4.49011	2.58714	–3.05680–1	IV	

Table 21.36.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	26	21	0.159	2.31–2	0.16	6.24–5	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
179.1–247.1	374.25	–8.13281–1	1.13697	1.13069+1	1.45435–1	IV	

Name: 1,1-Difluoroethane
Formula: C₂H₄F₂

CAS-RN: 75-37-6
Group No.: 21-037
Molar Mass: 66.05

Table 21.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98MAG	162.6–314.9	66	0.70	99.962	chrom	sat	BSAO	61GOO

Table 21.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	66	66	0.198	1.85–2	0.14	5.27–5	–4
sat	66	66	0.186	1.73–2	0.13	4.31–5	–2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
162.6–314.9	386.40	9.75145	3.41476	–2.03230	4.72437–1	IV	
162.6–314.9	386.40	1.12439+1	1.19775	–9.41433–1	2.94346–1	IV	

Table 21.37.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	66	66	0.430	4.00–2	0.30	2.04–4	5
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
162.6–314.9	386.40	–4.45041–1	7.59697–1	1.03207+1	6.51777–2	IV	

Name: 1,1,1,2,2,3,3-Heptafluoropropane
Formula: C₃HF₇

CAS-RN: 2252-84-8
Group No.: 21-038
Molar Mass: 170.03

Table 21.38.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.254	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,2,2,3,3-Heptafluoropropane
Formula: C₃HF₇

CAS-RN: 431-89-0
Group No.: 21-039
Molar Mass: 170.03

Table 21.39.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.258	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,2,2,3-Hexafluoropropane
Formula: C₃H₂F₆

CAS-RN: 677-56-5
Group No.: 21-040
Molar Mass: 152.04

Table 21.40.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.426	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,2,3,3-Hexafluoropropane
Formula: C₃H₂F₆

CAS-RN: 431-63-0
Group No.: 21-041
Molar Mass: 152.04

Table 21.41.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.304	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,3,3,3-Hexafluoropropane
Formula: C₃H₂F₆

CAS-RN: 690-39-1
Group No.: 21-042
Molar Mass: 152.04

Table 21.42.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.371	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,2,2-Pentafluoropropane
Formula: C₃H₃F₅

CAS-RN: 1814-88-6
Group No.: 21-043
Molar Mass: 134.05

Table 21.43.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.457	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,3,3-Pentafluoropropane
Formula: C₃H₃F₅

CAS-RN: 460-73-1
Group No.: 21-044
Molar Mass: 134.05

Table 21.44.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.422	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,2,2,3-Pentafluoropropane
Formula: C₃H₃F₅

CAS-RN: 679-86-7
Group No.: 21-045
Molar Mass: 134.05

Table 21.45.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.454	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,2,2-Tetrafluoropropane
Formula: C₃H₄F₄

CAS-RN: 40723-63-5
Group No.: 21-046
Molar Mass: 116.06

Table 21.46.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.590	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,2,2,3,3,4,4-Nonafluorobutane
Formula: C₄HF₉

CAS-RN: 375-17-7
Group No.: 21-047
Molar Mass: 220.04

Table 21.47.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.223	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,2,2,3,3,4,4-Octafluorobutane
Formula: C₄H₂F₈

CAS-RN: 662-35-1
Group No.: 21-048
Molar Mass: 202.05

Table 21.48.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.342	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,2,2,3,3,4,4-Octafluorobutane
Formula: C₄H₂F₈

CAS-RN: 377-36-6
Group No.: 21-049
Molar Mass: 202.05

Table 21.49.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.333	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,2,2,3,3-Heptafluorobutane
Formula: C₄H₃F₇

CAS-RN: 662-00-0
Group No.: 21-050
Molar Mass: 184.06

Table 21.50.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.383	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1,1,1,2,3,4,5,5,5-Nonafluoro-4-(trifluoromethyl)-2-pentene
Formula: C₆F₁₂

CAS-RN: 2070-70-4
Group No.: 21-051
Molar Mass: 300.05

Table 21.51.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98MUS/NAZ	293.1–313.1	2	1.50	99.	anal	<i>p</i>	BDIO	96MUS

Table 21.51.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
293.1–313.1	1.87886+1		6.13480		V		

Name: Hexacosafuorododecane
Formula: C₁₂F₂₆

CAS-RN: 307-59-5
Group No.: 21-052
Molar Mass: 638.09

Table 21.52.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JIN/BOL	370.0–380.0	2	5.00	98.0	anal	<i>p</i>	BDHT	90JIN/WUN

Table 21.52.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
370.0–380.0	7.06954+1		6.49476		VI		

Name: Triacontafuorotetradecane
Formula: C₁₄F₃₀

CAS-RN: 307-62-0
Group No.: 21-053
Molar Mass: 738.11

Table 21.53.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JIN/BOL	400.0–410.0	2	5.00	98.0	anal	<i>p</i>	BDHT	90JIN/WUN

Table 21.53.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
400.0–410.0	9.78289+1		3.36762		VI		

Name: Tetratriacontafuorohexadecane
Formula: C₁₆F₃₄

CAS-RN: 355-49-7
Group No.: 21-054
Molar Mass: 838.12

Table 21.54.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JIN/BOL	420.0–440.0	3	5.00	98.0	anal	<i>p</i>	BDHT	90JIN/WUN

Table 21.54.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	3	3	0.051	3.24–1	0.25	5.44–4	1
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
420.0–440.0	1.06617+2		4.92081		VI		

Name: Dotetracontafuoroeicosane
Formula: C₂₀F₄₂

CAS-RN: 37589-57-4
Group No.: 21-055
Molar Mass: 1038.15

Table 21.55.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JIN/BOL	460.0–470.0	2	5.00	98.0	anal	<i>p</i>	BDHT	90JIN/WUN

Table 21.55.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
460.0–470.0		1.11431+2	1.16664+1				VI

Name: Pentacontfluorotetracosane
Formula: $C_{24}F_{50}$

CAS-RN: 1766-41-2
Group No.: 21-056
Molar Mass: 1238.18

Table 21.56.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JIN/BOL	480.0–500.0	3	5.00	98.0	anal	p	BDHT	90JIN/WUN

Table 21.56.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	3	3	0.026	2.55–1	0.13	2.24–4	–1
Temp. range K		A_1	A_2				Level of uncertainty
480.0–500.0		1.38198+2	1.19195+1				VI

Name: Tetrachloromethane
Formula: CCl_4

CAS-RN: 56-23-5
Group No.: 22-001
Molar Mass: 153.82

Table 22.1.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
12SCH2	293.1–323.1	3	nosp	not specified		p	BSIO	12SCH1
22LAT	253.8–290.0	3	2.00	not specified		p	BSIO	20GIB/LAT
24WIL/DAN	303.0–331.0	eqn	nosp	not specified		p	BSAO	24WIL/DAN
25WIL/DAN	293.1–333.1	5 S	nosp	not specified		p	BSAO	24WIL/DAN
33KOL/UDO	288.3	1	nosp	not specified		p	BSIT	34KOL/UDO
36LOR/BLA	260.0–330.0	8 S	1.50	not specified		p	DSIO	26AND/LYN
37STU	260.0–320.0	7 S	nosp	not specified		p	BDHO	37STU
37VOL	298.1	1	nosp	not specified		p	BSIO	37VOL
39PHI	301.1	1	nosp	not specified		p	BSIO	49WEI
41ZHD	278.6–319.2	3	nosp	not specified		p	BSIT	34KOL/UDO
44HIC/HOO	253.8–298.5	13	nosp	99.98	melpt	p	BSIO	38HIC
48KUR	299.1	1	nosp	not specified		avg	DSIO	47KUR
49TSC/RIC3	298.1	1	nosp	not specified		p	BSIO	49TSC/RIC1
55STA/TUP	295.9–338.8	7	1.00	not specified		p	BSAO	55STA/TUP
57HAR/MOE	254.4–303.3	6	0.50	not specified		p	BSIO	57HAR/MOE
67GRA	308.1–338.1	7	1.00	not specified		p	BSIO	67GRA
67RAS/GAN	293.1–333.1	3 S	0.50	not specified		p	BSAO	67RAS/GAN
71DES/BHA	298.1–318.1	3 S	nosp	not specified		p	BSIO	58MUR/VAN
71VAN	255.0–300.0	10 S	nosp	99.97	chrom	sat	BSAO	72VAN
72ARE/VAN	252.6–256.1	3	nosp	99.97	melpt	p	BSAO	72VAN
72REC/SAD	298.1–298.1	2	0.30	not specified		p	BSIO	70REC
73SUB/RAJ	298.1–323.1	3	0.30	not specified		p	BSIO	64MOE/THO
74WIL/ZET	273.1–323.1	6	nosp	not specified		p	BSAO	64ARN1
75GRO/BEN	298.1	1	0.30	not specified		p	FSIT	71PIC/LED

Table 22.1.1. Experimental heat capacities—Continued

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
76FOR/BEN1	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
76FOR/BEN2	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
78GRO/WIL	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
79GRO/HAM	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
79WIL/FAR	298.1	1	0.30	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
81ATA/ELS	293.1	1	2.50	not specified		<i>p</i>	BDHO	81ATA/ELS
82TAN	293.1–303.1	3	nosp	99.99	chrom	<i>p</i>	FSIT	71PIC/LED
85NKI/CHA	298.0	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
89LAI/ROD	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
89PET/PES1	258.1–318.1	4	nosp	not specified		<i>p</i>	BSAO	83KUK/KOR
93PES/PET	N 298.1	1	0.10	not specified		<i>p</i>	BSAO	83KUK/KOR
93SHE	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU
33KOL/UDO	same datum in 34KOL/UDO							
93PES/PET	water content below 0.01%							

Name: Trichloromethane

Formula: CHCl₃

CAS-RN: 67-66-3

Group No.: 22-002

Molar Mass: 119.38

Table 22.2.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
12SCH1	223.1–328.1	9	nosp	not specified		<i>p</i>	BSIO	12SCH1
21TRE	295.5–321.8	7	nosp	not specified		<i>p</i>	BSIO	49WEI
24WIL/DAN	295.0–318.0	eqn	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
25WIL/DAN	293.1–323.1	4 S	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
39PHI	303.5	1	nosp	not specified		<i>p</i>	BSIO	49WEI
47SKU	293.1	1	0.30	not specified		<i>p</i>	BSAO	47SKU
48KUR	252.9–305.8	4	nosp	not specified		avg	DSIO	47KUR
49TSC/RIC3	293.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
55STA/TUP	284.0–329.0	11	1.00	not specified		<i>p</i>	BSAO	55STA/TUP
57HAR/MOE	245.9–303.2	8	0.50	not specified		<i>p</i>	BSIO	57HAR/MOE
67RAS/GAN	293.1–333.1	3 S	0.50	not specified		<i>p</i>	BSAO	67RAS/GAN
85HEP/KOO	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
86ALP/PES	N 258.1–318.1	4	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
87GRO/ROU	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
89BAR/KOO1	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
89BAR/KOO2	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
89ING	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
90YAM/OGA	298.1	1	nosp	99.97	chrom	<i>p</i>	FSIO	85OGA/MUR
91GRO/ROU	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
93GRO/ROU	298.1	1	nosp	99.0	anal	<i>p</i>	FSIT	71PIC/LED
93SHE	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU
94GRO/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
95FEN/DOH	298.1	1	nosp	99.99	anal	<i>p</i>	FSIT	71PIC/LED
97CON/GIA	298.1	1	nosp	not specified		<i>p</i>	FSIT	88CON/GIA
86ALP/PES	same data in 89PET/PES and 90ALP/PES							

Name: 1,2-Dichloroethane
Formula: C₂H₄Cl₂

CAS-RN: 107-06-2
Group No.: 22-018
Molar Mass: 98.96

Table 22.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
12SCH1	293.1–323.1	3	nosp	not specified		<i>p</i>	BSIO	12SCH1
39RAI	N 240.0–322.0	15	2.00	99.96	melpt	<i>p</i>	BDHO	37STU
40PIT1	238.7–307.5	6	0.20	99.942	melpt	<i>p</i>	BSIO	28LAT/GRE
48KUR	270.5–322.1	4	nosp	not specified		avg	DSIO	47KUR
48TSC5	294.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
48TSC6	294.1	1	nosp	not specified		<i>p</i>	BSIO	48TSC1
49TSC/RIC3	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
51SIE/CRU	N 293.1	1	nosp	not specified		<i>p</i>	not specified	
55RUI2	280.8–323.7	4	nosp	not specified		<i>p</i>	BSIO	55RUI1
55STA/TUP	284.1–348.0	14	1.00	not specified		<i>p</i>	BSAO	55STA/TUP
67RAS/GAN	293.1–353.1	4 S	0.50	not specified		<i>p</i>	BSAO	67RAS/GAN
69WIL/SCH	293.1–313.1	3	0.40	not specified		<i>p</i>	BDAO	65FIN/GRU
77WIL/GRO	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
79WIL/FAR	298.1	1	0.30	99.5	melpt	<i>p</i>	FSIT	71PIC/LED
79WIL/GRO	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
85LAI/ROU	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
89PRA/RAJ	318.1–333.1	4	3.00	not specified		<i>p</i>	BDHT	89PRA/RAJ
93HAL	298.1	1	0.15	99.9	chrom	<i>p</i>	DDCT	74SUU/WAD
93SHE	308.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

39RAI data from a graph only
51SIE/CRU heat of mixing calorimeter used

Name: 1,2-Dichloropropane
Formula: C₃H₆Cl₂

CAS-RN: 78-87-5
Group No.: 22-023
Molar Mass: 112.99

Table 22.23.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48KUR	305.9–359.3	3	nosp	not specified		avg	DSIO	47KUR
97STE/CHI2	300.0–570.0	15	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 22.23.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
97STE/CHI2	300.0–570.0	15	1.00	1.358	4.86–1	1.36	1.94–2	–1
Rejected data								
48KUR	(5.36–1, 2.62, 2.62–1, 1)							


Table 22.23.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	18	15	1.664	5.95-1	1.66	1.94-2	-1
sat	18	15	1.055	3.22-1	1.05	6.14-3	-1
Temp. range K							Level of uncertainty
		A_1	A_2	A_3	A_4		
300.0-530.0		-1.26141+1	2.33608+1	-5.98958	5.62495-1		IV
530.0-570.0		-4.35981+4	2.46944+4	-4.66090+3	2.93324+2		V
300.0-530.0		-5.21531-1	1.33025+1	-3.21591	3.08406-1		IV
530.0-570.0		-2.60666+4	1.47677+4	-2.78707+3	1.75393+2		V

Table 22.23.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	18	15	0.636	1.54-1	0.64	3.36-3	3
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
300.0-570.0	578.00	-2.15476	3.04201-1	1.47650+1	3.81573	IV	

22-023



Selected data Rejected data
 O97STE/CH12 □48KUR

Name: 1,3-Dichloropropane
 Formula: $C_3H_6Cl_2$

CAS-RN: 142-28-9
 Group No.: 22-024
 Molar Mass: 112.99

Table 22.24.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93HAL	298.1	1	0.15	99.9	chrom	p	DDCT	74SUU/WAD
93SHE	308.1	1	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 22.24.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
93HAL	298.1	1	0.15	0.000	0.00	0.00	0.00	0
93SHE	308.1	1	0.50 #	0.000	0.00	0.00	0.00	0

Table 22.24.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–308.1	1.24281+1		2.16488	IV			

Name: 1,4-Dichlorobutane
Formula: C₄H₈Cl₂

CAS-RN: 110-56-5
Group No.: 22-028
Molar Mass: 127.01

Table 22.28.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
85LAI/WIL	298.1	1	0.30	99.5	estim	p	FSIT	71PIC/LED
93HAL	298.1	1	0.15	99.9	chrom	p	DDCT	74SUU/WAD
93SHE	308.1	1	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 22.28.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
85LAI/WIL	298.1	1	0.30	0.595	3.94–2	0.18	–3.94–2	–1
93HAL	298.1	1	0.15	0.298	9.90–3	0.04	9.90–3	1
93SHE	308.1	1	0.50 #	0.000	0.00	0.00	0.00	0

Table 22.28.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	3	3	0.665	4.06–2	0.18	–9.84–3	0
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–308.1	9.27439		4.30847	IV			

Name: 1-Chlorobutane
Formula: C₄H₉Cl

CAS-RN: 109-69-3
Group No.: 22-029
Molar Mass: 92.57

Table 22.29.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
61ROU	300.9–309.0	12	nosp	not specified		<i>p</i>	BSAO	61ROU
85LAI/WIL	298.1	1	0.30	99.5	estim	<i>p</i>	FSIT	71PIC/LED
93GRO/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Name: 2-Chloro-2-methylpropane
Formula: C₄H₉Cl

CAS-RN: 507-20-0
Group No.: 22-031
Molar Mass: 92.57

Table 22.31.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
50KUS/CRO	251.6–259.6	4	2.00	not specified		<i>p</i>	BDHO	50KUS/CRO
66DWO/GUI	252.4–272.7	8	2.00	99.75	melpt	<i>p</i>	BSAO	66DWO/GUI
92KAL/KOH	293.1–313.1	2	1.00	98.8	chrom	<i>p</i>	FSIT	71PIC/LED
93SHE	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU


Table 22.31.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
50KUS/CRO	251.6–259.6	4	2.00	0.126	4.59–2	0.25	–6.12–3	0
92KAL/KOH	293.1–313.1	2	1.00	0.650	1.27–1	0.65	1.08–1	2
93SHE	298.1	1	0.50 #	0.527	5.13–2	0.26	–5.13–2	–1
Rejected data								
66DWO/GUI	(1.95,9.54,1.93,8)							

Table 22.31.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	15	7	0.544	1.04–1	0.54	2.00–2	1
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
251.6–313.1	4.73508+1		–2.35849+1	4.78133	V		

22-031



Selected data Rejected data
 O 50KUS/CRO ▼ 66DWO/GUI
 □ 92KAL/KOH
 Δ 93SHE

Name: 1,5-Dichloropentane
 Formula: C₅H₁₀Cl₂

CAS-RN: 628-76-2
 Group No.: 22-033
 Molar Mass: 141.04

Table 22.33.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93HAL	298.1	1	0.15	99.9	chrom	<i>p</i>	DDCT	74SUU/WAD
93SHE	308.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 22.33.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
93HAL	298.1	1	0.15	0.000	0.00	0.00	0.00	0
93SHE	308.1	1	0.50 #	0.000	0.00	0.00	0.00	0

Table 22.33.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–308.1	1.56254+1		3.36761		IV		

Name: 1,2,4-Trichlorobenzene
Formula: C₆H₃Cl₃

CAS-RN: 120-82-1
Group No.: 22-035
Molar Mass: 181.45

Table 22.35.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
69WIL/ROT	293.1–303.1	2	0.40	not specified		<i>p</i>	BDAO	65FIN/GRU
74PET/TER	298.0–469.2	15	nosp	98.	melpt	<i>p</i>	BDCT	74PET/TER
82WIL/ING	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
86WIL/LAI	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
98ROH/SCH	303.1–323.1	2	0.50	99.87	chrom	<i>p</i>	BDCT	83ROU/ROU
99ROH/RUZ	304.4–407.1	33	1.00	99.87	chrom	sat	BDCT	91BAN/GAR

Table 22.35.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
74PET/TER	328.1–469.2	12	5.00 #	0.524	6.77–1	2.62	–3.25–2	0
82WIL/ING	298.1	1	0.30	0.162	1.14–2	0.05	1.14–2	1
86WIL/LAI	298.1	1	0.50 #	0.456	5.35–2	0.23	5.35–2	1
98ROH/SCH	303.1–323.1	2	0.50	0.790	9.39–2	0.40	9.26–2	2
99ROH/RUZ	304.4–407.1	33	1.00	0.284	6.78–2	0.28	–3.12–2	–10
Rejected data								
69WIL/ROT	(4.98–1, 2.16, –4.98–1, –1)							


Table 22.35.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	54	49	0.398	3.47–1	1.35	–2.38–2	–6
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–469.2	1.64160+1		2.33826		V		

Table 22.35.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	54	49	1.067	3.13–1	1.22	4.62–2	3
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
298.1–469.2	734.90	8.63520+1	1.39289+1	–9.73378	1.33835+2	V	

22-035



Selected data Rejected data
 O 74PET/TER + 69WIL/ROT
 □ 82WIL/ING
 △ 86WIL/LAI
 ▽ 98ROH/SCH
 ◇ 99ROH/RUZ

Name: 1,2-Dichlorobenzene
 Formula: C₆H₄Cl₂

CAS-RN: 95-50-1
 Group No.: 22-036
 Molar Mass: 147.00

Table 22.36.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
18NAR	291.1–326.1	4	S	nosp	not specified		DSIO	18NAR
98ROH/SCH	263.1–323.1	4	0.50	99.98	chrom	avg <i>p</i>	BDCT	83ROU/ROU
99ROH/RUZ	307.7–377.2	16	1.00	99.98	chrom	sat	BDCT	91BAN/GAR

Table 22.36.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
98ROH/SCH	263.1–323.1	4	0.50	0.426	4.40–2	0.21	1.52–2	2
99ROH/RUZ	307.7–377.2	16	1.00	0.116	2.45–2	0.12	–1.50–2	–11
Rejected data								
18NAR	(1.22–1.0.59, –1.07–1, –4)							


Table 22.36.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	24	20	0.235	3.20–2	0.15	–8.94–3	–9
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
263.1–377.2	1.71023+1		–1.25686–1	4.33991–1	IV		

Table 22.36.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	24	20	0.252	3.18-2	0.15	1.29-3	-1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
263.1-377.2	698.80	-4.75784	1.98491	1.32541+1	2.85114		IV

22-036



Selected data Rejected data
 O 98ROH/SCH Δ 18NAR
 □ 99ROH/RUZ

Name: 1,3-Dichlorobenzene
 Formula: $C_6H_4Cl_2$

CAS-RN: 541-73-1
 Group No.: 22-037
 Molar Mass: 147.00

Table 22.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
18NAR	253.9-327.5	6 S	nosp	not specified		avg	DSIO	18NAR
98ROH/SCH	263.1-323.1	4	0.50	99.55	chrom	<i>p</i>	BDCT	83ROU/ROU
99ROH/RUZ	308.0-377.6	24	1.00	99.55	chrom	sat	BDCT	91BAN/GAR

Table 22.37.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
18NAR	253.9-327.5	6	2.00 #	0.144	5.93-2	0.29	4.44-2	4
98ROH/SCH	263.1-323.1	4	0.50	0.323	3.42-2	0.16	1.39-2	0
99ROH/RUZ	308.0-377.6	24	1.00	0.110	2.33-2	0.11	-1.19-2	-8


Table 22.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	34	34	0.167	3.60-2	0.17	1.09-3	-4
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
253.9-377.6		3.62553+1	-1.81015+1	5.97816	-5.65233-1		IV

Table 22.37.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	34	34	0.217	4.63-2	0.23	5.30-3	6
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
253.9-377.6	682.20	-4.07122	2.38356	1.31488+1	1.73845		IV

22-037



Selected data
 O18NAR
 □98ROH/SCH
 Δ99ROH/RUZ

Name: 1,4-Dichlorobenzene
Formula: C₆H₄Cl₂

CAS-RN: 106-46-7
Group No.: 22-038
Molar Mass: 147.00

Table 22.38.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*94BRU	N	334.1	1	nosp	not specified		avg	DSIO *94BRU
18NAR	N	349.1	1	nosp	not specified		avg	DSIO 18NAR
76DWO/FIG		328.2–329.3	2	nosp	99.93	melpt	sat	BSAO 76DWO/FIG
99ROH/RUZ		332.8–397.3	24	1.00	100.0	chrom	sat	BDCT 91BAN/GAR
*94BRU	average value in temperature range 332–346 K							
18NAR	average value in temperature range 326–372 K							

Table 22.38.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
18NAR	349.1	1	2.00 #	0.189	8.34–2	0.38	8.34–2	1
99ROH/RUZ	332.8–397.3	24	1.00	0.211	4.66–2	0.21	–6.71–4	4
Rejected data								
*94BRU	(1.55–1, 0.72, –1.55–1, –1)							


Table 22.38.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	28	25	0.219	5.07–2	0.23	2.69–3	5
Temp. range K	A_1		A_2	Level of uncertainty			
332.8–397.3	1.20058+1		2.85125	IV			

Table 22.38.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	28	25	0.223	5.10–2	0.23	–1.77–3	1
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
332.8–397.3	683.90	3.88216	1.39698–1	1.06891+1	2.69710+1	IV	

22-038



Name: Chlorobenzene
Formula: C_6H_5Cl

CAS-RN: 108-90-7
Group No.: 22-039
Molar Mass: 112.56

Table 22.39.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	343.8–355.3	3	S	nosp	not specified	avg	DSIO	*81VON
*87SCH	308.6–332.9	6	S	nosp	not specified	avg	DSIO	*86SCH
25WIL/DAN	293.1–353.1	4	S	nosp	not specified	<i>p</i>	BSAO	24WIL/DAN
37STU	230.0–320.0	10	S	nosp	not specified	<i>p</i>	BDHO	37STU
39PHI	305.5	1		nosp	not specified	<i>p</i>	BSIO	49WEI
49TSC/RIC3	298.1	1		nosp	not specified	<i>p</i>	BSIO	49TSC/RIC1
61ROU	296.1–318.1	2		nosp	not specified	<i>p</i>	BSAO	61ROU
71DES/BHA	298.1–318.1	3	S	nosp	not specified	<i>p</i>	BSIO	58MUR/VAN
77FOR/BEN	298.1	1		nosp	not specified	<i>p</i>	FSIT	71PIC/LED
88PER/AIC	298.1	1		nosp	99.	anal	FSIT	71PIC/LED
90RAO/RAJ	318.1–333.1	4		4.00	not specified	<i>p</i>	BDHT	89PRA/RAJ
91TAN/ADA	298.1	1		nosp	not specified	<i>p</i>	FSIT	71PIC/LED
92KAL/KOH	293.1–313.1	2		1.00	99.98	chrom	FSIT	71PIC/LED
93SHE	298.1–308.1	2		nosp	99.9	chrom	<i>p</i>	DDCT
94BEN/ROU	298.1	1		nosp	99.5	anal	<i>p</i>	FSIT
94GRO/ROU	298.1	1		nosp	99.0	anal	<i>p</i>	FSIT
97TAN/NAK	298.1–303.1	2		nosp	100.0	chrom	<i>p</i>	FSIT
97TAN/TOY	298.1	1		0.01	99.95	chrom	<i>p</i>	FSIT

25WIL/DAN
61ROU

origin of data unclear
constant value in temperature range 296–318 K obtained by the author

Table 22.39.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
*81VON	343.8–355.3	3	2.00 #	0.192	7.50–2	0.38	4.63–2	1
37STU	230.0–320.0	10	1.50 #	0.868	2.27–1	1.30	3.78–2	2
77FOR/BEN	298.1	1	0.50 #	0.000	9.54–6	0.00	–9.54–6	0
91TAN/ADA	298.1	1	0.50 #	0.049	4.46–3	0.02	–4.46–3	–1
92KAL/KOH	293.1–313.1	2	1.00	1.100	2.03–1	1.10	3.44–2	0
93SHE	298.1–308.1	2	0.50 #	1.327	1.22–1	0.66	1.13–1	2
94BEN/ROU	298.1	1	0.50 #	0.009	8.53–4	0.00	–8.53–4	0
94GRO/ROU	298.1	1	0.50 #	0.638	5.81–2	0.32	5.81–2	1
97TAN/NAK	298.1–303.1	2	0.50 #	0.045	4.07–3	0.02	–2.32–3	–1
97TAN/TOY	298.1	1	0.01	0.073	1.32–4	0.00	–1.32–4	0
Rejected data								
*87SCH	(3.05–1,1.58,2.60–1,6)		25WIL/DAN	(4.82–1,2.68,–4.57–1,–4)				
39PHI	(6.19–1,3.27,6.19–1,1)		49TSC/RIC3	(6.13–1,3.27,6.13–1,1)				
61ROU	(3.01–1,1.63,1.68–1,0)		71DES/BHA	(2.91–1,1.62,–2.79–1,–3)				
88PER/AIC	(3.60–1,1.95,3.60–1,1)		90RAO/RAJ	(9.19–1,4.64,8.94–1,4)				


Table 22.39.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	46	24	0.817	1.76–1	01.00	3.58–2	4
Temp. range K		A_1	A_2	A_3			Level of uncertainty
230.0–355.3		1.61929+1	–8.71082–1	5.10687–1			V

Table 22.39.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	46	24	1.104	1.81–1	1.05	–9.67–3	–3
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
230.0–355.3	632.40	1.06698+1	8.19799	7.79719	3.47173		V

22-039



Selected data
 O • 81VON
 □ 37STU
 △ 77FOR/BEN
 ▽ 91TAN/ADA
 ◇ 92KAL/KOH
 + 93SHE
 × 94BEN/ROU
 * 94GRO/ROU
 ☆ 97TAN/NAK
 ◀ 97TAN/TOY
Rejected data
 ▶ 87SCH
 ● 25WIL/DAN
 ■ 71DES/BHA
 ▲ 88PER/AIC

Name: 1-Chloronaphthalene
 Formula: C₁₀H₇Cl

CAS-RN: 90-13-1
 Group No.: 22-044
 Molar Mass: 162.62

Table 22.44.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
81GRO/ING	298.1	1	nosp	99.0	chrom	<i>p</i>	FSIT	71PIC/LED
86WIL/LAI	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
88COS/VAN	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
94BEN/ROU	298.1	1	nosp	99.0	anal	<i>p</i>	FSIT	71PIC/LED

Table 22.44.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	±
				Selected data				
81GRO/ING	298.1	1	0.50 #	0.114	1.44-2	0.06	1.44-2	1
86WIL/LAI	298.1	1	0.50 #	0.029	3.62-3	0.01	3.62-3	1
94BEN/ROU	298.1	1	0.50 #	0.142	1.80-2	0.07	-1.80-2	-1
Rejected data								
88COS/VAN	(1.62-1, 0.64, 1.62-1, 1)							

Table 22.44.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used	%				
<i>p</i>	4	3	0.130	1.65-2	0.07	1.40-5	1
Temp. range K	A_1						Level of uncertainty
298.1-298.1	2.54074+1						III

Name: 1,1,2,3,3,3-Hexachloro-1-propene
Formula: C₃Cl₆

CAS-RN: 1888-71-7
Group No.: 22-050
Molar Mass: 248.75

Table 22.50.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI4	290.0–500.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 22.50.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	22	22	0.014	3.97–3	0.01	1.13–6	2
sat	22	22	0.000	6.19–7	0.00	–1.73–7	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
290.0–500.0	680.00	2.69878+1	–1.21854	3.44287–1		IV	
290.0–500.0		2.67100+1	–1.06000	3.22000–1		IV	

Table 22.50.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	22	22	0.072	1.99–2	0.07	2.30–5	–1
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
290.0–500.0	680.00	–1.94837	6.20432–1	2.34905+1	1.52963	IV	

Name: 1,2-Dichlorobutane
Formula: C₄H₈Cl₂

CAS-RN: 616-21-7
Group No.: 22-051
Molar Mass: 127.01

Table 22.51.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HE/AN	298.15	1.540	nosp	99.77	chrom	p	not specified	

Name: 2-Chlorobutane
Formula: C₄H₉Cl

CAS-RN: 78-86-4
Group No.: 22-052
Molar Mass: 92.57

Table 22.52.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HE/AN	298.1	1	nosp	99.87	chrom	p	not specified	
93SHE	298.1	1	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 22.52.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
93SHE	298.1	1	0.50 #	0.000	0.00	0.00	0.00	0
Rejected data								
92HE/AN	(1.58,7.54,1.58,1)							

Table 22.52.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	2	1	0.000	0.00	0.00	0.00	0
Temp. range K							Level of uncertainty
298.1–298.1	1.93517+1						V

Name: Chlorocyclopentane
Formula: C₅H₉Cl

CAS-RN: 930-28-9
Group No.: 22-053
Molar Mass: 104.58

Table 22.53.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93DIK/KAB	181.8–300.8	36	0.40	99.92	melpt	p	BSAO	93DIK/KAB

Table 22.53.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	36	35	0.733	4.95–2	0.29	2.59–4	–2
Temp. range K							Level of uncertainty
181.8–300.8	1.77891+1						IV

Table 22.53.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	36	35	0.799	5.41–2	0.32	3.10–4	–2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
181.8–300.8	603.00	2.01154+1	1.37113+1	1.32642	7.37763	IV	

Name: 1-Chloropentane
Formula: C₅H₁₁Cl

CAS-RN: 543-59-9
Group No.: 22-054
Molar Mass: 106.60

Table 22.54.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 22.54.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–308.1	1.14587+1		3.72842	IV			

Name: Pentachlorobenzene
Formula: C₆HCl₅

CAS-RN: 608-93-5
Group No.: 22-055
Molar Mass: 250.34

Table 22.55.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99ROH/RUZ	367.5–436.9	16	1.00	99.92	chrom	sat	BDCT	91BAN/GAR

Table 22.55.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	16	16	0.063	1.98–2	0.06	2.05–5	–1
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
367.5–436.9	2.88437+1		–6.41595–1	3.00225–1	IV		

Table 22.55.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	16	16	0.064	2.00–2	0.06	2.10–5	–2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
367.5–436.9	790.00	–3.15305	1.38377	2.51433+1	1.79613	IV	

Name: 1,2,3-Trichlorobenzene
Formula: C₆H₃Cl₃

CAS-RN: 87-61-6
Group No.: 22-056
Molar Mass: 181.45

Table 22.56.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99ROH/RUZ	332.5–402.4	21	1.00	100.0	chrom	sat	BDCT	91BAN/GAR

Table 22.56.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	21	21	0.188	4.72–2	0.19	1.58–4	–5
Temp. range K	A_1		A_2		Level of uncertainty		
332.5–402.4	1.69821+1		2.21416		IV		

Table 22.56.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	21	21	0.192	4.82–2	0.19	1.58–4	–4
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
332.5–402.4	733.00	3.27073	1.19887–1	1.59746+1	2.23079+1	V	

Name: 1,3,5-Trichlorobenzene
Formula: C₆H₃Cl₃

CAS-RN: 108-70-3
Group No.: 22-057
Molar Mass: 181.45

Table 22.57.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99ROH/RUZ	343.1–402.1	20	1.00	100.0	chrom	sat	BDCT	91BAN/GAR

Table 22.57.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	20	20	0.128	3.15–2	0.13	7.35–5	–3
Temp. range K	A_1		A_2		Level of uncertainty		
343.1–402.1	1.49911+1		2.69010		IV		

Name: Chlorocyclohexane
Formula: C₆H₁₁Cl

CAS-RN: 542-18-7
Group No.: 22-058
Molar Mass: 118.61

Table 22.58.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94DIK/KAB	235.0–304.3	13	0.40	99.92	chrom	<i>p</i>	BSAO	93DIK/KAB
95KOB/OGU	228.9–300.9	28	0.30	99.98	chrom	sat	BSAO	93FUJ/OGU1
96TAN/TOY1	298.1	1	nosp	99.1	chrom	<i>p</i>	FSIT	71PIC/LED

Table 22.58.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
94DIK/KAB	235.0–304.3	13	0.40	0.641	5.38–2	0.26	–2.67–2	–2
95KOB/OGU	228.9–300.9	28	0.30	0.236	1.50–2	0.07	6.61–3	8
96TAN/TOY1	298.1	1	0.50 #	0.332	3.59–2	0.17	3.59–2	1


Table 22.58.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	42	42	0.424	3.40–2	0.16	–3.01–3	7
Temp. range K		A_1	A_2	A_3			Level of uncertainty
228.9–304.3		1.68933+1	–6.35818–1	7.38105–1			II

Table 22.58.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	42	42	0.430	3.37–2	0.16	–1.78–3	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
228.9–304.3	636.00	–3.07827	5.06749	9.84876	4.67478–1		III

22-058



Selected data
 O94DIK/KAB
 Q95KOB/OGU
 Δ96TAN/TOY1

Name: 1-Chloro-1-methylcyclopentane
 Formula: C₆H₁₁Cl

CAS-RN: 6196-85-6
 Group No.: 22-059
 Molar Mass: 118.61

Table 22.59.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96KAB/BLO	189.2–306.4	34	0.40	99.94	chrom	sat	BDHT	92KAB/KOZ

Table 22.59.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	±
	total	used					
sat	34	34	0.618	4.99–2	0.25	2.19–4	1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
189.2–306.4		9.39957	1.05675+1	–4.10569	6.49380–1		III

Table 22.59.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	±
	total	used					
sat	34	34	0.629	5.12–2	0.25	2.36–4	9
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
189.2–306.4	560.00	–8.73258–1	3.46361	1.35147+1	5.50422–2		IV

Name: 1-Chlorohexane
Formula: C₆H₁₃Cl

CAS-RN: 544-10-5
Group No.: 22-060
Molar Mass: 120.62

Table 22.60.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 22.60.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–308.1	1.13006+1		4.93114		IV		

Name: 1-Chloro-1-methylcyclohexane
Formula: C₇H₁₃Cl

CAS-RN: 931-78-2
Group No.: 22-061
Molar Mass: 132.63

Table 22.61.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98KAB/BLO	234.5–300.0	9 S	0.40	99.93	chrom	<i>p</i>	BSAO	93DIK/KAB

Table 22.61.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	9	9	0.035	3.22–3	0.01	4.24–7	0
Temp. range K	A_1		A_2		Level of uncertainty		
234.5–300.0	1.40076+1		3.44276		III		

Name: 1-Chloroheptane
Formula: C₇H₁₅Cl

CAS-RN: 629-06-1
Group No.: 22-062
Molar Mass: 134.65

Table 22.62.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 22.62.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
298.1–308.1		1.33782+1	5.41221				IV

Name: 1-Chlorooctane
Formula: $C_8H_{17}Cl$

CAS-RN: 111-85-3
Group No.: 22-063
Molar Mass: 148.68

Table 22.63.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 22.63.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
298.1–308.1		1.61850+1	5.65273				IV

Name: 1,1',1''-(Chloromethylidene)trisbenzene
Formula: $C_{19}H_{15}Cl$

CAS-RN: 76-83-5
Group No.: 22-064
Molar Mass: 278.78

Table 22.64.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91NAO/SEK	276.0–412.0	eqn	nosp	not specified		p	BDHT	69PER/COM

Table 22.64.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	36	36	0.001	2.85–2	0.00	4.75–5	0
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
276.0–412.5		3.39595+3	1.71517+2	–5.67650+1	7.58072		IV

Name: Dibromomethane
Formula: CH₂Br₂

CAS-RN: 74-95-3
Group No.: 23-003
Molar Mass: 173.83

Table 23.3.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48KUR	272.1–329.9	4	nosp	not specified		avg	DSIO	47KUR
57HAR/MOE	244.9–303.2	7	0.50	not specified		<i>p</i>	BSIO	57HAR/MOE
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 23.3.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
57HAR/MOE	244.9–303.2	7	0.50	1.243	7.80–2	0.62	4.80–3	3
93SHE	298.1–308.1	2	0.50 #	0.540	3.38–2	0.27	–1.32–2	0
Rejected data								
48KUR	(2.60,17.08,2.58,3)							

Table 23.3.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	13	9	1.276	8.00–2	0.64	7.95–4	3
Temp. range K	A_1		A_2		Level of uncertainty		
244.9–308.1	1.26297+1		–2.18224–2		IV		



Name: 1,2-Dibromoethane
Formula: C₂H₄Br₂

CAS-RN: 106-93-4
Group No.: 23-017
Molar Mass: 187.86

Table 23.17.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
33LEB/MOE	283.3–298.5	5	nosp	not specified		<i>p</i>	BSIO	33LEB/MOE
39RAI	283.3–321.7	9	2.00	99.92	melpt	<i>p</i>	BDHO	37STU
40PIT1	286.5–318.0	4	0.20	99.74	melpt	<i>p</i>	BSIO	28LAT/GRE
48KUR	309.1–345.7	3	nosp	not specified		avg	DSIO	47KUR
49DHO/JUN	293.1	1	nosp	not specified		<i>p</i>	BDHO	49WUY/JUN
49TSC/RIC3	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
49WUY/JUN	310.1	1	nosp	not specified		<i>p</i>	BDHO	49WUY/JUN
65FIN/GRU	300.0	1	0.40	not specified		<i>p</i>	BDAO	65FIN/GRU
69WIL/SCH	293.1–313.1	3	0.40	not specified		<i>p</i>	BDAO	65FIN/GRU
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

39RAI data from a graph only

Name: Bromoethane
Formula: C₂H₅Br

CAS-RN: 74-96-4
Group No.: 23-018
Molar Mass: 108.97

Table 23.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
07BAT	167.7–244.3	5	nosp	not specified		<i>p</i>	BSIO	07BAT
12SCH2	280.6–290.6	3	nosp	not specified		<i>p</i>	BSIO	12SCH1
48KUR	256.5–300.0	5	nosp	not specified		avg	DSIO	47KUR
49TSC/RIC3	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
93SHE	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

07BAT same data in 08BAT

Name: 1,3-Dibromopropane
Formula: C₃H₆Br₂

CAS-RN: 109-64-8
Group No.: 23-022
Molar Mass: 201.89

Table 23.22.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48KUR	332.3–358.3	3	nosp	not specified		avg	DSIO	47KUR
50CRO/SMY2	243.1–245.6	2	1.40	not specified		<i>p</i>	BDHO	50KUS/CRO
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 23.22.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
48KUR	332.3–358.4	3	5.00 #	0.226	2.34–1	1.13	–4.98–2	–1
50CRO/SMY2	243.1–245.6	2	1.40	0.201	5.26–2	0.28	8.70–3	0
93SHE	298.1–308.1	2	0.50 #	0.138	1.37–2	0.07	–2.24–4	0

Table 23.22.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	7	7	0.234	1.84-1	0.90	-1.89-2	-1
Temp. range K		A_1	A_2				Level of uncertainty
243.1-358.4		1.40635+1	1.89130				VI

Name: 1-Bromopropane
Formula: C_3H_7Br

CAS-RN: 106-94-5
Group No.: 23-023
Molar Mass: 122.99

Table 23.23.1. Experimental heat capacities

Reference	Temp. range K	No. pts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	305.1-323.3	3 S	nosp	not specified		avg	DSIO	*81VON
48KUR	268.1-312.9	3	nosp	not specified		avg	DSIO	47KUR
49TSC/RIC3	298.1	1	nosp	not specified		p	BSIO	49TSC/RIC1
93SHE	298.1-308.1	2	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 23.23.2. Correlated heat capacities

Reference	Temp. range K	No. pts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
*81VON	305.1-323.3	3	3.00 #	0.494	2.36-1	1.48	-1.95-1	-3
93SHE	298.1-308.1	2	0.50 #	0.178	1.46-2	0.09	8.43-3	0
Rejected data								
48KUR	(8.69-1,5.05,8.60-1,2)		49TSC/RIC3	(3.95-1,2.38,3.95-1,1)				

Table 23.23.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	9	5	0.515	2.36-1	1.48	-1.13-1	-3
Temp. range K		A_1	A_2				Level of uncertainty
298.1-323.3		1.33129+1	9.65645-1				V

Name: 2-Bromopropane
Formula: C_3H_7Br

CAS-RN: 75-26-3
Group No.: 23-024
Molar Mass: 122.99

Table 23.24.1. Experimental heat capacities

Reference	Temp. range K	No. pts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	298.0-317.7	4 S	nosp	not specified		avg	DSIO	*81VON
50KUS/CRO	190.1-209.6	7	1.70	not specified		p	BDHO	50KUS/CRO
93SHE	298.1	1	nosp	99.9	chrom	p	DDCT	71KON/SUU

Name: 1-Bromobutane
Formula: C₄H₉Br

CAS-RN: 109-65-9
Group No.: 23-025
Molar Mass: 137.02

Table 23.25.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31DEE	176.9–292.3	27	nosp	not specified		<i>p</i>	BDAO	31DEE
48KUR	307.6–331.1	2	nosp	not specified		avg	DSIO	47KUR
49TSC/RIC3	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU


Table 23.25.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
31DEE	176.9–292.3	27	2.00 #	0.929	3.18–1	1.86	–4.22–2	–3
93SHE	298.1–308.1	2	0.50 #	1.437	1.41–1	0.72	4.77–2	0
Rejected data								
48KUR	(7.14–1,3.47,7.14–1,1)		49TSC/RIC3	(1.43,6.87,1.43,1)				

Table 23.25.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used	%				
<i>p</i>	32	29	1.027	3.26–1	1.90	–3.60–2	–3
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
176.9–308.1	2.93689+1		–1.22106+1	2.96593	V		

23-025



Selected data Rejected data
 ○ 31DEE ▲ 48KUR
 □ 93SHE ▼ 49TSC/RIC3

Name: 1-Bromo-2-methylpropane
Formula: C₄H₉Br

CAS-RN: 78-77-3
Group No.: 23-026
Molar Mass: 137.02

Table 23.26.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48KUR	306.1–319.1	2	nosp	not specified		avg	DSIO	47KUR
93SHE	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 23.26.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
93SHE	298.1	1	0.50 #	0.000	0.00	0.00	0.00	0

Table 23.26.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	3	1	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		Level of uncertainty				
298.1–298.1	1.96885+1		V				

Name: 2-Bromo-2-methylpropane
Formula: C₄H₉Br

CAS-RN: 507-19-7
Group No.: 23-027
Molar Mass: 137.02

Table 23.27.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
50KUS/CRO	259.6–265.1	3	2.00	not specified		<i>p</i>	BDHO	50KUS/CRO
93SHE	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 23.27.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
50KUS/CRO	259.6–265.1	3	2.00	0.259	9.40–2	0.52	–6.04–3	–1
93SHE	298.1	1	0.50 #	0.013	1.33–3	0.01	1.33–3	0

Table 23.27.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	4	4	0.317	1.15–1	0.63	–4.20–3	–1	
Temp. range K	A_1		Level of uncertainty					
259.6–298.1	4.97215		5.01611					V

Name: 1-Bromopentane
Formula: C₅H₁₁Br

CAS-RN: 110-53-2
Group No.: 23-030
Molar Mass: 151.05

Table 23.30.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31DEE	195.8–290.7	10	nosp	not specified		<i>p</i>	BDAO	31DEE
50KUS/CRO	190.1–206.6	6	1.50	not specified		<i>p</i>	BDHO	50KUS/CRO
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 23.30.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
31DEE	195.8–290.7	10	2.00 #	1.530	6.20–1	3.06	–4.26–1	–8
50KUS/CRO	190.1–206.6	6	1.50	1.301	4.09–1	1.95	2.45–1	0
93SHE	298.1–308.1	2	0.50 #	2.110	2.43–1	1.05	7.36–2	0

Table 23.30.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	18	18	1.683	5.75–1	2.81	–1.47–1	–8
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
190.1–308.1	4.74797+1		–2.41167+1	5.29745	V		

Name: Bromobenzene
Formula: C₆H₅Br

CAS-RN: 108-86-1
Group No.: 23-033
Molar Mass: 157.01

Table 23.33.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	323.0–369.1	5 S	nosp	not specified		avg	DSIO	*81VON
25WIL/DAN	293.1–353.1	4 S	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
34KOL/UDO	302.6	1	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
37STU	250.0–320.0	8 S	nosp	not specified		<i>p</i>	BDHO	37STU
49TSC/RIC3	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
75MAS/SCO	243.3–296.4	17	nosp	99.998	melpt	sat	BSAO	45SCO/MEY
93SHE	308.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU
34KOL/UDO	same datum in 34KOL/UDO1							

Name: 1-Bromohexane
Formula: C₆H₁₃Br

CAS-RN: 111-25-1
Group No.: 23-034
Molar Mass: 165.07

Table 23.34.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31DEE	214.0–289.8	12	nosp	not specified		<i>p</i>	BDAO	31DEE
49TSC/RIC3	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 23.34.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
31DEE	214.0–289.8	12	0.20 #	6.365	2.98–1	1.27	–2.20–2	2
93SHE	298.1–308.1	2	0.50 #	9.569	1.27	4.78	1.23	2
Rejected data								
49TSC/RIC3	(3.44,12.13,3.44,1)							

Table 23.34.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	15	14	2.261	1.02	4.34	–3.49–1	–4
Temp. range K	A_1		A_2		Level of uncertainty		
214.0–308.1	1.06451+1		5.20103		V		



Name: 1-Bromoheptane
Formula: C₇H₁₅Br

CAS-RN: 629-04-9
Group No.: 23-036
Molar Mass: 179.10

Table 23.36.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
50CRO/SMY1	222.1–231.1	4	1.00	not specified		p	BDHO	50KUS/CRO
93SHE	298.1–308.1	2	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 23.36.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
50CRO/SMY1	222.1–231.1	4	1.00	0.895	2.12–1	0.89	–2.40–2	0
93SHE	298.1–308.1	2	0.50 #	1.142	1.71–1	0.57	1.57–2	0

Table 23.36.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	6	6	1.205	2.44–1	0.98	–1.08–2	0
Temp. range K	A_1		A_2	Level of uncertainty			
222.1–308.1	4.74984		8.34450	V			

Name: 1-Bromooctane
Formula: $C_8H_{17}Br$

CAS-RN: 111-83-1
Group No.: 23-037
Molar Mass: 193.13

Table 23.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
50CRO/SMY1	222.1–234.1	3	1.00	not specified		p	BDHO	50KUS/CRO
#00BEC/AUF	295.4–360.0	14	0.20	99.95	chrom	sat	BDCT	#00BEC/AUF

Table 23.37.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
50CRO/SMY1	222.1–234.1	3	1.00	0.569	1.78–1	0.57	–6.81–2	–1
#00BEC/AUF	295.4–360.0	14	0.20	0.360	2.55–2	0.07	6.40–4	–2

Table 23.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	17	17	0.446	8.64–2	0.27	–1.15–2	–3
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
222.1–360.0	3.01948+1		–1.72650	9.89185–1	III		

Name: 1,4-Dibromobutane
Formula: $C_4H_8Br_2$

CAS-RN: 110-52-1
Group No.: 23-041
Molar Mass: 215.92

Table 23.41.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 23.41.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
298.1–308.1		1.36726+1	3.12707				IV

Name: 1,4-Dibromobenzene
Formula: $C_6H_4Br_2$

CAS-RN: 106-37-6
Group No.: 23-042
Molar Mass: 235.91

Table 23.42.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*94BRU	N	367.15	0.6569	nosp	not specified	avg	DSIO	*94BRU
*94BRU	average value in temperature range 363–371 K							

Name: Bromocyclohexane
Formula: $C_6H_{11}Br$

CAS-RN: 108-85-0
Group No.: 23-043
Molar Mass: 163.06

Table 23.43.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1	1	nosp	99.9	chrom	p	DDCT	71KON/SUU
95KOB/OGU	218.9–303.2	43	0.30	99.91	melpt	sat	BSAO	93FUJ/OGU1

Table 23.43.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
93SHE	298.1	1	0.50 #	0.686	7.51–2	0.34	–7.51–2	–1
95KOB/OGU	218.9–303.2	43	0.30	0.091	5.63–3	0.03	6.35–4	3

Table 23.43.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	44	44	0.144	1.32–2	0.06	–1.09–3	2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
218.9–303.2		2.31423+1	–6.54621	2.74642	–2.28725–1		III

Name: Diiodomethane
Formula: CH₂I₂

CAS-RN: 75-11-6
Group No.: 24-001
Molar Mass: 267.84

Table 24.1.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48KUR	307.1–363.0	3	nosp	not specified		avg	DSIO	47KUR
93CAR/LAY	N 298.1	1	nosp	not specified		<i>p</i>	not specified	
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU
93CAR/LAY	origin of data is not clear							

Table 24.1.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
93SHE	298.1–308.1	2	0.50 #	0.000	0.00	0.00	0.00	0
Rejected data								
48KUR	(2.55,15.72,2.55,1)		93CAR/LAY	(2.53,15.70,2.53,1)				

Table 24.1.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	6	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–308.1	1.06979+1		9.62170–1		IV		

Name: Iodomethane
Formula: CH₃I

CAS-RN: 74-88-4
Group No.: 24-002
Molar Mass: 141.94

Table 24.2.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48KUR	254.9–299.6	5	nosp	not specified		avg	DSIO	47KUR
57HAR/MOE	243.4–303.2	8	0.50	not specified		<i>p</i>	BSIO	57HAR/MOE
62LOW/MOE	253.2–308.2	7 S	0.50	not specified		<i>p</i>	BSIO	57HAR/MOE
84GAI/GRA	213.1–262.6	8	nosp	not specified		<i>p</i>	not specified	
93CAR/LAY	N 298.1	1	nosp	not specified		<i>p</i>	not specified	
93SHE	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU
93CAR/LAY	origin of data is not clear							

Table 24.2.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
57HAR/MOE	243.4–303.2	8	0.50	1.338	6.55–2	0.67	7.13–3	2
62LOW/MOE	253.2–308.2	7	0.50	1.224	6.09–2	0.61	9.25–3	1
84GAI/GRA	213.1–262.6	8	0.70 #	0.697	4.79–2	0.49	–8.68–3	2
93CAR/LAY	298.1	1	1.00 #	0.155	1.54–2	0.15	1.54–2	1
93SHE	298.1	1	0.50 #	1.519	7.49–2	0.76	–7.49–2	–1
Rejected data								
48KUR	(4.98,33.64,4.97,5)							

Table 24.2.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used			%		
p	30	25	1.188	6.19–2	0.63	–2.84–4	5
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
213.1–308.2	1.57584+1		–4.72289	9.29212–1	IV		



Name: Iodoethane
Formula: C₂H₅I

CAS-RN: 75-03-6
Group No.: 24-003
Molar Mass: 155.97

Table 24.3.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81BER/OGI	243.1–333.1	4 S	nosp	not specified		avg	DSIO	*79BER
48KUR	263.4–316.6	3	nosp	not specified		avg	DSIO	47KUR
93SHE	298.1	1	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 24.3.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
*81BER/OGI	243.1–333.1	4	3.00 #	0.409	1.61–1	1.23	–1.52–1	–4
93SHE	298.1	1	0.50 #	0.263	1.73–2	0.13	1.73–2	1
Rejected data								
48KUR	(6.27–1,4.46,5.71–1,3)							

Table 24.3.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	8	5	0.496	1.86–1	1.42	–1.18–1	–3
Temp. range K	A_1		A_2	Level of uncertainty			
243.1–333.1	8.84109		1.45410	V			

Name: 1-Iodopropane
Formula: C₃H₇I

CAS-RN: 107-08-4
Group No.: 24-004
Molar Mass: 169.99

Table 24.4.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	317.3–339.1	4 S	nosp	not specified		avg	DSIO	*81VON
93SHE	298.1–308.1	2	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 24.4.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
*81VON	317.3–339.1	4	3.00 #	0.119	5.98–2	0.36	–1.32–2	1
93SHE	298.1–308.1	2	0.50 #	0.009	7.79–4	0.00	7.59–4	0

Table 24.4.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	6	6	0.120	5.98–2	0.36	–8.55–3	1
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–339.1	1.06533+1		1.92089	V			

Name: 1-Iodo-2-methylpropane
Formula: C₄H₉I

CAS-RN: 513-38-2
Group No.: 24-005
Molar Mass: 184.02

Table 24.5.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	315.0–344.5	3 S	nosp	not specified		avg	DSIO	*81VON
93SHE	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 24.5.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
*81VON	315.0–344.5	3	3.00 #	0.332	2.04–1	01.00	7.05–2	1
93SHE	298.1	1	0.50 #	0.056	5.54–3	0.03	–5.54–3	–1

Table 24.5.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	4	4	0.408	2.50–1	1.22	5.15–2	0
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–344.5	1.52809+1		1.55277	V			

Name: Iodobenzene
Formula: C₆H₅I

CAS-RN: 591-50-4
Group No.: 24-009
Molar Mass: 204.01

Table 24.9.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
37STU	250.0–320.0	8 S	nosp	not specified		<i>p</i>	BDHO	37STU
61ROU	301.3–316.2	7	nosp	not specified		<i>p</i>	BSAO	61ROU
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 24.9.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
37STU	250.0–320.0	8	2.00 #	0.568	2.16–1	1.14	–1.13–2	0
61ROU	301.3–316.2	7	1.00 #	0.910	1.79–1	0.91	1.64–1	7
93SHE	298.1–308.1	2	0.50 #	1.472	1.41–1	0.74	–1.34–1	–2

Table 24.9.3 Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	17	17	0.921	2.06-1	1.07	4.63-2	5
Temp. range K		A_1	A_2				Level of uncertainty
250.0-320.0		1.38502+1	1.80350				V



Name: 1,3-Diiodopropane
 Formula: $C_3H_6I_2$

CAS-RN: 627-31-6
 Group No.: 24-010
 Molar Mass: 295.89

Table 24.10.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1-308.1	2	nosp	99.9	chrom	p	DDCT	71KON/SUU

Table 24.10.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
298.1-308.1		1.28196+1	2.52569				IV

Name: 2-Iodopropane
Formula: C₃H₇I

CAS-RN: 75-30-9
Group No.: 24-011
Molar Mass: 169.99

Table 24.11.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.15	0.8077	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Name: 1-Iodobutane
Formula: C₄H₉I

CAS-RN: 542-69-8
Group No.: 24-012
Molar Mass: 184.02

Table 24.12.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 24.12.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–308.1	1.04613+1		3.12707		IV		

Name: 2-Iodobutane
Formula: C₄H₉I

CAS-RN: 513-48-4
Group No.: 24-013
Molar Mass: 184.02

Table 24.13.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.15	0.8983	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Name: 1-Iodopentane
Formula: C₅H₁₁I

CAS-RN: 628-17-1
Group No.: 24-014
Molar Mass: 198.05

Table 24.14.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 24.14.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–308.1	1.28855+1		3.48787		IV		

Name: 1-Iodohexane
Formula: C₆H₁₃I

CAS-RN: 638-45-9
Group No.: 24-015
Molar Mass: 212.07

Table 24.15.1. Experimental heat capacities

Reference	Temp. rang K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 24.15.3 Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–308.1	1.38513+1		4.32975		IV		

Name: 1-Iodoheptane
Formula: C₇H₁₅I

CAS-RN: 4282-40-0
Group No.: 24-016
Molar Mass: 226.10

Table 24.16.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93SHE	298.1–308.1	2	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU

Table 24.16.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–308.1	1.52237+1		5.05140		IV		

Name: Dichlorodifluoromethane
Formula: CCl₂F₂

CAS-RN: 75-71-8
Group No.: 25-004
Molar Mass: 120.91

Table 25.4.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31BUF/FLE	N	230.1–290.1	2	4.00	not specified	avg	not specified	
39RIE3		194.4–293.5	12	1.00	not specified	sat	BSIO	39RIE3
55MCH/EIS	N	169.0–253.4	17	nosp	not specified	sat	BSIO	36AST/MES
31BUF/FLE 55MCH/EIS	the first datum from drop calorimetry; the second datum from isoperibol calorimetry source of data was Cryogenic Laboratory, The Pennsylvania State University							

Table 25.4.2 Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
39RIE3	194.4–293.5	12	1.00	0.855	1.10–1	0.85	–7.84–3	0
55MCH/EIS	169.0–253.4	17	0.40 #	0.773	4.01–2	0.31	1.34–3	0
Rejected data								
31BUF/FLE	(9.04–1,5.87,6.12–1,0)							

Table 25.4.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	31	29	0.853	8.15–2	0.63	–2.46–3	0
sat	31	29	0.867	8.11–2	0.63	–3.32–3	–1
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
169.0–293.5	1.09253+1		–1.95506–1	4.46794–1	IV		
169.0–293.5	1.04247+1		3.16041–1	3.17051–1	IV		

Table 25.4.4 Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	31	29	1.022	7.45–2	0.58	1.22–3	–5	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
169.0–293.5	384.95	1.77817	7.11773–1	7.27819	1.33063+1	–9.84623	4.58487	IV

Name: 1,2-Dichloro-1,1,2,2-tetrafluoroethane
Formula: C₂Cl₂F₄

CAS-RN: 76-14-2
Group No.: 25-012
Molar Mass: 170.92

Table 25.12.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
60MAR	N	237.1–275.9	2	nosp	not specified		not specified	
66VAS2		224.5–315.2	23	0.70	not specified		BDAO	
81KOL/KOS		182.0–295.9	21	0.10	99.79	melpt	BSAO	
60MAR	unpublished data: J. G. Aston, private communication (1955) and R. C. McHarness, private communication (1951)							

Name: 1,1,2-Trichloro-1,2,2-trifluoroethane
Formula: C₂Cl₃F₃

CAS-RN: 76-13-1
Group No.: 25-014
Molar Mass: 187.38

Table 25.14.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
38RIE	N	242.9–333.9	19	0.50	not specified		BSIO	39RIE3
40BEN/MCH		261.6–336.4	6	nosp	not specified		BSIO	40BEN/MCH
54BUB	N	253.1–458.1	22	3.30	not specified		BDAO	75RAS/GRI
81KOL/KOS		240.5–298.9	10	0.10	99.81	melpt	BSAO	62KOL/SER
88VES/ZAB		298.1–318.1	5	0.30	100.0	chrom	BSAO	79VES/ZAB
92FEN/COS		298.1	1	nosp	99.99	chrom	FSIT	71PIC/LED
38RIE	same data in 39RIE1							
54BUB	<i>C_p</i> at saturation line extrapolated from high pressure measurements							

Name: 2-Bromo-2-chloro-1,1,1-trifluoroethane
Formula: C₂HBrClF₃

CAS-RN: 151-67-7
Group No.: 25-017
Molar Mass: 197.38

Table 25.17.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
88VES/ZAB	298.1–318.1	5	0.30	99.0	chrom	<i>p</i>	BSAO	79VES/ZAB
93DOH/COS	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED

Name: 1,1,2-Trichloro-1,2-difluoroethane
Formula: C₂HCl₃F₂

CAS-RN: 354-15-4
Group No.: 25-018
Molar Mass: 169.38

Table 25.18.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92LEB/KUL1	104.8–328.1	82	0.20	98.9	chrom	<i>p</i>	BSAO	76LEB/LIT
97VAR/DRU2	126.6–326.8	99	0.20	99.39	chrom	<i>p</i>	BSAO	97VAR/DRU1

Table 25.18.2 Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
92LEB/KUL1	104.8–328.1	82	0.20	2.565	9.85–2	0.51	1.01–3	4
Rejected data								
97VAR/DRU2	(4.29–1, 2.18, –3.29–1, –99)							


Table 25.18.3 Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	181	82	2.630	1.01–1	0.53	1.01–3	4
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
104.8–328.1	2.23408+1		–5.98599	2.58632	–2.71272–1	III	

Table 25.18.4 Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	181	82	4.535	1.73-1	0.91	2.96-3	1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
104.8-328.1	525.10	1.10306+1	6.65475	1.14720+1	4.57094		IV

25-018



Selected data Rejected data
 O 92LEB/KUL1 □ 97VAR/DRU2

Name: 1,1-Dichloro-1,2-difluoroethane
 Formula: C₂H₂Cl₂F₂

CAS-RN: 1842-05-3
 Group No.: 25-019
 Molar Mass: 134.94

Table 25.19.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92LEB/KUL1	173.5-313.4	27	0.20	99.6	melpt	p	BSAO	76LEB/LIT

Table 25.19.3 Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	27	26	1.453	5.11-2	0.29	2.62-4	2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
173.5-307.6		1.74233	-1.09581	4.64319-1			III

Name: 1-Bromo-4-chlorobenzene
Formula: C₆H₄BrCl

CAS-RN: 106-39-8
Group No.: 25-033
Molar Mass: 191.45

Table 25.33.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
18NAR	355.3	1	nosp	not specified		avg	DSIO	18NAR
#00VAN/OON1	339.6–369.0	19	0.20	99.97	melpt	<i>p</i>	BSAO	98VAN/VAN

Table 25.33.2 Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
#00VAN/OON1	339.6–369.0	19	0.20	0.356	1.59–2	0.07	2.26–5	1
Rejected data								
18NAR	(5.61–1, 2.44, 5.61–1, 1)							

Table 25.33.3 Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	20	19	0.377	1.68–2	0.08	2.26–5	1
Temp. range K	A_1		A_2	Level of uncertainty			
339.6–369.0	1.28277+1		2.71204	III			

Name: 2-Chloro-1,1,1,2-tetrafluoroethane
Formula: C₂HClF₄

CAS-RN: 2837-89-0
Group No.: 25-036
Molar Mass: 136.48

Table 25.36.1 Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93DU/SUV2	N	216.6–261.1	11 S	nosp	not specified		<i>p</i>	not specified
93DU/SUV2	table is based on experimental data from the database at the National Institute of Standards and Technology (NIST)							

Table 25.36.3 Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	11	11	0.005	9.04–4	0.01	–9.71–6	0
sat	11	11	0.005	9.13–4	0.01	3.99–6	–1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
216.6–261.1	1.96171+2		–1.95628+2	7.02572+1	–8.29074	IV	
216.6–261.1	1.94133+2		–1.93172+2	6.92941+1	–8.16920	IV	

Name: 1,2-Dichloro-1,1,2-trifluoroethane
Formula: C₂HCl₂F₃

CAS-RN: 354-23-4
Group No.: 25-037
Molar Mass: 152.93

Table 25.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99DRU/VAR	138.8–296.3	75	0.30	99.51	melpt	<i>p</i>	BSAO	97VAR/DRU1

Table 25.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	75	75	0.365	1.94–2	0.11	3.92–5	–4
sat	75	75	0.372	1.98–2	0.11	4.16–5	–5
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	Level of uncertainty	
138.8–296.3	2.21496+1		–7.72151	3.57936	–4.44704–1	III	
138.8–296.3	2.23041+1		–7.95675	3.69472	–4.62900–1	III	

Table 25.37.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±	
	total	used						
<i>p</i>	75	75	0.452	2.43–2	0.14	6.31–5	–1	
Temp. range K	<i>T_c</i> K	<i>A₁</i>	<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	<i>A₅</i>	<i>A₆</i>	Level of uncertainty
138.8–296.3	461.40	2.46869+2	2.41427+1	–8.84074	2.44834+2	5.27103	2.06832+2	III

Name: 2,2-Dichloro-1,1,1-trifluoroethane
Formula: C₂HCl₂F₃

CAS-RN: 306-83-2
Group No.: 25-038
Molar Mass: 152.93

Table 25.38.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91DU/SUV	298.1	1	nosp	not specified		<i>p</i>	not specified	
91NAK	275.6–300.0	4	0.40	99.82	anal	<i>p</i>	FSAO	89SAI/SAT
93DU/SUV1	N 249.5–301.0	11 S	nosp	not specified		<i>p</i>	not specified	
93DU/SUV1	table is based on experimental data from the database at the National Institute of Standards and Technology (NIST)							


Table 25.38.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	<i>σ_rC</i> %	<i>d_w</i>	<i>d/R</i>	<i>d_r</i> %	<i>d_b/R</i>	±
Selected data								
93DU/SUV1	249.5–301.0	11	1.00 #	0.080	1.33–2	0.08	1.27–4	1
Rejected data								
91DU/SUV	(4.85–1,2.59,4.85–1,1)		91NAK	(1.63,8.77,1.53,4)				

Table 25.38.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	16	11	0.101	1.67-2	0.10	1.27-4	1
sat	16	11	0.094	1.57-2	0.09	-1.39-4	1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
249.5-301.0		4.92962+2	-5.29861+2	1.92952+2	-2.30228+1		IV
249.5-301.0		4.90061+2	-5.26789+2	1.91887+2	-2.29024+1		IV

25-038



Name: 1,2,2-Trichloro-1,1-difluoroethane
Formula: $C_2HCl_3F_2$

CAS-RN: 354-21-2
Group No.: 25-039
Molar Mass: 169.38

Table 25.39.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
97DRU/VAR	N	123.2-325.6	104	0.20	99.87	chrom	p	BSAO	97VAR/DRU1
97DRU/VAR	same data in 97VAR/DRU2								

Table 25.39.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	104	104	0.995	3.62-2	0.20	1.37-4	6
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
123.2-325.6		2.13398+1	-5.51787	2.58118	-3.13662-1		III

Table 25.39.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	104	73	1.164	4.30–2	0.23	1.90–4	–7
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
144.0–325.6	524.00	–1.39090	1.03144	1.56551+1	4.68907–1		V

Name: 1,1-Dichloro-1-fluoroethane
Formula: C₂H₃Cl₂F

CAS-RN: 1717-00-6
Group No.: 25-040
Molar Mass: 116.95

Table 25.40.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91DU/SUV	298.15	1.155	nosp	not specified		p	not specified	

Name: 1-Chloro-1,1,2,3,3,3-hexafluoropropane
Formula: C₃HCIF₆

CAS-RN: 359-58-0
Group No.: 25-041
Molar Mass: 186.48

Table 25.41.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.205	3.00	not specified		p	BDHT	92HWA/DES

Name: 2-Chloro-1,1,1,3,3,3-hexafluoropropane
Formula: C₃HCIF₆

CAS-RN: 431-87-8
Group No.: 25-042
Molar Mass: 186.48

Table 25.42.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.207	3.00	not specified		p	BDHT	92HWA/DES

Name: 1,2-Dichloro-1,1,3,3,3-pentafluoropropane
Formula: C₃HCl₂F₅

CAS-RN: 431-86-7
Group No.: 25-043
Molar Mass: 202.94

Table 25.43.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.087	3.00	not specified		p	BDHT	92HWA/DES

Name: 2,3-Dichloro-1,1,1,2,3-pentafluoropropane
Formula: C₃HCl₂F₅

CAS-RN: 422-48-0
Group No.: 25-044
Molar Mass: 202.94

Table 25.44.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.087	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 3-Chloro-1,1,1,2,2-pentafluoropropane
Formula: C₃H₂ClF₅

CAS-RN: 422-02-6
Group No.: 25-045
Molar Mass: 168.49

Table 25.45.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.275	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 2,3-Dichloro-1,1,1,3-tetrafluoropropane
Formula: C₃H₂Cl₂F₄

CAS-RN: 146916-90-7
Group No.: 25-046
Molar Mass: 184.95

Table 25.46.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.176	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 2,3-Dichloro-1,1,1-trifluoropropane
Formula: C₃H₃Cl₂F₃

CAS-RN: 338-75-0
Group No.: 25-047
Molar Mass: 166.96

Table 25.47.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.234	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 4-Chloro-1,1,2,2,3,3-hexafluorocyclobutane
Formula: C₄HCIF₆

CAS-RN: 132186-30-2
Group No.: 25-048
Molar Mass: 198.50

Table 25.48.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.158	3.00	not specified		<i>p</i>	BDHT	92HWA/DES

Name: 1-Chloro-4-iodobenzene
Formula: C₆H₄ClI

CAS-RN: 637-87-6
Group No.: 25-049
Molar Mass: 238.45

Table 25.49.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00VAN/OON1	329.8–368.6	25	0.20	99.83	melpt	<i>p</i>	BSAO	98VAN/VAN

Table 25.49.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	25	25	0.332	1.51-2	0.07	1.88-5	-1
Temp. range K		A_1	A_2				Level of uncertainty
329.8-368.6		1.40694+1	2.49758				III

Name: 1-Bromo-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepta-decafluorooctane
 Formula: C_8BrF_{17}

CAS-RN: 423-55-2
 Group No.: 25-050
 Molar Mass: 498.96

Table 25.50.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97VAR/DRU1	280.0-346.4	34	0.20	99.92	melpt	p	BSAO	97VAR/DRU1

Table 25.50.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	34	34	0.261	3.06-2	0.05	2.83-5	-2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
280.0-346.4		1.76997+1	4.11604+1	-1.58012+1	2.19704		IV

Name: Ethanamine
 Formula: C_2H_7N

CAS-RN: 75-04-7
 Group No.: 31-002
 Molar Mass: 45.08

Table 31.2.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
33POH/MEH	N	273.1	1	3.00	not specified	p	BSIO	33POH/MEH
58JAF		298.1	1	nosp	not specified	p		not specified
33POH/MEH	temperature not specified; estimated by the compilers							

Table 31.2.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
58JAF	298.1	1	0.50 #	0.000	0.00	0.00	0.00	0

Table 31.2.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	1	0.000	0.00	0.00	0.00	0
Temp. range K							Level of uncertainty
298.1–298.1	1.56353+1						IV

Name: *N*-EthylethanamineFormula: C₄H₁₁N

CAS-RN: 109-89-7

Group No.: 31-011

Molar Mass: 73.14

Table 31.11.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter			
				%	method		Type	Reference		
36KUR/VOS	N	311.6	1	nosp	not specified		avg	DSIO	36KUR/VOS	
65KAU/BIT		293.1–323.1	4	S	1.00	not specified		p	FSIO	65KAU/BIT
85COS/PAT9		283.1–313.1	3	S	nosp	99.5	chrom	p	FSIT	71PIC/LED
91PES/NIK	N	298.1	1	nosp	not specified		p	BSAO	83KUK/KOR	
36KUR/VOS 91PES/NIK	average value in temperature range 290–333 K water content below 0.05%									

Name: *N*-(2-Aminoethyl)-1,2-ethanediamineFormula: C₄H₁₃N₃

CAS-RN: 111-40-0

Group No.: 31-015

Molar Mass: 103.17

Table 31.15.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
88BOB/KAM	313.1–493.1	10	6.00	97.	chrom	sat	BDCT	86MER/BEN
97STE/CHI4	290.0–550.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 31.15.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
97STE/CHI4	290.0–550.0	27	1.00	0.029	1.11–2	0.03	2.40–5	–2
Rejected data								
88BOB/KAM	(2.14, 6.75, –1.90, –10)							

Table 31.15.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	37	27	0.031	1.17–2	0.03	2.40–5	–2
sat	37	27	0.000	1.56–6	0.00	5.65–7	0
Temp. range K							Level of uncertainty
290.0–550.0	A ₁		A ₂	A ₃			
290.0–550.0	3.92690+1		–4.84339	9.67736–1			
290.0–550.0	3.87200+1		–4.54000	9.26600–1			

Table 31.15.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	37	27	0.356	1.31-1	0.36	7.86-4	1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
290.0-550.0	678.00	-3.45766	1.22513	2.79866+1	2.43963		IV

Name: *N,N*-Diethylethanamine
Formula: C₆H₁₅N

CAS-RN: 121-44-8
Group No.: 31-023
Molar Mass: 101.19

Table 31.23.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	319.7-330.0	3 S	nosp	not specified		avg	DSIO	*81VON
65KAU/BIT	293.1-343.1	6	1.00	not specified		p	FSIO	65KAU/BIT
80ROU/ROB	278.1-288.1	2	0.30	not specified		p	FSIT	71PIC/LED
85HEP/KOO	298.1	1	nosp	not specified		p	FSIT	71PIC/LED
91GRO/ROU	298.1	1	nosp	99.5	anal	p	FSIT	71PIC/LED
93GRO/ROU	298.1	1	nosp	99.5	anal	p	FSIT	71PIC/LED
94GRO/ROU	298.1	1	nosp	99.0	anal	p	FSIT	71PIC/LED

Name: 1-Hexanamine
Formula: C₆H₁₅N

CAS-RN: 111-26-2
Group No.: 31-024
Molar Mass: 101.19

Table 31.24.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
71KON/WAD	298.1	1	nosp	99.8	chrom	p	BSIO	70LKB/COM
77BEL/BUB	298.1	1	nosp	not specified		p	BDCT	68WAD

Name: *N*-Propyl-1-propanamine
Formula: C₆H₁₅N

CAS-RN: 142-84-7
Group No.: 31-025
Molar Mass: 101.19

Table 31.25.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
01KAH	N	334.1	1	nosp	not specified		avg	DSIO	01KAH
91PES/NIK	N	298.1	1	nosp	not specified		p	BSAO	83KUK/KOR
01KAH 91PES/NIK	average value in temperature range 294-374 K water content below 0.05%								

Table 31.25.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
91PES/NIK	298.1	1	0.50 #	0.000	0.00	0.00	0.00	0

Table 31.25.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	1	0.000	0.00	0.00	0.00	0
Temp. range K							Level of uncertainty
298.1–298.1	3.04047+1						IV

Name: 2-Methylbenzenamine
Formula: C₇H₉N

CAS-RN: 95-53-4
Group No.: 31-029
Molar Mass: 107.16

Table 31.29.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	330.8–392.2	4 S	nosp	not specified		avg	DSIO	*81VON
*87SCH	N 320.3–348.5	6 S	nosp	not specified		p	DSIO	*86SCH
02LOU2	N 381.0–382.0	2	nosp	not specified		avg	DSIO	*98LOU
34KOL/UDO	N 302.5	1	nosp	not specified		p	BSIT	34KOL/UDO
34RAD/JUL	288.1	1	nosp	not specified		p	BSIO	49WEI
88GUS/MIR2	303.1–463.1	9	1.90	not specified		p	BDHT	84GUS/MIR
90MEV/LIC	249.5	1	3.00	99.	anal	p	BDCT	89BRE/LIC
94STE/CHI	N 235.2–441.1	26	0.10	99.925	melpt	sat	BSAO	88STE/ARC
94STE/CHI	460.0–700.0	13 S	1.00	99.925	melpt	sat	BDHT	89KNI/ARC
#00CEN/LIP	313.1–371.1	26	2.00	99.97	chrom	p	BDCT	91BAN/GAR

*87SCH two data points near the upper temperature limit are misprinted; corrected to comply with equation presented by the author
02LOU2 average value in temperature range 295–468 K
34KOL/UDO same datum in 34KOL/UDO1
94STE/CHI low temperature limit is below n.m.t.(258.7 K); undercooled liquid

Table 31.29.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
94STE/CHI	235.2–441.1	26	0.10	0.289	7.92–3	0.03	6.87–4	0
94STE/CHI	460.0–700.0	13	1.00	0.754	3.06–1	0.75	–6.36–2	–7
#00CEN/LIP	313.1–371.1	26	1.00 #	0.268	7.48–2	0.27	–3.32–2	–4
Rejected data								
*81VON	(5.76–1, 2.06, –5.72–1, –4)		*87SCH	(5.31–1, 1.90, 5.16–1, 6)				
02LOU2	(4.32–1, 1.54, –4.17–1, –2)		34KOL/UDO	(1.17, 4.63, –1.17, –1)				
34RAD/JUL	(1.79, 7.37, –1.79, –1)		88GUS/MIR2	(6.70, 30.58, –6.70, –9)				
90MEV/LIC	(3.09–1, 1.23, –3.09–1, –1)							


Table 31.29.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	89	65	0.440	1.52-1	0.40	-2.57-2	-11
sat	89	65	0.354	1.06-1	0.30	-2.46-2	-10
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
235.2-400.0	3.45268+1		-1.00217+1	3.19712	-2.56233-1	II	
400.0-630.0	1.47972+1		4.77551	-5.02192-1	5.20433-2	IV	
630.0-700.0	-9.76675+3		4.66265+3	-7.39848+2	3.91709+1	IV	
235.2-400.0	3.45599+1		-1.00564+1	3.20908	-2.57588-1	II	
400.0-630.0	1.76567+1		2.62095	3.97415-2	6.52410-3	IV	
630.0-700.0	-6.10308+3		2.91726+3	-4.62601+2	2.44849+1	IV	

Table 31.29.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	89	65	6.890	3.67-1	1.07	1.14-1	30	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
235.2-700.0	716.50	-3.90240	2.22143-1	2.16886+1	3.24879	4.25429	1.19801	V

31-029



Selected data **Rejected data**
 ○ 94STE/CHI ▼ 81VON
 □ 94STE/CHI ◇ 87SCH
 ▲ 00CEN/LIP + 02LOU2
 × 90MEV/LIC

Name: 3-Methylbenzenamine
Formula: C₇H₉N

CAS-RN: 108-44-1
Group No.: 31-030
Molar Mass: 107.16

Table 31.30.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
34KOL/UDO	N	302.7	1	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
88GUS/MIR2		303.1–463.1	9	1.90	not specified		<i>p</i>	BDHT	84GUS/MIR
90MEV/LIC		241.6	1	3.00	99.	anal	<i>p</i>	BDCT	89BRE/LIC
#00CEN/LIP		313.2–371.2	26	2.00	99.7	chrom	<i>p</i>	BDCT	91BAN/GAR
#00CEN/LIP		263.1–353.1	10	0.50	99.7	chrom	<i>p</i>	BDCT	83ROU/ROU
34KOL/UDO2	same datum in 34KOL/UDO1								

Table 31.30.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
90MEV/LIC	241.6	1	3.00	0.030	2.23–2	0.09	2.23–2	1
#00CEN/LIP	313.2–371.1	26	2.00	0.322	1.73–1	0.64	–1.52–1	–26
#00CEN/LIP	263.1–353.1	10	0.50	0.257	3.51–2	0.13	2.50–2	6
Rejected data								
34KOL/UDO	(3.50–1, 1.34, –3.50–1, –1)		88GUS/MIR2	(6.34, 30.41, –6.34, –4)				


Table 31.30.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	47	37	0.310	1.50–1	0.56	–9.91–2	–19
Temp. range K	A_1		A_2		Level of uncertainty		
241.6–371.1	1.86869+1		2.56034		IV		

Table 31.30.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	47	37	0.581	9.67–2	0.36	9.95–4	–10
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
241.6–371.1	709.00	–3.38737	3.25642	1.83645+1	8.80895–1	IV	

31-030



Selected data Rejected data
 ○ 90MEV/LIC ▽ 34KOL/UD02
 □ #00CEN/LIP
 △ #00CEN/LIP

Name: 4-Methylbenzenamine
 Formula: C₇H₉N

CAS-RN: 106-49-0
 Group No.: 31-031
 Molar Mass: 107.16

Table 31.31.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
90MEV/LIC	323.0–368.0	eqn	3.00	99.	anal	<i>p</i>	BDCT	89BRE/LIC
#00CEN/LIP	328.3–353.1	12	2.00	99.7	chrom	<i>p</i>	BDCT	91BAN/GAR
#00CEN/LIP	323.1–353.1	4	0.50	99.7	chrom	<i>p</i>	BDCT	83ROU/ROU


Table 31.31.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
90MEV/LIC	323.0–368.2	5	3.00	0.428	3.52–1	1.28	–3.35–1	–5
#00CEN/LIP	328.3–353.1	12	2.00	0.220	1.20–1	0.44	–1.19–1	–12
#00CEN/LIP	323.1–353.1	4	0.50	0.387	5.33–2	0.19	3.47–2	2

Table 31.31.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	21	21	0.332	2.06–1	0.75	–1.41–1	–15
Temp. range K		A_1	A_2				Level of uncertainty
323.0–368.2		1.76283+1	2.86690				IV

31-031



Selected data
 O 90MEV/LIC
 □ 00CEN/LIP
 Δ 00CEN/LIP

Name: *N,N*-Dimethylbenzenamine
 Formula: C₈H₁₁N

CAS-RN: 121-69-7
 Group No.: 31-033
 Molar Mass: 121.18

Table 31.33.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	329.5–388.1	4 S	nosp	not specified		avg	DSIO	*81VON
*87SCH	318.0–348.3	6 S	nosp	not specified		<i>p</i>	DSIO	*86SCH
02LOU2	N	376.8–378.0	2	nosp	not specified	avg	DSIO	*98LOU
16BRA	283.1	1	nosp	not specified		avg	DSTO	16BRA
34KOL/UDO	N	302.3	1	nosp	not specified	<i>p</i>	BSIT	34KOL/UDO
34RAD/JUL	289.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
57CRU/JOS	293.1	1	2.00	not specified		<i>p</i>	BSIO	57CRU/JOS
97VER	298.1	1	nosp	100.00	chrom	<i>p</i>	BDHT	69PER/COM

02LOU2 average value in temperature range 294–459 K
 34KOL/UDO same datum in 34KOL/UDO1

Name: 2,6-Dimethylbenzenamine
 Formula: C₈H₁₁N

CAS-RN: 87-62-7
 Group No.: 31-034
 Molar Mass: 121.18

Table 31.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86STE/CHI	284.6–450.0	19 S	nosp	99.99	melpt	sat	BSAO	47HUF
#00VER2	298.1	1	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: *N*-Phenylbenzenamine
Formula: C₁₂H₁₁N

CAS-RN: 122-39-4
Group No.: 31-042
Molar Mass: 169.23

Table 31.42.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*84BAT	N	326.1–339.1	2	nosp	not specified		not specified	
*99STI/SWA	N	340.5	1	nosp	not specified		DSIO	*81VON
13CAM	N	327.1–329.1	2	nosp	not specified		BSIO	13CAM
*84BAT	error 0.5% (information in 29WAS)							
*99STI/SWA	average value in temperature range 330–352 K							
13CAM	error 0.5% (information in 29WAS)							

Table 31.42.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
*84BAT	326.1–339.1	2	5.00 #	0.609	1.21	3.04	1.15	2
*99STI/SWA	340.5	1	5.00 #	0.199	4.00–1	01.00	–4.00–1	–1
13CAM	327.1–329.1	2	5.00 #	0.446	8.37–1	2.23	–8.37–1	–2

Table 31.42.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	5	5	0.627	1.22	3.13	4.58–2	–1
Temp. range K	A_1		A_2		Level of uncertainty		
326.1–340.5	–1.92922+1		1.75651+1		V		

Name: *N,N*-Dimethyl-2-propanamine
Formula: C₅H₁₃N

CAS-RN: 996-35-0
Group No.: 31-046
Molar Mass: 87.16

Table 31.46.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99ZIJ/WIT	278.00	2.320	nosp	not specified		<i>p</i>	BSIO	99ZIJ/WIT

Name: *N*-(1-Methylethyl)-2-propanamine
Formula: C₆H₁₅N

CAS-RN: 108-18-9
Group No.: 31-047
Molar Mass: 101.19

Table 31.47.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99ZIJ/WIT	278.00	2.630	nosp	not specified		<i>p</i>	BSIO	99ZIJ/WIT

Name: 2,4-Dimethylbenzenamine
Formula: C₈H₁₁N

CAS-RN: 95-68-1
Group No.: 31-048
Molar Mass: 121.18

Table 31.48.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97VER	298.15	1.970	nosp	99.95	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2,5-Dimethylbenzenamine
Formula: C₈H₁₁N

CAS-RN: 95-78-3
Group No.: 31-049
Molar Mass: 121.18

Table 31.49.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97VER	298.15	1.890	nosp	100.00	chrom	<i>p</i>	BDHT	69PER/COM

Name: *N*-Ethylbenzenamine
Formula: C₈H₁₁N

CAS-RN: 103-69-5
Group No.: 31-050
Molar Mass: 121.18

Table 31.50.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97VER	298.15	1.840	nosp	100.00	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2-Ethylbenzenamine
Formula: C₈H₁₁N

CAS-RN: 578-54-1
Group No.: 31-051
Molar Mass: 121.18

Table 31.51.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00VER2	298.15	1.630	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

?
Name: α -Methylbenzenemethanamine
Formula: C₈H₁₁N

CAS-RN: 618-36-0
Group No.: 31-052
Molar Mass: 121.18

Table 31.52.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER2	298.15	1.460	nosp	99.96	chrom	<i>p</i>	BDHT	69PER/COM

Name: 1-Octanamine
Formula: C₈H₁₉N

CAS-RN: 111-86-4
Group No.: 31-053
Molar Mass: 129.25

Table 31.53.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82PFE/KUC	298.1	1	nosp	not specified		<i>p</i>	BDCT	68WAD
93STE/CHI2	N 300.0–620.0	17	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
93STE/CHI2	same data in 96STE/CHI2							

Table 31.53.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
93STE/CHI2	300.0–620.0	17	1.00	0.314	1.77–1	0.31	1.31–3	2

Table 31.53.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	18	17	0.373	2.10–1	0.37	1.31–3	2
sat	18	17	0.240	1.29–1	0.24	4.82–4	3
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
300.0–540.0	1.40353+1		1.27940+1	–2.34770	2.24142–1	IV	
540.0–620.0	–2.29218+3		1.29402+3	–2.39612+2	1.48701+1	IV	
300.0–540.0	1.46798+1		1.20662+1	–2.09238	1.95755–1	IV	
540.0–620.0	–1.31515+3		7.50862+2	–1.38906+2	8.64106	IV	

Table 31.53.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	18	17	0.295	1.40–1	0.29	4.60–4	3
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
300.0–620.0	641.00	–4.00830	2.24105–1	2.61924+1	1.79229+1	IV	

Name: α,α -Dimethylbenzenemethanamine
Formula: C₉H₁₃N

CAS-RN: 585-32-0
Group No.: 31-054
Molar Mass: 135.21

Table 31.54.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER2	298.15	1.630	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: *N,N*-Dimethylbenzenemethanamine
Formula: C₉H₁₃N

CAS-RN: 103-83-3
Group No.: 31-055
Molar Mass: 135.21

Table 31.55.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER2	298.15	2.000	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2-(1-Methylethyl)benzenamine
Formula: C₉H₁₃N

CAS-RN: 643-28-7
Group No.: 31-056
Molar Mass: 135.21

Table 31.56.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00VER2	298.15	2.010	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 1-Naphthalenamine
Formula: C₁₀H₉N

CAS-RN: 134-32-7
Group No.: 31-057
Molar Mass: 143.19

Table 31.57.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*94BRU	N	344.6	1	nosp	not specified	avg	DSIO	*94BRU
*99STI/SWA	N	339.0	1	nosp	not specified	avg	DSIO	*81VON
*13CAM	N	324.9–327.9	2	nosp	not specified	<i>p</i>	BSIO	13CAM
*94BRU	average value in temperature range 333–356 K							
*99STI/SWA	average value in temperature range 326–352 K							
13CAM	error 0.5% (information in 29WAS)							

Table 31.57.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
Selected data								
*94BRU	344.6	1	3.00 #	0.048	4.59–2	0.14	–4.59–2	–1
13CAM	324.9–327.9	2	3.00 #	0.315	3.24–1	0.94	2.90–2	0
Rejected data								
*99STI/SWA	(3.09, 10.44, –3.09, –1)							

Table 31.57.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	4	3	0.448	4.61–1	1.34	4.04–3	–1
Temp. range K	A_1		A_2		Level of uncertainty		
324.9–344.6	7.46590+1		–1.23873+1		VI		

Name: 2,6-Diethylbenzenamine
Formula: C₁₀H₁₅N

CAS-RN: 579-66-8
Group No.: 31-058
Molar Mass: 149.24

Table 31.58.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00VER2	298.15	2.050	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2-(1,1-Dimethylethyl)benzenamine
Formula: C₁₀H₁₅N

CAS-RN: 6310-21-0
Group No.: 31-059
Molar Mass: 149.24

Table 31.59.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00VER2	298.15	1.840	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: *N,N*-Dimethyloctanamine
Formula: C₁₀H₂₃N

CAS-RN: 7378-99-6
Group No.: 31-060
Molar Mass: 157.30

Table 31.60.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97VER	298.15	1.760	nosp	99.95	chrom	<i>p</i>	BDHT	69PER/COM

Name: 1-Decanamine
Formula: C₁₀H₂₃N

CAS-RN: 2016-57-1
Group No.: 31-061
Molar Mass: 157.30

Table 31.61.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
77BEL/BUB	298.15	2.429	nosp	not specified		<i>p</i>	BDCT	68WAD

Name: Octamethylethenetetramine
Formula: C₁₀H₂₄N₄

CAS-RN: 996-70-3
Group No.: 31-062
Molar Mass: 200.33

Table 31.62.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
97STE/CHI4	N	290.0–480.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

97STE/CHI4 the original equation gives negative heat capacities; the sign of the 2nd parameter was changed to positive

Table 31.62.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	20	20	0.008	4.01–3	0.01	1.33–6	–2
sat	20	20	0.000	3.34–6	0.00	9.54–7	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
290.0–480.0		2.71350+1	4.89309	3.31419–1			IV
290.0–480.0		2.68310+1	5.07000	3.06000–1			IV

Table 31.62.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	20	20	0.020	1.02–2	0.02	5.72–6	–3
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
290.0–480.0	680.00	–4.79173	1.49242–1	2.47650+1	3.84622+1		IV

Name: 2,6-Bis(1-methylethyl)benzenamine
Formula: C₁₂H₁₉N

CAS-RN: 24544-04-5
Group No.: 31-063
Molar Mass: 177.29

Table 31.63.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00VER2	298.15	1.630	nosp	99.99	chrom	p	BDHT	69PER/COM

Name: *N*-Octyl-1-octanamine
Formula: C₁₆H₃₅N

CAS-RN: 1120-48-5
Group No.: 31-064
Molar Mass: 241.46

Table 31.64.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86DJO/LAU	315.0	1	nosp	not specified		p	BDHT	69PER/COM
93STE/CHI2	N	300.0–600.0	16	1.00	99.95	chrom	BDHT	89KNI/ARC
93STE/CHI2	same data in 96STE/CHI2							

Table 31.64.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
93STE/CHI2	300.0–600.0	16	1.00	0.044	3.40–2	0.04	3.79–5	–2
Rejected data								
86DJO/LAU	(1.66+1,20.85,1.66+1,1)							

Table 31.64.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	17	16	0.051	3.93-2	0.05	3.79-5	-2
sat	17	16	0.045	3.45-2	0.04	3.65-5	-2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
300.0-600.0		-9.56055	3.69008+1	-5.57010	3.76343-1		IV
300.0-600.0		-8.01969	3.57090+1	-5.26824	3.51300-1		IV

Table 31.64.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	17	16	0.051	4.07-2	0.05	2.46-5	-1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
300.0-600.0	734.00	-1.70062	1.36895	1.94358	1.92288+2	-1.54712+2	4.86443+1	IV

Name: *N,N*-Dioctyl-1-octanamine
 Formula: $C_{24}H_{51}N$

CAS-RN: 1116-76-3
 Group No.: 31-065
 Molar Mass: 353.68

Table 31.65.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
93STE/CHI2	N	298.1-635.0	18	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
93STE/CHI2	same data in 96STE/CHI2								

Table 31.65.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	18	18	0.414	4.86-1	0.41	3.62-3	4
Temp. range K		A_1	A_2				Level of uncertainty
298.1-635.0		4.40178+1	1.54669+1				IV

Name: Acetonitrile
Formula: C₂H₃N

CAS-RN: 75-05-8
Group No.: 32-002
Molar Mass: 41.05

Table 32.2.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
00LOU	N	321.7	1	nosp	not specified	avg	DSIO	*98LOU	
07WAL		291.1	1	nosp	not specified	avg	DSIO	07WAL	
65PUT/MCE		234.2–300.6	9	0.30	99.72	melpt	<i>p</i>	BSIO	55TAY/JOH
71GOP/GAM		318.0–333.0	eqn	1.00	not specified		<i>p</i>	BSAO	71GOP/GAM
71HAL/BAL	N	297.1	1	nosp	99.9	chrom	<i>p</i>	BDHT	71DU/COM
78DEV/HEU		298.1	1	1.00	99.8	chrom	<i>p</i>	BSIO	70LKB/COM
79DEV/SOM		298.1	1	1.00	99.8	chrom	<i>p</i>	BSIO	70LKB/COM
84GUS/MIR		303.1–343.1	3 S	1.60	not specified		<i>p</i>	BDHT	84GUS/MIR
87MIR/SHA		253.0–353.0	6	1.90	not specified		<i>p</i>	BDHT	84GUS/MIR
90ALP/PES	N	258.1–318.1	4	0.10	not specified		<i>p</i>	BSAO	83KUK/KOR
91GRO/ROU		298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
91KAL/KOH		293.1–313.1	2	1.00	99.95	anal	<i>p</i>	FSIT	71PIC/LED
92KOL/KUL1	N	283.1–328.1	2	0.05	not specified		<i>p</i>	BSAO	75VYU/ZVE
92KOL/KUL2	N	283.1–323.1	6	0.05	not specified		<i>p</i>	BSAO	75VYU/ZVE
92MIY/TAM2		298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
92PIE/SOM		278.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
93NAK/CHU		298.1	1	0.50	99.94	chrom	<i>p</i>	FSIO	85OGA/MUR
97HOV/ROU		298.1–298.1	2	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
97NIS/TAM		308.1	1	nosp	99.99	chrom	<i>p</i>	FSIO	85OGA/MUR

00LOU average value in temperature range 294–350 K
 71HAL/BAL suspect value
 90ALP/PES content of water 0.03%
 92KOL/KUL1 content of water 0.01% by Karl Fischer method; remaining two data points identical with those in 92KOL/KUL2
 92KOL/KUL2 content of water 0.01% by Karl Fischer method; misprint in C_p value 2.2259 corrected to 2.2559

Table 32.2.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
65PUT/MCE	234.2–300.6	9	0.30 #	0.691	2.25–2	0.21	–1.67–2	–5
71GOP/GAM	318.0–333.0	6	1.00	0.854	9.65–2	0.85	9.01–2	6
78DEV/HEU	298.1	1	1.00	0.076	8.33–3	0.08	8.33–3	1
92KOL/KUL1	283.1–328.1	2	0.30 #	1.669	5.50–2	0.50	3.21–2	0
92KOL/KUL2	283.1–323.1	6	0.30 #	1.115	3.68–2	0.33	8.33–3	0
92PIE/SOM	278.1	1	0.50 #	0.476	2.58–2	0.24	–2.58–2	–1
Rejected data								
00LOU	(1.47–2, 0.13, 1.47–2, 1)			07WAL	(2.64–1, 2.47, –2.64–1, –1)			
71HAL/BAL	(1.09, 10.97, –1.09, –1)			79DEV/SOM	(8.33–3, 0.08, 8.33–3, 1)			
84GUS/MIR	(1.53, 16.02, –1.52, –2)			87MIR/SHA	(1.70, 18.66, –1.68, –5)			
90ALP/PES	(2.37–1, 2.14, 1.76–1, 2)			91GRO/ROU	(2.08–1, 1.92, –2.08–1, –1)			
91KAL/KOH	(6.29–1, 6.10, –6.05–1, –2)			92MIY/TAM2	(1.92–1, 1.78, –1.92–1, –1)			
93NAK/CHU	(1.92–1, 1.78, –1.92–1, –1)			97HOV/ROU	(1.02–1, 0.93, –0.97–2, –2)			
97NIS/TAM	(2.23–1, 2.05, –2.23–1, –1)							


Table 32.2.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	50	25	1.084	5.30–2	0.48	1.66–2	3
Temp. range K		A_1	A_2	A_3			Level of uncertainty
234.2–333.0		7.64495	1.57191	–1.49141–1			III

Table 32.2.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	50	25	1.196	4.30-2	0.39	1.31-3	1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
234.2-333.0	545.50	-5.08391-2	1.56605-4	8.71674	4.12601		III

32-002



Selected data +92PIE/SOM
 O 65PUT/MCE
 □ 71GOP/GAM
 △ 78DEV/HEU
 ▽ 92KOL/KUL1
 ◇ 92KOL/KUL2

Rejected data • 97NIS/TAM
 × 00LOU
 * 07WAL
 ★ 79DEV/SOM
 ◀ 90ALP/PES
 ▶ 93NAK/CHU

Name: 2-Propenenitrile
 Formula: C₃H₃N

CAS-RN: 107-13-1
 Group No.: 32-004
 Molar Mass: 53.06

Table 32.4.1. Experimental heat capacities

Reference	Temp. range K	No. pts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
45DAV/WIE	294.6-312.9	4	nosp	99.	anal	avg	DSIO	45DAV/WIE
67LEB/RAB3	190.1-300.0	13 S	0.50	not specified		p	BSAO	56POP/KOL
71HAL/BAL	297.1	1	nosp	99.9	chrom	p	BDHT	71DU/COM
72FIN/MES	196.7-347.1	18	0.20	99.92	melpt	sat	BSAO	47HUF
87MIR/SHA	213.0-333.0	7	1.90	not specified		p	BDHT	84GUS/MIR
97HOV/ROU	298.1	1	nosp	99.	anal	p	FSIT	71PIC/LED
71HAL/BAL	suspect value							

Name: Propanenitrile
Formula: C₃H₅N

CAS-RN: 107-12-0
Group No.: 32-005
Molar Mass: 55.08

Table 32.5.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81BER/OGI	243.1–363.1	5 S	nosp	not specified		avg	DSIO	*79BER
00LOU	330.3	1	nosp	not specified		avg	DSIO	*98LOU
07WAL	290.1	1	nosp	not specified		<i>p</i>	DSIO	07WAL
62WEB/KIL	185.4–297.0	24	0.30	99.958	melpt	<i>p</i>	BSIO	55TAY/JOH
71HAL/BAL	297.1	1	nosp	99.9	chrom	<i>p</i>	BDHT	71DU/COM
85GUS/MIR	303.1–363.1	4	1.70	not specified		<i>p</i>	BDHT	84GUS/MIR
87MIR/SHA	193.0–353.0	9	1.90	not specified		<i>p</i>	BDHT	84GUS/MIR
97HOV/ROU	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
00LOU	average value in temperature range 292–368 K							
71HAL/BAL	suspect value							

Name: Benzonitrile
Formula: C₇H₅N

CAS-RN: 100-47-0
Group No.: 32-021
Molar Mass: 103.12

Table 32.21.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
00LOU	376.6	1	nosp	not specified		avg	DSIO	*98LOU
83BYK/LEB2	265.3–328.9	14	0.30	99.88	melpt	<i>p</i>	BSAO	76LEB/LIT
85LAI/ROD	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
85TAN/NAK	283.1–318.1	3	0.30	99.9	chrom	<i>p</i>	FSIT	71PIC/LED
87MIR/SHA	273.0–453.0	10	1.90	not specified		<i>p</i>	BDHT	84GUS/MIR
97TAN/NAK	298.1–303.1	2	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
00LOU	average value in temperature range 294–459 K							
83BYK/LEB2	smoothed values in 84LEB/BYK2							
97TAN/NAK	sample contained a small amount of water <0.1%							

Name: *endo*-Bicyclo[2.2.1]heptane-2-carbonitrile
Formula: C₈H₁₁N

CAS-RN: 3211-87-8
Group No.: 32-025
Molar Mass: 121.18

Table 32.25.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
62SER/KOL	340.0–350.0	2 S	nosp	99.88	melpt	<i>p</i>	BSAO	62KOL/SER
70KOL/SER	332.3–340.2	4	0.15	99.88	melpt	sat	BSAO	62KOL/SER
70KOL/SER	smoothed values in 62SER/KOL							

Table 32.25.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
70KOL/SER	332.3–340.2	4	0.15	0.539	2.10–2	0.08	3.39–5	0
Rejected data								
62SER/KOL	(4.01–3,0.02,4.01–3,1)							

Table 32.25.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	6	6	0.540	2.12–2	0.08	4.80–5	0
Temp. range K		A_1	A_2				Level of uncertainty
332.3–350.0		8.92416	5.06580				III

Name: *exo*-Bicyclo[2.2.1]heptane-2-carbonitrile
 Formula: C₈H₁₁N

CAS-RN: 3211-90-3
 Group No.: 32-026
 Molar Mass: 121.18

Table 32.26.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
62SER/KOL	300.0–310.0	2	nosp	99.82	melpt	<i>p</i>	BSAO	62KOL/SER
70KOL/SER	N 304.1–311.5	5	0.15	99.82	melpt	sat	BSAO	62KOL/SER
70KOL/SER	smoothed values in 62SER/KOL							

Table 32.26.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
62SER/KOL	300.0–310.0	2	0.50 #	0.080	9.62–3	0.04	8.12–3	2
70KOL/SER	304.1–311.5	5	0.15	0.899	3.30–2	0.13	–2.03–4	1

Table 32.26.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	7	7	0.900	3.35–2	0.14	2.18–3	3
Temp. range K		A_1	A_2				Level of uncertainty
300.0–311.5		7.60384	5.43695				III

Name: Isocyanocyclohexane
 Formula: C₇H₁₁N

CAS-RN: 931-53-3
 Group No.: 32-027
 Molar Mass: 109.17

Table 32.27.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91KIS/PIN	N 281.3–298.1	2	nosp	99.965	melpt	<i>p</i>	BSAO	91KIS/PIN
91KIS/PIN	data from a graph only							

Table 32.27.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
281.3–298.1		1.26893+1	3.65111				IV

Name: Benzeneacetonitrile
Formula: C_8H_7N

CAS-RN: 140-29-4
Group No.: 32-028
Molar Mass: 117.15

Table 32.28.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00VER1	298.15	1.440	nosp	99.99	chrom	p	BDHT	69PER/COM

Name: 4'-Propyl[1,1'-biphenyl]-4-carbonitrile
Formula: $C_{16}H_{15}N$

CAS-RN: 58743-76-3
Group No.: 32-029
Molar Mass: 221.30

Table 32.29.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91ASA/SOR	340.0–380.0	5 S	nosp	99.89	melpt	p	BSAO	83YOS/SOR1

Table 32.29.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	5	5	0.192	2.88–2	0.06	2.67–5	2
Temp. range K		A_1	A_2				Level of uncertainty
340.0–380.0		2.38269+1	7.27961				III

Name: [*trans(trans)*]-4'-Propyl-[1,1'-bicyclohexyl]-4-carbonitrile
Formula: $C_{16}H_{27}N$

CAS-RN: 65355-35-3
Group No.: 32-030
Molar Mass: 233.40

Table 32.30.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91ASA/SOR	360.0–380.0	3 S	nosp	99.9	melpt	p	BSAO	83YOS/SOR1

Table 32.30.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	3	3	0.000	0.00	0.00	–2.42–5	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
360.0–380.0		5.60075+2	–2.72483+2	3.71040+1			III

Name: Piperazine
Formula: C₄H₁₀N₂

CAS-RN: 110-85-0
Group No.: 33-007
Molar Mass: 86.14

Table 33.7.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
88BOB/KAM	413.1–473.1	4	6.00	97.	chrom	sat	BDCT	86MER/BEN
97STE/CHI4	385.0–505.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 33.7.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
97STE/CHI4	385.0–505.0	25	1.00	0.007	2.23–3	0.01	1.37–6	0
Rejected data								
88BOB/KAM	(1.15,3.84,1.09,4)							

Table 33.7.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	29	25	0.008	2.38–3	0.01	1.37–6	0
sat	29	25	0.000	2.42–6	0.00	1.14–6	0
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
385.0–505.0	3.64303		5.32653	9.59349–2	IV		
385.0–505.0	2.14000		6.08400	9.59349–2	IV		

Table 33.7.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	29	25	0.004	1.08–3	0.00	–2.14–6	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
385.0–505.0	652.80	–7.88230–1	4.11134–3	2.57659	3.77801+1	IV	

Name: Pyridine
Formula: C₅H₅N

CAS-RN: 110-86-1
Group No.: 33-008
Molar Mass: 79.10

Table 33.8.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
00LOU	N	337.7	1	nosp	not specified	avg	DSIO	*98LOU	
03CON/WHI		308.6–333.1	6	nosp	not specified	avg	DSIO	03CON/WHI	
16BRA		283.1–323.1	2	nosp	not specified	avg	DSTO	16BRA	
17MAT/KRA		294.1	1	nosp	not specified	<i>p</i>	BSIO	49WEI	
31SWI/RYP2	N	290.1	1	nosp	not specified	<i>p</i>	BDHT	31SWI/RYP2	
34RAD/JUL		289.1	1	nosp	not specified	<i>p</i>	BSIO	49WEI	
36PAR/TOD1	N	230.0–300.0	8 S	0.70	not specified	<i>p</i>	BSIO	25PAR	
36PEA/BAK		233.1–298.1	8 S	nosp	not specified	<i>p</i>	BSIO	36PEA/BAK	
47PUS/FED		284.0–306.9	5	nosp	not specified	<i>p</i>	DSIO	47PUS/FED	
57MCC/DOU		239.7–346.7	13	0.20	99.92	melpt	BSAO	47HUF	
58SWI/ZIE1	N	332.1–348.8	2	nosp	not specified	avg	DSIO	58SWI/ZIE1	
67RAS/GAN		293.1–353.1	4 S	0.50	not specified	<i>p</i>	BSAO	67RAS/GAN	
92LAI/ROD		298.1	1	nosp	99.8	anal	FSIT	71PIC/LED	
93NAN/BHA		303.1	1	nosp	not specified	<i>p</i>	BSIO	93NAN/BHA	
94GRO/ROU		298.1	1	nosp	99.0	anal	FSIT	71PIC/LED	
94LAI/WIL		298.1	1	nosp	99.8	anal	FSIT	71PIC/LED	
96CHI/STE		360.0–560.0	11 S	1.00	99.9	chrom	BDHT	89KNI/ARC	
00LOU	average value in temperature range 295–381 K								
31SWI/RYP2	same datum in 31SWI/RYP1								
36PAR/TOD1	high sample purity								
58SWI/ZIE1	average values in temperature ranges 295–369 K and 295–402 K								

Table 33.8.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
57MCC/DOU	239.7–346.7	13	0.20	0.091	2.97–3	0.02	–3.39–4	–2
96CHI/STE	360.0–560.0	11	1.00	0.291	6.92–2	0.29	1.05–2	5
Rejected data								
00LOU	(1.85–1, 1.08, 1.85–1, 1)		03CON/WHI	(8.49–2, 0.51, –4.08–2, –2)				
16BRA	(1.89–1, 1.16, –5.79–2, 0)		17MAT/KRA	(3.10–1, 1.99, –3.10–1, –1)				
31SWI/RYP2	(5.15–1, 3.16, 5.15–1, 1)		34RAD/JUL	(1.70–1, 1.09, –1.70–1, –1)				
36PAR/TOD1	(1.67–1, 1.05, 1.49–1, 7)		36PEA/BAK	(3.45–1, 2.43, –9.62–2, 1)				
47PUS/FED	(1.93–1, 1.22, –1.18–1, –3)		58SWI/ZIE1	(7.67–1, 4.31, 7.64–1, 2)				
67RAS/GAN	(2.00–1, 1.16, 1.81–1, 4)		92LAI/ROD	(1.47–1, 0.93, –1.47–1, –1)				
93NAN/BHA	(1.73, 9.71, 1.73, 1)		94GRO/ROU	(1.37–1, 0.87, –1.37–1, –1)				
94LAI/WIL	(1.63–1, 1.03, –1.63–1, –1)							

Table 33.8.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	67	24	0.234	5.27-2	0.22	4.64-3	3
sat	67	24	0.134	2.43-2	0.10	1.91-3	2
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
239.7-350.0			1.51863+1	-2.80185	1.31862	-9.79324-2	II
350.0-560.0			4.63252	6.24426	-1.26598	1.48220-1	IV
239.7-350.0			1.44307+1	-2.02288	1.05351	-6.81397-2	II
350.0-560.0			1.03394+1	1.48393	5.15615-2	2.72838-2	IV

Table 33.8.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	67	24	0.286	4.57-2	0.19	-1.09-3	2	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
239.7-560.0	620.00	-1.25405	1.34769-2	1.15487+1	3.25601	6.81733	3.83162	IV



Name: Piperidine
Formula: C₅H₁₁N

CAS-RN: 110-89-4
Group No.: 33-012
Molar Mass: 85.15

Table 33.12.1. Experimental heat capacities

Reference		Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
					%	method		Type	Reference
00LOU	N	331.6	1	nosp	not specified		avg	DSIO	*98LOU
34RAD/JUL		290.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
36KUR/VOS	N	311.1	1	nosp	not specified		avg	DSIO	36KUR/VOS
64MOE/THO		297.4–327.3	4	0.50	not specified		<i>p</i>	BSIO	64MOE/THO
76CON/GIA		298.1	1	nosp	not specified		<i>p</i>	BDCT	76CON/GIA
88MES/TOD	N	267.3–361.9	12	0.05	99.941	melpt	sat	BSAO	47HUF
92LAI/ROD		298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
94LAI/WIL		298.1	1	nosp	99.0	anal	<i>p</i>	FSIT	71PIC/LED

00LOU average value in temperature range 293–371 K
36KUR/VOS average value in temperature range 290–333 K
88MES/TOD same data in 87MES/TOD and smoothed data in 86STE/CHI

Name: 2-Methylpyridine
Formula: C₆H₇N

CAS-RN: 109-06-8
Group No.: 33-013
Molar Mass: 93.13

Table 33.13.1. Experimental heat capacities

Reference		Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
					%	method		Type	Reference
01KAH	N	346.1	1	nosp	not specified		avg	DSIO	01KAH
03CON/WHI		321.1–343.1	8	nosp	not specified		avg	DSIO	03CON/WHI
63SCO/HUB		209.9–369.0	19	0.20	99.9	melpt	sat	BSAO	47HUF
99CHI/KNI		400.0–560.0	9 S	1.00	99.9	melpt	sat	BDHT	89KNI/ARC

01KAH average value in temperature range 295–397 K

Table 33.13.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
03CON/WHI	321.1–343.1	8	1.00 #	0.298	6.09–2	0.30	3.48–2	4
63SCO/HUB	209.9–369.0	19	0.20	0.238	9.28–3	0.05	–1.18–3	0
99CHI/KNI	400.0–560.0	9	1.00	0.311	8.03–2	0.31	3.23–2	4
Rejected data								
01KAH	(2.57–1, 1.26, –2.57–1, –1)							


Table 33.13.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	37	36	0.293	5.37–2	0.23	1.52–2	8
sat	37	36	0.313	4.99–2	0.22	1.70–2	8
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
209.9–340.0	2.37260+1		–9.06926	3.48555	–3.25295–1	II	
340.0–560.0	5.32498		7.16692	–1.28980	1.42877–1	IV	
209.9–340.0	2.32013+1		–8.48894	3.27555	–3.00430–1	II	
340.0–560.0	9.75883		3.37208	–2.12980–1	4.15828–2	IV	

Table 33.13.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	37	36	2.505	1.18-1	0.58	1.60-2	-8	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
209.9-560.0	621.00	8.64910-1	4.31072-3	1.35402+1	6.51225	1.01230+1	5.72341	IV

33-013



Selected data Rejected data
 ○ 03CON/WHI ▼ 01KAH
 □ 63SCO/HUB
 ▲ 99CHI/KNI

Name: 3-Methylpyridine
 Formula: C₆H₇N

CAS-RN: 108-99-6
 Group No.: 33-014
 Molar Mass: 93.13

Table 33.14.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
03CON/WHI	320.5-348.3	8	nosp	not specified		avg	DSIO	03CON/WHI
63SCO/GOO	257.5-387.9	16	0.20	99.88	melpt	sat	BSAO	47HUF
99CHI/KNI	400.0-560.0	9 S	1.00	99.93	melpt	sat	BDHT	89KNI/ARC

Table 33.14.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
03CON/WHI	320.5-348.3	8	1.00 #	0.490	9.89-2	0.49	5.85-2	4
63SCO/GOO	257.5-387.9	16	0.20	0.181	7.28-3	0.04	-1.63-3	-4
99CHI/KNI	400.0-560.0	9	1.00	0.159	3.96-2	0.16	2.18-2	4


Table 33.14.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	33	33	0.309	5.77-2	0.28	1.93-2	4
sat	33	33	0.319	5.80-2	0.28	1.98-2	7
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
257.5-370.0			1.96048+1	-4.56237	1.94680	-1.59016-1	II
370.0-560.0			5.67693	6.73053	-1.10534	1.15951-1	IV
257.5-370.0			1.92557+1	-4.23937	1.84887	-1.49306-1	II
370.0-560.0			9.81193	3.41772	-2.20615-1	3.71340-2	IV

Table 33.14.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	33	33	0.864	9.21-2	0.39	1.26-2	-2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
257.5-560.0	645.00	-2.86767	1.60530-1	1.11484+1	1.28069+1	IV	

33-014



Selected data
 O 03CON/WHI
 □ 63SCO/G00
 Δ 99CHI/KNI

Name: 4-Methylpyridine
Formula: C₆H₇N

CAS-RN: 108-89-4
Group No.: 33-015
Molar Mass: 93.13

Table 33.15.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
88MES/TOD	N	283.2–394.8	16	0.05	99.967	melpt	sat	BSAO	47HUF
99CHI/KNI		420.0–560.0	8 S	1.00	99.93	melpt	sat	BDHT	89KNI/ARC
88MES/TOD	same data in 87MES/TOD and smoothed data in 86STE/CHI								

Table 33.15.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
88MES/TOD	283.1–394.9	16	0.05	0.442	4.62–3	0.02	2.29–5	2
99CHI/KNI	420.0–560.0	8	1.00	0.138	3.78–2	0.14	–1.61–2	–6

Table 33.15.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	24	24	0.416	2.49–2	0.09	–5.36–3	–4
sat	24	24	0.400	1.11–2	0.04	–2.48–3	–4
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
283.2–400.0			1.84907+1	–3.45402	1.57883	–1.17233–1	II
400.0–560.0			5.54138	6.25798	–8.49167–1	8.51002–2	IV
283.2–400.0			1.90002+1	–3.94975	1.73904	–1.34425–1	II
400.0–560.0			9.45220	3.21122	–5.12002–2	1.47620–2	IV

Table 33.15.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	24	24	0.553	8.38–2	0.31	–2.02–2	–4	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
283.1–560.0	646.00	3.28009	5.21276–2	1.36909+1	8.96082	1.19609+1	6.93308	IV

Name: 2,4-Dimethyl-1H-pyrrole
Formula: C₆H₉N

CAS-RN: 625-82-1
Group No.: 33-016
Molar Mass: 95.14

Table 33.16.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86STE/CHI	268.4–450.0	22 S	nosp	99.979	melpt	sat	BSAO	47HUF
94CHI/HOS2	272.8–441.0	19	0.10	99.98	melpt	sat	BSAO	88STE/ARC

Table 33.16.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
94CHI/HOS2	272.8–441.0	19	0.10	0.175	4.25–3	0.02	2.01–6	–2
Rejected data								
86STE/CHI	(3.27–2, 0.12, –2.11–2, –18)							

Table 33.16.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	41	19	0.204	4.95–3	0.02	2.01–6	–2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
272.8–340.0		2.14764+1	–8.53282	4.63307	–5.31985–1		II
340.0–441.0		–6.57180	1.62156+1	–2.64587	1.81637–1		II

Table 33.16.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	41	19	0.523	1.34–2	0.05	6.63–6	–2
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
272.8–441.0	671.00	1.48726+1	9.81701–1	5.07390	5.63294+1		II

Name: 2,3-Dimethylpyridine
Formula: C₇H₉N

CAS-RN: 583-61-9
Group No.: 33-024
Molar Mass: 107.16

Table 33.24.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86STE/CHI	258.6–450.0	23 S	nosp	99.86	melpt	sat	BSAO	47HUF
94CHI/HOS1	266.7–441.2	20	0.10	99.85	melpt	sat	BSAO	88STE/ARC
95STE/CHI2	460.0–640.0	10 S	1.00	99.85	melpt	sat	BDHT	89KNI/ARC

Table 33.24.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
94CHI/HOS1	266.7–441.3	20	0.10	0.318	8.02–3	0.03	–2.31–4	4
95STE/CHI2	460.0–640.0	10	1.00	0.374	1.42–1	0.37	4.82–2	8
Rejected data								
86STE/CHI	(1.94–2, 0.07, –1.20–2, –17)							

Table 33.24.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	53	30	0.378	9.19-2	0.24	1.59-2	12
sat	53	30	0.343	6.67-2	0.19	1.53-2	13
Temp. range K							Level of uncertainty
		A_1	A_2	A_3	A_4		
266.7-470.0		2.13071+1	-3.28745	1.61952	-1.16620-1		II
470.0-590.0		-1.05855+2	7.78799+1	-1.56501+1	1.10818		IV
590.0-640.0		-1.64002+4	8.36312+3	-1.41993+3	8.04460+1		IV
266.7-470.0		2.18290+1	-3.78952	1.77943	-1.33479-1		II
470.0-590.0		-7.21004+1	5.61654+1	-1.09769+1	7.71229-1		IV
590.0-640.0		-9.64091+3	4.92166+3	-8.35637+2	4.73622+1		IV

Table 33.24.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	53	30	1.805	4.21-1	1.08	-1.14-1	-6
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
266.7-640.0	655.40	-3.63159	2.17054-1	1.33285+1	1.51903+1	V	

Name: 2,4-Dimethylpyridine
Formula: C₇H₉N

CAS-RN: 108-47-4
Group No.: 33-025
Molar Mass: 107.16

Table 33.25.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86STE/CHI	209.4-450.0	28 S	nosp	99.44	melpt	sat	BSAO	47HUF
94CHI/HOS1	207.4-440.2	29	0.10	99.8	melpt	sat	BSAO	88STE/ARC
95STE/CHI2	460.0-620.0	9 S	1.00	99.8	melpt	sat	BDHT	89KNI/ARC

Table 33.25.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
94CHI/HOS1	207.4-440.2	28	0.10	0.739	1.76-2	0.07	-3.25-5	5
95STE/CHI2	460.0-620.0	9	1.00	0.294	1.11-1	0.29	1.78-2	7
Rejected data								
86STE/CHI	(1.29-2,0.05,-2.55-3,0)							

Table 33.25.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	66	37	0.720	6.19-2	0.17	4.31-3	12
sat	66	37	0.682	4.71-2	0.14	5.19-3	11
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
207.4-400.0			2.45428+1	-7.07613	2.80298	-2.32546-1	II
400.0-550.0			-7.18802	1.67220+1	-3.14655	2.63249-1	IV
550.0-620.0			-2.31155+3	1.27365+3	-2.31679+2	1.41137+1	IV
207.4-400.0			2.47121+1	-7.26207	2.86987	-2.40424-1	II
400.0-550.0			-2.06215	1.28187+1	-2.15032	1.77925-1	IV
550.0-620.0			-1.33825+3	7.41649+2	-1.34665+2	8.20911	IV

Table 33.25.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
p	66	37	3.087	6.11-1	1.62	-8.69-2	-6	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
207.4-620.0	647.00	-1.01583	5.29410-3	1.65502+1	4.47637	1.06979+1	7.39079	V

Name: 2,5-Dimethylpyridine
Formula: C₇H₉N

CAS-RN: 589-93-5
Group No.: 33-026
Molar Mass: 107.16

Table 33.26.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86STE/CHI	259.1-450.0	23 S	nosp	99.64	melpt	sat	BSAO	47HUF
94CHI/HOS1	253.9-441.1	22	0.20	99.65	melpt	sat	BSAO	88STE/ARC
95STE/CHI2	460.0-620.0	9 S	1.00	99.65	melpt	sat	BDHT	89KNI/ARC

Table 33.26.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
94CHI/HOS1	253.9-441.1	22	0.20	0.465	2.30-2	0.09	-1.15-4	1
95STE/CHI2	460.0-620.0	9	1.00	0.436	1.50-1	0.44	1.11-2	-3
Rejected data								
86STE/CHI	(7.04-2,0.26,-3.23-2,-8)							

Table 33.26.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	54	31	0.499	9.10-2	0.27	3.13-3	-2
sat	54	31	0.414	6.40-2	0.20	3.66-3	-4
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
253.9-550.0			1.56602+1	1.14140	3.24711-1	1.11290-2	II
550.0-620.0			-3.07167+3	1.68514+3	-3.05857+2	1.85676+1	IV
253.9-550.0			1.69939+1	-1.07099-1	7.09780-1	-2.80124-2	II
550.0-620.0			-1.91375+3	1.05303+3	-1.90769+2	1.15768+1	IV

Table 33.26.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	54	31	1.095	1.25-1	0.38	-2.69-2	-2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
253.9-620.0	644.20	-3.48050	1.93587-1	1.25139+1	1.56440+1	IV	

Name: 2,6-Dimethylpyridine

Formula: C₇H₉N

CAS-RN: 108-48-5

Group No.: 33-027

Molar Mass: 107.16

Table 33.27.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86STE/CHI	267.0-440.0	21 S	nosp	99.884	melpt	sat	BSAO	47HUF
93PER/QUI	288.1-318.1	6	nosp	99.9	chrom	p	FSIT	71PIC/LED
94CHI/HOS1	272.6-435.3	27	0.10	99.9	melpt	sat	BSAO	88STE/ARC
95STE/CHI2	460.0-600.0	8 S	1.00	99.90	melpt	sat	BDHT	89KNI/ARC

Table 33.27.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
94CHI/HOS1	272.6-435.3	27	0.10	0.351	8.75-3	0.04	-1.77-4	1
95STE/CHI2	460.0-600.0	8	1.00	0.566	2.02-1	0.57	6.43-2	2
Rejected data								
86STE/CHI	(2.65-2,0.10,-1.53-2,-13)		93PER/QUI	(1.49,6.20,1.48,6)				


Table 33.27.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	62	35	0.443	1.05-1	0.29	1.46-2	3
sat	62	35	0.350	6.40-2	0.19	9.36-3	2
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
272.6-520.0			1.48696+1	1.14493	4.90649-1	-1.36343-2	II
520.0-600.0			-1.96302+3	1.14223+3	-2.18950+2	1.40531+1	IV
272.6-520.0			1.60980+1	3.20483-4	8.44498-1	-4.99595-2	II
520.0-600.0			-1.22270+3	7.14690+2	-1.36596+2	8.76032	IV

Table 33.27.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	62	35	0.948	2.34-1	0.64	-5.58-2	-5
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
272.6-600.0	623.80	-3.33659	1.66524-1	1.18146+1	1.67136+1	V	

33-027



Selected data Rejected data
 O94CHI/HOS1 Δ86STE/CHI
 □95STE/CHI2 ▼93PER/OU1

Name: 3,4-Dimethylpyridine
Formula: C₇H₉N

CAS-RN: 583-58-4
Group No.: 33-028
Molar Mass: 107.16

Table 33.28.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter			
				%	method		Type	Reference		
84POD/RAC	N	264.6–378.0	76	1.00	not specified		sat	BSAO	84POD/RAC	
86STE/CHI		262.7–450.0	22	S	nosp	99.71	melpt	sat	BSAO	47HUF
94CHI/HOS1		257.1–440.0	24		0.10	99.71	melpt	sat	BSAO	88STE/ARC
95STE/CHI2		460.0–660.0	11	S	1.00	99.71	melpt	sat	BDHT	89KNI/ARC
84POD/RAC	only a graph given in the paper; experimental values provided by the author									

Table 33.28.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
94CHI/HOS1	257.1–440.0	24	0.10	0.639	1.58–2	0.06	–8.43–5	2
95STE/CHI2	460.0–660.0	11	1.00	0.575	2.05–1	0.57	2.41–2	–3
Rejected data								
84POD/RAC	(3.94–1, 1.62, 2.66–1, 60)		86STE/CHI	(3.72–2, 0.13, –1.77–2, –7)				


Table 33.28.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	133	35	0.669	1.25–1	0.35	7.52–3	–1
sat	133	35	0.569	8.71–2	0.25	7.10–3	0
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
257.1–580.0	2.27968+1		–3.59956	1.54519	–1.02281–1	II	
580.0–660.0	–3.06368+3		1.59285+3	–2.73705+2	1.57167+1	IV	
257.1–580.0	2.36564+1		–4.39421	1.78725	–1.26580–1	II	
580.0–660.0	–1.94776+3		1.01530+3	–1.74023+2	9.97744	IV	

Table 33.28.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	133	35	2.157	6.23–1	1.63	–1.35–1	–7	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
257.1–660.0	683.80	–2.24155	3.69063–2	1.67356+1	7.28774	8.50874	2.86793	V

33-028



Selected data Rejected data
 O 94CHI/HOS1 Δ 86STE/CHI
 □ 95STE/CHI2

Name: 3,5-Dimethylpyridine
 Formula: C₇H₉N

CAS-RN: 591-22-0
 Group No.: 33-029
 Molar Mass: 107.16

Table 33.29.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86STE/CHI	266.8–450.0	22 S	nosp	99.812	melpt	sat	BSAO	47HUF
94CHI/HOS1	274.0–444.6	19	0.10	99.85	melpt	sat	BSAO	88STE/ARC
95STE/CHI2	460.0–640.0	10 S	1.00	99.85	melpt	sat	BDHT	89KNI/ARC

Table 33.29.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
94CHI/HOS1	274.0–444.6	19	0.10	0.458	1.11–2	0.05	–2.02–4	1
95STE/CHI2	460.0–640.0	10	1.00	0.398	1.43–1	0.40	4.15–2	0
Rejected data								
86STE/CHI	(1.69–2, 0.06, –8.51–3, –4)							

Table 33.29.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	51	29	0.481	9.26-2	0.26	1.42-2	1
sat	51	29	0.393	6.22-2	0.18	1.34-2	6
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
274.0-560.0			1.75853+1	-6.87410-1	8.99997-1	-4.99111-2	II
560.0-640.0			-2.06755+3	1.11635+3	-1.98570+2	1.18233+1	IV
274.0-560.0			1.87014+1	-1.69828	1.20242	-7.98039-2	II
560.0-640.0			-1.28091+3	6.94520+2	-1.23122+2	7.32048	IV

Table 33.29.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	51	29	1.362	3.96-1	1.06	-8.39-2	-9	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
274.0-640.0	667.20	-2.73382	7.09301-2	1.37202+1	1.25552+1	5.40477	7.29739-1	V

Name: 1-Methyl-1*H*-imidazoleFormula: C₄H₆N₂

CAS-RN: 616-47-7

Group No.: 33-047

Molar Mass: 82.11

Table 33.47.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99MO/YAN	278.1-370.1	20	1.50	99.995	chrom	p	BDHT	99MO/YAN

Table 33.47.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	20	20	0.187	6.55-2	0.28	3.12-4	3
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
278.1-370.1			-9.71410+1	9.93687+1	-2.76867+1	2.60835	V

Name: 1-Methyl-1*H*-pyrazoleFormula: C₄H₆N₂

CAS-RN: 930-36-9

Group No.: 33-048

Molar Mass: 82.11

Table 33.48.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99MO/YAN	278.1-370.1	20	1.50	99.995	chrom	p	BDHT	99MO/YAN

Table 33.48.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	20	20	0.304	1.03-1	0.46	7.44-4	-4
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
278.1-370.1		-1.76537+2	1.85062+2	-5.86111+1	6.29076		V

Name: 1,4,5,6-Tetrahydropyrimidine

Formula: $C_4H_8N_2$

CAS-RN: 1606-49-1

Group No.: 33-049

Molar Mass: 84.12

Table 33.49.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
93STE/CHI2	N	298.15	1.878	1.00	99.95	chrom	p	BDHT	89KNI/ARC
93STE/CHI2	same datum in 96STE/CHI2								

Name: [1,2,4]Triazolo[1,5-*a*]pyrimidineFormula: $C_5H_4N_4$

CAS-RN: 275-02-5

Group No.: 33-050

Molar Mass: 120.11

Table 33.50.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI4	420.0-525.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 33.50.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	22	22	0.000	1.04-6	0.00	-5.20-7	0
Temp. range K		A_1	A_2				Level of uncertainty
420.0-525.0		1.41060+1	2.62000				IV

Name: 1-Ethyl-1*H*-imidazoleFormula: $C_5H_8N_2$

CAS-RN: 7098-07-9

Group No.: 33-051

Molar Mass: 96.13

Table 33.51.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99RIB/RIB	280.1-365.2	18	1.50	99.8	anal	p	BDHT	94CHE/FER

Table 33.51.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	18	18	0.419	1.50–1	0.63	1.56–3	–6
Temp. range K		A_1	A_2	A_3			Level of uncertainty
280.1–365.2		2.44984+1	–4.89346	1.40524			V

Name: 1-Ethyl-1*H*-pyrazole
Formula: C₅H₈N₂

CAS-RN: 2817-71-2
Group No.: 33-052
Molar Mass: 96.13

Table 33.52.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99RIB/RIB	280.3–365.4	18	1.50	99.55	anal	p	BDHT	94CHE/FER

Table 33.52.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	18	18	0.766	2.72–1	1.15	4.99–3	–2
Temp. range K		A_1	A_2				Level of uncertainty
280.3–365.4		–2.16103	8.24471				V

Name: 1-Phenyl-1*H*-imidazole
Formula: C₉H₈N₂

CAS-RN: 7164-98-9
Group No.: 33-053
Molar Mass: 144.18

Table 33.53.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00RIB/RIB	268.2–381.2	24	1.50	99.87	chrom	p	BDHT	99MO/YAN

Table 33.53.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	24	24	0.206	9.52–2	0.31	5.16–4	2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
268.2–381.2		3.20365+1	–5.92266	1.73783			V

Name: 1-Phenyl-1*H*-pyrazole
Formula: C₉H₈N₂

CAS-RN: 1126-00-7
Group No.: 33-054
Molar Mass: 144.18

Table 33.54.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00RIB/RIB	268.2–381.2	24	1.50	99.99	chrom	<i>p</i>	BDHT	99MO/YAN

Table 33.54.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	24	24	0.166	7.41–2	0.25	3.25–4	–6
Temp. range K			A_1	A_2	A_3	Level of uncertainty	
268.2–381.2			9.54797	7.10078	–3.16458–1	V	

Name: *trans*-(±)-Decahydroquinoline
Formula: C₉H₁₇N

CAS-RN: 105728-23-2
Group No.: 33-055
Molar Mass: 139.24

Table 33.55.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94STE/CHI	328.9–440.3	13	0.10	99.984	melpt	sat	BSAO	88STE/ARC

Table 33.55.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	13	13	0.133	4.53–3	0.01	6.46–6	1
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
328.9–440.3			5.88105+1	–2.71574+1	7.66551	–5.75137–1	II

Table 33.55.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	13	13	0.870	3.03–2	0.09	3.86–5	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
328.9–440.3	705.00	–9.62303	2.71438	1.68127+1	8.52889	III	

Name: 1-(Phenylmethyl)-1*H*-pyrazole
 Formula: C₁₀H₁₀N₂

CAS-RN: 10199-67-4
 Group No.: 33-056
 Molar Mass: 158.20

Table 33.56.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99MO/YAN	280.0–392.0	25	1.50	99.995	chrom	<i>p</i>	BDHT	99MO/YAN

Table 33.56.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	25	25	0.001	3.31–4	0.00	–3.20–6	0
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
280.0–392.0	1.73706+2		–1.38524+2	4.34371+1	–4.36168	V	

Name: Diphenyldiazene
 Formula: C₁₂H₁₀N₂

CAS-RN: 103-33-3
 Group No.: 34-011
 Molar Mass: 182.22

Table 34.11.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*94BRU	N	350.6	1	nosp	not specified	avg	DSIO	*94BRU
08BOG/WIN	N	356.6	1	nosp	not specified	avg	DSIO	08BOG/WIN
*94BRU	average value in temperature range 343–358 K							
08BOG/WIN	average value in temperature range 341–372 K							

Table 34.11.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
*94BRU	350.6	1	5.00 #	0.437	8.61–1	2.18	8.61–1	1
08BOG/WIN	356.6	1	5.00 #	0.418	7.90–1	2.09	–7.90–1	–1

Table 34.11.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	2	2	0.604	1.17	3.02	3.53–2	0
Temp. range K	A_1		Level of uncertainty				
350.6–356.6	3.85698+1		VI				

Name: (*E*)-Diphenyldiazene
 Formula: C₁₂H₁₀N₂

CAS-RN: 17082-12-1
 Group No.: 34-012
 Molar Mass: 182.22

Table 34.12.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
84VAN/BOU	344.6–356.2	4	nosp	99.87	melpt	<i>p</i>	BSAO	79SCH/OFF
85BOU/DEL	343.6–408.4	27	nosp	99.84	melpt	<i>p</i>	BSAO	85BOU/DEL
96STE/CHI3	355.0–635.0	14	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 34.12.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
85BOU/DEL	343.6–408.4	27	0.50 #	0.260	5.08–2	0.13	–9.02–3	–1
96STE/CHI2	355.0–635.0	14	1.00	0.396	1.68–1	0.40	7.20–2	4
Rejected data								
84VAN/BOU	(1.91–1, 0.52, –1.89–1, –4)							


Table 34.12.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	45	41	0.334	1.14–1	0.27	1.87–2	3
sat	45	41	0.335	1.13–1	0.27	1.87–2	3
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
343.6–500.0	7.28195+1		–3.49979+1	9.65244	–7.41769–1	IV	
500.0–635.0	–1.47656+2		9.72873+1	–1.68046+1	1.02203	IV	
343.6–500.0	7.32400+1		–3.53131+1	9.73063	–7.48185–1	IV	
500.0–635.0	–1.44816+2		9.55207+1	–1.64361+1	9.96266–1	IV	

Table 34.12.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	45	41	0.448	1.94–1	0.42	1.89–2	–11	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
343.6–635.0	830.00	5.35612+1	3.03579	1.92402+1	6.96822+1	5.66097+1	2.85280+1	IV

34-012



Selected data: O 85BOU/DEL, □ 96STE/CH13
Rejected data: Δ 84VAN/BOU

Name: Cyanoguanidine
Formula: $C_2H_4N_4$

CAS-RN: 461-58-5
Group No.: 34-014
Molar Mass: 84.08

Table 34.14.1. Experimental heat capacities

Reference	Temp. range K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97ZHA/TAN	495.00	3.147	1.00	99.9	chrom	<i>p</i>	BDHT	96KAB/BLO

Name: Dimethoxymethane
Formula: $C_3H_8O_2$

CAS-RN: 109-87-5
Group No.: 41-002
Molar Mass: 76.10

Table 41.2.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*81VON	295.7–300.9	3	S	nosp	not specified	avg	DSIO	*81VON	
64MCE/KIL	N	171.1–307.8	31	nosp	99.9	chrom	<i>p</i>	BSIO	55TAY/JOH
90TRE	N	298.1	1	nosp	not specified	<i>p</i>	FSIT	71PIC/LED	
64MCE/KIL 90TRE	error below and above 250 K 0.03% and 0.3%, respectively measured by D'Arcy P.Y. and Halpin C.Y. (personal communication)								

Name: 1,2-Dimethoxyethane
Formula: C₄H₁₀O₂

CAS-RN: 110-71-4
Group No.: 41-007
Molar Mass: 90.12

Table 41.7.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
73KUS/SUU	298.1	1	0.10	not specified		<i>p</i>	DDCT	71KON/SUU
90TRE	N	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
96STE/CHI3	N	12	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
99BUR/ZOC	298.1–323.1	2	2.00	99.5	chrom	<i>p</i>	FSIO	99BUR/ZOC
90TRE	measured by D'Arcy P.Y. and Halpin C.Y. (personal communication)							
96STE/CHI3	value at 535 K was not included in fit; heat capacity shows large drop on passing into the fluid phase							

Table 41.7.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
73KUS/SUU	298.1	1	0.10	0.057	1.34–3	0.01	1.34–3	0
96STE/CHI3	315.0–515.0	11	1.00	1.482	4.51–1	1.48	2.39–3	–1
Rejected data								
90TRE	(2.49–1, 1.08, –2.49–1, –1)		91TRE/COS	(2.59–1, 1.12, –2.59–1, –1)				
99BUR/ZOC	(6.64–1, 2.88, –6.35–1, –2)							


Table 41.7.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	17	12	1.738	5.29–1	1.74	2.30–3	–1
sat	17	12	1.221	3.49–1	1.22	2.12–2	3
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
298.1–515.0	–3.21787+1		4.59037+1	–1.30685+1	1.31056	V	
298.1–515.0	3.31684+1		–8.01721	1.57325	1.31056	V	

Table 41.7.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	17	12	1.370	3.59–1	1.37	–4.61–2	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
298.1–515.0	537.00	–2.63759	2.24900–1	1.63059+1	7.73332	V	

41-007



Selected data Rejected data
 O 73KUS/SUU Δ 90TRE
 □ 96STE/CHI3 ▽ 91TRE/COS
 ◇ 99BUR/ZOC

Name: 1-Methoxybutane
 Formula: C₅H₁₂O

CAS-RN: 628-28-4
 Group No.: 41-009
 Molar Mass: 88.15

Table 41.9.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
75AND/MAR	160.2–315.7	52	nosp	99.98	melpt	<i>p</i>	BSAO	63AND/COU1
82VIL/CAS	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
90TRE	N	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED

90TRE measured by D'Arcy P.Y. and Halpin C.Y. (personal communication)

Name: 1-(Ethenyloxy)butane
 Formula: C₆H₁₂O

CAS-RN: 111-34-2
 Group No.: 41-013
 Molar Mass: 100.16

Table 41.13.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
47SCH/ZOS	298.1	1	nosp	not specified		<i>p</i>	not specified	
96STE/CHI3	N	12	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

96STE/CHI3 value at 535 K was not included in fit; heat capacity shows large drop on passing into the fluid phase

Table 41.13.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	±
						%		
Selected data								
96STE/CHI2	315.0–515.0	11	1.00	0.812	2.70–1	0.81	4.77–3	–1

Table 41.13.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	13	11	1.017	3.38-1	1.02	4.77-3	-1
sat	13	11	0.857	2.53-1	0.86	2.64-3	-1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
315.0-515.0		-2.05604+2	1.70764+2	-4.20464+1	3.53885		V
315.0-515.0		-1.45476+2	1.22607+2	-2.92739+1	2.41580		V

Table 41.13.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
p	13	11	1.106	3.18-1	1.11	4.12-3	-3	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
315.0-515.0	540.50	4.44252-1	4.48362-1	-2.76648+1	1.59346+2	-1.46859+2	5.03113+1	V

Name: 1,1'-Oxybispropane
Formula: $C_6H_{14}O$

CAS-RN: 111-43-3
Group No.: 41-017
Molar Mass: 102.18

Table 41.17.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
75AND/COU	160.6-322.7	66	nosp	99.97	melpt	p	BSAO	63AND/COU1
83KIM/TRE	298.1	1	nosp	not specified		p	FSIT	71PIC/LED
90TRE	N	1	nosp	not specified		p	FSIT	71PIC/LED
90TRE	measured by D'Arcy P.Y. and Halpin C.Y. (personal communication)							

Name: 2,2'-Oxybispropane
Formula: $C_6H_{14}O$

CAS-RN: 108-20-3
Group No.: 41-018
Molar Mass: 102.18

Table 41.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
33PAR/HUF	194.5-293.1	8	1.00	not specified		p	BSIO	25PAR
61ROU	N	2	nosp	not specified		p	BSAO	61ROU
74AND/COU	187.8-340.0	19 S	nosp	99.86	melpt	p	BSAO	63AND/COU1
90TRE	N	1	nosp	not specified		p	FSIT	71PIC/LED
91GRO/ROU	298.1	1	nosp	99.	anal	p	FSIT	71PIC/LED
93GRO/ROU	298.1	1	nosp	99.0	anal	p	FSIT	71PIC/LED
94GRO/ROU	298.1	1	nosp	99.5	anal	p	FSIT	71PIC/LED
61ROU	constant value in temperature range 296-318 K obtained by the author							
90TRE	measured by D'Arcy P.Y. and Halpin C.Y. (personal communication)							

Name: 1,1'-Oxybis(2-methoxyethane)
Formula: C₆H₁₄O₃

CAS-RN: 111-96-6
Group No.: 41-022
Molar Mass: 134.18

Table 41.22.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
66BEA/CLE	210.0–350.0	16	nosp	99.62	melpt	<i>p</i>	BSAO	33SOU/BRI
82VIL/CAS	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
83KIM/DAR	298.1	1	0.30	99.	chrom	<i>p</i>	FSIT	71PIC/LED
90TRE	N	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
91NAK/SOE	298.1	1	nosp	99.9	chrom	<i>p</i>	FSIO	85OGA/MUR
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
97TOV/CAR3	298.1	1	nosp	99.5	anal	<i>p</i>	BDCT	83ROU/ROU
99BUR/ZOC	298.1–323.1	2	2.00	99.5	chrom	<i>p</i>	FSIO	99BUR/ZOC

90TRE measured by D'Arcy P.Y. and Halpin C.Y. (personal communication)

Name: 1,1'-Oxybisbutane
Formula: C₈H₁₈O

CAS-RN: 142-96-1
Group No.: 41-034
Molar Mass: 130.23

Table 41.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
38PAN/DUD	N	298.0–363.0	eqn	nosp	not specified	<i>p</i>	not specified		
87COB/CAS		298.1–298.1	2	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
96TAN/TOY1		298.1	1	nosp	99.9	chrom	<i>p</i>	FSIT	71PIC/LED
97TOV/CAR3		298.1	1	nosp	99.0	anal	<i>p</i>	BDCT	83ROU/ROU

38PAN/DUD temperature range of parameters validity estimated by the compilers

Table 41.34.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
87COB/CAS	298.1	2	0.50 #	0.466	7.80–2	0.23	–7.78–2	–2
96TAN/TOY1	298.1	1	0.50 #	0.467	7.85–2	0.23	7.85–2	1
97TOV/CAR3	298.1	1	0.50 #	0.467	7.85–2	0.23	7.85–2	1

Table 41.34.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	9	4	0.539	9.04–2	0.27	3.65–4	0
Temp. range K							Level of uncertainty
298.1–298.1	3.35326+1						III

Name: 2,5,8,11-Tetraoxadodecane
Formula: C₈H₁₈O₄

CAS-RN: 112-49-2
Group No.: 41-037
Molar Mass: 178.23

Table 41.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
66BEA/CLE	230.0–350.0	14	nosp	99.44	melpt	<i>p</i>	BSAO	33SOU/BRI
85BEN/KUM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
90TRE	N 298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
97TOV/CAR1	N 288.1–308.1	3	nosp	99.0	anal	<i>p</i>	BDCT	83ROU/ROU
99BUR/ZOC	298.1–323.1	2	2.00	99.5	chrom	<i>p</i>	FSIO	99BUR/ZOC
90TRE	measured by D'Arcy P.Y. and Halpin C.J. (personal communication)							
97TOV/CAR1	same data for temperatures 288.15 K and 298.15 K in 97TOV/CAR2							

Table 41.37.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
66BEA/CLE	230.0–350.0	14	1.50 #	0.089	5.87–2	0.13	–3.91–2	–9
85BEN/KUM	298.1	1	0.50 #	0.749	1.66–1	0.37	–1.66–1	–1
91TRE/COS	298.1	1	0.50 #	0.487	1.08–1	0.24	–1.08–1	–1
97TOV/CAR1	288.1–308.1	3	0.50 #	0.518	1.15–1	0.26	1.13–1	3
Rejected data								
90TRE	(2.52–1, 0.57, –2.52–1, –1)		99BUR/ZOC	(3.16–1, 0.70, 2.75–1, 2)				


Table 41.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	22	19	0.338	9.20–2	0.21	–2.54–2	–8
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
230.0–350.0	8.04670+1		–3.56519+1	1.11721+1	–1.09955	V	

Table 41.37.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	22	19	0.358	1.34–1	0.30	–1.77–2	–3
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
230.0–350.0	651.00	7.98194+1	3.00805+1	1.34937+1	5.29507+1	V	

41-037



Selected data Rejected data
 ○ 66BEA/CLE ◇ 90TRE
 □ 85BEN/KUM + 99BUR/ZOC
 △ 91TRE/COS
 ▽ 97TOV/CAR1

Name: 2,5,8,11,14-Pentaoxapentadecane
 Formula: C₁₀H₂₂O₅

CAS-RN: 143-24-8
 Group No.: 41-044
 Molar Mass: 222.28

Table 41.44.1. Experimental heat capacities

Reference	Temp. range K	No. pts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
65KRI/LOE	293.0–426.1	13	nosp	99.5	chrom	<i>p</i>	not specified	
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
97TOV/CAR2	N 288.1–308.1	3	nosp	98.0	anal	<i>p</i>	BDCT	83ROU/ROU
97TOV/CAR3	298.1	1	nosp	98.0	anal	<i>p</i>	BDCT	83ROU/ROU
99BUR/ZOC	298.1–323.1	2	2.00	99.5	chrom	<i>p</i>	FSIO	99BUR/ZOC
97TOV/CAR2	same data in 97TOV/CAR1							


Table 41.44.2. Correlated heat capacities

Reference	Temp. range K	No. pts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
65KRI/LOE	293.0–426.1	13	2.00 #	0.410	4.69–1	0.82	1.04–2	1
91TRE/COS	298.1	1	0.50 #	0.683	1.88–1	0.34	–1.88–1	–1
97TOV/CAR2	288.1–308.1	3	0.50 #	1.008	2.78–1	0.50	7.49–2	1
97TOV/CAR3	298.1	1	0.50 #	0.105	2.90–2	0.05	–2.90–2	–1
Rejected data								
99BUR/ZOC	(4.81–1,0.86,–1.06–1,0)							

Table 41.44.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	20	18	0.597	4.42-1	0.77	7.93-3	0
Temp. range K		A_1	A_2				Level of uncertainty
288.1-426.1		4.20772+1	4.38930				V

41-044



Selected data Rejected data
 O65KR1/LOE O99BUR/ZOC
 O91TRE/COS
 O97TOV/CAR2
 O97TOV/CAR3

Name: 1,1'-[Oxybis(2,1-ethanedioxy)]bisbutane
 Formula: $C_{12}H_{26}O_3$

CAS-RN: 112-73-2
 Group No.: 41-047
 Molar Mass: 218.34

Table 41.47.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
52CUR/JOH	N	293.1	1	nosp	not specified	p	not specified	
99BUR/ZOC		298.1-323.1	2	2.00	96.5	chrom	p	FSIO 99BUR/ZOC
52CUR/JOH	technical product, purity in question							

Table 41.47.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
52CUR/JOH	293.1	1	3.00 #	2.931	4.16	8.79	-4.16	-1
99BUR/ZOC	298.1-323.1	2	2.00	1.969	2.18	3.94	1.26	0

Table 41.47.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	3	3	4.043	5.17	10.41	-5.46-1	-1
Temp. range K		A_1	A_2				Level of uncertainty
293.1-323.1		8.54901-3	1.75305+1				VI

Name: 1,1'-[Methylenebis(oxy)]bisethane
Formula: $C_5H_{12}O_2$

CAS-RN: 462-95-3
Group No.: 41-049
Molar Mass: 104.15

Table 41.49.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
90TRE	N	298.15	1.814	nosp	not specified	p	FSIT	71PIC/LED
90TRE	measured by D'Arcy P.Y. and Halpin C.Y. (personal communication)							

Name: 1,1'-[Oxybis(methylene)]bisbenzene
Formula: $C_{14}H_{14}O$

CAS-RN: 103-50-4
Group No.: 41-050
Molar Mass: 198.26

Table 41.50.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00BEC/AUF	295.6-335.0	9	0.20	99.95	chrom	sat	BDCT	#00BEC/AUF

Table 41.50.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	9	9	0.324	2.59-2	0.06	2.50-5	2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
295.6-335.0		1.29218	1.97460+1	-2.35823			III

Name: 1,1'-Oxybisooctane
Formula: $C_{16}H_{34}O$

CAS-RN: 629-82-3
Group No.: 41-051
Molar Mass: 242.45

Table 41.51.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86DJO/LAU	315.00	2.456	nosp	not specified		p	BDHT	69PER/COM

Name: Methanol-*d*
Formula: CH₃DO

CAS-RN: 1455-13-6
Group No.: 42-001
Molar Mass: 33.05

Table 42.1.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
49STA/GUP	180.0–270.0	10	0.50	not specified		<i>p</i>	BSAO	49STA/GUP
92FIL/AFA	298.1	1	nosp	not specified		<i>p</i>	BDCT	92FIL/AFA

Table 42.1.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
49STA/GUP	180.0–270.0	10	0.50	0.824	3.76–2	0.41	6.81–4	–2
92FIL/AFA	298.1	1	1.00 #	0.146	1.46–2	0.15	–1.46–2	–1

Table 42.1.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	11	11	0.923	4.24–2	0.46	–7.05–4	–3
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
180.0–298.1	1.01695+1		–1.97701	6.43701–1	IV		

Name: Methanol
Formula: CH₃O

CAS-RN: 67-56-1
Group No.: 42-002
Molar Mass: 32.04

Table 42.2.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
07WAL	292.1	1	nosp	not specified		avg	DSIO	07WAL
25DRU/WEI	293.1	1	nosp	not specified		<i>p</i>	BSIO	25DRU/WEI
25PAR	188.4–290.1	8	0.50	not specified		<i>p</i>	BSIO	25PAR
29KEL1	181.1–292.0	14	1.00	not specified		<i>p</i>	BSIO	29KEL1
29MIT/HAR1	190.5–264.8	18	nosp	not specified		<i>p</i>	BSIO	29MIT/HAR1
31FIO/GIN	318.1–378.1	7 S	0.10	99.97	estim	sat	BSIO	31FIO/GIN
39PHI	300.8	1	nosp	not specified		<i>p</i>	BSIO	49WEI
49STA/GUP	180.0–270.0	10 S	0.50	not specified		<i>p</i>	BSAO	49STA/GUP
49TSC/RIC2	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
50HOU/MAS2	323.1–353.1	4 S	0.40	99.8	estim	<i>p</i>	BSAO	50SAG/HOU
60SWI/ZIE	311.6	1	nosp	not specified		avg	DSIO	58SWI/ZIE1
62KAT	283.1–333.1	4	nosp	not specified		<i>p</i>	BSIO	62KAT
66DRA/LAN	298.1	1	nosp	not specified		<i>p</i>	BSIO	66DRA/LAN
68PAZ/REC	313.1	1	nosp	not specified		<i>p</i>	BDCT	70PAZ/PAZ
71CAR/WES	180.0–320.0	17 S	nosp	99.975	melpt	<i>p</i>	BSAO	68WES/FUR
71DES/BHA	298.1–318.1	3 S	1.00	not specified		<i>p</i>	BSIO	58MUR/VAN
71GOP/GAM	308.0–333.0	eqn	1.00	not specified		<i>p</i>	BSAO	71GOP/GAM
81ATA/ELS	293.1	1	2.50	not specified		<i>p</i>	BDHO	81ATA/ELS
82BEN/DAR	288.1–308.1	2	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
82VIL/CAS	298.1	1	0.30	99.8	chrom	<i>p</i>	FSIT	71PIC/LED
84ZEG/SOM2	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
85COS/PAT8	298.1–313.1	2	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
86KOR/KUK	278.0–298.0	2	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
86OGA/MUR	298.1	1	0.10	not specified		<i>p</i>	FSIO	85OGA/MUR
86TAN/TOY	298.1	1	0.30	99.96	anal	<i>p</i>	FSIT	71PIC/LED
87LAN/CRI	298.1–313.1	2	nosp	not specified		<i>p</i>	FSIO	87LAN/CRI
88AND/PAT	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
88BOY/CRI	393.1–503.1	5	nosp	not specified		<i>p</i>	FSIO	87LAN/CRI
88OKA/OGA	298.1–299.1	2	nosp	not specified		<i>p</i>	FSIO	85OGA/MUR
89DOU/KHA	298.1	1	nosp	99.8	estim	<i>p</i>	FSIT	71PIC/LED
92FIL/AFA	298.1	1	nosp	not specified		<i>p</i>	BDCT	92FIL/AFA
93CON/GIR1	298.0–343.0	eqn	5.00	not specified		sat	BDHT	93CON/GIR1
93NAZ/BAS	298.1–325.5	2	2.20	99.5	anal	<i>p</i>	BDHO	86NAZ/BAS1
97RIG/COM	308.1	1	1.00	not specified		<i>p</i>	BDHT	95DIO/MAN

31FIO/GIN data calculated using procedure by 85WIL/CHA
60SWI/ZIE average value in temperature range 294–329 K
66DRA/LAN grade: pure, water content 0.08%
68PAZ/REC same datum in 70PAZ/PAZ
87LAN/CRI C_p at 298.15 K measured by Picker calorimeter (71PIC/LED)
88BOY/CRI original data measured at 8.3 MPa converted to vapor pressure
88OKA/OGA water content below 0.083 mol.%

Name: Ethanol
Formula: C₂H₆O

CAS-RN: 64-17-5
Group No.: 42-005
Molar Mass: 46.07

Table 42.5.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
07WAL	291.6	1	nosp	not specified		avg	DSIO	07WAL
20GIB/PAR	196.2–271.4	11	nosp	not specified		<i>p</i>	BSIO	20GIB/LAT
24WIL/DAN	300.0–332.0	eqn	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
25PAR	160.0–298.0	7 S	0.50	not specified		<i>p</i>	BSIO	25PAR
29KEL2	163.5–294.3	20	1.00	99.96	estim	<i>p</i>	BSIO	29KEL1
29MIT/HAR1	184.4–268.8	25	nosp	not specified		<i>p</i>	BSIO	29MIT/HAR1
31BLA/LEI	303.1–343.1	9	3.00	not specified		<i>p</i>	BSIO	31BLA/LEI
31FIO/GIN	318.1–378.1	7 S	0.10	not specified		sat	BSIO	31FIO/GIN
36ERN/WAT	298.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
39BYK	298.1	1	nosp	not specified		<i>p</i>	BSIT	39BYK
40MAZ	174.1–297.8	46	nosp	not specified		<i>p</i>	BSIO	39MAZ3
49TSC/RIC2	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
60SWI/ZIE	316.5	1	nosp	not specified		avg	DSIO	58SWI/ZIE1
62RAB/NIK	288.1–328.1	9 S	0.30	not specified		<i>p</i>	BSAO	47SKU
65KAU/BIT	293.1–349.1	11	1.00	not specified		<i>p</i>	FSIO	65KAU/BIT
66HWA/ZIE	165.3–304.2	41	nosp	99.95	chrom	<i>p</i>	BSAO	45SCO/MEY
66KLE	293.1–343.1	11 S	0.10	not specified		<i>p</i>	BSAO	66KLE
67GRA	308.1–338.1	6	1.00	not specified		<i>p</i>	BSIO	67GRA
67NIK/RAB2	160.0–250.0	19 S	0.20	not specified		<i>p</i>	BSAO	56POP/KOL
68PAZ/REC	313.1	1	nosp	not specified		<i>p</i>	BDCT	70PAZ/PAZ
75PED/KAY	300.8–344.2	16	nosp	not specified		<i>p</i>	BSIO	75PED/KAY
76FOR/BEN1	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
76FOR/BEN2	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
77HAI/SUG2	161.3–301.1	54	nosp	99.86	melpt	sat	BSAO	65SUG/SEK
78BYV/JAS	293.1–333.1	3	2.00	not specified		<i>p</i>	BDCT	78BYV/JAS
79BRO/ZIE	159.0–306.0	eqn	nosp	99.94	melpt	<i>p</i>	BSAO	45SCO/MEY
82BEN/DAR	288.1–308.1	2	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
82VIL/CAS	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
84STE/OLS	266.1–318.1	11 S	nosp	not specified		<i>p</i>	BDHT	69PER/COM
84ZEG/SOM2	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
85OGA	298.1	1	0.20	not specified		<i>p</i>	FSIO	85OGA/MUR
86KOR/KUK	298.0	1	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
86OGA/MUR	298.1	1	0.10	not specified		<i>p</i>	FSIO	85OGA/MUR
86TAN/TOY	298.1	1	0.30	99.96	anal	<i>p</i>	FSIT	71PIC/LED
88AND/PAT	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
89PET/PES1	258.1–318.1	4	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
94CON/GIA2	298.1	1	nosp	99.9	anal	<i>p</i>	FSIT	88CON/GIA
95CON/GIA	298.1	1	nosp	99.9	anal	<i>p</i>	FSIT	88CON/GIA
95LOW/PEU	298.2	1	1.00	not specified		<i>p</i>	BDCO	95LOW/PEU
96TAN/TOY1	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
25PAR	same data in 27PAR/HUF							
31FIO/GIN	data calculated using procedure by 85WIL/CHA							
60SWI/ZIE	average value in temperature range 294–339 K							
68PAZ/REC	same datum in 70PAZ/PAZ							
89PET/PES1	same data in 90ALP/PES							

Name: 1,2-Ethanediol
Formula: C₂H₆O₂

CAS-RN: 107-21-1
Group No.: 42-006
Molar Mass: 62.07

Table 42.6.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*98LOU	N	378.1–382.1	2	nosp	not specified	avg	DSIO	*98LOU	
01DEF	N	309.4–349.1	2	nosp	not specified	avg	not specified		
02LOU1	N	380.6	1	nosp	not specified	avg	DSIO	*98LOU	
09SCH		295.1–308.1	2	nosp	not specified	<i>p</i>	BSIO	09SCH	
25PAR/KEL	N	262.0–293.0	6	nosp	99.	estim	BSIO	25PAR	
32NEU/KUR		293.4–351.5	3	nosp	not specified	<i>p</i>	BSIO	32NEU	
57CRU/JOS		293.1–338.1	2	2.00	not specified	<i>p</i>	BSIO	57CRU/JOS	
62RAB/NIK		283.1–328.1	10	S	0.30	not specified	<i>p</i>	BSAO	47SKU
65TUN/MIS		298.1	1	nosp	not specified	<i>p</i>	BSIO	49WEI	
67NIK/RAB1		265.0–310.0	10	S	nosp	not specified	<i>p</i>	BSAO	56POP/KOL
68PAZ/REC	N	301.1–313.1	2	nosp	not specified	<i>p</i>	BDCT	70PAZ/PAZ	
72KAW/OTA		303.1	1	1.00	not specified	<i>p</i>	BSIO	49WEI	
77MUR/SUB		298.1	1	0.30	not specified	<i>p</i>	BSIO	64MOE/THO	
79STE/TAM		273.1–493.1	15	S	nosp	99.9	chrom sat	BDHT	69PER/COM
82ZAR		298.0–363.0	3	0.60	99.7	chrom	<i>p</i>	BDCT	82ZAR
88MUK/ZAR		298.7–433.3	6	nosp	not specified	<i>p</i>	BDCT	82ZAR	
91DOU/PAL		298.1	1	nosp	99.5	estim	<i>p</i>	FSIT	71PIC/LED
*98LOU	average values in temperature ranges 295–461 K and 296–468 K								
01DEF	average values in temperature ranges 286–412 K and 286–333 K; calorimeter not identified, probably drop								
02LOU1	average value in temperature range 293–468 K								
25PAR/KEL	original values decreased by 1.5%—correction for water content, recommendation given in 85WIL/CHA								
68PAZ/REC	same data in 70PAZ/PAZ								

Table 42.6.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
25PAR/KEL	262.0–293.0	6	1.00 #	0.590	1.00–1	0.59	–9.34–2	–6
62RAB/NIK	283.1–328.1	10	0.30	1.129	6.31–2	0.34	–1.31–2	–5
67NIK/RAB1	265.0–310.0	10	0.50 #	1.168	1.07–1	0.58	8.69–2	10
68PAZ/REC	301.1–313.1	2	0.70 #	1.099	1.41–1	0.77	–8.42–2	0
77MUR/SUB	298.1	1	0.30	0.420	2.27–2	0.13	2.27–2	1
79STE/TAM	273.1–493.1	15	1.00 #	0.239	4.98–2	0.24	2.40–2	9
82ZAR	298.0–363.0	3	0.60	1.418	1.70–1	0.85	–7.64–2	1
88MUK/ZAR	298.7–433.3	6	1.00 #	1.157	2.26–1	1.16	–1.53–1	–4
Rejected data								
*98LOU	(3.56–1, 1.73, –3.56–1, –2)		01DEF	(2.07–1, 1.07, –1.95–1, –2)				
02LOU1	(2.93–1, 1.38, 2.93–1, 1)		09SCH	(1.71–1, 0.96, –4.66–2, 0)				
32NEU/KUR	(3.14–1, 1.68, –3.08–1, –3)		57CRU/JOS	(4.94, 18.70, 3.35, 0)				
65TUN/MIS	(2.60–1, 1.47, –2.60–1, –1)		72KAW/OTA	(7.03–1, 4.03, –7.03–1, –1)				
91DOU/PAL	(2.31–1, 1.30, –2.31–1, –1)							


Table 42.6.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	68	53	0.959	1.17-1	0.61	-1.43-2	6
sat	68	53	0.959	1.17-1	0.62	-1.40-2	5
Temp. range K		A_1	A_2	A_3			Level of uncertainty
262.0-493.1		5.88415	4.37971	-1.09376-1			IV
262.0-493.1		5.83706	4.40987	-1.14176-1			IV

Table 42.6.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	68	53	1.004	1.22-1	0.64	-1.33-2	2	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
262.0-493.1	790.00	-2.21957	1.54794-1	4.16324	4.02706+1	-2.03507+1	3.66559	IV

42-006



Selected data	+79STE/TAM	Rejected data
O25PAR/KEL	x82ZAR	*98LOU
□62RAB/NIK	*88MUK/ZAR	◀01DEF
△67NIK/RAB1		▷09SCH
▽68PAZ/REC		
◇77MUR/SUB		

Name: 1-Propanol
Formula: C₃H₈O

CAS-RN: 71-23-8
Group No.: 42-009
Molar Mass: 60.10

Table 42.9.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
20GIB/PAR	165.7–274.6	29	nosp	not specified		<i>p</i>	BSIO	20GIB/LAT
26PAR/HUF	N 152.1–275.0	7	nosp	not specified		<i>p</i>	BSIO	25PAR
27PAR/HUF	169.1–275.3	7	nosp	not specified		<i>p</i>	BSIO	25PAR
29MIT/HAR1	162.8–274.4	35	nosp	not specified		<i>p</i>	BSIO	29MIT/HAR1
39PHI	301.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
41ZHD	279.6–318.8	5	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
49TSC/RIC2	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
51EUC/EIG	273.0–393.0	12 S	nosp	not specified		sat	BSAO	51EUC/EIG
60SWI/ZIE	N 320.9	1	nosp	not specified		avg	DSIO	58SWI/ZIE1
68COU/LEE	153.9–361.5	47	0.10	99.75	melpt	<i>p</i>	BSAO	63AND/COU1
68PAZ/REC	N 313.1	1	nosp	not specified		<i>p</i>	BDCT	70PAZ/PAZ
68REC1	N 298.0–313.0	eqn	nosp	not specified		<i>p</i>	BSAO	68REC1
76FOR/BEN1	298.1–298.1	2	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
76FOR/BEN2	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
77MUR/SUB	298.1	1	0.30	not specified		<i>p</i>	BSIO	64MOE/THO
79GRI/YAN	N 303.4–463.0	11	0.90	not specified		<i>p</i>	BDAO	75RAS/GRI
80KAL/JED	181.8–303.1	66	0.20	99.95	chrom	<i>p</i>	BSAO	80KAL/JED
81ARU/BAG	293.1–353.1	4 S	1.50	99.0	melpt	<i>p</i>	BDHT	81ARU
82BEN/DAR	288.1–308.1	2 S	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
82VIL/CAS	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
84ZEG/SOM2	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
86KOR/KUK	278.0–298.0	2	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
86TAN/TOY	298.1	1	0.30	99.9	anal	<i>p</i>	FSIT	71PIC/LED
91OGA/MIT	298.1	1	nosp	not specified		<i>p</i>	FSIO	85OGA/MUR
95LOW/PEU	298.2	1	1.00	not specified		<i>p</i>	BDCO	95LOW/PEU
97HOV/ROU	298.1	1	nosp	99.0	anal	<i>p</i>	FSIT	71PIC/LED
99CER/TOV	288.1–308.1	4	nosp	99.5	chrom	<i>p</i>	BDCT	83ROU/ROU
#00BEC/AUF	N 307.0–337.0	7	0.30	99.95	chrom	sat	BDCT	#00BEC/AUF
#00BEC/AUF	N 330.1–354.9	6	0.20	99.95	chrom	sat	BDCT	#00BEC/AUF
26PAR/HUF	high sample purity							
60SWI/ZIE	average value in temperature range 294–347 K							
68PAZ/REC	same datum in 70PAZ/PAZ							
68REC1	same data in 68REC2 and 68REC3							
79GRI/YAN	data above 343.28 K measured at elevated pressures up to 1.52 MPa							
#00BEC/AUF	“step by step” method was used							
#00BEC/AUF	“three-step” method was used							

Table 42.9.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
68COU/LEE	153.9–361.5	47	0.10	1.236	2.21–2	0.12	3.96–3	6
76FOR/BEN1	298.1	2	0.30	0.388	2.02–2	0.12	1.86–2	2
76FOR/BEN2	298.1	1	0.30	0.063	3.26–3	0.02	3.26–3	1
79GRI/YAN	303.4–463.0	11	0.90	0.842	2.08–1	0.76	–3.85–2	–5
80KAL/JED	181.8–303.1	64	0.20	0.608	1.80–2	0.12	–5.89–3	–16
86TAN/TOY	298.1	1	0.30	0.271	1.41–2	0.08	1.41–2	1
91OGA/MIT	298.1	1	0.30 #	0.448	2.32–2	0.13	–2.32–2	–1
97HOV/ROU	298.1	1	0.50 #	0.032	2.75–3	0.02	–2.75–3	–1
#00BEC/AUF	307.0–337.0	7	0.30	0.722	4.18–2	0.22	–2.48–2	–3
#00BEC/AUF	330.1–354.9	6	0.20	1.152	4.72–2	0.23	–4.44–2	–6
Rejected data								
20GIB/PAR	(1.04–1,0.75,2.13–2,7)		26PAR/HUF	(1.26–1,0.83,1.17–1,5)				
27PAR/HUF	(1.22–1,0.84,1.17–1,7)		29MIT/HAR1	(7.88–1,5.22,7.30–1,31)				
39PHI	(2.30,11.62,2.30,1)		41ZHD	(4.11–1,2.18,3.51–1,5)				
49TSC/RIC2	(5.72–1,3.20,5.72–1,1)		51EUC/EIG	(4.56–1,2.48,–3.95–1,–10)				
60SWI/ZIE	(2.82–1,1.50,–2.82–1,–1)		68PAZ/REC	(6.99–1,3.66,6.99–1,1)				
68REC1	(2.37–1,1.33,4.73–2,0)		77MUR/SUB	(6.20–1,3.46,6.20–1,1)				
81ARU/BAG	(2.71–1,1.37,–2.08–1,–2)		82BEN/DAR	(1.87–1,1.02,1.29–1,0)				
82VIL/CAS	(3.65–1,2.07,3.65–1,1)		84ZEG/SOM2	(7.18–2,0.41,7.18–2,1)				
86KOR/KUK	(8.90–2,0.53,8.80–2,2)		95LOW/PEU	(6.96–1,3.87,6.96–1,1)				
99CER/TOV	(1.55–1,0.88,1.52–1,4)							


Table 42.9.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	260	141	0.925	6.38–2	0.25	–7.28–3	–22
sat	260	141	0.926	5.91–2	0.24	–7.01–3	–23
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
153.9–260.0			9.65084	5.18303	–3.28012	8.07501–1	II
260.0–330.0			2.46530+1	–1.21271+1	3.37763	–4.60571–2	II
330.0–463.0			1.32404+2	–1.10083+2	3.30611+1	–3.04439	IV
153.9–260.0			9.61862	5.23067	–3.30315	8.11145–1	II
260.0–330.0			2.49840+1	–1.24986+1	3.51580	–6.30804–2	II
330.0–463.0			1.37215+2	–1.14527+2	3.44334+1	–3.18607	IV

Table 42.9.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	260	141	2.237	7.04–2	0.34	6.65–3	11	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
153.9–463.0	536.78	9.82362+1	5.06087	6.22306	1.14912+2	–5.84971+1	1.95962+2	IV

42-009



Selected data
 ○ 68COU/LEE
 □ 76FOR/BEN1
 △ 76FOR/BEN2
 ▽ 79GR1/YAN
 ◇ 80KAL/JED
 + 86TAN/TOY
 × 91OGA/MIT
 * 97HOV/ROU
 ★ 00BEC/AUF
 ◀ 00BEC/AUF

Rejected data
 ◆ 86KOR/KUK
 ▷ 20GIB/PAR
 ● 26PAR/HUF
 ■ 27PAR/HUF
 ▲ 68REC1
 ▼ 84ZEG/SOM2

Name: 2-Propanol
 Formula: C₃H₈O

CAS-RN: 67-63-0
 Group No.: 42-010
 Molar Mass: 60.10

Table 42.10.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
24WIL/DAN	303.0–328.0	eqn	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
25PAR/KEL	195.4–293.1	9	nosp	not specified		<i>p</i>	BSIO	25PAR
28PAR/KEL	195.4–293.1	11	1.00	99.96	estim	<i>p</i>	BSIO	25PAR
29KEL3	188.4–292.8	12	1.00	99.95	estim	<i>p</i>	BSIO	29KEL1
33TRE/WAT	298.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
39PHI	303.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
45ZHD	280.0–320.0	4	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
48GIN/COR	273.1–473.1	11 S	nosp	not specified		sat	DSTO	50GIN/DOU
58SWI/ZIE2	324.0	1	nosp	not specified		avg	DSIO	58SWI/ZIE1
62KAT	293.1–343.1	3	nosp	not specified		<i>p</i>	BSIO	62KAT
63AND/COU2	188.3–327.1	60	nosp	not specified		<i>p</i>	BSAO	63AND/COU1
77HOF/SAN	353.1–463.1	12 S	1.00	not specified		<i>p</i>	FSIO	75SAN
79BRO/ZIE	185.0–304.0	eqn	nosp	99.84	melpt	<i>p</i>	BSAO	45SCO/MEY
79GRI/YAN	329.3–341.5	2	0.90	not specified		<i>p</i>	BDAO	75RAS/GRI
80ROU/ROB	283.1–298.1	2	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
86KOR/KUK	298.0	1	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
93CON/GIR1	298.0–363.0	eqn	5.00	not specified		sat	BDHT	93CON/GIR1
93NAZ/BAS	302.4–349.0	3	2.20	99.6	anal	<i>p</i>	BDHO	86NAZ/BAS1
95LOW/PEU	298.2	1	1.00	not specified		<i>p</i>	BDCO	95LOW/PEU
96TAN/TOY2	298.1	1	nosp	99.98	chrom	<i>p</i>	FSIT	71PIC/LED
99CER/TOV	288.1–308.1	4	nosp	99.9	chrom	<i>p</i>	BDCT	83ROU/ROU
28PAR/KEL	similar data in 25PAR/KEL							
58SWI/ZIE2	average value in temperature range 294–354 K							
77HOF/SAN	<i>C_p</i> at saturation curve extrapolated from high pressure measurements							

Name: 1,2-Propanediol
Formula: C₃H₈O

CAS-RN: 57-55-6
Group No.: 42-011
Molar Mass: 76.10

Table 42.11.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
27PAR/HUF	194.3–276.6	7	nosp	not specified		<i>p</i>	BSIO	25PAR
52CUR/JOH	213.1–460.5	26	nosp	not specified		sat	not specified	
72KAW/OTA	303.1	1	1.00	not specified		<i>p</i>	BSIO	49WEI
82ZAR	298.0–363.0	3	0.60	99.87	chrom	<i>p</i>	BDCT	82ZAR
52CUR/JOH	correlated data (sources: Dow Chemical Co.(technical product) and 27PAR/HUF)							

Table 42.11.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
27PAR/HUF	194.3–276.6	7	1.00 #	0.278	5.20–2	0.28	2.82–2	2
52CUR/JOH	213.1–460.5	26	1.50 #	0.351	1.13–1	0.53	–9.63–3	2
82ZAR	298.0–363.0	3	0.60	0.374	5.62–2	0.22	–8.43–3	–1
Rejected data								
72KAW/OTA	(1.54, 7.13, –1.54, –1)							


Table 42.11.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	37	36	0.361	1.06–1	0.50	–2.17–3	3
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
194.3–460.5	1.97532+1		–6.36155	3.48862	–3.37136–1	IV	

Table 42.11.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	37	36	0.688	1.67–1	0.77	2.96–2	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
194.3–460.5	688.00	–4.52356	1.96542–1	8.73240	2.60282+1	V	

42-011



Selected data Rejected data
 ○ 27PAR/HUF ▼ 72KAW/OTA
 □ 52CUR/JOH
 ▲ 82ZAR

Name: 1,2,3-Propanetriol
 Formula: C₃H₈O₃

CAS-RN: 56-81-5
 Group No.: 42-012
 Molar Mass: 92.09

Table 42.12.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type ca- pac	Calorimeter	
				%	method		Type	Reference
*79BER	N	330.1–380.6	3	nosp	not specified	avg	DSIO	*79BER
22SIM		294.4	1	nosp	not specified	<i>p</i>	BSIO	23SIM/LAN
23GIB/GIA		299.4	1	nosp	99.67	melpt	BSIO	20GIB/LAT
27PAR/HUF		299.4	1	nosp	not specified	<i>p</i>	BSIO	25PAR
36ERN/WAT		298.1	1	nosp	not specified	<i>p</i>	BSIO	49WEI
62OMEI	N	293.1–453.1	6 S	nosp	not specified	<i>p</i>	not specified	
62RAB/NIK		293.1–328.1	8 S	0.30	not specified	<i>p</i>	BSAO	47SKU
68PAZ/REC	N	301.1–313.1	2	nosp	not specified	<i>p</i>	BDCT	70PAZ/PAZ
77MUR/SUB		298.1	1	0.30	not specified	<i>p</i>	BSIO	64MOE/THO
81ATA/ELS		293.1	1	2.50	not specified	<i>p</i>	BDHO	81ATA/ELS
82CHE/GE		313.1	1	3.00	not specified	<i>p</i>	BDHO	82CHE/GE
88BAS/NIL		298.1	1	nosp	not specified	<i>p</i>	DDCT	74SUU/WAD
98RIG/SAL		298.0–383.0	eqn	nosp	99.5	anal	BDHT	98SAL/FER

*79BER average values in temperature ranges 287–373 K, 289–452 K and 293–468 K

62OMEI the first 3 data points from Nevolin F.V.:Chim.i Tekhn.Proizv.Glicerina, 1954; the other from Zozulya N.V.:Teploper.i Tepl.Model.,AN SSSR 1959

68PAZ/REC same data in 70PAZ/PAZ

Table 42.12.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
62OME1	293.1–353.1	4	3.00 #	0.339	2.75–1	1.02	9.73–2	0
62RAB/NIK	293.1–328.1	8	0.30	0.579	4.78–2	0.17	–6.10–3	–4
88BAS/NIL	298.1	1	0.30 #	0.670	5.29–2	0.20	5.29–2	1
98RIG/SAL	298.0–382.7	8	1.00 #	0.507	1.45–1	0.51	–7.92–3	0
Rejected data								
*79BER	(5.17–1,1.83,–4.69–1,–3)		22SIM	(8.99–1,3.33,8.99–1,1)				
23GIB/GIA	(5.10–1,1.90,5.10–1,1)		27PAR/HUF	(5.10–1,1.90,5.10–1,1)				
36ERN/WAT	(5.54–1,2.15,–5.54–1,–1)		68PAZ/REC	(2.09,6.94,1.57,2)				
77MUR/SUB	(4.14–1,1.55,4.14–1,1)		81ATA/ELS	(3.74–1,1.42,3.74–1,1)				
82CHE/GE	(4.45–1,1.61,4.45–1,1)							

Table 42.12.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	35	21	0.545	1.61–1	0.58	1.57–2	–3
Temp. range K		A_1	A_2				Level of uncertainty
293.1–382.7		9.16889	5.73727				V

Table 42.12.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	35	21	0.527	1.60–1	0.59	3.71–2	–1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
293.1–382.7	800.00	1.87190+1	1.18708	5.59442	7.37947+1		V



Selected data Rejected data
 O62OME1 ◊•79BER
 □62RAB/NIK
 ▲88BAS/NIL
 ▼98RIG/SAL

Name: 1-Butanol
 Formula: C₄H₁₀O

CAS-RN: 71-36-3
 Group No.: 42-013
 Molar Mass: 74.12

Table 42.13.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
24WIL/DAN	303.0–348.0	eqn	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
25PAR	194.6–294.0	12	0.50	not specified		<i>p</i>	BSIO	25PAR
33TRE/WAT	298.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
38PAN/DUD	298.0–363.0	eqn	nosp	not specified		<i>p</i>	not specified	
39PHI	302.5	1	nosp	not specified		<i>p</i>	BSIO	49WEI
49TSC/RIC2	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
60SWI/ZIE	322.4	1	nosp	not specified		avg	DSIO	58SWI/ZIE1
65COU/HAL	188.2–322.3	25	0.20	99.94	melpt	<i>p</i>	BSAO	63AND/COU1
67GRA	308.1–338.1	4	1.00	not specified		<i>p</i>	BSIO	67GRA
68PAZ/REC	301.1–313.1	2	nosp	not specified		<i>p</i>	BDCT	70PAZ/PAZ
75SAN	295.9–466.6	20	0.90	not specified		<i>p</i>	FSIO	75SAN
78BYV/JAS	293.1–333.1	3	2.00	not specified		<i>p</i>	BDCT	78BYV/JAS
79GRI/YAN	324.0–462.5	8 S	0.90	not specified		<i>p</i>	BDAO	75RAS/GRI
81ARU/BAG	293.1–373.1	5 S	1.50	not specified		<i>p</i>	BDHT	81ARU
86GAT/WOO	298.1–368.1	4	nosp	99.	anal	<i>p</i>	BDCT	83ROU/ROU
86KOR/KUK	278.0–298.0	2	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
86NAZ/BAS1	321.0–373.4	3	2.00	not specified		<i>p</i>	BDHO	86NAZ/BAS1
86OGA/MUR	298.1	1	0.10	not specified		<i>p</i>	FSIO	85OGA/MUR
86ROU/GRO	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
86TAN/TOY	298.1	1	0.30	99.9	anal	<i>p</i>	FSIT	71PIC/LED
88AND/PAT	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
88PIE/SOM2	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
89COB/GAR	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
97HOV/ROU	298.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
99CAL/BRO	298.1	1	nosp	99.8	chrom	<i>p</i>	FSIT	71PIC/LED

38PAN/DUD temperature range of parameters validity estimated by the compilers
 60SWI/ZIE average value in temperature range 294–350 K
 68PAZ/REC same data in 70PAZ/PAZ; apparently wrong value at 313.15 K
 75SAN *C_p* at pressure near 1.4 MPa
 79GRI/YAN data above 363.61 K measured at elevated pressures up to 0.92 MPa

Name: 2-Methyl-1-propanol
Formula: C₄H₁₀O

CAS-RN: 78-83-1
Group No.: 42-017
Molar Mass: 74.12

Table 42.17.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	308.6–328.1	9 S	nosp	not specified		avg	DSIO	*86SCH
*98LOU	337.9	1	nosp	not specified		avg	DSIO	*98LOU
24WIL/DAN	303.0–353.0	eqn	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
41ZHD	278.3–319.0	3	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
58SWI/ZIE2	333.6–336.7	2	nosp	not specified		avg	DSIO	58SWI/ZIE1
60SWI/ZIE	322.6	1	nosp	not specified		avg	DSIO	58SWI/ZIE1
68COU/LEE	180.0–355.0	65	0.15	99.96	melpt	<i>p</i>	BSAO	63AND/COU1
68PAZ/REC	301.1–313.1	2	nosp	not specified		<i>p</i>	BDCT	70PAZ/PAZ
77HOF/SAN	383.1–493.1	12 S	1.00	not specified		<i>p</i>	FSIO	75SAN
78RYB/EME	293.1–353.1	7 S	nosp	not specified		<i>p</i>	BSIO	78RYB/EME
86KOR/KUK	298.0	1	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
88OKA/OGA	298.1	1	nosp	not specified		<i>p</i>	FSIO	85OGA/MUR
88PIE/SOM1	298.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
92NAZ/BAS	300.6–396.1	5	2.20	99.8	chrom	<i>p</i>	BDHO	86NAZ/BAS1
97HOV/ROU	298.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
#00BEC/AUF	307.0–332.0	6	0.30	99.95	chrom	sat	BDCT	#00BEC/AUF
#00BEC/AUF	323.2–363.2	9	0.20	99.95	chrom	sat	BDCT	#00BEC/AUF
*98LOU	average value in temperature range 294–382 K							
58SWI/ZIE2	average values in temperature ranges 295–372 K and 295–379 K							
60SWI/ZIE	average value in temperature range 294–351 K							
68PAZ/REC	same data in 70PAZ/PAZ							
77HOF/SAN	<i>C_p</i> at saturation curve extrapolated from high pressure measurements							
88OKA/OGA	water content below 0.083 mol. %							
#00BEC/AUF	“step by step” method was used							
#00BEC/AUF	“three-step” method was used							

Table 42.17.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
68COU/LEE	180.0–355.0	65	0.15	0.858	2.82–2	0.13	6.29–4	–10
77HOF/SAN	383.1–493.1	12	1.00	0.424	1.45–1	0.42	–4.92–2	–2
88OKA/OGA	298.1	1	0.40 #	0.159	1.38–2	0.06	1.38–2	1
97HOV/ROU	298.1	1	0.50 #	0.227	2.47–2	0.11	–2.47–2	–1
#00BEC/AUF	307.0–332.0	6	0.30	0.727	5.45–2	0.22	4.36–2	5
#00BEC/AUF	323.2–363.2	9	0.20	1.643	8.63–2	0.33	–1.65–2	–3
Rejected data								
*86SCH	(1.94–1, 0.78, 1.72–1, 9)			*98LOU	(4.70–1, 1.76, 4.70–1, 1)			
24WIL/DAN	(6.47–1, 2.30, 5.19–1, 3)			41ZHD	(4.40–1, 1.88, 3.30–1, 1)			
58SWI/ZIE2	(1.40–1, 0.54, 1.38–1, 2)			60SWI/ZIE	(2.59–1, 1.07, –2.59–1, –1)			
68PAZ/REC	(8.37–1, 3.43, 6.97–1, 2)			78RYB/EME	(5.37–1, 2.06, –3.72–1, –3)			
86KOR/KUK	(5.93–2, 0.27, 5.93–2, 1)			88PIE/SOM1	(1.29–1, 0.59, 1.29–1, 1)			
92NAZ/BAS	(1.67, 6.05, –1.43, –5)							


Table 42.17.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	129	94	0.939	6.67-2	0.23	-4.76-3	-10
sat	129	94	0.933	6.08-2	0.21	-4.55-3	-10
Temp. range K							Level of uncertainty
		A_1	A_2	A_3	A_4		
180.0-290.0		7.12445	1.16833+1	-6.37295	1.37558		II
290.0-370.0		1.57026+2	-1.43387+2	4.70995+1	-4.77068		II
370.0-493.1		-1.87142+2	1.35668+2	-2.83206+1	2.02393		V
180.0-290.0		7.15990	1.16394+1	-6.35520	1.37324		II
290.0-370.0		1.57459+2	-1.43843+2	4.72593+1	-4.78935		II
370.0-493.1		-1.66412+2	1.18755+2	-2.37131+1	1.60456		V

Table 42.17.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	129	94	5.760	3.01-1	1.09	8.03-2	18	
Temp. range K	T_c K							Level of uncertainty
		A_1	A_2	A_3	A_4	A_5	A_6	
180.0-493.1	547.78	2.44985+2	1.64826+1	-3.12684	2.53998+2	-3.08315+1	3.23667+2	V

42-017



Selected data + #00BEC/AUF
 O 68COU/LEE
 □ 77HOF/SAN
 △ 88OKA/OGA
 ▽ 97HOV/ROU
 ◇ #00BEC/AUF

Rejected data
 x 86SCH
 * 58SWI/ZIE2
 ★ 86KOR/KUK
 ◀ 88PIE/SOM1

Name: 1,3-Butanediol
Formula: C₄H₁₀O₂

CAS-RN: 107-88-0
Group No.: 42-019
Molar Mass: 90.12

Table 42.19.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
72KAW/OTA	303.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
96STE/CHI1	300.0–670.0	20 S	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 42.19.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
96STE/CHI1	300.0–670.0	20	1.00	1.093	5.93–1	1.09	1.97–2	–2
Rejected data								
72KAW/OTA	(1.52,5.55,1.52,1)							

Table 42.19.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	21	20	1.306	7.08–1	1.31	1.97–2	–2
sat	21	20	0.770	3.62–1	0.77	5.42–3	–3
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
300.0–450.0	–1.39795+1		1.44997+1	1.58472–1	–2.00697–1	IV	
450.0–635.0	–1.58301+2		1.10714+2	–2.12226+1	1.38308	IV	
635.0–670.0	–1.80115+5		8.51298+4	–1.34100+4	7.04209+2	V	
300.0–450.0	–1.63262+1		1.63820+1	–3.36847–1	–1.57979–1	IV	
450.0–635.0	–1.32524+2		9.38470+1	–1.75513+1	1.11716	IV	
635.0–670.0	–1.06396+5		5.02970+4	–7.92356+3	4.16131+2	V	

Table 42.19.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
<i>p</i>	21	20	1.393	6.96–1	1.39	3.41–3	2	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
300.0–670.0	676.00	2.44199	4.08726–1	–3.42028+1	2.20389+2	–2.26871+2	8.58396+1	V

Name: Cyclopentanol
Formula: C₅H₁₀O

CAS-RN: 96-41-3
Group No.: 42-023
Molar Mass: 86.13

Table 42.23.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
56PAR/KEN	260.0–300.0	5 S	1.00	99.8	melpt	<i>p</i>	BSIO	25PAR
76CON/GIA	298.1	1	nosp	not specified		<i>p</i>	BDCT	76CON/GIA
86BEN/DAR2	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
95KAB/DIK	256.3–302.9	12	0.40	99.8	chrom	<i>p</i>	BSAO	93DIK/KAB
97HOV/ROU	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED

Table 42.23.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
Selected data								
56PAR/KEN	260.0–300.0	5	1.00	0.736	1.57–1	0.74	1.43–1	5
86BEN/DAR2	298.1	1	0.30	1.184	7.76–2	0.36	–7.76–2	–1
95KAB/DIK	256.3–302.9	12	0.40	0.369	2.94–2	0.15	6.27–3	4
97HOV/ROU	298.1	1	0.50 #	0.678	7.40–2	0.34	–7.40–2	–1
Rejected data								
76CON/GIA	(3.77–1, 1.69, 3.77–1, 1)							


Table 42.23.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	20	19	0.623	9.51–2	0.45	3.35–2	7
Temp. range K		A_1	A_2	A_3			Level of uncertainty
256.3–302.9		2.44422+1	–1.17152+1	3.64505			III

Table 42.23.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	20	19	0.769	8.69–2	0.41	6.60–4	–3
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
256.3–302.9	619.50	8.37285	2.06103+1	–1.26902+1	8.50360–1		III

42–023



Selected data Rejected data
 ○ 56PAR/KEN ◇ 76CON/GIA
 □ 86BEN/DAR2
 ▲ 95KAB/DIK
 ▼ 97HOV/ROU

Name: 2-Methyl-1-butanol
Formula: C₅H₁₂O

CAS-RN: 137-32-6
Group No.: 42-025
Molar Mass: 88.15

Table 42.25.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*98LOU	N	347.1	1	nosp	not specified		avg	DSIO	*98LOU
49LEE		313.0–343.0	eqn	nosp	not specified		<i>p</i>	BDHO	33FER/MIL
94SVO/CEJ		303.0–326.2	6	0.50	99.8	chrom	<i>p</i>	BSAO	91SVO/ZAB1
97CEN/RUZ		307.8–337.6	12	1.00	99.92	chrom	<i>p</i>	BDCT	91BAN/GAR
*98LOU	average value in temperature range 295–400 K								


Table 42.25.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
94SVO/CEJ	303.0–326.2	6	0.50	0.989	1.37–1	0.49	–3.57–2	–4
97CEN/RUZ	307.8–337.6	12	1.00	0.473	1.29–1	0.47	7.52–2	6
Rejected data								
49LEE	(1.39, 4.92, –1.22, –3)							

Table 42.25.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	23	18	0.755	1.44–1	0.53	3.83–2	2
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
303.0–337.6	–1.20252+2		7.90093+1	–1.01423+1	IV		

42–025



Selected data Rejected data
 ○ 94SVO/CEJ ▲ 49LEE
 □ 97CEN/RUZ

Name: 2-Methyl-2-butanol
Formula: C₅H₁₂O

CAS-RN: 75-85-4
Group No.: 42-026
Molar Mass: 88.15

Table 42.26.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*98LOU	N	332.4	1	nosp	not specified	avg	DSIO	*98LOU
33PAR/HUF	275.0–294.4	4	1.00		not specified	<i>p</i>	BSIO	25PAR
49LEE	313.0–343.0	eqn	nosp		not specified	<i>p</i>	BDHO	33FER/MIL
83DAP/DEL	288.1–298.1	2	0.30		not specified	<i>p</i>	FSIT	71PIC/LED
86BEN/DAR2	298.1	1	0.30		not specified	<i>p</i>	FSIT	71PIC/LED
88PIE/SOM1	298.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
94SVO/CEJ	303.0–326.2	6	0.50	98.8	chrom	<i>p</i>	BSAO	91SVO/ZAB1
96TAN/TOY2	298.1	1	nosp	99.99	chrom	<i>p</i>	FSIT	71PIC/LED
97CEN/RUZ	307.9–347.5	10	1.00	99.91	chrom	<i>p</i>	BDCT	91BAN/GAR

*98LOU average value in temperature range 293–372 K

Table 42.26.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
33PAR/HUF	275.0–294.4	4	1.00	0.141	4.03–2	0.14	–3.77–5	0
83DAP/DEL	288.1–298.1	2	0.30	0.240	2.09–2	0.07	–2.07–2	–2
86BEN/DAR2	298.1	1	0.30	1.618	1.45–1	0.49	1.45–1	1
88PIE/SOM1	298.1	1	0.50 #	0.407	6.04–2	0.20	–6.04–2	–1
94SVO/CEJ	303.0–326.2	6	0.50	1.826	2.80–1	0.91	–9.77–2	–1
96TAN/TOY2	298.1	1	0.50 #	1.465	2.20–1	0.73	2.20–1	1
97CEN/RUZ	307.9–347.5	10	1.00	0.374	1.19–1	0.37	7.26–2	4
Rejected data								
*98LOU	(7.24–1, 2.16, –7.24–1, –1)		49LEE	(4.89–1, 1.46, –4.61–1, –4)				


Table 42.26.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	30	25	1.124	1.82–1	0.59	1.61–2	2
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
275.0–347.5	5.25848+2		–5.09372+2	1.69896+2	–1.83990+1	IV	

Table 42.26.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	30	25	1.342	2.61–1	0.85	8.52–2	7
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
275.0–347.5	543.70	5.16990+1	4.07265	–2.80229+1	1.64069+2	IV	

42-026



Selected data +96TAN/TOY2 Rejected data
 O 33PAR/HUF x 97CEN/RUZ * 98LOU
 □ 83DAP/DEL ★ 49LEE
 △ 86BEN/DAR2
 ▽ 88PIE/SOM1
 ◇ 94SVO/CEJ

Name: 3-Methyl-1-butanol
 Formula: C₅H₁₂O

CAS-RN: 123-51-3
 Group No.: 42-027
 Molar Mass: 88.15

Table 42.27.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	309.7–337.4	10	S	nosp	not specified		DSIO	*86SCH
*98LOU	348.6	1		nosp	not specified		DSIO	*98LOU
07BAT	224.0–263.6	6		nosp	not specified		BSIO	07BAT
12LUS	321.0	1		nosp	not specified		DSIO	12LUS
24WIL/DAN	303.0–353.0	eqn		nosp	not specified		BSAO	24WIL/DAN
45ZHD	280.5–319.9	3		nosp	not specified		BSIT	34KOL/UDO
49LEE	313.0–343.0	eqn		nosp	not specified		BDHO	33FER/MIL
58SWI/ZIE2	347.5	1		nosp	not specified		DSIO	58SWI/ZIE1
90RAO/RAJ	318.1–333.1	4		4.00	not specified		BDHT	89PRA/RAJ
92NAZ/BAS	302.0–368.3	4		2.20	98.3	chrom	BDHO	86NAZ/BAS1
94SVO/CEJ	303.0–326.2	6		0.50	100.0	chrom	BSAO	91SVO/ZAB1
97CEN/RUZ	307.7–357.4	11		1.00	99.72	chrom	BDCT	91BAN/GAR

*98LOU average value in temperature range 294–403 K
 12LUS average value in temperature range 287–355 K
 58SWI/ZIE2 average value in temperature range 295–400 K

Table 42.27.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
07BAT	224.0–263.6	6	3.00 #	0.341	2.15–1	1.02	–2.58–3	0
58SWI/ZIE2	347.5	1	1.00 #	0.419	1.30–1	0.42	1.30–1	1
94SVO/CEJ	303.0–326.2	6	0.50	1.071	1.42–1	0.54	–1.73–2	–2
97CEN/RUZ	307.7–357.4	11	1.00	0.437	1.30–1	0.44	3.03–2	5
Rejected data								
*86SCH	(4.24–1,1.48,4.20–1,10)		*98LOU	(1.68–1,0.54,–1.68–1,–1)				
12LUS	(1.86,6.31,1.86,1)		24WIL/DAN	(4.50–1,1.59,–4.38–1,–5)				
45ZHD	(2.45–1,0.95,2.23–1,3)		49LEE	(3.77–1,1.30,–1.27–1,0)				
90RAO/RAJ	(1.13,4.30,–9.81–1,–4)		92NAZ/BAS	(1.73,5.68,1.70,3)				

Table 42.27.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	56	24	0.596	1.16–1	0.46	2.73–2	6
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
224.0–357.4		1.07722+2	–9.35318+1	3.12230+1	–3.07206		IV

Table 42.27.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	56	24	0.821	2.26–1	0.99	–9.45–3	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
224.0–357.4	579.40	–1.34581	1.22299+1	–9.51783–1	3.70239–2		V

Name: 3-Methyl-2-butanol
Formula: C₅H₁₂O

CAS-RN: 598-75-4
Group No.: 42-028
Molar Mass: 88.15

Table 42.28.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91ATR/NES	218.4–370.7	29	nosp	99.9	anal	sat	BSAO	78ZHU/ATR
94SVO/CEJ	303.0–326.2	6	0.50	99.6	chrom	p	BSAO	91SVO/ZAB1
97CEN/RUZ	304.2–347.4	16	1.00	99.99	chrom	p	BDCT	91BAN/GAR

Table 42.28.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
91ATR/NES	218.4–370.7	29	1.00 #	0.338	8.90–2	0.34	–2.64–2	–3
97CEN/RUZ	304.2–347.4	16	1.00	0.275	8.90–2	0.27	4.96–2	6
Rejected data								
94SVO/CEJ	(7.86–1,2.57,–7.57–1,–6)							


Table 42.28.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	51	45	0.336	9.44-2	0.34	5.99-4	3
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
218.4-310.0		1.95360+2	-2.14072+2	8.32014+1	-1.00688+1		IV
310.0-370.7		-2.13907+2	1.81992+2	-4.45613+1	3.66917		IV

Table 42.28.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
C	51	45	1.033	1.71-1	0.54	-1.41-2	-4	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
218.4-370.7	556.10	8.29530+3	9.55136+2	-9.83528+2	7.88195+3	9.65637+2	5.34052+3	IV

42-028



Selected data Rejected data
 O91ATR/NES Δ94SVO/CEJ
 □97CEN/RUZ

Name: 1-Pentanol
Formula: C₅H₁₂O

CAS-RN: 71-41-0
Group No.: 42-029
Molar Mass: 88.15

Table 42.29.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
33PAR/HUF	204.1–298.0	6	1.00	not specified		<i>p</i>	BSIO	25PAR
39PHI	302.4	1	nosp	not specified		<i>p</i>	BSIO	49WEI
49LEE	313.0–343.0	eqn	nosp	not specified		<i>p</i>	BDHO	33FER/MIL
49TSC/RIC2	298.1	1	nosp	not specified		<i>p</i>	BSIO	49TSC/RIC1
68COU/LEE	205.1–389.1	53	0.15	99.87	melpt	<i>p</i>	BSAO	63AND/COU1
68PAZ/REC	313.1	1	nosp	not specified		<i>p</i>	BDCT	70PAZ/PAZ
76SKO/SUU	298.1	1	0.10	not specified		<i>p</i>	DDCT	71KON/SUU
79GRI/YAN	301.3–463.4	9	0.90	not specified		<i>p</i>	BDAO	75RAS/GRI
81ARU/BAG	293.1–393.1	6 S	1.50	not specified		<i>p</i>	BDHT	81ARU
83DAP/DEL	288.1–298.1	2	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
83PFE/SCH	298.1	1	nosp	not specified		<i>p</i>	BDCT	68WAD
84ZEG/SOM2	298.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
86BEN/DAR2	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
86TAN/TOY	298.1	1	0.30	98.	anal	<i>p</i>	FSIT	71PIC/LED
99CAL/BRO	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED

39PHI isomer not specified, 1-alkanol assumed

68PAZ/REC same datum in 70PAZ/PAZ

79GRI/YAN data above 382.68 K were measured at elevated pressures up to 0.81 MPa

Name: 2-Pentanol
Formula: C₅H₁₂O

CAS-RN: 6032-29-7
Group No.: 42-030
Molar Mass: 88.15

Table 42.30.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
38PAN/DUD	298.0–363.0	eqn	nosp	not specified		<i>p</i>		not specified
94SVO/CEJ	303.0–326.2	6	0.50	99.6	chrom	<i>p</i>	BSAO	91SVO/ZAB1
96TAN/TOY2	298.1	1	nosp	99.8	chrom	<i>p</i>	FSIT	71PIC/LED
97CEN/RUZ	307.8–367.4	20	1.00	99.93	chrom	<i>p</i>	BDCT	91BAN/GAR


38PAN/DUD temperature range of parameters validity estimated by the compilers

Table 42.30.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
94SVO/CEJ	303.0–326.2	6	0.50	1.232	1.79–1	0.62	–7.57–2	–2
96TAN/TOY2	298.1	1	0.50 #	1.752	2.47–1	0.88	2.47–1	1
97CEN/RUZ	307.8–367.4	20	1.00	0.324	1.01–1	0.32	4.57–2	8
Rejected data								
38PAN/DUD	(2.21–1, 0.67, –5.51–3, –1)							

Table 42.30.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	33	27	0.771	1.38–1	0.46	2.62–2	7
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
298.1–367.4	–8.46311+1		5.92957+1	–7.22361	IV		



Selected data Rejected data
 O 94SVO/CEJ ▽ 38PAN/DUD
 □ 96TAN/TOY2
 △ 97CEN/RUZ

Name: 3-Pentanol
 Formula: C₅H₁₂O

CAS-RN: 584-02-1
 Group No.: 42-031
 Molar Mass: 88.15

Table 42.31.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
49LEE	313.0–343.0	eqn	nosp	not specified		<i>p</i>	BDHO	33FER/MIL
76CON/GIA	298.1	1	nosp	not specified		<i>p</i>	BDCT	76CON/GIA
94SVO/CEJ	303.0–326.2	6	0.50	99.6	chrom	<i>p</i>	BSAO	91SVO/ZAB1
96TAN/TOY2	298.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
97CEN/RUZ	307.8–367.7	11	1.00	99.90	chrom	<i>p</i>	BDCT	91BAN/GAR


Table 42.31.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
94SVO/CEJ	303.0–326.2	6	0.80 #	1.637	4.04–1	1.31	–3.51–1	–6
96TAN/TOY2	298.1	1	0.50 #	1.812	2.76–1	0.91	2.76–1	1
97CEN/RUZ	307.8–367.7	11	1.00	0.872	2.90–1	0.87	2.15–1	7
Rejected data								
49LEE	(2.14, 6.74, –2.06, –4)		76CON/GIA	(1.37, 4.74, –1.37, –1)				

Table 42.31.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	23	18	1.359	3.63–1	1.14	2.96–2	2
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
298.1–367.7	–6.88783+1		5.28468+1	–6.57922	V		

42-031



Selected data Rejected data
 O 94SVO/CEJ ▽ 49LEE
 □ 96TAN/TOY2 ◇ 76CON/GIA
 ▲ 97CEN/RUZ

Name: Cyclohexanol
 Formula: C₆H₁₂O

CAS-RN: 108-93-0
 Group No.: 42-038
 Molar Mass: 100.16

Table 42.38.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
24HER/BLO	289.6	1	nosp	not specified		<i>p</i>	DSIO	22HER/SCH
29KEL4	298.1–298.7	2	0.50	not specified		<i>p</i>	BSIO	29KEL1
39PHI	305.0	1	nosp	not specified		<i>p</i>	BSIO	49WEI
68ADA/SUG	300.1–316.5	9	nosp	99.975	melpt	<i>p</i>	BSAO	65SUG/SEK
74PET/TER	298.0–427.7	13	1.00	99.	chrom	<i>p</i>	BDCT	74PET/TER
76CON/GIA	298.1	1	nosp	not specified		<i>p</i>	BDCT	76CON/GIA
88CAC/COS	298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
90MAY/RAC	298.0–312.0	eqn	nosp	99.91	melpt	<i>p</i>	BSAO	90MAY/RAC
97HOV/ROU	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
97STE/CHI2	300.0–620.0	17	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 42.38.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
68ADA/SUG	300.1–316.5	9	0.20 #	0.931	4.98–2	0.19	3.12–3	1
88CAC/COS	298.1	1	0.50 #	1.369	1.73–1	0.68	–1.73–1	–1
97STE/CHI2	300.0–620.0	17	1.00	0.842	3.18–1	0.84	8.41–3	–1
Rejected data								
29KEL4	(3.39–1, 1.35, –3.36–1, –2)		39PHI	(1.93, 7.95, –1.93, –1)				
74PET/TER	(7.70–1, 2.36, 1.84–1, 4)		76CON/GIA	(1.04, 3.93, 1.04, 1)				
90MAY/RAC	(2.90–1, 1.08, 2.87–1, 4)		97HOV/ROU	(3.71–1, 1.48, –3.71–1, –1)				

Table 42.38.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	51	27	0.994	2.83-1	0.76	-6.92-5	-1
sat	51	27	0.870	1.94-1	0.59	2.25-3	1
Temp. range K							Level of uncertainty
		A_1	A_2	A_3	A_4		
298.1-410.0		7.00487+1	-6.56122+1	2.48446+1	-2.63546		III
410.0-620.0		-3.41109+2	2.35235+2	-4.85328+1	3.33019		IV
298.1-410.0		5.77126+1	-5.49632+1	2.18183+1	-2.35317		III
410.0-620.0		-3.01412+2	2.07811+2	-4.22730+1	2.85750		IV

Table 42.38.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	51	27	1.907	3.95-1	1.08	5.88-2	1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
298.1-620.0	650.00	2.31147+1	1.44563	-1.16120+2	5.99048+2	-7.40458+2	3.50757+2	V



Name: 1-Hexanol
Formula: C₆H₁₄O

CAS-RN: 111-27-3
Group No.: 42-041
Molar Mass: 102.18

Table 42.41.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
29KEL2	229.6–290.0	7	1.00	not specified		<i>p</i>	BSIO	29KEL1
59HUT/BAI	298.1	1	nosp	not specified		<i>p</i>	BSIO	55HUT/MAN
73KAL/WOY	303.1	1	nosp	not specified		<i>p</i>	BSIO	70REC
79GRI/YAN	303.7–462.0	9	0.90	not specified		<i>p</i>	BDAO	75RAS/GRI
81ARU	293.1–393.1	6	1.50	not specified		<i>p</i>	BDHT	81ARU
83BEN/DAR	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
84BRA/PIN	298.1	1	nosp	99.	melpt	<i>p</i>	FSIT	71PIC/LED
84KAL/WOY	229.1–300.6	35	nosp	99.9	chrom	<i>p</i>	BSAO	80KAL/JED
84ZEG/SOM2	298.1	1	nosp	99.	chrom	<i>p</i>	FSIT	71PIC/LED
85COS/PAT8	283.1–313.1	3	0.30	98.	estim	<i>p</i>	FSIT	71PIC/LED
86ORT	298.1	1	1.00	99.	anal	<i>p</i>	BDCT	70PAZ/PAZ
86TAN/TOY	298.1	1	0.30	98.	anal	<i>p</i>	FSIT	71PIC/LED
88AND/PAT	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
89VES/BAR	298.1–318.1	5	0.50	not specified		<i>p</i>	BSAO	79VES/ZAB
91ATR/NES	227.3–362.6	20	nosp	99.9	anal	sat	BSAO	78ZHU/ATR
98RUZ/MAJ	304.2–349.9	25	1.00	99.60	chrom	<i>p</i>	BDCT	91BAN/GAR
99CAL/BRO	298.1	1	nosp	99.0	chrom	<i>p</i>	FSIT	71PIC/LED

79GRI/YAN data above 385.43 K measured at elevated pressures up to 0.74 MPa
89VES/BAR water content 0.04 mass %

Table 42.41.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w			d_r %	d_b/R	\pm
				d_w	d/R	d_r			
Selected data									
79GRI/YAN	303.7–462.0	9	0.90	1.271	4.40–1	1.14	1.23–2	2	
83BEN/DAR	298.1	1	0.30	1.381	1.20–1	0.41	-1.20–1	-1	
84ZEG/SOM2	298.1	1	0.50 #	0.271	3.93–2	0.14	-3.93–2	-1	
86TAN/TOY	298.1	1	0.30	1.492	1.30–1	0.45	-1.30–1	-1	
88AND/PAT	298.1	1	0.50 #	0.271	3.93–2	0.14	-3.93–2	-1	
89VES/BAR	298.1–318.1	5	0.50	0.905	1.38–1	0.45	1.35–1	5	
91ATR/NES	227.3–362.6	20	0.50 #	0.703	1.04–1	0.35	1.48–2	6	
98RUZ/MAJ	304.2–349.9	25	1.00	0.239	7.33–2	0.24	-2.23–2	-6	
99CAL/BRO	298.1	1	0.50 #	1.037	1.50–1	0.52	-1.50–1	-1	
Rejected data									
29KEL2	(7.05–1,2.87, –6.08–1, –5)		59HUT/BAI	(1.74–1,0.59,1.74–1,1)					
73KAL/WOY	(2.92–1,0.98,2.92–1,1)		81ARU	(2.57–1,0.69,–4.29–2,–4)					
84BRA/PIN	(2.44–1,0.85,–2.44–1,–1)		84KAL/WOY	(5.44–1,1.97,4.92–1,35)					
85COS/PAT8	(2.77–1,01.00,–2.50–1,–3)		86ORT	(4.57–1,1.60,–4.57–1,–1)					

Table 42.41.3. Parameters of cubic spline polynomials


Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	119	64	0.665	1.46–1	0.43	1.17–2	-7
sat	119	64	0.665	1.47–1	0.43	1.17–2	-7

Temp. range K	A_1	A_2	A_3	A_4	Level of uncertainty
227.3–300.0	1.35937+1	1.23650+1	-6.39986	1.33886	III
300.0–400.0	1.82261+2	-1.56302+2	4.98225+1	-4.90808	III
400.0–462.0	-6.45593+2	4.64588+2	-1.05400+2	8.02714	IV
227.3–300.0	1.33883+1	1.25956+1	-6.48563	1.34942	III
300.0–400.0	1.82897+2	-1.56913+2	5.00172+1	-4.92867	III
400.0–462.0	-6.38849+2	4.59396+2	-1.04060+2	7.91111	IV

Table 42.41.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	119	64	0.772	1.97-1	0.55	1.50-3	2	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
227.3-462.0	610.70	1.89364+3	1.79686+2	-1.73541+2	1.92042+3	-6.90434+1	1.70875+3	IV

42-041



Selected data
 + 89VES/BAR
 O 79GR1/YAN
 □ 83BEN/DAR
 △ 84ZEG/SOM2
 ▽ 86TAN/TOY
 ◇ 88AND/PAT
 × 91ATR/NES
 * 98RUZ/MAJ
 ★ 99CAL/BRO

Rejected data
 ◀ 59HUT/BAI
 ▶ 81ARU
 ● 85COS/PAT8

Name: 1-Methylcyclohexanol
 Formula: C₇H₁₄O

CAS-RN: 590-67-0
 Group No.: 42-056
 Molar Mass: 114.19

Table 42.56.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
88CAC/COS	298.1	1	nosp	not specified		p	FSIT	71PIC/LED
98KAB/BLO	299.4-320.0	4 S	0.40	99.95	chrom	p	BSAO	93DIK/KAB

Table 42.56.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
98KAB/BLO	299.4-320.0	4	0.40	0.016	2.15-3	0.01	0.00	0

Table 42.56.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	5	4	0.023	3.04–3	0.01	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
299.4–320.0		–4.10425	1.22453+1				IV

Name: 1-Heptanol
Formula: $C_7H_{16}O$

CAS-RN: 111-70-6
Group No.: 42-063
Molar Mass: 116.20

Table 42.63.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
56PAR/KEN	240.0–300.0	7 S	1.00	98.2	melpt	p	BSIO	25PAR
59HUT/BAI	298.1	1	nosp	not specified		p	BSIO	55HUT/MAN
67GRA	308.1–338.1	4	1.00	not specified		p	BSIO	67GRA
79GRI/YAN	303.0–462.3	9	0.90	not specified		p	BDAO	75RAS/GRI
80VAS/TRE	323.0–453.0	eqn	2.00	99.8	anal	sat	BSAO	80VAS/TRE
84ZEG/SOM2	298.1	1	nosp	99.5	chrom	p	FSIT	71PIC/LED
88AND/PAT	298.1	1	nosp	98.	anal	p	FSIT	71PIC/LED
88ARU/MOV	293.1–433.1	8	3.00	not specified		p	BDHT	81ARU
88NAZ/BAS	303.4–447.1	7	2.20	99.2	anal	p	BDHO	86NAZ/BASI
89VES/BAR	298.1–318.1	5	0.50	not specified		p	BSAO	79VES/ZAB
98RUZ/MAJ	304.3–406.0	34	1.00	99.34	chrom	p	BDCT	91BAN/GAR
99CAL/BRO	298.1	1	nosp	99.0	chrom	p	FSIT	71PIC/LED
#00FUL/RUZ	330.6–570.7	13	2.00	99.94	chrom	sat	BDCT	91BAN/GAR
79GRI/YAN 89VES/BAR	data above 425.19 K were measured at elevated pressures up to 0.27 MPa water content 0.007 mass %							

Table 42.63.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
56PAR/KEN	240.0–300.0	7	1.00	1.281	4.11–1	1.28	2.91–1	5
59HUT/BAI	298.1	1	1.00 #	0.090	2.96–2	0.09	2.96–2	1
79GRI/YAN	303.0–462.3	9	1.50 #	0.782	4.98–1	1.17	3.15–1	5
84ZEG/SOM2	298.1	1	0.50 #	0.512	8.43–2	0.26	8.43–2	1
88AND/PAT	298.1	1	0.50 #	0.499	8.17–2	0.25	–8.17–2	–1
89VES/BAR	298.1–318.1	5	0.50	1.504	2.55–1	0.75	–2.53–1	–5
98RUZ/MAJ	304.3–406.0	34	1.00	0.425	1.69–1	0.42	7.54–2	23
99CAL/BRO	298.1	1	0.50 #	0.322	5.28–2	0.16	–5.28–2	–1
#00FUL/RUZ	330.6–570.7	13	2.00	0.500	4.58–1	01.00	–1.09–1	–3
Rejected data								
67GRA	(8.52–1, 2.49, –8.01–1, –4)		80VAS/TRE	(6.78–1, 1.69, –6.52–1, –9)				
88ARU/MOV	(1.70, 3.44, 7.99–1, 0)		88NAZ/BAS	(1.29, 3.38, 3.82–1, 1)				

Table 42.63.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	100	72	0.762	3.36-1	0.83	6.58-2	25
sat	100	72	0.765	3.40-1	0.84	6.54-2	25
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
240.0-320.0			1.94648+2	-1.73962+2	5.80936+1	-6.02041	IV
320.0-430.0			9.42920+1	-7.98788+1	2.86925+1	-2.95780	V
430.0-570.7			-6.49211+2	4.38844+2	-9.19408+1	6.39362	V
240.0-320.0			1.95524+2	-1.74861+2	5.83977+1	-6.05440	IV
320.0-430.0			9.38215+1	-7.95146+1	2.86020+1	-2.95068	V
430.0-570.7			-6.20167+2	4.18617+2	-8.72426+1	6.02952	V

Table 42.63.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	100	72	2.250	9.87-1	2.44	-7.13-2	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
240.0-570.7	632.50	4.42346+1	3.32760	-1.40039+1	1.47005+2	V	



Name: 2-Ethyl-1-hexanol
Formula: C₈H₁₈O

CAS-RN: 104-76-7
Group No.: 42-067
Molar Mass: 130.23

Table 42.67.1. Experimental heat capacities

Reference	Temp. range K	No. pts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
58ANO	298.1	1	nosp	not specified		<i>p</i>	not specified	
78RYB/EME	293.1–353.1	7 S	nosp	not specified		<i>p</i>	BSIO	78RYB/EME
87BUS/MAS	153.3–322.0	34	0.20	not specified		<i>p</i>	BSAO	76LEB/LIT
87BUS/MAS	327.6–349.1	5	1.00	not specified		<i>p</i>	BSAO	68LEA

Table 42.67.2. Correlated heat capacities

Reference	Temp. range K	No. pts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
78RYB/EME	293.1–353.1	7	2.00 #	0.658	5.46–1	1.32	5.19–1	7
87BUS/MAS	153.3–322.0	33	0.20	1.188	7.75–2	0.24	3.04–3	1
87BUS/MAS	327.6–349.1	5	1.00	1.554	6.87–1	1.55	–6.08–1	–5
Rejected data								
58ANO	(1.13, 3.05, –1.13, –1)							


Table 42.67.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	47	45	1.212	3.33–1	0.79	1.54–2	3
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
153.3–353.1	3.35616+1		–1.06242+1	4.07540	IV		

Table 42.67.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	47	45	2.384	3.24–1	0.82	–3.92–2	–21	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
153.3–353.1	640.20	2.65359+3	2.85265+2	–2.62291+2	2.44082+3	5.87758+2	1.64179+3	V

42-067



Selected data Rejected data
 ○ 78RYB/EME ▼ 58ANO
 □ 87BUS/MAS
 △ 87BUS/MAS

Name: 1-Octanol
 Formula: C₈H₁₈O

CAS-RN: 111-87-5
 Group No.: 42-079
 Molar Mass: 130.23

Table 42.79.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	314.2–384.8	5	S	nosp	not specified	avg	DSIO	*81VON
31CLI/AND	246.0–286.0	4		nosp	not specified	sat	DSIO	26AND/LYN
59HUT/BAI	298.1	1		nosp	not specified	<i>p</i>	BSIO	55HUT/MAN
61ROU	298.9–311.3	5		nosp	not specified	<i>p</i>	BSAO	61ROU
79GRI/YAN	310.7–452.3	8		0.90	not specified	<i>p</i>	BDAO	75RAS/GRI
80VAS/TRE	313.0–468.0	eqn		2.00	99.6	anal sat	BSAO	80VAS/TRE
83PFE/SCH	298.1	1		nosp	not specified	<i>p</i>	BDCT	68WAD
84ZEG/SOM2	298.1	1		nosp	99.5	chrom <i>p</i>	FSIT	71PIC/LED
86NAZ/BAS2	303.2–448.6	7		2.00	99.6	estim <i>p</i>	BDHO	86NAZ/BAS1
89VES/BAR	298.1–318.1	5		0.50	not specified	<i>p</i>	BSAO	79VES/ZAB
92PFE/SCH	298.1–313.1	2		nosp	not specified	<i>p</i>	BDCT	68WAD
98RUZ/MAJ	304.3–367.4	32		1.00	99.90	chrom <i>p</i>	BDCT	91BAN/GAR
99CAL/BRO	298.1	1		nosp	99.0	anal <i>p</i>	FSIT	71PIC/LED
#00FUL/RUZ	330.6–550.7	12		2.00	99.94	chrom sat	BDCT	91BAN/GAR
89VES/BAR	water content 0.039 mass %							

Table 42.79.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
31CLI/AND	246.0–286.0	4	2.00 #	0.877	5.65–1	1.75	–1.22–3	0
79GRI/YAN	310.7–452.3	8	0.90	0.859	3.61–1	0.77	1.87–1	2
89VES/BAR	298.1–318.1	5	0.50	0.959	1.85–1	0.48	–1.35–1	–3
92PFE/SCH	298.1–313.1	2	0.50 #	1.407	2.71–1	0.70	9.32–2	0
98RUZ/MAJ	304.3–367.4	32	1.00	0.259	1.06–1	0.26	–1.98–2	–12
99CAL/BRO	298.1	1	0.50 #	1.163	2.13–1	0.58	2.13–1	1
#00FUL/RUZ	330.6–550.7	12	2.00	0.209	1.90–1	0.42	2.07–2	0
Rejected data								
*81VON	(2.71,6.15,–2.09,–3)		59HUT/BAI	(1.14,3.03,1.14,1)				
61ROU	(2.80–1,0.75,2.08–1,3)		80VAS/TRE	(5.02–1,1.14,–4.29–1,–6)				
83PFE/SCH	(2.04,5.92,–2.04,–1)		84ZEG/SOM2	(2.50–1,0.68,2.50–1,1)				
86NAZ/BAS2	(1.38,3.17,2.30–1,–1)							


Table 42.79.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	92	64	0.604	2.43–1	0.64	1.30–2	–12
sat	92	64	0.605	2.43–1	0.64	1.32–2	–12
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
246.0–400.0	9.92272+1		–8.72102+1	3.24986+1	–3.45623	IV	
400.0–550.6	–3.55479+2		2.53819+2	–5.27587+1	3.64855	V	
246.0–400.0	9.92973+1		–8.72838+1	3.25241+1	–3.45911	IV	
400.0–550.6	–3.50081+2		2.49750+2	–5.17344+1	3.56243	V	

Table 42.79.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	92	64	1.119	7.16–1	1.76	–1.14–1	–20
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
246.0–550.7	652.50	1.42900+2	1.63632+1	–4.89180+1	3.11989+2	V	

42-079



Selected data +99CAL/BRO Rejected data
 O31CLI/AND *61ROU
 □79GRI/YAN *80VAS/TRE
 △89VES/BAR ◀84ZEG/SOM2
 ▽92PFE/SCH
 ◇98RUZ/MAJ

Name: 1-Nonanol
 Formula: C₉H₂₀O

CAS-RN: 143-08-8
 Group No.: 42-084
 Molar Mass: 144.26

Table 42.84.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
79GRI/YAN	304.2–464.2	10	0.90	not specified		<i>p</i>	BDAO	75RAS/GRI
82VAS/PET	303.0–423.0	eqn	nosp	99.2	anal	sat	BSAO	80VAS/TRE
82VAS/PET	423.0–483.0	eqn	nosp	99.2	anal	sat	BSAO	80VAS/TRE
86NAZ/BAS2	303.1–474.1	8	2.00	99.4	estim	<i>p</i>	BDHO	86NAZ/BAS1
99CAL/BRO	298.1	1	nosp	98.0	anal	<i>p</i>	FSIT	71PIC/LED

Table 42.84.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
79GRI/YAN	304.2–464.2	10	0.90	0.289	1.24–1	0.26	–1.56–2	–3
99CAL/BRO	298.1	1	0.50 #	0.245	4.98–2	0.12	4.98–2	1
Rejected data								
82VAS/PET	(6.63–1, 1.34, 3.25–1, 2)		82VAS/PET	(9.30–1, 1.66, 9.24–1, 3)				
86NAZ/BAS2	(1.55, 3.16, –4.53–1, –1)							

Table 42.84.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	32	11	0.387	1.62-1	0.34	-9.62-3	-2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
298.1-380.0		4.10123+2	-3.59596+2	1.12447+2	-1.12048+1		IV
380.0-464.2		-7.72208+2	5.73824+2	-1.33190+2	1.03423+1		IV

Table 42.84.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
C	32	11	1.087	4.10-1	0.84	-5.08-2	1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
298.1-464.2	671.50	1.07089+3	1.35144+2	-1.47287+2	1.01526+3	5.24175+2	2.17044+2	V



Name: 1-Decanol
Formula: C₁₀H₂₂O

CAS-RN: 112-30-1
Group No.: 42-090
Molar Mass: 158.28

Table 42.90.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
67GRA	308.1–338.1	4	1.00	not specified		<i>p</i>	BSIO	67GRA
75WOY/KAL	303.1	1	nosp	not specified		<i>p</i>	BSIO	70REC
79GRI/YAN	305.8–463.3	9	0.90	not specified		<i>p</i>	BDAO	75RAS/GRI
79SVE	301.0–461.0	33 S	nosp	99.80	chrom	sat	BDHT	69PER/COM
80VAS/TRE	323.0–403.0	eqn	2.00	99.2	anal	sat	BSAO	80VAS/TRE
80VAS/TRE	403.0–503.0	eqn	2.00	99.2	anal	sat	BSAO	80VAS/TRE
85COS/PAT8	283.1–313.1	3	nosp	99.	estim	<i>p</i>	FSIT	71PIC/LED
88AND/PAT	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
88NAZ/BAS	304.0–523.0	9	2.20	99.1	anal	<i>p</i>	BDHO	86NAZ/BAS1
92PFE/SCH	298.1–313.1	2	nosp	not specified		<i>p</i>	BDCT	68WAD
98RUZ/MAJ	304.4–404.7	38	1.00	99.70	chrom	<i>p</i>	BDCT	91BAN/GAR
99CAL/BRO	298.1	1	nosp	99.0	chrom	<i>p</i>	FSIT	71PIC/LED
#00FUL/RUZ	330.6–570.7	13	2.00	99.87	chrom	sat	BDCT	91BAN/GAR

Table 42.90.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
75WOY/KAL	303.1	1	0.50 #	0.421	9.55–2	0.21	9.55–2	1
79GRI/YAN	305.8–463.3	9	0.90	1.297	6.69–1	1.17	5.24–1	5
79SVE	301.0–461.0	33	1.50 #	0.247	2.05–1	0.37	–1.08–1	–17
85COS/PAT8	283.1–313.1	3	0.50 #	0.561	1.25–1	0.28	–1.17–1	–3
88AND/PAT	298.1	1	0.50 #	1.375	3.08–1	0.69	3.08–1	1
98RUZ/MAJ	304.4–404.7	38	1.00	0.259	1.41–1	0.26	–9.58–2	–30
99CAL/BRO	298.1	1	0.50 #	0.412	9.19–2	0.21	9.19–2	1
#00FUL/RUZ	330.6–570.7	13	2.00	0.397	4.68–1	0.79	–2.78–1	–3
Rejected data								
67GRA	(1.62,3.59,–1.50,–4)		80VAS/TRE	(5.39–1,1.05,–4.81–1,–6)				
80VAS/TRE	(3.26–1,0.54,1.50–1,0)		88NAZ/BAS	(3.12,4.84,1.11,1)				
92PFE/SCH	(2.31,4.84,2.31,2)							

Table 42.90.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used	%				
<i>p</i>	130	99	0.518	3.14–1	0.55	–6.02–2	–45
sat	130	99	0.518	3.14–1	0.55	–6.01–2	–44
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
283.1–380.0	1.86081+2		–1.58308+2	5.35843+1	–5.50357	IV	
380.0–450.0	–2.30199+2		1.70334+2	–3.29005+1	2.08282	V	
450.0–570.7	–4.22670+2		2.98648+2	–6.14146+1	4.19497	V	
283.1–380.0	1.85933+2		–1.58172+2	5.35429+1	–5.49939	IV	
380.0–450.0	–2.28489+2		1.69003+2	–3.25557+1	2.05313	V	
450.0–570.7	–4.18164+2		2.95453+2	–6.06558+1	4.13461	V	

Table 42.90.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_f	s_b/R	\pm
	total	used					
p	130	99	0.899	6.84-1	1.19	-1.88-1	-27
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
283.1-570.7	689.00	2.49141+2	3.43524+1	-7.01076+1	4.51726+2		V



Name: 1-Dodecanol
 Formula: $C_{12}H_{26}O$

CAS-RN: 112-53-8
 Group No.: 42-095
 Molar Mass: 186.34

Table 42.95.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
79SVE	316.0-486.0	35 S	nosp	99.98	chrom	sat	BDHT	69PER/COM
82VAS/PET	303.0-423.0	eqn	nosp	99.9	anal	sat	BSAO	80VAS/TRE
82VAS/PET	423.0-533.0	eqn	nosp	99.9	anal	sat	BSAO	80VAS/TRE
88AND/PAT	298.1	1	nosp	98.	anal	p	FSIT	71PIC/LED
98RUZ/MAJ	307.2-357.6	24	1.00	99.00	chrom	p	BDCT	91BAN/GAR

Table 42.95.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
79SVE	316.0–486.0	35	1.50 #	0.138	1.32–1	0.21	1.05–2	2
88AND/PAT	298.1	1	0.50 #	0.296	7.80–2	0.15	7.80–2	1
98RUZ/MAJ	307.2–357.6	24	1.00	0.175	9.85–2	0.17	–1.91–2	0
Rejected data								
82VAS/PET	(2.60,4.03,2.58,8)		82VAS/PET		(2.61,3.68,2.61,5)			


Table 42.95.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	76	60	0.164	1.24–1	0.20	–2.41–4	3
sat	76	60	0.165	1.25–1	0.20	–2.53–4	3
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
298.1–400.0			1.85891+2	–1.52201+2	5.20271+1	–5.35551	IV
400.0–486.0			–6.73239+2	4.92147+2	–1.09060+2	8.06840	V
298.1–400.0			1.85618+2	–1.51964+2	5.19589+1	–5.34900	IV
400.0–486.0			–6.71366+2	4.90774+2	–1.08726+2	8.04138	V

Table 42.95.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	76	60	0.505	2.21–1	0.38	–3.12–2	–5
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
298.1–486.0	720.00	5.64092+2	9.45197+1	–1.56372+2	8.41622+2	V	

42-095



Selected data Rejected data
 ○ 79SVE ▼ 82VAS/PET
 □ 88AND/PAT ◊ 82VAS/PET
 △ 98RUZ/MAJ

Name: 1-Tridecanol
 Formula: C₁₃H₂₈O

CAS-RN: 112-70-9
 Group No.: 42-097
 Molar Mass: 200.36

Table 42.97.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
74MOS/MOU	305.0–346.0	eqn	nosp	99.97	chrom	<i>p</i>	BSAO	74MOS/MOU
77BEL/BUB	313.1	1	nosp	not specified		<i>p</i>	BDCT	68WAD
80VAS/TRE	323.0–423.0	eqn	2.00	99.2	anal	sat	BSAO	80VAS/TRE
80VAS/TRE	423.0–553.0	eqn	2.00	99.2	anal	sat	BSAO	80VAS/TRE

Name: 1-Tetradecanol
 Formula: C₁₄H₃₀O

CAS-RN: 112-72-1
 Group No.: 42-098
 Molar Mass: 214.39

Table 42.98.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
74MOS/MOU	312.0–346.0	eqn	nosp	99.95	chrom	<i>p</i>	BSAO	74MOS/MOU
80VAS/TRE	333.0–413.0	eqn	2.00	99.2	anal	sat	BSAO	80VAS/TRE
80VAS/TRE	413.0–463.0	eqn	2.00	99.2	anal	sat	BSAO	80VAS/TRE
80VAS/TRE	463.0–573.0	eqn	2.00	99.2	anal	sat	BSAO	80VAS/TRE
91STE/CHI2	324.0–564.0	25	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 42.98.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
74MOS/MOU	312.0–346.0	5	0.50 #	0.320	1.08–1	0.16	–6.72–2	–2
80VAS/TRE	463.0–573.0	5	2.00	0.619	9.72–1	1.24	7.30–1	5
91STE/CHI2	324.0–564.0	25	1.00	0.316	2.34–1	0.32	2.01–2	1
Rejected data								
80VAS/TRE	(9.50–1, 1.35, 1.16–1, 1)		80VAS/TRE	(1.54, 1.98, 1.54, 5)				


Table 42.98.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	45	35	0.412	4.60–1	0.60	1.09–1	4
sat	45	35	0.412	4.60–1	0.60	1.09–1	3
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
312.0–400.0			2.22827+2	–1.76719+2	5.88986+1	–5.98507	IV
400.0–480.0			–6.88384+2	5.06690+2	–1.11954+2	8.25261	IV
480.0–573.0			6.59962+2	–3.36027+2	6.36124+1	–3.93947	IV
312.0–400.0			2.22104+2	–1.76109+2	5.87281+1	–5.96928	IV
400.0–480.0			–6.86307+2	5.05199+2	–1.11599+2	8.22464	IV
480.0–573.0			6.62392+2	–3.37737+2	6.40128+1	–3.97062	IV

Table 42.98.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	45	35	0.831	5.29–1	0.70	–7.44–3	1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
312.0–573.0	747.00	1.46925+3	1.37357+2	–4.44196+2	3.34208+3	–3.17233+3	3.05902+3	V

42-098



Selected data Rejected data
 ○ 74MOS/MOU ▽ 80VAS/TRE
 □ 80VAS/TRE ◇ 80VAS/TRE
 △ 91STE/CHI2

Name: 1-Hexadecanol
 Formula: C₁₆H₃₄O

CAS-RN: 36653-82-4
 Group No.: 42-102
 Molar Mass: 242.45

Table 42.102.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
74MOS/MOU	323.0–346.0	eqn	nosp	99.96	chrom	<i>p</i>	BSAO	74MOS/MOU
98RUZ/MAJ	327.6–387.2	35	1.00	99.60	chrom	<i>p</i>	BDCT	91BAN/GAR


Table 42.102.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
98RUZ/MAJ	327.6–387.2	35	1.00	0.351	2.89–1	0.35	2.09–3	5
Rejected data								
74MOS/MOU	(2.58, 3.53, -2.51, -4)							

Table 42.102.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	40	35	0.373	3.07-1	0.37	2.09-3	5
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
327.6-387.2		8.90027+2	-7.55550+2	2.27949+2	-2.23720+1		IV

42-102



Selected data Rejected data
 O 98RUZ/MAJ □ 74MOS/MOU

Name: 1-Octadecanol
 Formula: $C_{18}H_{38}O$

CAS-RN: 112-92-5
 Group No.: 42-103
 Molar Mass: 270.50

Table 42.103.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
80VAS/TRE	353.0-413.0	eqn	2.00	99.8	anal	sat	BSAO	80VAS/TRE
80VAS/TRE	413.0-513.0	eqn	2.00	99.8	anal	sat	BSAO	80VAS/TRE
80VAS/TRE	513.0-623.0	eqn	2.00	99.8	anal	sat	BSAO	80VAS/TRE
98RUZ/MAJ	337.6-397.2	28	1.00	99.60	chrom	p	BDCT	91BAN/GAR
#01VAN/OON	332.6-358.7	18	0.20	98.0	anal	p	BSAO	87VAN/VAN

Table 42.103.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
80VAS/TRE	353.0-413.2	8	2.00	0.336	6.03-1	0.67	4.72-1	7
80VAS/TRE	413.0-513.0	9	2.00	0.255	4.94-1	0.51	-3.76-1	-7
80VAS/TRE	513.0-622.9	8	2.00	0.409	8.46-1	0.82	2.36-1	2
98RUZ/MAJ	337.5-397.2	28	1.00	0.458	4.04-1	0.46	2.82-1	18
#01VAN/OON	332.6-358.7	18	0.20	0.212	3.67-2	0.04	-1.84-2	-10


Table 42.103.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	71	71	0.379	4.83-1	0.51	1.39-1	10
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
332.6-380.0		3.01548+2	-2.35565+2	7.68013+1	-7.71879		III
380.0-622.9		-3.09133+2	2.46551+2	-5.00713+1	3.41038		V

Table 42.103.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
C	71	71	6.674	1.35	1.57	-7.74-1	-28	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
332.6-622.9	790.00	9.41086+2	9.43427+1	-2.39952+2	2.07451+3	-1.86836+3	1.81406+3	V

42-103



Selected data
 ○ 80VAS/TRE
 □ 80VAS/TRE
 △ 80VAS/TRE
 ▽ 98RUZ/MAJ
 ◇ 00VAN/OON2

Name: Methanol- d_4
 Formula: CD_4O

CAS-RN: 811-98-3
 Group No.: 42-106
 Molar Mass: 36.07

Table 42.106.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92FIL/AFA	298.15	2.437	nosp	not specified		p	BDCT	92FIL/AFA

Name: Methan-*d*₃-ol
Formula: CHD₃O

CAS-RN: 1849-29-2
Group No.: 42-107
Molar Mass: 35.06

Table 42.107.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92FIL/AFA	298.15	2.419	nosp	not specified		<i>p</i>	BDCT	92FIL/AFA

Name: (±)-1,2-Butanediol
Formula: C₄H₁₀O₂

CAS-RN: 26171-83-5
Group No.: 42-108
Molar Mass: 90.12

Table 42.108.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96STE/CHI1	300.0–670.0	20 S	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 42.108.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	20	20	1.232	5.52–1	1.23	1.32–2	–2
sat	20	20	0.877	3.59–1	0.88	5.73–3	–1
Temp. range K			<i>A</i> ₁	<i>A</i> ₂	<i>A</i> ₃	<i>A</i> ₄	Level of uncertainty
300.0–630.0			–6.17930+1	5.70467+1	–1.14939+1	8.08269–1	IV
630.0–670.0			–1.03147+5	4.91452+4	–7.80327+3	4.13072+2	V
300.0–630.0			–5.11918+1	4.90150+1	–9.50337	6.46675–1	IV
630.0–670.0			–6.60403+4	3.14724+4	–4.99734+3	2.64553+2	V

Table 42.108.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±	
	total	used						
<i>p</i>	20	20	1.088	5.51–1	1.09	1.81–3	0	
Temp. range K	<i>T_c</i> K	<i>A</i> ₁	<i>A</i> ₂	<i>A</i> ₃	<i>A</i> ₄	<i>A</i> ₅	<i>A</i> ₆	Level of uncertainty
300.0–670.0	680.00	3.45963	6.59495–1	–1.39157+1	1.54628+2	–1.56991+2	6.20148+1	V

Name: 2,2-Dimethyl-1-propanol
Formula: C₅H₁₂O

CAS-RN: 75-84-3
Group No.: 42-109
Molar Mass: 88.15

Table 42.109.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97CEN/RUZ	335.4–362.6	10	1.00	99.79	chrom	<i>p</i>	BDCT	91BAN/GAR

Table 42.109.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	10	10	0.049	1.70–2	0.05	1.22–5	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
335.4–362.6		–8.86868+1	6.24793+1	–7.80887			IV

Name: 1-Methylcyclopentanol

Formula: $C_6H_{12}O$

CAS-RN: 1462-03-9

Group No.: 42-110

Molar Mass: 100.16

Table 42.110.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96KAB/BLO	308.6–315.3	5	0.40	99.96	chrom	sat	BDHT	92KAB/KOZ

Table 42.110.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	5	5	0.760	9.18–2	0.30	3.39–4	3
Temp. range K		A_1	A_2				Level of uncertainty
308.6–315.3		–1.04834+1	1.30929+1				III

Name: 1,6-Hexanediol

Formula: $C_6H_{14}O_2$

CAS-RN: 629-11-8

Group No.: 42-111

Molar Mass: 118.18

Table 42.111.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91STE/CHI2	333.0–513.0	10	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 42.111.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	10	10	0.334	1.42–1	0.33	8.52–4	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
333.0–513.0		–5.02700+1	3.73095+1	–3.49400			IV

Table 42.111.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	10	10	0.301	1.33–1	0.30	6.32–4	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
333.0–513.0	700.00	1.24910+2	1.37833+1	–4.49922+1	2.82995+2		IV

Name: 2-(1,1-Dimethylethyl)phenol
Formula: C₁₀H₁₄O

CAS-RN: 88-18-6
Group No.: 42-112
Molar Mass: 150.22

Table 42.112.1. Experimental heat capacities

Reference	Temp. range K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER3	298.15	2.050	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 4-(1,1-Dimethylethyl)-1,2-benzenediol
Formula: C₁₀H₁₄O₂

CAS-RN: 98-29-3
Group No.: 42-113
Molar Mass: 166.22

Table 42.113.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI3	350.0–610.0	14	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 42.113.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
sat	14	14	0.415	2.10–1	0.42	1.16–3	2
Temp. range K			<i>A₁</i>	<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	Level of uncertainty
350.0–550.0			4.48875+1	–7.50802	3.11615	–2.65596–1	IV
550.0–610.0			–3.53761+3	1.94658+3	–3.52173+2	2.12671+1	V

Table 42.113.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±	
	total	used						
sat	14	14	0.835	4.51–1	0.84	5.61–3	0	
Temp. range K	<i>T_c</i> K	<i>A₁</i>	<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	<i>A₅</i>	<i>A₆</i>	Level of uncertainty
350.0–610.0	775.00	3.64775+2	4.06004+1	–9.61481+1	8.17937+2	–7.04847+2	6.59279+2	V

Name: (1 α ,2 β ,5 α)-5-Methyl-2-(1-methylethyl)cyclohexanol
Formula: C₁₀H₂₀O

CAS-RN: 89-78-1
Group No.: 42-114
Molar Mass: 156.27

Table 42.114.1. Experimental heat capacities

Reference	Temp. range K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*94BRU	N	333.65	2.356	nosp	not specified	avg	DSIO	*94BRU
*94BRU	average value in temperature range 325–342 K							

Name: 1,10-Decanediol
Formula: C₁₀H₂₂O₂

CAS-RN: 112-47-0
Group No.: 42-115
Molar Mass: 174.28

Table 42.115.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99LI/TAN	353.8–369.9	7	0.50	98.69	melpt	<i>p</i>	BSAO	95TAN/SUN

Table 42.115.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	7	7	0.563	1.66–1	0.28	4.58–4	–1
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	Level of uncertainty		
353.8–369.9	–1.01039+3		5.77009+2	–7.77750+1	V		

Name: 2-(1,1-Dimethylethyl)-5-methylphenol
Formula: C₁₁H₁₆O

CAS-RN: 88-60-8
Group No.: 42-116
Molar Mass: 164.25

Table 42.116.1. Experimental heat capacities

Reference	Temp. range K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER3	298.15	1.640	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2,6-Bis(1-methylethyl)phenol
Formula: C₁₂H₁₈O

CAS-RN: 2078-54-8
Group No.: 42-117
Molar Mass: 178.27

Table 42.117.1. Experimental heat capacities

Reference	Temp. range K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER4	298.15	2.090	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2-(1,1-Dimethylethyl)-4,6-dimethylphenol
Formula: C₁₂H₁₈O

CAS-RN: 1879-09-0
Group No.: 42-118
Molar Mass: 178.27

Table 42.118.1. Experimental heat capacities

Reference	Temp. range K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99VER4	298.15	1.450	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: *trans*-[1,1'-Bicyclohexyl]-2-ol
Formula: C₁₂H₂₂O

CAS-RN: 58879-21-3
Group No.: 42-119
Molar Mass: 182.31

Table 42.119.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAK/KAB	328.3–337.7	5	0.40	99.48	chrom	sat	BSAO	93DIK/KAB

Table 42.119.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	5	5	0.002	3.57–4	0.00	–1.53–6	0
Temp. range K	A_1		A_2		Level of uncertainty		
328.3–337.7	–1.00473+1		1.85635+1		III		

Name: (Z)-9-Octadecen-1-ol
Formula: C₁₈H₃₆O

CAS-RN: 143-28-2
Group No.: 42-120
Molar Mass: 268.48

Table 42.120.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CON/GIR2	299.0–370.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Table 42.120.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	17	17	0.000	7.06–6	0.00	5.38–6	0
Temp. range K	A_1		A_2		Level of uncertainty		
299.0–369.4	9.98758+1		–3.12770+1		VI		

Name: 1-Nonadecanol
Formula: C₁₉H₄₀O

CAS-RN: 1454-84-8
Group No.: 42-121
Molar Mass: 284.53

Table 42.121.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#01VAN/OON	336.8–359.1	23	0.20	98.0	anal	<i>p</i>	BSAO	87VAN/VAN

Table 42.121.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	23	23	0.303	5.48–2	0.06	6.17–5	0
Temp. range K	A_1		A_2		Level of uncertainty		
336.8–359.1	2.73759+1		1.82529+1		III		

Name: 1-Eicosanol
Formula: C₂₀H₄₂O

CAS-RN: 629-96-9
Group No.: 42-122
Molar Mass: 298.55

Table 42.122.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#01VAN/OON	339.0–371.3	26	0.20	98.0	anal	<i>p</i>	BSAO	87VAN/VAN

Table 42.122.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	26	26	0.385	7.45–2	0.08	9.39–5	–1
Temp. range K	A_1		A_2		Level of uncertainty		
339.0–371.3	3.61958+1		1.69618+1		III		

Name: 2-Octyl-1-dodecanol
Formula: C₂₀H₄₂O

CAS-RN: 5333-42-6
Group No.: 42-123
Molar Mass: 298.55

Table 42.123.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CON/GIR2	299.0–441.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Table 42.123.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	14	14	0.000	1.78–5	0.00	9.81–6	0
Temp. range K	A_1		A_2		Level of uncertainty		
299.0–440.7	–1.67688+2		1.25604+2		–1.51170+1		
VI							

Name: 1-Docosanol
Formula: C₂₂H₄₆O

CAS-RN: 661-19-8
Group No.: 42-124
Molar Mass: 326.61

Table 42.124.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#01VAN/OON	346.4–371.3	16	0.20	98.3	melpt	<i>p</i>	BSAO	87VAN/VAN

Table 42.124.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	16	16	0.337	7.11–2	0.07	8.35–5	–1
Temp. range K	A_1		A_2		Level of uncertainty		
346.4–371.3	4.10801+1		1.80852+1		III		

Name: Cholesterol
Formula: $C_{27}H_{46}O$

CAS-RN: 57-88-5
Group No.: 42-125
Molar Mass: 386.66

Table 42.125.1. Experimental heat capacities

Reference	Temp. range K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98VAN/VAN	424.44	2.423	0.20	98.8	melpt	<i>p</i>	BSAO	98VAN/VAN

Name: 2-Propanone
Formula: C_3H_6O

CAS-RN: 67-64-1
Group No.: 43-004
Molar Mass: 58.08

Table 43.4.1. Experimental heat capacities

Reference		Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
					%	method		Type	Reference
*81VON		307.5–321.9	4 S	nosp	not specified		avg	DSIO	*81VON
*98LOU	N	321.9	1	nosp	not specified		avg	DSIO	*98LOU
07WAL		291.6	1	nosp	not specified		<i>p</i>	DSIO	07WAL
12SCH1		233.1–308.1	4	nosp	not specified		<i>p</i>	BSIO	12SCH1
12SCH3		253.1–323.1	5	nosp	not specified		<i>p</i>	BSIO	12SCH1
16BRA		283.1	1	nosp	not specified		avg	DSTO	16BRA
21TRE		296.7–319.4	7	nosp	not specified		<i>p</i>	BSIO	49WEI
25PAR/KEL		193.2–289.4	10	nosp	not specified		<i>p</i>	BSIO	25PAR
25WIL/DAN		293.1–313.1	3 S	nosp	not specified		<i>p</i>	BSAO	24WIL/DAN
28PAR/KEL		193.2–289.4	10	1.00	not specified		<i>p</i>	BSIO	25PAR
29KEL3		180.3–297.0	14	1.00	not specified		<i>p</i>	BSIO	29KEL1
29MIT/HAR1		204.8–256.3	24	nosp	not specified		<i>p</i>	BSIO	29MIT/HAR1
32TRE	N	298.0	1	nosp	not specified		<i>p</i>	BSIO	49WEI
39PHI		302.4	1	nosp	not specified		<i>p</i>	BSIO	49WEI
47SKU		293.1	1	0.30	not specified		<i>p</i>	BSAO	47SKU
55STA/TUP		287.9–323.7	10	1.00	not specified		<i>p</i>	BSAO	55STA/TUP
62LOW/MOE		253.2–308.2	7 S	0.50	not specified		<i>p</i>	BSIO	57HAR/MOE
67RAS/GAN		293.1–333.1	3 S	0.50	not specified		<i>p</i>	BSAO	67RAS/GAN
71DES/BHA		298.1–318.1	3 S	1.00	not specified		<i>p</i>	BSIO	58MUR/VAN
79SAL/PEA		298.1–298.1	2	nosp	not specified		<i>p</i>	BSIO	80FUC
80FUC		298.2–298.2	2	0.50	99.	chrom	<i>p</i>	BSIO	80FUC
85COS/PAT9		283.1–313.1	3	nosp	99.	chrom	<i>p</i>	FSIT	71PIC/LED
86ALP/PES	N	258.1–318.1	4	0.20	not specified		<i>p</i>	BSAO	83KUK/KOR
89COS/YAO		298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
90YAM/OGA	N	298.1	1	nosp	not specified		<i>p</i>	FSIO	85OGA/MUR
91GRO/ROU		298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
94GRO/ROU		298.1	1	nosp	99.0	anal	<i>p</i>	FSIT	71PIC/LED

*98LOU average value in temperature range 293–351 K
32TRE same datum in 33TRE/WAT
86ALP/PES same data in 89PET/PES and 90ALP/PES
90YAM/OGA water content less than 0.02 mol %

Name: 2-Butanone
 Formula: C₄H₈O

CAS-RN: 78-93-3
 Group No.: 43-007
 Molar Mass: 72.11

Table 43.7.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
33KOL/UDO	N	297.0	1	nosp	not specified	<i>p</i>	BSIT	34KOL/UDO2
38PAN/DUD	N	298.0–363.0	eqn	nosp	not specified	<i>p</i>	not specified	
56PAR/KEN		180.0–300.0	13	S 1.00	99.7	melpt	BSIO	25PAR
64SIN/OET		191.6–336.4	64	0.30	99.78	melpt	BSAO	58HIL/KRA
67RAS/GAN		293.1–353.1	4	S 0.50	not specified	<i>p</i>	BSAO	67RAS/GAN
68AND/COU2		190.8–319.8	27	nosp	99.98	melpt	BSAO	63AND/COU1
75GRO/BEN		298.1	1	0.30	not specified	<i>p</i>	FSIT	71PIC/LED
78ROU/PER1		283.1–313.1	3	S 0.30	99.8	chrom	FSIT	71PIC/LED
80FUC		298.2	1	0.50	not specified	<i>p</i>	BSIO	80FUC
84GRO/BEN		298.1	1	0.30	not specified	<i>p</i>	FSIT	71PIC/LED
85COS/PAT9		283.1–313.1	3	nosp	99.	chrom	FSIT	71PIC/LED
91KAL/KOH		293.1–313.1	2	1.00	99.89	anal	FSIT	71PIC/LED
97HOV/ROU		298.1	1	nosp	99.5	chrom	FSIT	71PIC/LED

33KOL/UDO same datum in 34KOL/UDO2
 38PAN/DUD temperature range of parameters validity estimated by the compilers

Name: Cyclopentanone
 Formula: C₅H₈O

CAS-RN: 120-92-3
 Group No.: 43-008
 Molar Mass: 84.12

Table 43.8.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
80FUC	298.2	1	0.50	not specified		<i>p</i>	BSIO	80FUC
87SHV/PES	217.8–327.5	29	nosp	not specified		<i>p</i>	BSAO	78ZHU/ATR
97HOV/ROU	298.1	1	nosp	99.	chrom	<i>p</i>	FSIT	71PIC/LED


Table 43.8.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
Selected data								
80FUC	298.2	1	0.50	0.056	5.16–3	0.03	–5.16–3	–1
87SHV/PES	217.8–327.5	29	1.00 #	0.124	2.22–2	0.12	7.68–4	2
Rejected data								
97HOV/ROU	(2.18–1, 1.18, –2.18–1, –1)							

Table 43.8.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	31	30	0.261	2.35–2	0.13	4.94–5	1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
217.8–327.5		3.25531+1	–2.01713+1	7.79034	–8.70682–1		III

43-008



Selected data Rejected data
 ○ 80FUC △ 97HOV/ROU
 □ 87SHV/PES

Name: 2,4-Pentanedione
 Formula: C₅H₈O₂

CAS-RN: 123-54-6
 Group No.: 43-009
 Molar Mass: 100.12

Table 43.9.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
69MEL/MER	N	254.8–300.0	8 S	nosp	not specified	sat	BSAO	45SCO/MEY
97HOV/ROU		298.1	1	nosp	99.5	chrom	FSIT	71PIC/LED
#00BEC/AUF		300.0–360.0	13	0.20	99.95	chrom	BDCT	#00BEC/AUF
69MEL/MER	predominately enol form							


Table 43.9.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
69MEL/MER	254.8–300.0	8	0.30 #	0.237	1.74–2	0.07	5.90–4	–2
#00BEC/AUF	300.0–360.0	13	0.20	0.545	2.88–2	0.11	–9.46–5	–1
97HOV/ROU	(1.55, 6.59, –1.55, –1)							

Table 43.9.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used	%				
C	22	21	0.490	2.71–2	0.10	1.66–4	–3
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
254.8–360.0	5.09972		8.93993	–7.57459–1	III		

43-009



Selected data Rejected data
 ○ 69MEL/MER Δ 97HOV/ROU
 □ #008EC/AUF

Name: 2,2-Dimethylpropanal
 Formula: C₅H₁₀O

CAS-RN: 630-19-3
 Group No.: 43-010
 Molar Mass: 86.13

Table 43.10.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
80FUC	298.2	1	0.50	not specified		<i>p</i>	BSIO	80FUC
83KOR/DYA	N 274.1–350.0	18 S	nosp	not specified		<i>p</i>	BSAO	77KU/COM
88WHI/PER	N 272.2–298.4	8	0.50	95.	chrom	<i>p</i>	BSAO	87VAN/WHI
88WHI/PER	N 274.4–295.8	9	0.50	99.	chrom	<i>p</i>	BSAO	87VAN/WHI
83KOR/DYA	error of 0.3%–1.0% reported in 84VAS/PET							
88WHI/PER	commercial sample							
88WHI/PER	commercial sample after destillation							

Table 43.10.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
80FUC	298.2	1	0.50	0.897	1.01–1	0.45	–1.01–1	–1
83KOR/DYA	274.1–350.0	18	0.70 #	0.733	1.15–1	0.51	–6.57–2	–8
88WHI/PER	274.4–295.8	9	0.50	1.214	1.36–1	0.61	8.12–2	5
Rejected data								
88WHI/PER	(7.04–1,3.07,6.94–1,6)							


Table 43.10.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	36	28	0.994	1.31-1	0.59	-1.98-2	-4
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
274.1-350.0		-1.99595+2	2.11728+2	-6.79337+1	7.34650		IV

Table 43.10.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	36	28	1.138	1.32-1	0.59	9.05-3	-7
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
274.1-350.0	525.00	-3.29246	4.99794-1	1.53932+1	5.42239		IV

43-010



Selected data Rejected data
 ○ 80FUC ▼ 88WHI/PER
 □ 83KOR/DYA
 ▲ 88WHI/PER

Name: Cyclohexanone
 Formula: C₆H₁₀O

CAS-RN: 108-94-1
 Group No.: 43-017
 Molar Mass: 98.14

Table 43.17.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
24HER/BLO	289.6	1	nosp	not specified		p	DSIO	22HER/SCH
39PHI	303.9	1	nosp	not specified		p	BSIO	49WEI
71VAN	250.0-280.0	7 S	nosp	99.95	melpt	sat	BSAO	72VAN
80FUC	298.2-298.2	2	0.50	not specified		p	BSIO	80FUC
80NAK/SUG	244.8-301.4	25	0.30	99.92	melpt	sat	BSAO	65SUG/SEK
97HOV/ROU	298.1	1	nosp	99.5	chrom	p	FSIT	71PIC/LED

Name: 4-Methyl-3-penten-2-one
Formula: C₆H₁₀O

CAS-RN: 141-79-7
Group No.: 43-018
Molar Mass: 98.14

Table 43.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	317.2–354.7	6 S	nosp	not specified		avg	DSIO	*81VON
*98LOU	344.1	1	nosp	not specified		avg	DSIO	*98LOU
97STE/CHII	290.0–580.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
*98LOU	average value in temperature range 294–394 K							

Table 43.18.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
*81VON	317.2–354.7	6	1.50 #	0.323	1.20–1	0.49	–3.50–3	0
97STE/CHII	290.0–580.0	59	1.00	0.502	1.76–1	0.50	2.24–3	–1
Rejected data								
*98LOU	(5.02–1, 1.95, 5.02–1, 1)							


Table 43.18.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	66	65	0.504	1.78–1	0.52	1.70–3	–1
sat	66	65	0.129	4.84–2	0.19	3.72–3	–31
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
290.0–580.0	–6.86124		2.01043+1	–4.60678	4.28806–1	IV	
290.0–580.0	1.76123+1		7.78581–1	4.10714–1	4.28806–1	IV	

Table 43.18.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	66	65	0.204	6.11–2	0.23	4.80–3	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
290.0–580.0	605.00	–2.43279	8.82752–2	1.33967+1	1.67614+1	IV	

43-018



Selected data Rejected data
 O • 81VON Δ • 98LOU
 □ 97STE/CHI1

Name: 1-Phenylethanol
 Formula: C₈H₈O

CAS-RN: 98-86-2
 Group No.: 43-036
 Molar Mass: 120.15

Table 43.36.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
00LOU	N	381.1	1	nosp	not specified		avg	DSIO	*98LOU
39PHI		303.1	1	nosp	not specified		<i>p</i>	BSIO	49WEI
80FUC		298.2–298.2	2	0.50	not specified		<i>p</i>	BSIO	80FUC
96STE/CHI1		300.0–700.0	21	S	99.95	chrom	sat	BDHT	89KNI/ARC
00LOU	average value in temperature range 293–469 K								

Table 43.36.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
80FUC	298.2	2	0.50	0.470	5.80–2	0.23	2.08–2	0
96STE/CHI1	300.0–700.0	21	1.00	0.474	1.80–1	0.47	–5.99–3	–5
Rejected data								
00LOU	(8.42–1, 2.94, 8.42–1, 1)		39PHI	(2.55, 9.32, 2.55, 1)				

Table 43.36.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	25	23	0.535	1.96-1	0.52	-3.66-3	-5
sat	25	23	0.355	1.20-1	0.33	-2.67-3	-4
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
298.2-650.0	8.70588		7.53489	-1.00472	9.05180-2	IV	
650.0-700.0	-3.92064+4		1.81068+4	-2.78551+3	1.42886+2	IV	
298.2-650.0	1.45507+1		3.03448	1.23033-1	-1.68711-3	IV	
650.0-700.0	-2.40602+4		1.11145+4	-1.70933+3	8.76624+1	IV	

Table 43.36.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	25	23	0.832	2.89-1	0.81	-1.32-2	1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
298.2-700.0	713.00	-1.95831	3.74450-1	6.78376	5.13324+1	-3.43313+1	8.71629	IV



Name: 2-Cyclohexen-1-one
 Formula: C_6H_8O

CAS-RN: 930-68-7
 Group No.: 43-065
 Molar Mass: 96.13

Table 43.65.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI2	310.0-530.0	12	nosp	99.95	chrom	sat	BDHT	89KNI/ARC

Table 43.65.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	12	12	0.420	1.17-1	0.42	7.16-4	0
sat	12	12	0.500	1.50-1	0.50	1.34-3	2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
310.0-530.0		-3.18233	1.40493+1	-2.99223	3.05804-1		IV
310.0-530.0		1.71016+1	-1.20558	7.75060-1	3.05804-1		IV

Table 43.65.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	12	12	0.345	9.81-2	0.35	4.91-4	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
310.0-530.0	685.00	-6.50162	8.17739-1	9.49746	1.29231+1		IV

Name: 3,4-Dihydro-1(2*H*)-naphthalenone
Formula: C₁₀H₁₀O

CAS-RN: 529-34-0
Group No.: 43-066
Molar Mass: 146.19

Table 43.66.1. Experimental heat capacities

Reference	Temp. K	Capac.	Error %	Purity		Type capac	Calorimeter	
		J/(K.g)		method	Type		Type	Reference
98VER1	298.15	1.590	nosp	99.88	chrom	p	BDHT	69PER/COM

Name: (\pm)-2-Methyl-5-(1-methylethenyl)-2-cyclohexen-1-one
Formula: C₁₀H₁₄O

CAS-RN: 22327-39-5
Group No.: 43-067
Molar Mass: 150.22

Table 43.67.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96GAL/VAN2	241.1-270.0	4	0.20	not specified		p	BSAO	87VAN/VAN

Table 43.67.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	4	4	0.008	4.95-4	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
241.1-270.0		2.14089+1	3.80928				III

Name: (*R*)-2-Methyl-5-(1-methylethenyl)-2-cyclohexen-1-one
 Formula: C₁₀H₁₄O

CAS-RN: 6485-40-1
 Group No.: 43-068
 Molar Mass: 150.22

Table 43.68.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96GAL/VAN3	249.5–290.0	6 S	0.20	99.0	chrom	<i>p</i>	BSAO	87VAN/VAN

Table 43.68.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	6	6	0.532	3.38–2	0.11	3.56–5	–2
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	Level of uncertainty		
249.5–290.0	3.39892+1		–6.32546	2.03943	III		

Name: 1,1'-(1,4-Phenylene)bis[2-phenylethanedione]
 Formula: C₂₂H₁₄O₄

CAS-RN: 3363-97-1
 Group No.: 43-069
 Molar Mass: 342.35

Table 43.69.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
77KAR/RAB	N	415.2–518.1	9	1.50	99.01	melpt	<i>p</i>	BDAO	51POP/GAL
77KAR/RAB	data from a graph only								

Table 43.69.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	9	9	0.209	2.44–1	0.31	1.20–3	–1
Temp. range K	<i>A₁</i>		<i>A₂</i>	Level of uncertainty			
415.2–518.1	4.93982+1		6.25584	V			

Name: 16-Hentriacontanone
 Formula: C₃₁H₆₂O

CAS-RN: 502-73-8
 Group No.: 43-070
 Molar Mass: 450.83

Table 43.70.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94NAK/TAK	380.0–380.0	2	nosp	99.9	anal	<i>p</i>	BDHT	94NAK/TAK

Table 43.70.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	1	0.000	0.00	0.00	0.00	0
Temp. range K	A_1						Level of uncertainty
380.0–380.0	1.31096+2						VI

Name: 20-Nonatriacontanone

Formula: $C_{39}H_{78}O$

CAS-RN: 22986-70-5

Group No.: 43-071

Molar Mass: 563.05

Table 43.71.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94NAK/TAK	380.0–380.0	2	nosp	99.7	anal	p	BDHT	94NAK/TAK

Table 43.71.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	1	0.000	0.00	0.00	0.00	0
Temp. range K	A_1						Level of uncertainty
380.0–380.0	1.75597+2						VI

Name: Formic acid

Formula: CH_2O_2

CAS-RN: 64-18-6

Group No.: 44-001

Molar Mass: 46.03

Table 44.1.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	313.2–341.7	4 S	nosp	not specified		avg	DSIO	*81VON
*86LUD	N 306.1	1	nosp	not specified		avg	DSIO	*86LUD
*86SCH	309.8–322.7	6 S	nosp	not specified		avg	DSIO	*86SCH
*95MAS/GUI	N 323.1	1	nosp	not specified		avg	not specified	
20GIB/LAT	286.0–291.5	3	nosp	not specified		p	BSIO	20GIB/LAT
34RAD/JUL	290.1	1	nosp	not specified		p	BSIO	49WEI
36GLA/CHE	298.1	1	0.50	not specified		p	BSIO	32NEU
41STO/FIS	N 275.3–299.8	9	0.20	99.994	melpt	p	BSIO	28GIA/WIE1
81CAS/WIL	298.1	1	nosp	99.	melpt	p	FSIT	71PIC/LED
93NAN/BHA	303.1	1	nosp	not specified		p	BSIO	93NAN/BHA

*86LUD average value in temperature range 289–323 K

*95MAS/GUI average value in temperature range 293–353 K; calorimeter not identified, probably drop

41STO/FIS experimental temperature multiplied by the factor 273.15/273.10

Name: Acetic acid
Formula: C₂H₄O₂

CAS-RN: 64-19-7
Group No.: 44-002
Molar Mass: 60.05

Table 44.2.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	313.5–325.1	3 S	nosp	not specified		avg	DSIO	*81VON
*86LUD	N 308.1	1	nosp	not specified		avg	DSIO	*86LUD
*86SCH	312.9–337.4	8 S	nosp	not specified		avg	DSIO	*86SCH
*95PIC	N 314.1	1	3.70	not specified		avg	BDHO	*90PIC
00LOU	N 340.1	1	nosp	not specified		avg	DSIO	*98LOU
12BAU	290.1	1	nosp	not specified		<i>p</i>	not specified	
13NAS/BRE2	291.3–293.2	4	nosp	not specified		<i>p</i>	BSIO	49WEI
25PAR/KEL	292.6–294.7	2	nosp	99.9	estim	<i>p</i>	BSIO	25PAR
32NEU	N 297.0–353.6	4	nosp	not specified		<i>p</i>	BSIO	32NEU
34RAD/JUL	289.6	1	nosp	not specified		<i>p</i>	BSIO	49WEI
47PUS/FED	296.4–309.6	6	nosp	not specified		<i>p</i>	DSIO	47PUS/FED
58SWI/ZIE1	N 332.3–348.8	2	nosp	not specified		avg	DSIO	58SWI/ZIE1
65CAM/GIE	298.6	1	0.50	not specified		<i>p</i>	DSIO	64CAM/NAG
81CAS/WIL	298.1	1	nosp	99.8	melpt	<i>p</i>	FSIT	71PIC/LED
82MAR/AND	293.2–350.8	30	nosp	99.95	melpt	<i>p</i>	BSAO	68WES/FUR
82MAR/AND	315.1–400.2	18	nosp	99.95	melpt	<i>p</i>	BSAO	68WES/FUR
*86LUD	average value in temperature range 293–323 K							
*95PIC	average value in temperature range 290–339 K							
00LOU	average value in temperature range 296–385 K							
32NEU	same data in 32NEU							
58SWI/ZIE1	average values in temperature ranges 295–369 K and 295–402 K							

Name: 2-Propenoic acid
Formula: C₃H₄O₂

CAS-RN: 79-10-7
Group No.: 44-003
Molar Mass: 72.06

Table 44.3.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
83KAR/ABD2	289.3–342.9	21	0.50	not specified		<i>p</i>	BSAO	82KAR/IGA
85KAR/ABD1	N 286.0–333.0	eqn	0.50	not specified		<i>p</i>	BSAO	82KAR/IGA
99LEB/KUL3	293.5–329.1	14	0.20	99.89	melpt	<i>p</i>	BSAO	97VAR/DRU1
85KAR/ABD1	same data in 85KAR/SAI							

Table 44.3.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
99LEB/KUL3	293.5–329.1	14	0.20	0.469	1.57–2	0.09	2.78–5	1
Rejected data								
83KAR/ABD2	(1.22, 6.74, 1.20, 11)		85KAR/ABD1	(1.09, 6.11, 1.07, 3)				

Table 44.3.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	40	14	0.529	1.77–2	0.11	2.78–5	1
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
293.5–329.1	2.81387+1		–8.82167	1.65470	III		



Name: Propanoic acid
 Formula: C₃H₆O₂

CAS-RN: 79-09-4
 Group No.: 44-004
 Molar Mass: 74.08

Table 44.4.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86LUD	N	309.1	1	nosp	not specified		DSIO	*86LUD
02LOU2	N	351.7	1	nosp	not specified		DSIO	*98LOU
34RAD/JUL		289.1	1	nosp	not specified		<i>p</i>	BSIO 49WEI
71KON/WAD		298.1	1	nosp	99.80	melpt	<i>p</i>	BSIO 70LKB/COM
78WOY/KAL		303.1	1	nosp	not specified		<i>p</i>	BSIO 70REC
81CAS/WIL		298.1	1	nosp	99.5	melpt	<i>p</i>	FSIT 71PIC/LED
82BIR/SIK		270.0–370.0	eqn	1.00	not specified		<i>p</i>	BDHT 69PER/COM
82MAR/AND		254.8–353.1	49	nosp	99.93	melpt	<i>p</i>	BSAO 68WES/FUR
82MAR/AND		303.4–447.1	25	nosp	99.93	melpt	<i>p</i>	BSAO 68WES/FUR

*86LUD average value in temperature range 295–323 K
 02LOU2 average value in temperature range 294–410 K

Name: 2,5-Furandione
 Formula: C₄H₂O₃

CAS-RN: 108-31-6
 Group No.: 44-005
 Molar Mass: 98.06

Table 44.5.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78MAR/CIO2	N	330.0–480.0	2	nosp	not specified		DSIO	71MAR/CIO
83DEW/DEK		327.7–357.5	13	nosp	99.87	melpt	<i>p</i>	BSAO 79SCH/OFF
83DEW/OFF		335.0–355.0	5 S	nosp	not specified		<i>p</i>	BDHT 69PER/COM
96LEB/KUL2	N	331.3–350.0	3 S	2.50	99.49	melpt	<i>p</i>	BDHT 69YAG

78 MAR/CIO2 constant value calculated from temperature dependence of enthalpy by the authors
 96LEB/KUL2 value C_p at 340 K provided by the authors

Name: (*E*)-2-Butenoic acid
Formula: C₄H₆O₂

CAS-RN: 107-93-7
Group No.: 44-006
Molar Mass: 86.09

Table 44.6.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*94BRU	N	314.6	1	nosp	not specified		avg	DSIO	*94BRU
25LYN		344.5	1	1.00	not specified		<i>p</i>		not specified
*94BRU	average value in temperature range 353–368 K								

Table 44.6.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
*94BRU	314.6	1	3.00 #	0.000	0.00	0.00	0.00	0
25LYN	344.5	1	1.00	0.000	0.00	0.00	0.00	0

Table 44.6.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
314.6–344.5	1.90560+1		7.59080–1		VI		

Name: 2-Methylpropanoic acid
Formula: C₄H₈O₂

CAS-RN: 79-31-2
Group No.: 44-010
Molar Mass: 88.11

Table 44.10.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	316.0–374.3	5 S	nosp	not specified		avg	DSIO	*81VON
*86SCH	322.5–350.3	7 S	nosp	not specified		avg	DSIO	*86SCH
67RAB/LEB	227.2–300.0	3 S	0.50	99.43	melpt	<i>p</i>	BSAO	66NIK/LEB
71KON/WAD	298.1	1	nosp	99.8	chrom	<i>p</i>	BSIO	70LKB/COM
82BIR/SIK	270.0–370.0	eqn	1.00	not specified		<i>p</i>	BDHT	69PER/COM

Table 44.10.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
*81VON	316.0–330.5	2	2.00 #	0.189	8.49–2	0.38	–1.70–2	0
*86SCH	322.5–350.3	7	2.00 #	0.432	2.05–1	0.86	–7.54–2	–3
67RAB/LEB	227.2–300.0	3	0.50	4.403	4.32–1	2.20	–2.72–1	–1
71KON/WAD	298.1	1	0.30 #	5.409	3.38–1	1.62	3.38–1	1
Rejected data								
82BIR/SIK	(1.19,5.51,1.11,8)							


Table 44.10.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	26	13	2.980	3.14-1	1.51	-7.99-2	-3
Temp. range K		A_1	A_2	A_3			Level of uncertainty
227.2-350.3		2.71367+1	-1.08361+1	2.88441			V

Table 44.10.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	26	13	3.516	3.45-1	1.77	-5.02-2	1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
227.2-350.3	609.00	-6.35928	5.60688	4.57896	1.80316		V

44-010



Name: Hexadecanoic acid
Formula: C₁₆H₃₂O₂

CAS-RN: 57-10-3
Group No.: 44-031
Molar Mass: 256.43

Table 44.31.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*94BRU	N	355.1	1	nosp	not specified	avg	DSIO	*94BRU
26GAR/MAD	N	349.1	1	nosp	not specified	avg	DSIO	24GAR/RAN
52WAR/SIN		347.0–365.0	3	S nosp	not specified	<i>p</i>	BSAO	44BAI/TOD
67PAC		373.1	1	nosp	not specified	<i>p</i>	BDHT	79DU/COM
82SCH/VAN2		340.0–345.0	2	S nosp	99.56	melpt	BSAO	79SCH/OFF
#00CED/PRI		343.0–428.0	18	1.00	99.3	anal	<i>p</i>	BDHT 92BAO/CAC
*94BRU	average value in temperature range 343–367 K							
26GAR/MAD	average value in temperature range 336–363 K							

Table 44.31.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
							%	
Selected data								
*94BRU	355.1	1	3.00 #	0.210	4.51–1	0.63	–4.51–1	–1
82SCH/VAN2	340.0–345.0	2	0.40 #	1.883	5.26–1	0.75	5.15–1	2
#00CED/PRI	343.0–428.0	18	1.00	1.565	1.12	1.57	–3.16–1	0
Rejected data								
26GAR/MAD	(1.09, 1.57, –1.09, –1)		52WAR/SIN	(6.06, 7.74, 6.06, 3)				
67PAC	(4.55, 5.59, 4.55, 1)							

Table 44.31.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	26	21	1.687	1.13	1.59	–2.43–1	1
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
340.0–428.0	2.24196+2		–1.08346+2	1.84461+1	V		



Name: (Z)-9-Octadecenoic acid
 Formula: C₁₈H₃₄O₂

CAS-RN: 112-80-1
 Group No.: 44-033
 Molar Mass: 282.47

Table 44.33.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
34MEH1	290.1	1	1.50	not specified		<i>p</i>	BSIO	49WEI
79FOR/JUN	323.1–423.1	3	nosp	not specified		<i>p</i>	not specified	
#00CED/PRI	318.0–423.0	22	1.00	99.9	anal	<i>p</i>	BDHT	92BAO/CAC


Table 44.33.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
#00CED/PRI	318.0–423.0	22	1.00	0.346	2.97–1	0.35	2.06–3	1
Rejected data								
79FOR/JUN	(3.86, 5.02, –3.49, –2)							

Table 44.33.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
total	total	used			%		
<i>p</i>	26	22	0.383	3.28–1	0.38	2.06–3	1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
318.0–423.0		–2.25054+2	2.35631+2	–6.72962+1	7.04433		V

44-033



Selected data Rejected data
 O #00CED/PRI □ 79FOR/JUN

Name: Octadecanoic acid
 Formula: $C_{18}H_{36}O_2$

CAS-RN: 57-11-4
 Group No.: 44-034
 Molar Mass: 284.48

Table 44.34.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*94BRU	N	357.6	1	nosp	not specified		avg	DSIO	*94BRU
50SIN/WAR		350.0	1	nosp	not specified		<i>p</i>	BSAO	44BAI/TOD
79FOR/JUN		423.1–523.2	3	nosp	not specified		<i>p</i>	not specified	
82SCH/VAN2		350.0–355.0	2	S nosp	98.87		sat	BSAO	79SCH/OFF
#00CED/PRI		348.0–418.0	15	1.00	97.		anal	BDHT	92BAO/CAC
*94BRU	average value in temperature range 346–369 K								

Table 44.34.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
82SCH/VAN2	350.0–355.0	2	0.50 #	1.560	6.16–1	0.78	5.65–1	2
#00CED/PRI	348.0–418.0	15	1.00	0.893	7.12–1	0.89	–2.83–1	–5
Rejected data								
*94BRU	(1.02+1, 11.31, 1.02+1, 1)		50SIN/WAR	(2.77, 3.43, 2.77, 1)				

Table 44.34.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	22	17	1.097	7.73–1	0.97	–1.84–1	–3
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
348.0–418.0	3.02595+2		–1.49523+2	2.43946+1	V		



Selected data Rejected data
 O82SCH/VAN2 Δ-94BRU
 □#00CED/PR1 ▼50SIN/WAR

Name: 2,2-Dimethylpropanoic acid
 Formula: $C_3H_{10}O_2$

CAS-RN: 75-98-9
 Group No.: 44-037
 Molar Mass: 102.13

Table 44.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
90SIN/GLI	N	313.0–319.0	eqn	nosp	99.9995	melpt	<i>p</i>	BDHT	87PER/COM
90SIN/GLI	model of Perkin-Elmer DSC instrument unspecified								

Table 44.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	4	4	0.000	2.70–6	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
313.0–319.0	8.14714		5.24350		V		

Name: Benzeneacetic acid
 Formula: $C_8H_8O_2$

CAS-RN: 103-82-2
 Group No.: 44-038
 Molar Mass: 136.15

Table 44.38.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*94BRU	N	361.65	1.682	nosp	not specified		avg	DSIO	*94BRU
*94BRU	average value in temperature range 355–368 K								

Name: (\pm)-2-Ethylhexanoic acid
Formula: $C_8H_{16}O_2$

CAS-RN: 83829-68-9
Group No.: 44-039
Molar Mass: 144.21

Table 44.39.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI2	310.0–510.1	11	nosp	99.95	chrom	sat	BDHT	89KNI/ARC

Table 44.39.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	11	11	0.309	1.56–1	0.31	6.71–4	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
310.0–510.1	675.00	–3.36413+1	4.32380+1	–9.32460	8.48381–1	IV	

Table 44.39.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	11	11	0.378	1.93–1	0.38	9.22–4	1
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
310.0–510.1	675.00	–1.03011+1	7.34440–1	1.19331+1	3.61202+1	IV	

Name: Ethyl formate
Formula: $C_3H_6O_2$

CAS-RN: 109-94-4
Group No.: 45-002
Molar Mass: 74.08

Table 45.2.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81BER/OGI	N	304.6–306.6	2	nosp	not specified	avg	DSIO	*79BER
34KOL/UDO	N	294.7	1	nosp	not specified	p	BSIT	34KOL/UDO
36KUR/VOS		309.0	1	nosp	not specified	avg	DSIO	36KUR/VOS
79FUC		298.1	1	0.50	99.0	chrom	BSIO	80FUC
97HU/TAMI		298.1	1	nosp	99.97	chrom	FSIO	85OGA/MUR
*81BER/OGI 34KOL/UDO	average values in temperature ranges 287–322 K and 287–326 K same datum in 33KOL/UDO							

Table 45.2.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	σ_C %	d_w	d/R	d_r %	d_b/R	\pm
*81BER/OGI	304.6–306.6	2	3.00 #	0.590	3.36–1	1.77	2.87–1	2
36KUR/VOS	309.0	1	3.00 #	0.638	3.64–1	1.91	–3.64–1	–1
79FUC	298.1	1	0.50	0.803	6.97–2	0.40	6.97–2	1
97HU/TAMI	298.1	1	0.30 #	0.512	2.65–2	0.15	–2.65–2	–1

Table 45.2.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	6	5	0.819	3.49-1	1.84	5.05-2	1
Temp. range K		A_1	A_2				Level of uncertainty
298.1-309.0		-4.06787+1	1.94413+1				V

Name: Methyl acetate
Formula: C₃H₆O₂

CAS-RN: 79-20-9
Group No.: 45-003
Molar Mass: 74.08

Table 45.3.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
26SCH	288.1	1	nosp	not specified		p	not specified	
71HAL/BAL	297.1	1	nosp	99.9	chrom	p	BDHT	71DU/COM
79FUC	298.1	1	0.50	99.0	chrom	p	BSIO	80FUC
85COS/PAT8	283.1-313.1	3 S	nosp	99.	estim	p	FSIT	71PIC/LED
88PIN/BRA	298.1	1	nosp	99.	anal	p	FSIT	71PIC/LED
92OKA/OGU	176.7-288.6	56	nosp	99.86	melpt	sat	BSAO	82MOR/MAT
97HOV/ROU	298.1	1	nosp	99.5	anal	p	FSIT	71PIC/LED
71HAL/BAL	suspect value							

Table 45.3.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
79FUC	298.1	1	0.50	2.617	2.26-1	1.31	2.26-1	1
85COS/PAT8	283.1-313.1	3	1.00 #	1.937	3.16-1	1.94	-2.09-1	-1
88PIN/BRA	298.1	1	1.00 #	0.479	8.15-2	0.48	-8.15-2	-1
92OKA/OGU	176.7-288.6	56	0.50 #	0.143	1.17-2	0.07	-7.24-4	1
97HOV/ROU	298.1	1	0.50 #	0.088	7.54-3	0.04	7.54-3	1
Rejected data								
26SCH	(5.98-1,3.42,5.98-1,1)		71HAL/BAL	(2.18,14.65,-2.18,-1)				


Table 45.3.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	64	62	0.575	7.87-2	0.48	-8.29-3	1
Temp. range K		A_1	A_2	A_3			Level of uncertainty
176.7-313.1		2.08435+1	-4.78198	1.18059			IV

Table 45.3.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	64	61	0.530	5.00-2	0.30	3.09-3	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
176.7-313.1	506.50	3.01021+1	1.13336+1	4.50685	1.99879+1		IV

45-003



Name: Dimethyl carbonate
 Formula: $C_3H_6O_3$

CAS-RN: 616-38-6
 Group No.: 45-004
 Molar Mass: 90.08

Table 45.4.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*98LOU	N	327.0	1	nosp	not specified		avg	DSIO	*98LOU
97STE/CHI3	N	300.0-540.0	13	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
99PAR/TOV		288.1-308.1	3	nosp	99.	chrom	<i>p</i>	BDCT	83ROU/ROU
*98LOU 97STE/CHI3	average value in temperature range 293-361 K same data in 97STE/CHI2								

Table 45.4.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
97STE/CHI3	300.0–540.0	13	1.00	0.399	9.62–2	0.40	–9.73–3	–1
99PAR/TOV	288.1–308.1	3	0.50 #	0.146	1.44–2	0.07	1.15–2	3
Rejected data								
*98LOU	(9.90–2,0.48,9.90–2,1)							


Table 45.4.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	17	16	0.441	1.05–1	0.44	–5.75–3	2
sat	17	16	0.356	8.06–2	0.35	–6.41–3	2
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
288.1–490.0	1.90928+1		–2.40981–1	–9.90963–2	9.01815–2	IV	
490.0–540.0	–7.42507+3		4.55741+3	–9.30231+2	6.33645+1	IV	
288.1–490.0	2.60519+1		–6.44355	1.73733	–9.06539–2	IV	
490.0–540.0	–4.62830+3		2.84316+3	–5.79814+2	3.94707+1	IV	

Table 45.4.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	17	16	0.898	2.05–1	0.88	6.08–2	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
288.1–540.0	557.00	–2.15707	3.12019–1	1.56147+1	3.72809	IV	

45-004



Selected data Rejected data
 ○ 97STE/CHI3 ▲ 98LOU
 □ 99PAR/TOV

Name: Ethenyl acetate
Formula: C₄H₆O₂

CAS-RN: 108-05-4
Group No.: 45-005
Molar Mass: 86.09

Table 45.5.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
59BEN/THO	298.1	1	nosp	not specified		avg	BDHT	59BEN/THO
97KUL/LEB1	188.8–330.0	32	0.20	99.75		<i>p</i>	BSAO	76LEB/LIT

Table 45.5.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
97KUL/LEB1	188.8–330.0	32	0.20	0.798	3.13–2	0.16	9.91–5	1
Rejected data								
59BEN/THO	(2.71–1,1.33,2.71–1,1)							

Table 45.5.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	33	32	0.854	3.35–2	0.17	9.91–5	1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
188.8–330.0	2.95030+1		–1.49299+1	6.05166	–7.05349–1	III	

Table 45.5.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
<i>p</i>	33	32	0.898	3.50–2	0.18	9.78–5	0	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
188.8–330.0	519.10	3.53219+2	3.48596+1	–1.92123+1	3.47562+2	1.47135+1	2.88360+2	III

Name: Ethyl acetate
Formula: C₄H₈O₂

CAS-RN: 141-78-6
Group No.: 45-007
Molar Mass: 88.11

Table 45.7.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	305.4–309.5	4 S	nosp	not specified		avg	DSIO	*86SCH
26SCH	288.1	1	nosp	not specified		<i>p</i>	not specified	
33PAR/HUF	195.7–293.6	8	1.00	not specified		<i>p</i>	BSIO	25PAR
36KUR/VOS	309.0–309.0	2	nosp	not specified		avg	DSIO	36KUR/VOS
45ZHD	278.2–319.1	3	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
78ROU/PER1	283.1–313.1	3	0.30	99.8	melpt	<i>p</i>	FSIT	71PIC/LED
79FUC	298.1–298.1	2	0.50	99.0	chrom	<i>p</i>	BSIO	80FUC
85BAL/BRA	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
85COS/PAT9	283.1–313.1	3	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
86JIM/ROM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
87ZAB/HYN	293.8–340.3	11	0.50	100.0	anal	sat	BSAO	87ZAB/HYN
88PIN/BRA	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
91DES/PAT	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
94JIM/ROM	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
96TAN/TOY1	298.1	1	nosp	100.0	chrom	<i>p</i>	FSIT	71PIC/LED
97HU/TAM2	298.1	1	nosp	99.96	chrom	<i>p</i>	FSIO	85OGA/MUR
97TOV/CAR3	298.1	1	nosp	99.5	anal	<i>p</i>	BDCT	83ROU/ROU
99PIN/BRA	298.1	1	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED


Table 45.7.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
33PAR/HUF	195.7–293.6	8	1.00	0.437	8.65–2	0.44	7.97–2	8
78ROU/PER1	283.1–313.1	3	0.30	2.511	1.49–1	0.75	–7.24–2	–1
85BAL/BRA	298.1	1	0.50 #	0.622	6.33–2	0.31	–6.33–2	–1
86JIM/ROM	298.1	1	0.50 #	0.338	3.44–2	0.17	–3.44–2	–1
87ZAB/HYN	293.8–340.3	11	0.50	0.890	9.31–2	0.44	2.54–2	1
88PIN/BRA	298.1	1	0.50 #	0.765	7.77–2	0.38	–7.77–2	–1
91DES/PAT	298.1	1	0.50 #	0.370	3.77–2	0.18	3.77–2	1
94JIM/ROM	298.1	1	0.50 #	0.836	8.49–2	0.42	–8.49–2	–1
96TAN/TOY1	298.1	1	0.50 #	1.095	1.12–1	0.55	1.12–1	1
97HU/TAM2	298.1	1	0.30 #	1.007	6.18–2	0.30	6.18–2	1
97TOV/CAR3	298.1	1	0.50 #	1.165	1.19–1	0.58	1.19–1	1
99PIN/BRA	298.1	1	0.50 #	0.169	1.73–2	0.08	1.73–2	1
Rejected data								
*86SCH	(2.22–1, 1.06, 2.22–1, 4)		26SCH	(4.34–1, 2.11, 4.34–1, 1)				
36KUR/VOS	(1.29, 6.75, –6.23–1, 0)		45ZHD	(3.53–1, 1.73, –2.29–1, –1)				
79FUC	(2.45–1, 1.22, –2.45–1, –2)		85COS/PAT9	(2.34–1, 1.17, –4.83–2, 0)				

Table 45.7.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
C	46	31	1.361	1.04–1	0.52	–7.02–3	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
195.7–340.3	523.20	1.24186+1	6.62706	1.21932+1	5.81788	IV	

45-007



Selected data
 ○ 33PAR/HUF
 □ 78ROU/PER1
 △ 85BAL/BRA
 ▽ 86JIM/ROM
 ◇ 87ZAB/HYN
 + 88PIN/BRA
 × 91DES/PAT
 * 94JIM/ROM
 ★ 96TAN/TOY1
 ◀ 97HU /TAM2
 ▶ 97TOV/CAR3
 ● 99PIN/BRA
 ■ *86SCH
 ▲ 85COS/PAT9

Name: Methyl propanoate
 Formula: C₄H₈O₂

CAS-RN: 554-12-1
 Group No.: 45-008
 Molar Mass: 88.11

Table 45.8.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*86SCH	305.8–310.3	4	S	nosp	not specified		avg	DSIO	*86SCH
79FUC	298.1–298.1	2		0.50	99.0	chrom	<i>p</i>	BSIO	80FUC
84GUS/SHU	205.3–347.9	12		0.50	not specified		<i>p</i>	BSAO	54STR/ICK
85BAL/BRA	298.1	1		nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
86JIM/ROM	298.1	1		nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
87ZAB/HYN	N	9		0.50	96.5	anal	sat	BSAO	87ZAB/HYN
88PIN/BRA	298.1	1		nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
94JIM/ROM	298.1	1		nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
99PIN/BRA	298.1	1		nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED

87ZAB/HYN dominant impurity Methanol

Name: Propyl formate
 Formula: C₄H₈O₂

CAS-RN: 110-74-7
 Group No.: 45-009
 Molar Mass: 88.11

Table 45.9.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*86SCH	305.1–310.1	4	S	nosp	not specified		avg	DSIO	*86SCH
85BAL/BRA	298.1	1		nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
86JIM/ROM	298.1	1		nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
88PIN/BRA	298.1	1		nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
94JIM/ROM	298.1	1		nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED

Name: Butyl formate
Formula: C₅H₁₀O₂

CAS-RN: 592-84-7
Group No.: 45-012
Molar Mass: 102.13

Table 45.12.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86JIM/ROM	298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
94JIM/ROM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
99PIN/BRA	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED

Table 45.12.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
Selected data								
86JIM/ROM	298.1	1	0.50 #	0.226	2.72-2	0.11	-2.72-2	-1
94JIM/ROM	298.1	1	0.50 #	0.223	2.69-2	0.11	2.69-2	1
99PIN/BRA	298.1	1	0.50 #	0.004	4.41-4	0.00	4.41-4	0

Table 45.12.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	3	3	0.225	2.71-2	0.11	4.07-5	0
Temp. range K							Level of uncertainty
298.1-298.1	2.41116+1						IV

Name: Ethyl propanoate
Formula: C₅H₁₀O₂

CAS-RN: 105-37-3
Group No.: 45-013
Molar Mass: 102.13

Table 45.13.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	309.6-321.7	6 S	nosp	not specified		avg	DSIO	*86SCH
86JIM/ROM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
87ZAB/HYN	293.9-348.9	13	0.50	****	anal	sat	BSAO	87ZAB/HYN
94JIM/ROM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
99PIN/BRA	298.1	1	nosp	99.	chrom	<i>p</i>	FSIT	71PIC/LED

Name: Propyl acetate
Formula: C₅H₁₀O₂

CAS-RN: 109-60-4
Group No.: 45-018
Molar Mass: 102.13

Table 45.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	324.3-337.7	4 S	nosp	not specified		avg	DSIO	*81VON
*86SCH	307.7-322.7	6 S	nosp	not specified		avg	DSIO	*86SCH
86JIM/ROM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
94JIM/ROM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED

Name: Diethyl carbonate
Formula: C₅H₁₀O₃

CAS-RN: 105-58-8
Group No.: 45-019
Molar Mass: 118.13

Table 45.19.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	335.6–351.4	3 S	nosp	not specified		avg	DSIO	*81VON
*98LOU	N 344.8	1	nosp	not specified		avg	DSIO	*98LOU
34KOL/UDO	N 294.6	1	nosp	not specified		<i>p</i>	BSIT	34KOL/UDO
99PAR/TOV	288.1–308.1	3	nosp	99.	chrom	<i>p</i>	BDCT	83ROU/ROU
*98LOU 34KOL/UDO	average value in temperature range 293–396 K same datum in 33KOL/UDO							

Table 45.19.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
*81VON	335.6–351.4	3	2.00 #	0.509	2.85–1	1.02	5.34–2	1
*98LOU	344.8	1	5.00 #	0.012	1.71–2	0.06	1.71–2	1
99PAR/TOV	288.1–308.1	3	0.50 #	0.194	2.57–2	0.10	–2.95–3	–1
Rejected data								
34KOL/UDO	(9.82–1, 3.87, –9.82–1, –1)							

Table 45.19.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	8	7	0.422	2.22–1	0.79	2.41–2	1
Temp. range K	A_1		A_2	Level of uncertainty			
288.1–351.4	1.54162+1		3.70529	V			

Name: 1,2-Ethanediol diacetate
Formula: C₆H₁₀O₄

CAS-RN: 111-55-7
Group No.: 45-026
Molar Mass: 146.14

Table 45.26.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
80CAL/MAR	N 358.0–446.0	eqn	nosp	not specified		<i>p</i>	DSIO	71MAR/CIO
86NIL/WAD	298.1	1	nosp	99.9	chrom	<i>p</i>	DDCT	71KON/SUU
80CAL/MAR	equation calculated from temperature dependence of enthalpy by the authors; suspect values							

Name: Butyl acetate
Formula: C₆H₁₂O₂

CAS-RN: 123-86-4
Group No.: 45-027
Molar Mass: 116.16

Table 45.27.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
34KOL/UDO	N	292.5	1	nosp	not specified	<i>p</i>	BSIT	34KOL/UDO
79BAL/PET		201.0–364.3	73	nosp	99.62	melpt	<i>p</i>	BSAO
79FUC		298.1	1	nosp	99.0	chrom	<i>p</i>	BSIO
80VAS/TRE		196.0–280.0	eqn	1.00	99.62	anal	sat	BSAO
80VAS/TRE		280.0–370.0	eqn	1.00	99.62	anal	sat	BSAO
80VAS/TRE		300.0–399.0	eqn	2.00	99.62	anal	sat	BSAO
86JIM/ROM		298.1	1	nosp	99.	anal	<i>p</i>	FSIT
87ZAB/HYN	N	293.8–363.8	16	0.50	98.7	anal	sat	BSAO
94JIM/ROM		298.1	1	nosp	99.	anal	<i>p</i>	FSIT
99PIN/BRA		298.1	1	nosp	99.	anal	<i>p</i>	FSIT
34KOL/UDO2	same datum in 33KOL/UDO							
87ZAB/HYN	dominant impurity Butanol							

Name: Propyl propanoate
Formula: C₆H₁₂O₂

CAS-RN: 106-36-5
Group No.: 45-035
Molar Mass: 116.16

Table 45.35.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH		307.8–331.8	6 S	nosp	not specified	avg	DSIO	*86SCH
86JIM/ROM		298.1	1	nosp	99.	anal	<i>p</i>	FSIT
87ZAB/HYN	N	293.8–367.3	17	0.50	97.9	anal	sat	BSAO
94JIM/ROM		298.1	1	nosp	99.	anal	<i>p</i>	FSIT
99PIN/BRA		298.1	1	nosp	99.	anal	<i>p</i>	FSIT
87ZAB/HYN	dominant impurity Propanol							

Name: Butyl 2-propenoate
Formula: C₇H₁₂O₂

CAS-RN: 141-32-2
Group No.: 45-036
Molar Mass: 128.17

Table 45.36.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
85KAR/ABD1	N	210.0–333.0	eqn	0.50	not specified	<i>p</i>	BSAO	82KAR/IGA
96STE/CHI3		295.0–415.0	6	1.00	99.95	chrom	sat	BDHT
85KAR/ABD1	same data in 85KAR/SAI							

Table 45.36.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w				d_r %	d_b/R	\pm
				d_w	d/R	d_r	d_b/R			
Selected data										
96STE/CHI2	295.0–415.0	6	1.00	0.883	2.86–1	0.88	5.12–3	2		
Rejected data										
85KAR/ABD1	(1.30,4.22,1.30,3)									


Table 45.36.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_f	s_b/R	\pm
	total	used					
p	16	6	1.082	3.51-1	1.08	5.12-3	2
sat	16	6	1.083	3.51-1	1.08	5.12-3	2
Temp. range K		A_1	A_2				Level of uncertainty
295.0-415.0		1.67318+1	4.03814				IV
295.0-415.0		1.67853+1	4.02128				IV

Table 45.36.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_f	s_b/R	\pm
	total	used					
p	16	6	1.240	4.00-1	1.24	4.97-3	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
295.0-415.0	644.00	-3.40801	1.65773-1	1.82645+1	1.75157+1		V

45-036



Selected data Rejected data
 O96STE/CH13 O85KAR/ABD1

Name: Diethyl propanedioate
 Formula: $C_7H_{12}O_4$

CAS-RN: 105-53-3
 Group No.: 45-039
 Molar Mass: 160.17

Table 45.39.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*87SCH	319.4-347.8	6 S	nosp	not specified		p	DSIO	*86SCH
33KOL/UDO	294.5	1	nosp	not specified		p	BSIT	34KOL/UDO
92VER/BEC	298.1	1	nosp	99.98	chrom	p	BDHT	69PER/COM

Table 45.39.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
*87SCH	319.4–347.8	6	3.00 #	0.247	2.70–1	0.74	–7.59–2	–2
92VER/BEC	298.1	1	1.00 #	0.148	5.35–2	0.15	5.35–2	1

Table 45.39.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	8	7	0.278	2.97–1	0.81	–5.74–2	–1
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–347.8	2.75460+1		2.85406	V			

Name: Ethyl 2,2-dimethylpropanoate

Formula: C₇H₁₄O₂

CAS-RN: 3938-95-2

Group No.: 45-040

Molar Mass: 130.19

Table 45.40.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86NIL/WAD	298.1	1	nosp	99.9	chrom	p	DDCT	71KON/SUU
92VER/BEC	298.1	1	nosp	99.995	chrom	p	BDHT	69PER/COM

Table 45.40.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
86NIL/WAD	298.1	1	0.50 #	0.000	0.00	0.00	0.00	0
Rejected data								
92VER/BEC	(3.19,9.54,3.19,1)							

Table 45.40.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	2	1	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		Level of uncertainty				
298.1–298.1	3.02243+1		IV				

Name: Pentyl acetate
Formula: C₇H₁₄O₂

CAS-RN: 628-63-7
Group No.: 45-045
Molar Mass: 130.19

Table 45.45.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
26SCH	288.1	1	nosp	not specified		<i>p</i>	not specified	
39PHI	303.3	1	nosp	not specified		<i>p</i>	BSIO	49WEI
96STE/CHI1	300.0–580.0	15 S	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 45.45.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
96STE/CHI1	300.0–580.0	15	1.00	0.213	9.51–2	0.21	5.17–4	1
Rejected data								
39PHI	(3.69,11.11,3.69,1)							

Table 45.45.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	17	15	0.261	1.16–1	0.26	5.17–4	1
sat	17	15	0.177	7.50–2	0.18	2.12–4	2
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
300.0–520.0			–3.25327+1	4.02654+1	–8.71727	7.21408–1	IV
520.0–580.0			–4.48739+3	2.61038+3	–5.02970+2	3.24043+1	IV
300.0–520.0			–2.74214+1	3.59134+1	–7.48833	6.06217–1	IV
520.0–580.0			–2.70019+3	1.57790+3	–3.04024+2	1.96149+1	IV

Table 45.45.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	17	15	0.278	1.08–1	0.28	2.29–4	0	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
300.0–580.0	600.00	–2.17441	3.82317–1	1.68383	7.31481+1	–5.11156+1	1.33319+1	IV

Name: Propyl butanoate
Formula: C₇H₁₄O₂

CAS-RN: 105-66-8
Group No.: 45-046
Molar Mass: 130.19

Table 45.46.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	317.5–346.2	6 S	nosp	not specified		avg	DSIO	*86SCH
94JIM/ROM	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED

Table 45.46.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
*86SCH	317.5–346.2	6	3.00 #	0.020	1.91–2	0.06	1.55–3	2
94JIM/ROM	298.1	1	0.50 #	0.002	2.56–4	0.00	–2.56–4	0

Table 45.46.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	7	7	0.024	2.34–2	0.07	1.29–3	2
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
298.1–346.2	–7.73684		1.82750+1	–1.86796	IV		

Name: Methyl benzoate

Formula: C₈H₈O₂

CAS-RN: 93-58-3

Group No.: 45-048

Molar Mass: 136.15

Table 45.48.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	317.8–345.2	6 S	nosp	not specified		avg	DSIO	*86SCH
71HAL/BAL	N 297.1	1	nosp	99.9	chrom	p	BDHT	71DU/COM
79FUC	298.1	1	0.50	99.0	chrom	p	BSIO	80FUC
96ROU/HER	298.1	1	nosp	99.	anal	p	FSIT	71PIC/LED
71HAL/BAL	suspect value							

Table 45.48.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
*86SCH	317.8–345.2	6	3.00 #	0.039	3.32–2	0.12	–7.19–3	–2
79FUC	298.1	1	0.50	1.541	2.05–1	0.77	2.05–1	1
96ROU/HER	298.1	1	0.50 #	1.509	1.98–1	0.75	–1.98–1	–1

Table 45.48.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	9	8	0.882	1.21–1	0.46	–4.47–3	–2
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–345.2	1.28992+1		4.53187	IV			

Name: Butyl 2-methyl-2-propenoate
 Formula: C₈H₁₄O₂

CAS-RN: 97-88-1
 Group No.: 45-050
 Molar Mass: 142.20

Table 45.50.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
52ERD/JAG	293.1–313.1	3 S	1.00	not specified		<i>p</i>	BSIO	49WEI
85KAR/ABD2	N 197.0–350.0	eqn	0.50	not specified		<i>p</i>	BSAO	82KAR/IGA
94LEB/KUL	N 199.3–323.8	27	0.20	99.19	melpt	<i>p</i>	BSAO	76LEB/LIT
85KAR/ABD2 94LEB/KUL	same data in 85KAR/SAI a graph only in 95LEB/KUL							

Table 45.50.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
52ERD/JAG	303.1–313.1	2	1.00	0.472	1.63–1	0.47	9.38–2	0
94LEB/KUL	199.3–323.8	27	0.20	1.273	8.27–2	0.25	1.51–4	–2
Rejected data								
85KAR/ABD2	(8.26–1, 2.64, –7.98–1, –11)							


Table 45.50.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					%
<i>p</i>	45	29	1.304	9.56–2	0.29	6.61–3	–2
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
199.3–323.8	3.60401+1		–5.80098	1.67129	III		

Table 45.50.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					%
<i>p</i>	40	27	1.361	8.88–2	0.27	4.23–4	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4	Level of uncertainty	
199.3–323.8	619.00	4.43217+1	2.47003+1	5.46405	1.98824+1	III	

45-050



Selected data Rejected data
 O52ERD/JAG Δ85KAR/ABD2
 □94LEB/KUL

Name: Hexyl acetate
 Formula: C₈H₁₆O₂

CAS-RN: 142-92-7
 Group No.: 45-057
 Molar Mass: 144.21

Table 45.57.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
80BAL/PET	N	220.0–370.0	16	1.00	not specified	<i>p</i>		not specified
97SVO/GOT		300.3–318.8	5	0.30	99.7	chrom	<i>p</i>	BSAO 91SVO/ZAB1
80BAL/PET	error of 0.3–1.0% reported in 84VAS/PET							

Table 45.57.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
80BAL/PET	220.0–370.0	16	1.00	0.906	3.04–1	0.91	–1.73–1	–8
97SVO/GOT	300.3–318.8	5	0.60 #	1.014	2.14–1	0.61	2.08–1	5


Table 45.57.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
total	used						
<i>p</i>	21	21	0.981	3.00–1	0.89	–8.20–2	–3
Temp. range K	A_1		A_2		Level of uncertainty		
220.0–370.0	2.22676+1		4.06413		IV		

Table 45.57.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_f	s_b/R	\pm
	total	used					
p	21	21	1.155	2.71-1	0.79	2.43-2	-4
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
220.0-370.0	623.50	-6.44657	1.79871	2.37711+1	5.77611		IV

45-057



Selected data
 O 80BAL/PET
 □ 97SVO/GOT

Name: Ethyl benzoate
 Formula: $C_9H_{10}O_2$

CAS-RN: 93-89-0
 Group No.: 45-064
 Molar Mass: 150.18

Table 45.64.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*86SCH	318.4-345.6	5 S	nosp	not specified		avg	DSIO	*86SCH
34KOL/UDO	292.7	1	nosp	not specified		p	BSIT	34KOL/UDO
36KUR/VOS	311.6	1	nosp	not specified		avg	DSIO	36KUR/VOS
79FUC	298.1	1	0.50	99.	chrom	p	BSIO	80FUC
96ROU/HER	298.1	1	nosp	99.	anal	p	FSIT	71PIC/LED
34KOL/UDO2	same datum in 33KOL/UDO							
36KUR/VOS	average value in temperature range 290-333 K							

Table 45.64.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
*86SCH	318.4–345.6	5	3.00 #	0.008	7.37–3	0.02	1.94–3	1
79FUC	298.1	1	0.50	0.252	3.73–2	0.13	–3.73–2	–1
96ROU/HER	298.1	1	0.50 #	0.251	3.72–2	0.13	3.72–2	1
Rejected data								
36KUR/VOS	(3.59,10.57,3.59,1)							

Table 45.64.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	9	7	0.159	2.47–2	0.08	1.37–3	1
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–345.6	1.21796+1		5.85092	V			

Name: Dimethyl 1,2-benzenedicarboxylate
Formula: C₁₀H₁₀O₄

CAS-RN: 131-11-3
Group No.: 45-076
Molar Mass: 194.19

Table 45.76.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78MIL	274.0–370.0	eqn	1.00	99.	chrom	p	BDHT	69PER/COM
86RAB/NOV	N	11 S	0.50	not specified		p	BDAO	51POP/GAL
98ROH/MUS	308.0–447.2	30	1.00	99.95	chrom	p	BDCT	91BAN/GAR
#00ROH	283.1–323.1	3	0.50	99.95	chrom	p	BDCT	83ROU/ROU

86RAB/NOV some data in 69RAB/MAR and 70MAR/RAB; adiabatic calorimeter 56POP/KOL used below 300 K

Table 45.76.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
78MIL	284.7–370.3	9	1.00	0.597	2.34–1	0.60	–2.15–1	–9
98MUS/ROH	308.0–447.2	30	1.00	0.205	8.43–2	0.20	2.46–2	10
#00ROH	283.1–323.1	3	0.50	0.609	1.16–1	0.30	1.04–1	3
Rejected data								
86RAB/NOV	(9.21–1,2.46,–9.20–1,–9)							


Table 45.76.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	56	42	0.378	1.38–1	0.35	–2.12–2	4
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
283.1–447.1	3.26009+1		–6.04958–1	7.36242–1	IV		

Table 45.76.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	56	42	0.426	1.40-1	0.35	8.84-3	10
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
283.1-447.1	765.00	-9.36281	1.97672	2.50700+1	1.10868+1		IV

45-076



Name: Octyl acetate
Formula: $C_{10}H_{20}O_2$

CAS-RN: 112-14-1
Group No.: 45-085
Molar Mass: 172.27

Table 45.85.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91DES/PAT	298.1	1	nosp	98.	anal	p	FSIT	71PIC/LED
97SVO/GOT	300.3-318.8	5	0.30	99.9	chrom	p	BSAO	91SVO/ZAB1

Table 45.85.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
91DES/PAT	298.1	1	0.50 #	0.782	1.62-1	0.39	-1.62-1	-1
97SVO/GOT	300.3-318.8	5	0.30	0.323	4.10-2	0.10	1.18-2	2

Table 45.85.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	6	6	0.532	9.29-2	0.22	-1.71-2	1
Temp. range K		A_1	A_2				Level of uncertainty
298.1-318.8		2.33207+1	6.09863				IV

Name: Diethyl 1,2-benzenedicarboxylate
Formula: $C_{12}H_{14}O_4$

CAS-RN: 84-66-2
Group No.: 45-090
Molar Mass: 222.24

Table 45.90.1. Experimental heat capacities

Reference	Temp. range K	No. pnts used	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
67CHA/HOR	273.2-353.4	25	0.10	99.88	melpt	p	BSAO	65STE/BLA
79FUC	298.1	1	0.50	99.	chrom	p	BSIO	80FUC
#98ROH/SCH	283.1-323.1	3	0.50	99.93	chrom	p	BDCT	83ROU/ROU
#00ROH	305.6-370.1	14	1.00	99.93	chrom	p	BDCT	91BAN/GAR

Table 45.90.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
67CHA/HOR	273.2-353.4	24	0.10	0.632	2.77-2	0.06	3.57-4	-1
98ROH/SCH	283.1-323.1	3	0.05 #	0.492	1.08-1	0.25	1.02-1	3
#00ROH	305.6-370.1	14	1.00	0.316	1.47-1	0.32	-1.41-1	-14
Rejected data								
79FUC	(1.03, 2.40, -1.03, -1)							

Table 45.90.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	71	41	0.555	9.70-2	0.21	-4.05-2	-12
Temp. range K		A_1	A_2	A_3			Level of uncertainty
273.2-370.1		3.34046+1	1.40920	7.24886-1			III

Table 45.90.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	71	41	0.718	7.93-2	0.17	-1.78-2	-3
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
273.2-370.1	760.20	-1.29396+1	4.61362	2.64527+1	9.07277		IV



Name: Decyl acetate
 Formula: $C_{12}H_{24}O_2$

CAS-RN: 112-17-4
 Group No.: 45-098
 Molar Mass: 200.32

Table 45.98.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97SVO/GOT	300.3–318.8	5	0.30	99.4	chrom	<i>p</i>	BSAO	91SVO/ZAB1

Table 45.98.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	±
	total	used					
<i>p</i>	5	5	0.511	7.57–2	0.15	1.36–4	1
Temp. range K	A_1		A_2		Level of uncertainty		
300.3–318.8	3.35480+1		5.10275		IV		

Name: Dibutyl 1,2-benzenedicarboxylate
 Formula: $C_{16}H_{22}O_4$

CAS-RN: 84-74-2
 Group No.: 45-104
 Molar Mass: 278.35

Table 45.104.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48BER/MEL		2	nosp	not specified		<i>p</i>	BSIO	34LON/REY
70MAR/RAB	N	5	S	not specified		<i>p</i>	BSAO	56POP/KOL
85RAB/NOV		40	nosp	99.7	chrom	<i>p</i>	BSAO	66NIK/LEB
#00ROH		30	1.00	99.97	chrom	<i>p</i>	BDCT	91BAN/GAR
70MAR/RAB	same data in 69RAB/MAR at 300 K and 360 K							

Table 45.104.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
70MAR/RAB	200.0–360.0	4	0.30	1.699	3.13–1	0.51	–1.55–1	–2
85RAB/NOV	179.2–300.1	36	0.50 #	0.276	7.24–2	0.14	–3.92–3	–5
#00ROH	312.8–447.3	30	1.00	0.480	3.03–1	0.48	2.57–1	26
Rejected data								
48BER/MEL	(2.45,3.44,1.99,2)							


Table 45.104.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	77	70	0.571	2.27–1	0.36	9.94–2	19
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
179.2–290.0		1.09651+2	–7.17062+1	2.76630+1	–3.18754		III
290.0–447.3		2.43773+1	1.65077+1	–2.75563	3.08848–1		IV

Table 45.104.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	77	63	1.116	4.89–1	0.78	5.61–2	11
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
200.0–447.3	790.00	–1.02711+1	1.56931+1	2.64437+1	1.68061		IV

45–104



Selected data Rejected data
 O 70MAR/RAB ▽ 48BER/MEL
 □ 85RAB/NOV
 ▲ #00ROH

Name: Bis(2-ethylhexyl) hexanedioate
 Formula: C₂₂H₄₂O₄

CAS-RN: 103-23-1
 Group No.: 45-107
 Molar Mass: 370.57

Table 45.107.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
85OVC/MOS	180.0–300.0	7 S	0.20	99.	chrom	<i>p</i>	BSAO	76LEB/LIT
93CON/GIR2	297.0–426.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Name: Bis(2-ethylhexyl)-1,2-benzenedicarboxylate
 Formula: C₂₄H₃₈O₄

CAS-RN: 117-81-7
 Group No.: 45-110
 Molar Mass: 390.56

Table 45.110.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
70MAR/RAB	N	5 S	0.30	not specified		<i>p</i>	BSAO	56POP/KOL
85RAB/NOV		38	nosp	99.7	chrom	<i>p</i>	BSAO	66NIK/LEB
#00ROH		35	1.00	99.64	chrom	<i>p</i>	BDCT	91BAN/GAR
70MAR/RAB	same data in 69RAB/MAR at 300 K and 360 K							

Table 45.110.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
70MAR/RAB	200.0–360.0	4	0.30	1.475	4.07–1	0.44	–1.60–1	0
85RAB/NOV	190.0–300.2	35	0.50 #	0.234	9.36–2	0.12	–1.51–2	–4
#00ROH	313.0–461.9	35	1.00	0.373	3.51–1	0.37	2.72–1	25

Table 45.110.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	78	74	0.474	2.76–1	0.30	1.13–1	21
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
190.0–300.0		1.27061+2	–6.16255+1	2.27638+1	–2.30250		III
300.0–461.9		8.52931+1	–1.98572+1	8.84107	–7.55525–1		IV



Name: 1,2,3-Propanetriyl ester dodecanoic acid
 Formula: $C_{39}H_{74}O_6$

CAS-RN: 538-24-9
 Group No.: 45-120
 Molar Mass: 639.01

Table 45.120.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
47CHA/SIN	330.9–370.2	6	nosp	98.	estim	<i>p</i>	BSAO	44BAI/TOD	
76PHI/MAT	N	4	nosp	not specified		<i>p</i>	BDHT	73PER/COM	
95MOR/IDR1	328.0–443.0	eqn	nosp	99.0	anal	<i>p</i>	BDHT	95MOR/IDR1	
95MOR/IDR2	328.0–443.0	eqn	nosp	99.0	anal	<i>p</i>	BDHT	95MOR/IDR1	
95MOR/IDR2	443.0–523.0	eqn	nosp	99.0	anal	<i>p</i>	BDHT	95MOR/IDR1	
76PHI/MAT	reproducibility given as 5%								


Table 45.120.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
47CHA/SIN	330.9–370.2	6	1.50 #	1.007	2.53	1.51	2.46	6
95MOR/IDR2	328.0–438.0	12	2.00 #	0.795	2.55	1.59	-2.19	-12
95MOR/IDR2	443.0–523.0	9	2.00 #	0.059	2.20–1	0.12	2.03–1	9
Rejected data								
76PHI/MAT	(5.38, 3.41, -4.90, -3)		95MOR/IDR1	(2.56, 1.60, -2.20, -12)				

Table 45.120.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	43	27	0.740	2.16	1.33	-3.59-1	3
Temp. range K		A_1	A_2				Level of uncertainty
328.0-523.0		1.11431+2	1.49714+1				V

45-120



Selected data Rejected data
 ○ 47CHA/SIN ▼ 76PHI/MAT
 □ 95MOR/IDR2
 ▲ 95MOR/IDR2

Name: 1,2,3-Propanetriyl ester tetradecanoic acid
Formula: C₄₅H₈₆O₆

CAS-RN: 555-45-3
Group No.: 45-124
Molar Mass: 723.17

Table 45.124.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
47CHA/SIN	331.5-365.0	6	nosp	98.	estim	p	BSAO	44BAI/TOD
76PHI/MAT	333.0-433.0	5	nosp	not specified		p	BDHT	73PER/COM
95MOR/IDR2	338.0-454.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1
95MOR/IDR2	454.0-523.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1
76PHI/MAT	reproducibility given as 5%							


Table 45.124.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
47CHA/SIN	331.5–365.0	6	1.50 #	0.574	1.65	0.86	1.53	6
95MOR/IDR2	338.0–453.5	12	2.00 #	0.513	1.93	1.03	–1.51	–8
95MOR/IDR2	454.0–523.3	8	2.00 #	0.090	3.80–1	0.18	3.24–1	7
Rejected data								
76PHI/MAT	(9.86, 5.33, –8.05, –5)							

Table 45.124.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used	%				
p	31	26	0.466	1.61	0.85	–2.44–1	5
Temp. range K	A_1		A_2		Level of uncertainty		
331.5–523.3	1.28043+2		1.74669+1		V		

45–124



Selected data Rejected data
 O 47CHA/SIN ▽ 76PHI/MAT
 □ 95MOR/IDR2
 △ 95MOR/IDR2

Name: 1,2,3-Propanetriyl ester hexadecanoic acid
Formula: C₅₁H₉₈O₆

CAS-RN: 555-44-2
Group No.: 45-127
Molar Mass: 807.34

Table 45.127.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
47CHA/SIN	338.8–369.1	6	nosp	98.	estim	<i>p</i>	BSAO	44BAI/TOD
76PHI/MAT	N 343.0–418.0	4	nosp	not specified		<i>p</i>	BDHT	73PER/COM
82OLL/PER	340.0	1	nosp	not specified		<i>p</i>	BDHT	73PER/COM
93KAP/BAL	345.0–365.0	2	nosp	99.	anal	<i>p</i>	BDCT	86MER/BEN
95MOR/IDR2	348.0–457.0	eqn	nosp	99.0	anal	<i>p</i>	BDHT	95MOR/IDR1
95MOR/IDR2	457.0–523.0	eqn	nosp	99.0	anal	<i>p</i>	BDHT	95MOR/IDR1
99VAN/TEN	341.2–354.9	7	0.20	96.9	melpt	<i>p</i>	BSAO	98VAN/VAN
76PHI/MAT	reproducibility given as 5%							

Table 45.127.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
82OLL/PER	340.0	1	1.00 #	0.662	1.37	0.66	–1.37	–1
95MOR/IDR2	348.0–457.2	15	1.00 #	0.055	1.22–1	0.06	4.43–2	7
95MOR/IDR2	457.0–522.8	8	1.50 #	0.044	1.66–1	0.07	–6.27–2	–1
99VAN/TEN	341.2–354.9	7	0.20	0.189	7.94–2	0.04	5.50–3	–1
Rejected data								
47CHA/SIN	(3.47,1.60,3.46,5)		76PHI/MAT	(5.96,2.91,–3.13,0)				
93KAP/BAL	(1.92+1,8.31,1.91+1,2)							

Table 45.127.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	43	31	0.164	2.91–1	0.14	–3.77–2	4
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
340.0–522.8	1.38924+2		1.80896+1	7.03888–1	IV		

Name: 1,2,3-Propanetriyl ester octadecanoic acid
Formula: C₅₇H₁₁₀O₆

CAS-RN: 555-43-1
Group No.: 45-130
Molar Mass: 891.50

Table 45.130.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
47CHA/SIN	346.5–371.6	6	nosp	98.	estim	<i>p</i>	BSAO	44BAI/TOD
76PHI/MAT	N 353.0–453.0	5	nosp	not specified		<i>p</i>	BDHT	73PER/COM
95MOR/IDR2	353.0–460.0	eqn	nosp	99.0	anal	<i>p</i>	BDHT	95MOR/IDR1
95MOR/IDR2	460.0–523.0	eqn	nosp	99.0	anal	<i>p</i>	BDHT	95MOR/IDR1
76PHI/MAT	reproducibility given as 5%							


Table 45.130.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
47CHA/SIN	346.5–371.6	6	1.50 #	0.098	3.49–1	0.15	1.71–1	2
95MOR/IDR2	353.0–459.7	12	2.00 #	0.136	7.11–1	0.27	–4.66–1	–6
95MOR/IDR2	460.0–523.0	7	2.00 #	0.135	7.70–1	0.27	5.56–1	4
Rejected data								
76PHI/MAT	(6.86, 2.73, –3.62, –3)							

Table 45.130.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used	%				
p	30	25	0.133	6.90–1	0.26	–2.67–2	0
Temp. range K	A_1		A_2		Level of uncertainty		
346.5–523.0	1.36516+2		2.87329+1		V		

45–130



Selected data Rejected data
 ○ 47CHA/SIN ▼ 76PHI/MAT
 □ 95MOR/IDR2
 ▲ 95MOR/IDR2

Name: Dimethyl ester ethanedioic acid
 Formula: $C_4H_6O_4$

CAS-RN: 553-90-2
 Group No.: 45-131
 Molar Mass: 118.09

Table 45.131.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*94BRU	N	339.15	2.151	nosp	not specified	avg	DSIO	*94BRU
*94BRU	average value in temperature range 329–349 K							

Name: Dimethyl ester propanedioic acid
Formula: C₅H₈O₄

CAS-RN: 108-59-8
Group No.: 45-132
Molar Mass: 132.12

Table 45.132.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92VER/BEC	298.15	1.590	nosp	99.995	chrom	<i>p</i>	BDHT	69PER/COM

Name: Dimethyl ester methylpropanedioic acid
Formula: C₆H₁₀O₄

CAS-RN: 609-02-9
Group No.: 45-133
Molar Mass: 146.14

Table 45.133.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92VER/BEC	298.15	1.791	nosp	99.995	chrom	<i>p</i>	BDHT	69PER/COM

Name: Dimethyl ester dimethylpropanedioic acid
Formula: C₇H₁₂O₄

CAS-RN: 6065-54-9
Group No.: 45-134
Molar Mass: 160.17

Table 45.134.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92VER/BEC	298.15	1.619	nosp	99.995	chrom	<i>p</i>	BDHT	69PER/COM

Name: Ethyl ester 2-methylbutanoic acid
Formula: C₇H₁₄O₂

CAS-RN: 7452-79-1
Group No.: 45-135
Molar Mass: 130.19

Table 45.135.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92VER/BEC	298.15	2.515	nosp	99.995	chrom	<i>p</i>	BDHT	69PER/COM

Name: Butyl-*d*₉ ester 2-(methyl-*d*₃)-2-propenoic-3,3-*d*₂ acid
Formula: C₈D₁₄O₂

CAS-RN: 158612-79-4
Group No.: 45-136
Molar Mass: 156.28

Table 45.136.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
94LEB/KUL	N	208.3–329.4	32	0.20	99.64	melpt	<i>p</i>	BSAO	76LEB/LIT
94LEB/KUL	degree of deuteration was 99%; a graph only in 95LEB/KUL								

Table 45.136.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used					
<i>p</i>	32	32	1.201	8.72–2	0.24	3.82–4	2
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
208.3–329.4	2.62719+1		1.80271	6.40006–1	III		

Name: Heptyl acetate
Formula: $C_9H_{18}O_2$

CAS-RN: 112-06-1
Group No.: 45-137
Molar Mass: 158.24

Table 45.137.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97SVO/GOT	300.3–318.8	5	0.30	100.0	chrom	<i>p</i>	BSAO	91SVO/ZAB1

Table 45.137.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
total	used						
<i>p</i>	5	5	0.518	6.00–2	0.16	1.11–4	0
Temp. range K		A_1	A_2				Level of uncertainty
300.3–318.8		2.48991+1	4.36749				IV

Name: Dimethyl ester 1,3-benzenedicarboxylic acid
Formula: $C_{10}H_{10}O_4$

CAS-RN: 1459-93-4
Group No.: 45-138
Molar Mass: 194.19

Table 45.138.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI3	360.0–740.0	20	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 45.138.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	20	20	0.209	1.22–1	0.21	4.76–4	–1
sat	20	20	0.142	7.99–2	0.14	2.06–4	–2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
360.0–670.0		–9.61110	2.38821+1	–3.70702	2.44568–1		IV
670.0–740.0		–7.72297+3	3.47762+3	–5.19191+2	2.58905+1		IV
360.0–670.0		–4.37496	2.03677+1	–2.92911	1.87734–1		IV
670.0–740.0		–5.19945+3	2.34652+3	–3.50116+2	1.74607+1		IV

Table 45.138.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	20	20	0.088	4.57–2	0.09	1.35–4	–1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
360.0–740.0	766.00	–2.33736	4.65526–1	5.49457	9.67417+1	–7.04743+1	1.91624+1	IV

Name: Methyl ester pentacyclo[4.3.0.0^{2,5}.0^{3,8}.0^{4,7}]nonane-4-carboxylic acid
Formula: C₁₁H₁₂O₂

CAS-RN: 40317-63-3
Group No.: 45-139
Molar Mass: 176.22

Table 45.139.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
84BEC/RUE	298.15	1.636	nosp	99.95	chrom	<i>p</i>	BDHT	69PER/COM

Name: Butyl benzoate
Formula: C₁₁H₁₄O₂

CAS-RN: 136-60-7
Group No.: 45-140
Molar Mass: 178.23

Table 45.140.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96ROU/HER	298.15	1.706	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED

Name: Nonyl acetate
Formula: C₁₁H₂₂O₂

CAS-RN: 143-13-5
Group No.: 45-141
Molar Mass: 186.29

Table 45.141.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97SVO/GOT	300.3–318.8	5	0.30	100.0	chrom	<i>p</i>	BSAO	91SVO/ZAB1

Table 45.141.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	5	5	0.457	6.27–2	0.14	1.07–4	1
Temp. range K		<i>A</i> ₁		<i>A</i> ₂			Level of uncertainty
300.3–318.8		2.88879+1		5.41999			IV

Name: Monobutyl ester 1,2-benzenedicarboxylic acid
Formula: C₁₂H₁₄O₄

CAS-RN: 131-70-4
Group No.: 45-142
Molar Mass: 222.24

Table 45.142.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
48BER/MEL	353.1–423.1	2	nosp	not specified		<i>p</i>	BSIO	34LON/REY

Table 45.142.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	–3.82–6	0
Temp. range K		<i>A</i> ₁		<i>A</i> ₂			Level of uncertainty
353.1–423.1		–2.59139+1		2.02901+1			VI

Name: Undecyl acetate
Formula: C₁₃H₂₆O₂

CAS-RN: 1731-81-3
Group No.: 45-143
Molar Mass: 214.35

Table 45.143.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97SVO/GOT	300.3–318.8	5	0.30	99.8	chrom	<i>p</i>	BSAO	91SVO/ZAB1

Table 45.143.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	5	5	0.326	5.24–2	0.10	6.26–5	0
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
300.3–318.8	3.62670+1		5.59038		IV		

Name: Dimethyl ester 2,6-naphthalenedicarboxylic acid
Formula: C₁₄H₁₂O₄

CAS-RN: 840-65-3
Group No.: 45-144
Molar Mass: 244.25

Table 45.144.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91STE/CHI2	480.0–660.0	10	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 45.144.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±	
	total	used						
sat	10	10	0.267	1.65–1	0.27	5.71–4	–2	
Temp. range K	<i>A₁</i>		<i>A₂</i>		<i>A₃</i>		<i>A₄</i> Level of uncertainty	
480.0–660.0	2.04783+2		–8.73066+1		1.62903+1		–9.38663–1 IV	

Name: Dibutyl ester hexanedioic acid
Formula: C₁₄H₂₆O₄

CAS-RN: 105-99-7
Group No.: 45-145
Molar Mass: 258.36

Table 45.145.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CON/GIR2	299.0–435.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Table 45.145.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±	
	total	used						
sat	14	14	0.000	3.64–6	0.00	1.63–6	0	
Temp. range K	<i>A₁</i>		<i>A₂</i>		<i>A₃</i>		Level of uncertainty	
299.0–435.5	5.28236		2.27611+1		–2.05208		VI	

Name: Dodecyl acetate
Formula: $C_{14}H_{28}O_2$

CAS-RN: 112-66-3
Group No.: 45-146
Molar Mass: 228.38

Table 45.146.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
91DES/PAT	N	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
97SVO/GOT		300.3–318.8	5	0.30	99.5	chrom	<i>p</i>	BSAO	91SVO/ZAB1

91DES/PAT the compound was not Decyl acetate as given in the original paper (corrected after correspondence with author)

Table 45.146.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
97SVO/GOT	300.3–318.8	5	0.30	0.256	4.42–2	0.08	6.41–5	–2

Table 45.146.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	6	5	0.331	5.70–2	0.10	6.41–5	–2
Temp. range K	A_1		A_2		Level of uncertainty		
300.3–318.8	3.30848+1		7.88680		IV		

Name: Tetradecyl acetate
Formula: $C_{16}H_{32}O_2$

CAS-RN: 638-59-5
Group No.: 45-147
Molar Mass: 256.43

Table 45.147.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97SVO/GOT	300.3–318.8	5	0.30	98.6	chrom	<i>p</i>	BSAO	91SVO/ZAB1

Table 45.147.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	5	5	0.275	5.40–2	0.08	5.65–5	0
Temp. range K	A_1		A_2		Level of uncertainty		
300.3–318.8	3.98921+1		8.09271		IV		

Name: 1-Methylethyl ester tetradecanoic acid
Formula: $C_{17}H_{34}O_2$

CAS-RN: 110-27-0
Group No.: 45-148
Molar Mass: 270.46

Table 45.148.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CON/GIR2	298.0–426.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Table 45.148.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	13	13	0.000	4.18–6	0.00	5.87–7	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
298.0–426.4		4.66453+1	4.85325	4.36846–1			VI

Name: Butyl phenylmethyl ester 1,2-benzenedicarboxylic acid
Formula: $C_{19}H_{20}O_4$

CAS-RN: 85-68-7
Group No.: 45-149
Molar Mass: 312.37

Table 45.149.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00ROH	313.1–382.7	20	1.00	99.82	chrom	p	BDCT	91BAN/GAR

Table 45.149.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	20	20	0.133	8.62–2	0.13	1.93–4	0
Temp. range K		A_1	A_2				Level of uncertainty
313.1–382.7		3.20501+1	9.39194				IV

Name: 1-Methylethyl ester hexadecanoic acid
Formula: $C_{19}H_{38}O_2$

CAS-RN: 142-91-6
Group No.: 45-150
Molar Mass: 298.51

Table 45.150.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CON/GIR2	334.0–471.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Table 45.150.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	15	15	0.000	9.85–6	0.00	8.14–6	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
334.0–471.2		–2.80756+1	3.30336+1	–3.05959			VI

Name: 1-Methyl-1,2-ethanediyl ester nonanoic acid
Formula: $C_{21}H_{40}O_4$

CAS-RN: 41395-83-9
Group No.: 45-151
Molar Mass: 356.55

Table 45.151.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CON/GIR2	298.0–428.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Table 45.151.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	13	13	0.000	5.91-6	0.00	-1.17-6	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
298.0-427.6		-5.36025	3.24577+1	-2.71488			VI

Name: Decyl ester (Z)-9-octadecenoic acid

Formula: $C_{28}H_{54}O_2$

CAS-RN: 3687-46-5

Group No.: 45-152

Molar Mass: 422.74

Table 45.152.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CON/GIR2	297.0-426.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Table 45.152.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	13	13	0.000	7.24-6	0.00	2.93-6	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
297.0-426.6		7.37224+1	1.38450	2.03830			VI

Name: Bis(2,4-diethyloctyl) ester 1,2-benzenedicarboxylic acid

Formula: $C_{32}H_{54}O_4$

CAS-RN: 40989-56-8

Group No.: 45-153

Molar Mass: 502.78

Table 45.153.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
84OVC/MOS	195.0-302.4	29	0.20	not specified		<i>p</i>	BSAO	76LEB/LIT

Table 45.153.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	29	29	0.853	1.70-1	0.17	5.08-4	7
Temp. range K		A_1	A_2	A_3			Level of uncertainty
195.0-302.4		1.01881+2	-1.18477+1	4.82618			IV

Name: (Z)-9-Octadecenyl ester (Z)-9-octadecenoic acid

Formula: $C_{36}H_{68}O_2$

CAS-RN: 3687-45-4

Group No.: 45-154

Molar Mass: 532.93

Table 45.154.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93CON/GIR2	298.0-438.0	eqn	nosp	not specified		sat	BDHT	93CON/GIR1

Table 45.154.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
sat	14	14	0.000	3.45-5	0.00	-2.23-5	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
298.0-438.4		-3.24202+2	2.32992+2	-2.97923+1			VI

Name: 2,3-Bis[(1-oxotetradecyl)oxy]propyl ester hexadecanoic acid
 Formula: $C_{47}H_{90}O_6$

CAS-RN: 60138-13-8
 Group No.: 45-155
 Molar Mass: 751.23

Table 45.155.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95MOR/IDR2	333.0-454.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1
95MOR/IDR2	454.0-523.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1

Table 45.155.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
95MOR/IDR2	333.0-454.0	12	2.00 #	0.039	1.56-1	0.08	1.72-2	3
95MOR/IDR2	454.0-523.3	8	2.00 #	0.037	1.57-1	0.07	-2.51-2	1

Table 45.155.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	20	20	0.041	1.70-1	0.08	2.62-4	4
Temp. range K		A_1	A_2	A_3			Level of uncertainty
333.0-523.3		1.44283+2	9.26419	1.21300			V

Name: 2,3-Bis[(1-oxotetradecyl)oxy]propyl ester (Z)-9-octadecenoic acid
 Formula: $C_{49}H_{92}O_6$

CAS-RN: 74160-01-3
 Group No.: 45-156
 Molar Mass: 777.27

Table 45.156.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95MOR/IDR2	308.0-443.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1
95MOR/IDR2	443.0-523.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1

Table 45.156.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
95MOR/IDR2	308.0-443.2	14	2.00 #	0.014	5.74-2	0.03	4.29-3	3
95MOR/IDR2	443.0-522.8	8	2.00 #	0.014	5.96-2	0.03	-7.40-3	1

Table 45.156.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	22	22	0.015	6.27-2	0.03	3.68-5	4
Temp. range K		A_1	A_2	A_3			Level of uncertainty
308.0-522.8		1.20496+2	1.96340+1	3.63136-1			V

Name: 2,3-Bis[(1-oxohexadecyl)oxy]propyl ester (Z)-9-octadecenoic acid
 Formula: $C_{53}H_{100}O_6$

CAS-RN: 1867-91-0
 Group No.: 45-157
 Molar Mass: 833.37

Table 45.157.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95MOR/IDR2	323.0-453.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1
95MOR/IDR2	453.0-523.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1

Table 45.157.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
95MOR/IDR2	323.0-452.6	13	2.00 #	0.047	2.18-1	0.09	-1.15-1	-3
95MOR/IDR2	453.0-523.2	10	2.00 #	0.066	3.21-1	0.13	1.51-1	3

Table 45.157.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	23	23	0.060	2.87-1	0.12	5.85-4	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
323.0-523.2		1.32789+2	2.04905+1	5.47847-1			V

Name: 1-[[[(1-Oxohexadecyl)oxy]methyl]-1,2-ethanediyl ester (Z)-9-octadecenoic acid
 Formula: $C_{55}H_{102}O_6$

CAS-RN: 2190-30-9
 Group No.: 45-158
 Molar Mass: 859.41

Table 45.158.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95MOR/IDR2	308.0-435.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1
95MOR/IDR2	435.0-523.0	eqn	nosp	99.0	anal	p	BDHT	95MOR/IDR1

Table 45.158.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
95MOR/IDR2	308.0-435.4	14	2.00 #	0.024	1.09-1	0.05	-7.42-3	-2
95MOR/IDR2	435.0-523.0	9	2.00 #	0.020	9.92-2	0.04	1.18-2	-2

Table 45.158.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	23	23	0.024	1.13-1	0.05	1.03-4	-4
Temp. range K		A_1	A_2	A_3			Level of uncertainty
308.0-523.0		1.04850+2	3.51001+1	-7.75735-1			V

Name: (*all-Z*)-1,2,3-Propanetriyl ester 9,12,15-octadecatrienoic acid
 Formula: $C_{57}H_{92}O_6$

CAS-RN: 14465-68-0
 Group No.: 45-159
 Molar Mass: 873.35

Table 45.159.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93KAP/BAL	300.0-363.0	2	nosp	99.	anal	p	BDCT	86MER/BEN

Table 45.159.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1					Level of uncertainty
300.0-363.0		3.57135+2					VI

Name: 2,3,6,7,10,11-Triphenylhexaxyl ester octanoic acid
 Formula: $C_{66}H_{96}O_{12}$

CAS-RN: 70351-94-9
 Group No.: 45-160
 Molar Mass: 1081.48

Table 45.160.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86VAN/KAJ	403.3-422.5	10	nosp	not specified		p	BSAO	83YOS/SOR1

Table 45.160.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	10	10	0.197	2.73-1	0.10	4.21-4	4
Temp. range K		A_1	A_2				Level of uncertainty
403.3-422.5		7.50248+1	4.90152+1				IV

Name: 1,3-Dioxolane
Formula: C₃H₆O₂

CAS-RN: 646-06-0
Group No.: 46-004
Molar Mass: 74.08

Table 46.4.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
69CLE/MEL4	175.9–300.0	16	S	nosp	99.93	melpt	sat	BSAO	68CLE/MEL
76CON/GIA	298.1	1		nosp	not specified		<i>p</i>	BDCT	76CON/GIA
88ING	298.1	1		nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
99BRO/CAL	298.1	1		nosp	99.8	anal	<i>p</i>	FSIT	71PIC/LED

Name: Ethyloxirane
Formula: C₂H₄O

CAS-RN: 106-88-7
Group No.: 46-008
Molar Mass: 72.11

Table 46.8.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
73GOO/FIN	136.8–322.5	24		0.20	99.93	melpt	sat	BSAO	47HUF
97RIG/COM	288.1–313.1	3		1.00	99.8	chrom	<i>p</i>	BDHT	95DIO/MAN

Name: Tetrahydrofuran
Formula: C₄H₈O

CAS-RN: 109-99-9
Group No.: 46-009
Molar Mass: 72.11

Table 46.9.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
76BON/CER	298.1	1		nosp	not specified		<i>p</i>	BSIO	76BON/CER
76CON/GIA	298.1	1		nosp	not specified		<i>p</i>	BDCT	76CON/GIA
78LEB/RAB2	N	161.6–322.6	50	0.20	99.8	melpt	<i>p</i>	BSAO	76LEB/LIT
79KIY/DAR		298.1	1	nosp	not specified		<i>p</i>	FSIT	71PIC/LED
85COS/PAT9		283.1–313.1	3	nosp	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
88ING		298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
94CON/GIA1		298.1	1	nosp	not specified		<i>p</i>	FSIT	88CON/GIA
94CON/GIA2		298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	88CON/GIA
97CON/GIA		298.1	1	nosp	not specified		<i>p</i>	FSIT	88CON/GIA
99BRO/CAL		298.1	1	nosp	99.9	anal	<i>p</i>	FSIT	71PIC/LED

78LEB/RAB2 same data in 79LEB/LIT and smoothed data in 77LEB/LIT1

Name: 1,4-Dioxane
Formula: C₄H₈O₂

CAS-RN: 123-91-1
Group No.: 46-011
Molar Mass: 88.11

Table 46.11.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
29HER/LOR	296.1	1	nosp	not specified		<i>p</i>	DSIO	22HER/SCH
33ROT/MEY1	291.1	1	nosp	not specified		<i>p</i>	DSIO	33ROT/MEY2
34JAC/PAR	288.7–298.2	3	nosp	not specified		<i>p</i>	BSIO	25PAR
52STA/AMI	313.1	1	nosp	not specified		<i>p</i>	BSIO	52STA/AMI
61ROU	296.9–313.7	14	nosp	not specified		<i>p</i>	BSAO	61ROU
71DES/BHA	298.1–318.1	3 S	nosp	not specified		<i>p</i>	BSIO	58MUR/VAN
71KHA/SUB	298.1–313.1	2	nosp	not specified		<i>p</i>	BSIO	64MOE/THO
76BON/CER	298.1	1	nosp	not specified		<i>p</i>	BSIO	76BON/CER
76CON/GIA	298.1	1	nosp	not specified		<i>p</i>	BDCT	76CON/GIA
79MUR/SUB	298.1	1	nosp	not specified		<i>p</i>	BSIO	64MOE/THO
84GRO/ING	298.1	1	0.30	99.5	melpt	<i>p</i>	FSIT	71PIC/LED
84ING/GRO	298.1	1	0.30	99.5	chrom	<i>p</i>	FSIT	71PIC/LED
88ING	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
89BAR/KOO2	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
91GRO/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
91TRE/COS	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
93GRO/ROU	298.1	1	nosp	99.5	anal	<i>p</i>	FSIT	71PIC/LED
94GRO/ROU	298.1	1	nosp	99.0	anal	<i>p</i>	FSIT	71PIC/LED
99BRO/CAL	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED

Name: Tetrahydropyran
Formula: C₅H₁₀O

CAS-RN: 142-68-7
Group No.: 46-014
Molar Mass: 86.13

Table 46.14.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
64MOE/THO	297.6–327.5	4 S	0.50	not specified		<i>p</i>	BSIO	64MOE/THO
76CON/GIA	298.1	1	nosp	not specified		<i>p</i>	BDCT	76CON/GIA
84ING/GRO	298.1	1	0.30	99.	chrom	<i>p</i>	FSIT	71PIC/LED
88ING	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
99BRO/CAL	298.1	1	nosp	99.	chrom	<i>p</i>	FSIT	71PIC/LED

Name: Dibenzofuran
Formula: C₁₂H₈O

CAS-RN: 132-64-9
Group No.: 46-026
Molar Mass: 168.19

Table 46.26.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
90CHI/GAM	362.0–520.3	17	0.10	99.955	melpt	sat	BSAO	47HUF
90CHI/GAM	400.0–720.0	17	1.00	99.955	melpt	sat	BDHT	89KNI/ARC
95FUJ/FUJ	361.1–375.7	5	0.30	99.93	melpt	sat	BSAO	93FUJ/OGU1

Name: Tetrahydro-*d*₄-furan-*d*₄
Formula: C₄D₈O

CAS-RN: 1693-74-9
Group No.: 46-027
Molar Mass: 80.16

Table 46.27.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95KUL/LEB	171.9–320.4	43	0.20	99.52	melpt	<i>p</i>	BSAO	76LEB/LIT

Table 46.27.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	43	43	3.671	1.13-1	0.73	1.53-3	1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
171.9-320.4		2.46267	1.26294+1	-5.07995	8.48634-1		IV

Name: 2,5-Dimethylfuran

Formula: C₆H₈O

CAS-RN: 625-86-5

Group No.: 46-028

Molar Mass: 96.13

Table 46.28.1. Experimental heat capacities

Reference	Temp. range K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98VER/WEL	298.15	1.550	nosp	100.0	chrom	p	BDHT	69PER/COM

Name: 2,5-Dihydrobenzo-3,4-furan

Formula: C₈H₈O

CAS-RN: 496-14-0

Group No.: 46-029

Molar Mass: 120.15

Table 46.29.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93STE/CHI2	N	300.0-620.0	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
93STE/CHI2	same data in 96STE/CHI2							

Table 46.29.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	17	17	0.212	6.95-2	0.21	2.37-4	-1
sat	17	17	0.152	4.69-2	0.15	1.16-4	-1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
300.0-620.0		6.64717	7.09333	-7.71325-1	6.74175-2		IV
300.0-620.0		1.08190+1	3.88489	3.92652-2	6.74175-2		IV

Table 46.29.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	17	17	0.180	5.85-2	0.18	7.38-5	-1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
300.0-620.0	700.00	-1.32136	1.66608-2	1.08467+1	2.61990+1		IV

Name: 2-(1,1-Dimethylethyl)furan
Formula: C₈H₁₂O

CAS-RN: 7040-43-9
Group No.: 46-030
Molar Mass: 124.18

Table 46.30.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98VER/WEL	298.15	2.220	nosp	99.91	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2,5-Bis(1,1-dimethylethyl)furan
Formula: C₁₂H₂₀O

CAS-RN: 4789-40-6
Group No.: 46-031
Molar Mass: 180.29

Table 46.31.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98VER/WEL	298.15	2.210	nosp	99.91	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2(3*H*)-Dihydrofuranone
Formula: C₄H₆O₂

CAS-RN: 96-48-0
Group No.: 47-006
Molar Mass: 86.09

Table 47.6.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
79FUC	298.1	1	0.50	99.	chrom	<i>p</i>	BSIO	80FUC
83LEB/EVS	N 232.5–328.6	28	0.30	99.83	melpt	<i>p</i>	BSAO	76LEB/LIT
88ISM/GAB	290.0–410.0	14 S	2.00	not specified		<i>p</i>	BDCT	86MER/BEN
89STE/CHI3	298.1	1	1.00	99.98	chrom	<i>p</i>	BDHT	89KNI/ARC
83LEB/EVS	same data in 79EVS/LEB1 and smoothed data in 80EVS/LEB							

Table 47.6.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
79FUC	298.1	1	0.50	0.038	3.26–3	0.02	3.26–3	1
83LEB/EVS	232.5–328.6	28	0.30	0.455	2.29–2	0.14	7.80–4	–2
88ISM/GAB	290.0–410.0	14	2.00	0.212	7.67–2	0.42	–6.70–2	–12
Rejected data								
89STE/CHI3	(1.68+1,49.69,1.68+1,1)							

Table 47.6.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	44	43	0.406	4.98–2	0.28	–2.12–2	–13
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
232.5–410.0	2.26588+1		–9.01216	3.34748	–3.22327–1	II	

Table 47.6.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_f	s_b/R	\pm
	total	used					
total	used						
p	44	43	0.751	5.69-2	0.31	-8.93-4	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
232.5-410.0	730.00	-3.14046	3.32605	9.39934	7.41304-1		III



Name: 4-Methyl-1,3-dioxolan-2-one
 Formula: C₄H₆O₃

CAS-RN: 108-32-7
 Group No.: 47-007
 Molar Mass: 102.09

Table 47.7.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
58PEP		323.1	1	nosp	not specified		not specified	
76MAS/PET	N	235.5-325.8	13	5.00	not specified		BDHT	66PER/COM
76VAS/KOR	N	226.7-416.3	93	nosp	99.32	melpt	BSAO	77KU/COM
91WIL/JIM		298.1	1	nosp	99.	anal	FSIT	71PIC/LED
93ANG/BOE	N	229.0	1	nosp	99.	anal	BDHT	69PER/COM
94FUJ/OGU		222.1-300.9	37	0.30	99.974	melpt	BSAO	93FUJ/OGU1
97RIG/COM		288.1-313.1	3	1.00	99.7	chrom	BDHT	95DIO/MAN
76MAS/PET	data from a graph only							
76VAS/KOR	smoothed data in 74VAS/KOR							
93ANG/BOE	data from a graph only							

Table 47.7.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
76VAS/KOR	226.7–416.3	93	1.00 #	0.597	1.26–1	0.60	4.42–2	42
94FUJ/OGU	222.1–300.9	37	0.30	0.306	1.82–2	0.09	–9.63–3	–17
Rejected data								
58PEP	(1.46,6.58,1.46,1)		76MAS/PET	(2.42,10.48,2.26,13)				
91WIL/JIM	(5.32–1,2.73,–5.32–1,–1)		93ANG/BOE	(3.76–1,2.03,–3.76–1,–1)				
97RIG/COM	(1.67–1,0.83,1.65––1,3)							


Table 47.7.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used	%				
C	149	130	0.539	1.09–1	0.52	2.89–2	25
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
222.1–416.3	2.86994+1		–1.11544+1	3.77458	–3.37408–1	III	

Table 47.7.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used	%					
C	149	130	0.876	1.09–1	0.52	–6.05–3	4	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
222.1–416.3	779.00	2.13236+2	1.99823+1	–2.05453	1.93867+2	7.43416+1	1.35532+2	IV

47-007



Selected data Rejected data
 ○ 76VAS/KOR Δ 58PEP
 □ 94FUJ/OGU ▽ 76MAS/PET
 ◇ 91WIL/JIM
 + 93ANG/BOE
 × 97RIG/COM

Name: 2-Ethoxyethanol
 Formula: C₄H₁₀O₂

CAS-RN: 110-80-5
 Group No.: 47-008
 Molar Mass: 90.12

Table 47.8.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
52CUR/JOH	N	293.1	1	nosp	not specified	<i>p</i>	not specified	
73KUS/SUU		298.1	1	0.10	not specified	<i>p</i>	DDCT	71KON/SUU
78ROU/PER2		283.1–313.1	3	nosp	99.	chrom	FSIT	71PIC/LED
89COB/GAR		298.1	1	nosp	99.5	anal	FSIT	71PIC/LED
91SVO/ZAB2		300.6–328.3	7	0.50	99.95	chrom	BSAO	91SVO/ZAB1
98TAM/TAB		298.1–303.1	2	nosp	99.98	chrom	FSIO	85OGA/MUR
52CUR/JOH	technical product, purity in question							


Table 47.8.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
Selected data								
52CUR/JOH	293.1	1	1.00 #	0.190	4.77–2	0.19	4.77–2	1
73KUS/SUU	298.1	1	0.10	0.206	5.23–3	0.02	5.23–3	1
78ROU/PER2	283.1–313.1	3	0.50 #	0.499	6.47–2	0.25	1.73–2	1
91SVO/ZAB2	300.6–328.3	7	0.50	0.503	6.51–2	0.25	–2.64–2	–1
98TAM/TAB	298.1–303.1	2	0.30 #	0.975	7.45–2	0.29	–6.91–4	0
Rejected data								
89COB/GAR	(4.26–1, 1.71, –4.26–1, –1)							

Table 47.8.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	15	14	0.612	6.81–2	0.26	–5.81–3	2
Temp. range K	A_1		A_2	Level of uncertainty			
283.1–328.3	1.18757+1		4.51866	III			

47-008



Selected data Rejected data
 O 52CUR/JOH + 89COB/GAR
 □ 73KUS/SUU
 △ 78ROU/PER2
 ▽ 91SVO/ZAB2
 ◇ 98TAM/TAB

Name: 2,2'-Oxybisethanol
 Formula: C₄H₁₀O₃

CAS-RN: 111-46-6
 Group No.: 47-009
 Molar Mass: 106.12

Table 47.9.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
52CUR/JOH	N	293.1	1	nosp	not specified		not specified	
59DEA/EVA	N	303.1–473.1	3 S	nosp	not specified		not specified	
79STE/TAM		273.1–513.2	14 S	nosp	99.9	chrom	sat	BDHT 69PER/COM
82ZAR		298.0–363.0	3	0.60	99.5	chrom	<i>p</i>	BDCT 82ZAR
88MUK/ZAR		300.5–422.3	6	nosp	not specified		<i>p</i>	BDCT 82ZAR
52CUR/JOH	technical product, purity in question							
59DEA/EVA	data of firm Shell Development Company Emeryville, Calif.							

Table 47.9.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
79STE/TAM	273.1–513.2	14	1.00 #	0.706	2.42–1	0.71	1.04–3	–2
82ZAR	298.0–363.0	3	0.60	1.198	2.27–1	0.72	1.53–1	1
88MUK/ZAR	300.5–422.3	6	1.50 #	1.083	4.94–1	1.63	–4.36–1	–6
Rejected data								
52CUR/JOH	(2.42, 9.08, –2.42, –1)		59DEA/EVA	(2.52, 6.33, 2.09, 3)				


Table 47.9.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	27	23	0.957	3.49-1	1.10	-9.33-2	-7
Temp. range K		A_1	A_2	A_3			Level of uncertainty
273.1-513.2		5.48991	1.03054+1	-7.64956-1			IV

Table 47.9.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	27	23	1.056	3.22-1	0.99	6.80-3	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
273.1-513.2	760.00	2.27848+1	1.76410	8.89494	7.35714+1		IV

47-009



Name: 2-Furancarboxaldehyde
Formula: C₅H₄O₂

CAS-RN: 98-01-1
Group No.: 47-010
Molar Mass: 96.09

Table 47.10.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	317.5–370.7	3 S	nosp	not specified		avg	DSIO	*81VON
34MIL	N	256.0–267.9	2	nosp	not specified		avg	BSIO
47BUE/BOA	N	288.7–422.0	7	nosp	not specified		<i>p</i>	not specified
62OME2		288.6–422.0	6	nosp	not specified		<i>p</i>	not specified
67RAS/GAN		293.1–373.1	5 S	0.50	not specified		<i>p</i>	BSAO
34MIL 47BUE/BOA	average values in temperature ranges 240–272 K and 262–274 K data from Quaker Oats Co., Tech. Div., "Furfural as a Selective Solvent" (1940)							

Table 47.10.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
*81VON	317.5–370.7	3	2.00 #	0.550	2.29–1	1.10	1.68–1	1
47BUE/BOA	288.7–422.0	7	2.00 #	0.744	3.23–1	1.49	2.77–1	5
67RAS/GAN	293.1–373.1	5	0.50	1.192	1.22–1	0.60	–2.79–2	–1
Rejected data								
62OME2	(6.80–1,2.90,5.07–1,5)							

Table 47.10.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	23	15	1.040	2.96–1	1.38	1.54–1	5
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
288.7–422.0	–2.81207+2		2.70728+2	–8.14232+1	8.19410	V	

Table 47.10.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
<i>p</i>	23	15	1.419	2.89–1	1.42	7.94–2	5	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
288.7–422.0	670.00	6.39332+3	9.29674+2	–9.63048+2	5.89198+3	9.30916+2	3.01129+3	V



Name: 2-Methoxyethanol acetate
 Formula: C₅H₁₀O₃

CAS-RN: 110-49-6
 Group No.: 47-014
 Molar Mass: 118.13

Table 47.14.1. Experimental heat capacities

Reference	Temp range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
52CUR/JOH	303.1	1	nosp	not specified		<i>p</i>	not specified	
80CAL/MAR	N	359.0–409.0	eqn	not specified		<i>p</i>	DSIO	71MAR/CIO
97HOV/ROU	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
80CAL/MAR	equation calculated from temperature dependence of enthalpy by the authors							

Table 47.14.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
97HOV/ROU	298.1	1	0.50 #	0.000	0.00	0.00	0.00	0

Table 47.14.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	7	1	0.000	0.00	0.00	0.00	0
Temp. range K	A ₁						Level of uncertainty
298.1–298.1	2.81376+1						IV

Name: 2-(1-Methylethoxy)ethanol
Formula: C₅H₁₂O₂

CAS-RN: 109-59-1
Group No.: 47-015
Molar Mass: 104.15

Table 47.15.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
73KUS/SUU	298.1	1	0.10	not specified		<i>p</i>	DDCT	71KON/SUU
99TAM/OSA	298.1	1	nosp	99.95	chrom	<i>p</i>	FSIO	85OGA/MUR

Table 47.15.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
73KUS/SUU	298.1	1	0.10	0.316	9.09-3	0.03	-9.09-3	-1
99TAM/OSA	298.1	1	0.30 #	0.952	8.23-2	0.29	8.23-2	1

Table 47.15.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	2	2	1.004	8.28-2	0.29	3.66-2	0
Temp. range K	A_1						Level of uncertainty
298.1-298.1	2.87300+1						III

Name: 2-Propoxyethanol
Formula: C₅H₁₂O₂

CAS-RN: 2807-30-9
Group No.: 47-016
Molar Mass: 104.15

Table 47.16.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
73KUS/SUU	298.1	1	0.10	not specified		<i>p</i>	DDCT	71KON/SUU
78ROU/PER2	298.1	1	nosp	99.	chrom	<i>p</i>	FSIT	71PIC/LED
91SVO/ZAB2	300.6-328.3	7	0.50	99.95	chrom	<i>p</i>	BSAO	91SVO/ZAB1
99TAM/OSA	298.1	1	nosp	99.95	chrom	<i>p</i>	FSIO	85OGA/MUR

Name: Ethyl ester 3-oxobutanoic acid
Formula: C₆H₁₀O₃

CAS-RN: 141-97-9
Group No.: 47-020
Molar Mass: 130.14

Table 47.20.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	315.7-376.2	5 S	nosp	not specified		avg	DSIO	*81VON
34KOL/UDO	N	297.5	1	nosp	not specified	<i>p</i>	BSIT	34KOL/UDO
97HOV/ROU	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
34KOL/UDO	same datum in 33KOL/UDO							

Table 47.20.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
*81VON	315.7–376.2	5	3.00 #	0.443	3.99–1	1.33	–1.28–1	–1
97HOV/ROU	298.1	1	0.50 #	0.128	1.94–2	0.06	1.94–2	1

Table 47.20.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	7	6	0.500	4.46–1	1.49	–1.04–1	0
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–376.2	2.27999+1		2.48405	V			

Name: 2-Ethoxyethanol acetate

Formula: C₆H₁₂O₃

CAS-RN: 111-15-9

Group No.: 47-022

Molar Mass: 132.16

Table 47.22.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
52CUR/JOH	293.1	1	nosp	not specified		p	not specified	
80CAL/MAR	N 354.0–418.0	eqn	nosp	not specified		p	DSIO	71MAR/CIO
96STE/CHI1	300.0–600.0	16 S	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
97HOV/ROU	298.1	1	nosp	99.	anal	p	FSIT	71PIC/LED
80CAL/MAR	equation calculated from temperature dependence of enthalpy by the authors							

Table 47.22.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
96STE/CHI1	300.0–600.0	16	1.00	0.676	2.75–1	0.68	–3.38–2	–2
97HOV/ROU	298.1	1	1.00 #	1.984	6.43–1	1.98	6.43–1	1
Rejected data								
80CAL/MAR	(3.52–1, 1.06, –2.66–1, –3)							

Table 47.22.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	23	17	0.968	3.68–1	0.97	6.00–3	–1
sat	23	17	0.837	2.92–1	0.84	3.61–3	–1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
298.1–550.0	2.00707+1		6.05745	–1.14721	1.44555–1	IV	
550.0–600.0	–2.91992+4		1.59439+4	–2.89893+3	1.75768+2	V	
298.1–550.0	2.68077+1		4.30666–1	4.05552–1	2.84452–3	IV	
550.0–600.0	–1.85087+4		1.01107+4	–1.83782+3	1.11411+2	V	

Table 47.22.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	23	17	0.857	2.88-1	0.86	-1.11-2	-1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
298.1-600.0	611.00	-1.24875	4.93364-1	1.54174+1	4.21175+1	-2.97869+1	8.43815	IV



Name: 2-Butoxyethanol
Formula: $C_6H_{14}O_2$

CAS-RN: 111-76-2
Group No.: 47-023
Molar Mass: 118.18

Table 47.23.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
52CUR/JOH	N	293.1	1	nosp	not specified	p	not specified	
59ONK		298.1-373.1	16 S	nosp	not specified	p	BSAO	59ONK
73KUS/SUU		298.1	1	0.10	not specified	p	DDCT	71KON/SUU
78ROU/PER2		277.1-328.1	5	nosp	99.	chrom	FSIT	71PIC/LED
89COB/GAR		298.1	1	nosp	98.	anal	FSIT	71PIC/LED
99TAM/OSA		298.1	1	nosp	99.88	chrom	FSIO	85OGA/MUR
52CUR/JOH	technical product, purity in question							

Name: 2-(2-Ethoxyethoxy)ethanol
 Formula: C₆H₁₄O₃

CAS-RN: 111-90-0
 Group No.: 47-024
 Molar Mass: 134.18

Table 47.24.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
52CUR/JOH	N	293.1	1	nosp	not specified		not specified		
87COB		298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
89COB/GAR		298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
52CUR/JOH	technical product, purity in question								

Table 47.24.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
87COB	298.1	1	0.50 #	0.289	5.19-2	0.14	5.19-2	1
89COB/GAR	298.1	1	0.50 #	0.289	5.16-2	0.14	-5.16-2	-1

Table 47.24.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	3	2	0.409	7.31-2	0.20	1.51-4	0
Temp. range K	A ₁						Level of uncertainty
298.1-298.1	3.58011+1						IV

Name: 2,2'-[1,2-Ethanediy]bis(oxy)]bisethanol
 Formula: C₆H₁₄O₄

CAS-RN: 112-27-6
 Group No.: 47-025
 Molar Mass: 150.17

Table 47.25.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
52CUR/JOH	N	293.1	1	nosp	not specified		not specified		
79STE/TAM		273.1-533.2	15 S	nosp	99.9	chrom	<i>p</i>	BDHT	69PER/COM
82ZAR		298.0-363.0	3	0.60	98.5	chrom	<i>p</i>	BDCT	82ZAR
52CUR/JOH	technical product, purity in question								

Name: 2-(2-Butoxyethoxy)ethanol
 Formula: C₈H₁₈O₃

CAS-RN: 112-34-5
 Group No.: 47-033
 Molar Mass: 162.23

Table 47.33.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
52CUR/JOH	N	293.1	1	nosp	not specified		not specified		
87COB	N	298.1	1	nosp	99.	anal	<i>p</i>	FSIT	71PIC/LED
87COB/CAS		298.1	1	nosp	98.	anal	<i>p</i>	FSIT	71PIC/LED
52CUR/JOH	technical product, purity in question								
87COB	misprint in the name of substance; instead of 2-(2-Ethoxybutoxy). should be 2-(2-Butoxyethoxy)ethanol								

Table 47.33.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
87COB/CAS	298.1	1	0.50 #	0.979	2.09-1	0.49	-2.09-1	-1
87COB	298.1	1	0.50 #	0.989	2.13-1	0.49	2.13-1	1

Table 47.33.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	3	2	1.392	2.99-1	0.70	2.08-3	0
Temp. range K							Level of uncertainty
298.1-298.1	4.28922+1						IV

Name: 2,2'-[Oxybis(2,1-ethanedioxy)]bisethanol
Formula: C₈H₁₈O₅

CAS-RN: 112-60-7
Group No.: 47-034
Molar Mass: 194.23

Table 47.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
79STE/TAM	273.1-533.2	14 S	nosp	99.9	chrom	sat	BDHT	69PER/COM
82ZAR	298.0-363.0	3	0.60	99.9	chrom	p	BDCT	82ZAR

Name: (Phenoxyethyl)oxirane
Formula: C₉H₁₀O₂

CAS-RN: 122-60-1
Group No.: 47-036
Molar Mass: 150.18

Table 47.36.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
87LES/LIC	240.0-390.0	eqn	2.00	99.	estim	p	BDHT	69PER/COM
88LEB/BYK	276.8-330.0	4 S	0.30	99.3	melpt	p	BSAO	76LEB/LIT
97STE/CHI1	290.0-520.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 47.36.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
88LEB/BYK	276.8-330.0	4	0.30	0.756	758-2	0.23	5.38-3	0
97STE/CHI1	290.0-520.0	24	1.00	0.117	3.97-2	0.12	-9.23-3	2
Rejected data								
87LES/LIC	(4.80-1, 1.38, -1.14-1, -2)							

Table 47.36.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	44	28	0.324	4.93-2	0.15	-7.15-3	2
sat	44	28	0.325	5.06-2	0.15	-6.89-3	2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
276.8-520.0		2.58169+1	1.44429	3.39970-1			IV
276.8-520.0		2.57231+1	1.50020	3.31793-1			IV

Table 47.36.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	44	28	0.361	5.98-2	0.17	-1.97-2	-5
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
276.8-520.0	720.00	-4.52410	2.87529-1	2.28641+1	1.77961+1		IV

Name: Methyl ester hydroxyacetic acid
Formula: $C_3H_6O_3$

CAS-RN: 96-35-5
Group No.: 47-052
Molar Mass: 90.08

Table 47.52.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96STE/CHI3	315.0-375.0	4	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 47.52.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	4	4	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
315.0-375.0		1.75996+1	1.99996				IV

Name: 1,2-Ethanediol monoacetate
Formula: $C_4H_8O_3$

CAS-RN: 542-59-6
Group No.: 47-053
Molar Mass: 104.11

Table 47.53.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
80CAL/MAR	N	359.0-415.0	eqn	nosp	not specified	p	DSIO	71MAR/CIO
80CAL/MAR	equation calculated from temperature dependence of enthalpy by the authors; suspect values							

Name: Methyl ester methoxyacetic acid
Formula: C₄H₈O₃

CAS-RN: 6290-49-9
Group No.: 47-054
Molar Mass: 104.11

Table 47.54.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97HOV/ROU	298.15	1.962	nosp	99.	chrom	<i>p</i>	FSIT	71PIC/LED

Name: Methyl ester 3-oxobutanoic acid
Formula: C₅H₈O₃

CAS-RN: 105-45-3
Group No.: 47-055
Molar Mass: 116.12

Table 47.55.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97HOV/ROU	298.15	1.921	nosp	99.	chrom	<i>p</i>	FSIT	71PIC/LED

Name: (3*S*,6*S*)-3,6-Dimethyl-1,4-dioxane-2,5-dione
Formula: C₆H₈O₄

CAS-RN: 4511-42-6
Group No.: 47-056
Molar Mass: 144.13

Table 47.56.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99LEB/KUL1	N	368.3–438.9	22	1.50	not specified	<i>p</i>	BDHT	69YAG
99LEB/KUL1	data below 391 K rejected from correlation; sharp maximum							

Table 47.56.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	22	14	1.385	1.02	2.08	3.92–2	0
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	Level of uncertainty	
394.9–438.9	7.73774+4		–5.45080+4	1.28031+4	–1.00223+3	V	

Name: 2-(2-Methylpropoxy)ethanol
Formula: C₆H₁₄O₂

CAS-RN: 4439-24-1
Group No.: 47-057
Molar Mass: 118.18

Table 47.57.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
93PER/QUI	N	283.7–298.4	4	nosp	not specified	<i>p</i>	FSIT	71PIC/LED	
93PER/QUI	N	288.6–298.4	3	nosp	not specified	<i>p</i>	FSIT	71PIC/LED	
99TAM/OSA		298.1	1	nosp	99.95	chrom	<i>p</i>	FSIO	85OGA/MUR
93PER/QUI	measured on 10 mW scale								
93PER/QUI	measured on 30 mW scale								

Table 47.57.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
93PER/QUI	283.7–298.4	4	0.50 #	1.143	1.96–1	0.57	–7.74–2	0
93PER/QUI	288.6–298.4	3	0.50 #	0.702	1.23–1	0.35	1.07–1	3
Rejected data								
99TAM/OSA	(1.74, 5.20, –1.74, –1)							

Table 47.57.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	8	7	1.158	1.99–1	0.58	1.66–3	3
Temp. range K	A_1		A_2	Level of uncertainty			
283.7–298.4	1.29369+1		7.48574	V			

Name: 2-(2-Hydroxypropoxy)-1-propanol
Formula: $C_6H_{14}O_3$

CAS-RN: 106-62-7
Group No.: 47-058
Molar Mass: 134.18

Table 47.58.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82ZAR	298.0–363.0	3	0.60	99.32	chrom	p	BDCT	82ZAR

Table 47.58.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	3	3	0.256	6.24–2	0.15	1.27–4	1
Temp. range K	A_1		A_2	Level of uncertainty			
298.0–363.0	1.54605+1		7.80443	V			

Name: 2-Hydroxyethyl ester 2,2-dimethylpropanoic acid
Formula: $C_7H_{14}O_3$

CAS-RN: 20267-19-0
Group No.: 47-059
Molar Mass: 146.19

Table 47.59.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82BIR/SIK	270.0–370.0	eqn	1.00	99.	chrom	p	BDHT	69PER/COM

Table 47.59.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	10	10	0.000	4.99-6	0.00	-3.05-6	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
270.0-369.9		1.89917	1.60803+1	-1.43964			V

Name: 2-(2-Propoxyethoxy)ethanol
Formula: $C_7H_{16}O_3$

CAS-RN: 6881-94-3
Group No.: 47-060
Molar Mass: 148.20

Table 47.60.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96STE/CHI1	300.0-540.0	13 S	1.00	99.9	chrom	sat	BDHT	89KNI/ARC

Table 47.60.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	13	13	0.083	3.82-2	0.08	3.70-5	1
sat	13	13	0.087	4.01-2	0.09	4.20-5	1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
300.0-540.0		-2.41737	2.20581+1	-3.40807	2.16376-1		IV
300.0-540.0		-8.38939-1	2.07506+1	-3.05009	1.83967-1		IV

Table 47.60.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	13	13	0.096	4.40-2	0.10	4.99-5	1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
300.0-540.0	680.00	2.46071-2	4.61056-1	1.65552	1.24040+2	-1.09976+2	3.67219+1	IV

Name: α -Oxobenzeneacetic acid
Formula: $C_8H_6O_3$

CAS-RN: 611-73-4
Group No.: 47-061
Molar Mass: 150.13

Table 47.61.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91STE/CHI2	355.0-415.0	4	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 47.61.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	4	4	0.159	5.37-2	0.16	1.06-4	0
Temp. range K		A_1	A_2				Level of uncertainty
355.0-415.0		1.78265+1	4.06757				IV

Name: Bis(1,1-dimethylethyl) peroxide
Formula: $C_8H_{18}O_2$

CAS-RN: 110-05-4
Group No.: 47-062
Molar Mass: 146.23

Table 47.62.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93GIM/AUD	293.0-353.0	eqn	nosp	98.	anal	p	BDHT	93GIM/AUD
95DIO/MAN	308.1-338.1	7	nosp	99.54	chrom	p	BDHT	95DIO/MAN


Table 47.62.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
93GIM/AUD	293.0-353.0	13	2.00 #	0.539	4.04-1	1.08	-3.67-1	-13
95DIO/MAN	308.1-338.1	7	1.00 #	0.597	2.28-1	0.60	1.77-1	5

Table 47.62.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	20	20	0.590	3.72-1	0.99	-1.76-1	-8
Temp. range K		A_1	A_2				Level of uncertainty
293.0-353.0		1.85233+1	5.78440				V

47-062



Selected data
 O 93GIM/AUD
 □ 95DIO/MAN

Name: 2-(2'-Hydroxyethoxy)ethyl ester 2,2-dimethylpropanoic acid
 Formula: $C_9H_{18}O_4$

CAS-RN: 20267-21-4
 Group No.: 47-063
 Molar Mass: 190.24

Table 47.63.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
82BIR/SIK	N	270.0–370.0	eqn	1.00	99.	chrom	<i>p</i>	BDHT	69PER/COM
82BIR/SIK	an error in correlating equation that gives negative C_p over entire temperature range								

Name: 1,1'-[(1-Methyl-1,2-ethanediyl)bis(oxy)]bis-2-propanol
 Formula: $C_9H_{20}O_4$

CAS-RN: 1638-16-0
 Group No.: 47-064
 Molar Mass: 192.26

Table 47.64.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82ZAR	298.0–363.0	3	0.60	99.72	chrom	<i>p</i>	BDCT	82ZAR

Table 47.64.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	3	3	0.004	1.44–3	0.00	1.27–6	0
Temp. range K	A_1		A_2		Level of uncertainty		
298.0–363.0	3.00982+1		7.68416		V		

Name: 1,1-Dimethylethyl ester benzenecarboxylic acid
 Formula: C₁₁H₁₄O₃

CAS-RN: 614-45-9
 Group No.: 47-065
 Molar Mass: 194.23

Table 47.65.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93GIM/AUD	293.0–353.0	eqn	nosp	98.	anal	<i>p</i>	BDHT	93GIM/AUD

Table 47.65.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	6	6	0.000	0.00	0.00	0.00	0
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
293.0–353.0	2.40612+1		4.97577		V		

Name: 2-[2-[2-(2-Hydroxypropoxy)propoxy]propoxy]-1-propanol
 Formula: C₁₂H₂₆O₅

CAS-RN: 24800-25-7
 Group No.: 47-066
 Molar Mass: 250.34

Table 47.66.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82ZAR	298.0–363.0	3	0.60	98.8	chrom	<i>p</i>	BDCT	82ZAR

Table 47.66.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	3	3	0.601	2.52–1	0.36	7.78–4	1
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
298.0–363.0	3.39818+1		1.11589+1		V		

Name: 3,6,9,12,15-Pentaoxaheptadecane-1,17-diol
 Formula: C₁₂H₂₆O₇

CAS-RN: 2615-15-8
 Group No.: 47-067
 Molar Mass: 282.33

Table 47.67.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82ZAR	298.0–363.0	3	0.60	98.7	chrom	<i>p</i>	BDCT	82ZAR

Table 47.67.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	3	3	1.087	4.95–1	0.65	2.29–3	1
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
298.0–363.0	5.17517+1		7.57702		V		

Name: 2,5,8,11-Tetramethyl-3,6,9,12-tetraoxapentadecane-1,14-diol
Formula: C₁₅H₃₂O₆

CAS-RN: 21482-12-2
Group No.: 47-068
Molar Mass: 308.42

Table 47.68.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82ZAR	298.0–363.0	3	0.60	98.20	chrom	<i>p</i>	BDCT	82ZAR

Table 47.68.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	3	3	1.281	6.55–1	0.77	3.81–3	1
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
298.0–363.0	4.16885+1		1.35787+1		V		

Name: 2,5,8,11,14-Pentamethyl-3,6,9,12,15-pentaoxaoctadecane
Formula: C₁₈H₃₈O₇

CAS-RN: 74388-92-4
Group No.: 47-069
Molar Mass: 366.50

Table 47.69.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82ZAR	298.0–363.0	3	0.60	98.73	chrom	<i>p</i>	BDCT	82ZAR

Table 47.69.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	3	3	1.616	9.76–1	0.97	7.18–3	1
Temp. range K	<i>A₁</i>		<i>A₂</i>		Level of uncertainty		
298.0–363.0	4.24512+1		1.81884+1		V		

Name: 3,6,9,12,15-Pentaoxapentacosan-1-ol
Formula: C₂₀H₄₂O₆

CAS-RN: 23244-49-7
Group No.: 47-070
Molar Mass: 378.55

Table 47.70.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JHA/AHL	298.15	2.171	nosp	99.	chrom	<i>p</i>	BDCT	89BRE/LIC

Name: 3,6,9,12,15-Pentaoxaheptacosan-1-ol
Formula: C₂₂H₄₆O₆

CAS-RN: 3055-95-6
Group No.: 47-071
Molar Mass: 406.60

Table 47.71.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
83OLO	298.1	1	nosp	98.	chrom	<i>p</i>	DDCT	74SUU/WAD
94JHA/AHL	298.1	1	nosp	99.	chrom	<i>p</i>	BDCT	89BRE/LIC

Table 47.71.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
83OLO	298.1	1	0.70 #	0.162	1.20-1	0.11	-1.20-1	-1
94JHA/AHL	298.1	1	0.70 #	0.162	1.20-1	0.11	1.20-1	1

Table 47.71.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	2	2	0.229	1.70-1	0.16	2.75-4	0
Temp. range K							Level of uncertainty
298.1-298.1	1.06079+2						IV

Name: 3,6,9,12,15,18-Hexaoxaoctacosan-1-ol
Formula: C₂₂H₄₆O₇

CAS-RN: 5168-89-8
Group No.: 47-072
Molar Mass: 422.60

Table 47.72.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JHA/AHL	298.15	2.172	nosp	99.	chrom	p	BDCT	89BRE/LIC

Name: 3,6,9,12,15,18-Hexaoxatriacontan-1-ol
Formula: C₂₄H₅₀O₇

CAS-RN: 3055-96-7
Group No.: 47-073
Molar Mass: 450.66

Table 47.73.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JHA/AHL	298.15	2.179	nosp	99.	chrom	p	BDCT	89BRE/LIC

Name: 4-(Octadecyloxy)benzoic acid
Formula: C₂₅H₄₂O₃

CAS-RN: 15872-50-1
Group No.: 47-074
Molar Mass: 390.61

Table 47.74.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
77IKE/HAT	408.0-420.0	7	4.00	not specified		p	BDHT	69PER/COM

Table 47.74.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	7	7	0.113	1.30-1	0.45	-2.39-2	-3
Temp. range K							Level of uncertainty
408.0-420.0	3.88204+5		-2.79651+5	6.71547+4	-5.37536+3	VI	

Name: 3,6,9,12,15,18,21,24-Octaoxatetradecacontan-1-ol
Formula: C₂₆H₅₄O₉

CAS-RN: 24233-81-6
Group No.: 47-075
Molar Mass: 510.71

Table 47.75.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94JHA/AHL	298.15	2.170	nosp	99.	chrom	<i>p</i>	BDCT	89BRE/LIC

Name: 1,1'-Thiobisbenzene
Formula: C₁₂H₁₀S

CAS-RN: 139-66-2
Group No.: 51-023
Molar Mass: 186.28

Table 51.23.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
31SMI/AND2	259.8–298.5	4	nosp	97.5	estim	<i>p</i>	DSIO	26AND/LYN
95STE/CHI1	239.1–439.5	22	0.10	99.94	melpt	sat	BSAO	88STE/ARC
95STE/CHI1	N 300.0–700.0	21 S	1.00	99.94	melpt	sat	BDHT	89KNI/ARC

95STE/CHI1 in the temperature range 620–700 K values C_{sat} were extrapolated by the authors because of sample decomposition

Table 51.23.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
95STE/CHI1	239.1–299.9	11	0.10	0.167	5.33–3	0.02	2.06–4	–1
95STE/CHI1	300.0–700.0	21	1.00	0.105	4.53–2	0.10	–1.07–2	–1
Rejected data								
31SMI/AND2	(2.70–1,0.84, –2.53–1, –4)							


Table 51.23.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	47	32	0.141	4.01–2	0.09	–6.93–3	–2
sat	47	32	0.160	4.89–2	0.11	–7.30–3	–1
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
239.1–400.0	3.05649+1		–5.98837	3.09179	–2.75775–1	II	
400.0–700.0	6.84680		1.18002+1	–1.35534	9.48198–2	IV	
239.1–400.0	3.02139+1		–5.63837	2.97787	–2.63740–1	II	
400.0–700.0	9.14835		1.01608+1	–9.71917–1	6.54092–2	IV	

Table 51.23.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm	
	total	used						
<i>p</i>	47	32	0.645	1.87–1	0.42	3.44–2	1	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
239.1–700.0	795.00	6.09100	1.10753–1	2.09831+1	3.04703+1	2.04381+1	4.99161	IV

51-023



Selected data Rejected data
 O 95STE/CHI1 Δ 31SMI/AND2
 □ 95STE/CHI1

Name: 1,1'-Thiobisoctane
 Formula: C₁₆H₃₄S

CAS-RN: 2690-08-6
 Group No.: 51-026
 Molar Mass: 258.51

Table 51.26.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
82TUT/GAB	273.0–373.0	eqn	0.40	99.7	chrom	<i>p</i>	BSAO	62KOL/SER
97STE/CHI4	290.0–550.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 51.26.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
97STE/CHI4	290.0–550.0	27	1.00	0.004	2.20–3	0.00	1.84–6	1
Rejected data								
82TUT/GAB	(2.18+1,31.42,2.18+1,8)							

Table 51.26.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	37	27	0.004	2.33–3	0.00	1.84–6	1
sat	37	27	0.000	1.74–6	0.00	–4.24–7	0
Temp. range K			A_1	A_2	A_3	Level of uncertainty	
290.0–550.0			4.66375+1	–2.83779	9.36382–1	IV	
290.0–550.0			4.65500+1	–2.78999	9.29999–1	IV	

Table 51.26.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	37	27	0.175	9.11-2	0.17	2.65-4	-1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
290.0-550.0	780.00	-8.06216	3.12026	3.54628+1	5.20777		IV

Name: 1-Ethylthiooctane
Formula: C₁₀H₂₂S

CAS-RN: 3698-94-0
Group No.: 51-029
Molar Mass: 174.35

Table 51.29.1. Experimental heat capacities

Reference	Temp range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96STE/CHI1	300.0-600.0	16 S	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 51.29.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	16	16	0.064	3.59-2	0.06	4.39-5	0
sat	16	16	0.000	2.50-6	0.00	-1.43-6	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
300.0-600.0		2.10585+1	6.43977	7.23019-2			IV
300.0-600.0		1.99996+1	6.99985	7.23019-2			IV

Table 51.29.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	16	16	0.034	1.85-2	0.03	-4.10-5	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
300.0-600.0	700.00	-8.06736-1	3.45290-3	2.03654+1	4.71215+1		IV

Name: 1,1'-Thiobiscyclohexane
Formula: C₁₂H₂₂S

CAS-RN: 7133-46-2
Group No.: 51-030
Molar Mass: 198.37

Table 51.30.1. Experimental heat capacities

Reference	Temp range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
97STE/CHI4	N	290.0-520.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
97STE/CHI4	the original equation gives negative heat capacities; the sign of the 2nd parameter was changed to positive								

Table 51.30.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	24	24	0.004	1.95-3	0.00	9.54-7	0
sat	24	24	0.000	2.20-6	0.00	-1.59-7	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
290.0-520.0		1.38007+1	7.83471	1.89840-1			IV
290.0-520.0		1.37200+1	7.88000	1.83600-1			IV

Table 51.30.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	24	24	0.018	8.74-3	0.02	1.49-5	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
290.0-520.0	770.00	-4.53067	8.27716-2	1.24785+1	6.19989+1		IV

Name: 1,1'-[(1-Methylethylidene)bis(thio)]bisbenzene
Formula: C₁₅H₁₆S₂

CAS-RN: 14252-46-1
Group No.: 51-031
Molar Mass: 260.42

Table 51.31.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97STE/CHI1	329.0-420.0	eqn	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 51.31.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	10	10	0.000	1.91-6	0.00	7.63-7	0
Temp. range K		A_1	A_2				Level of uncertainty
329.0-419.9		2.63600+1	7.20000				IV

Name: 1-Hexanethiol
Formula: C₆H₁₄S

CAS-RN: 111-31-9
Group No.: 52-016
Molar Mass: 118.24

Table 52.16.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
66GOO/DEP	N	298.1	1	nosp	99.97	melpt		not specified
70FIN/MCC		200.3-371.9	20	0.20	99.978	melpt	sat	BSAO 47HUF
66GOO/DEP	from unpublished measurement of Bureau of Mines, Bartlesville (USA)							

Name: 1-Heptanethiol
Formula: C₇H₁₆S

CAS-RN: 1639-09-4
Group No.: 52-017
Molar Mass: 132.27

Table 52.17.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
66GOO/DEP	N	298.1	1	nosp	99.97	melpt	<i>p</i>	not specified
70FIN/MCC		232.1–359.4	16	0.20	99.97	melpt	sat	BSAO 47HUF
66GOO/DEP	from unpublished measurement of Bureau of Mines, Bartlesville (USA)							

Name: 1-Decanethiol
Formula: C₁₀H₂₂S

CAS-RN: 143-10-2
Group No.: 52-018
Molar Mass: 174.35

Table 52.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
66GOO/DEP	N	298.1	1	nosp	99.88	melpt	<i>p</i>	not specified
70FIN/MCC		255.1–375.2	30	0.20	99.88	melpt	sat	BSAO 47HUF
66GOO/DEP	from unpublished measurement of Bureau of Mines, Bartlesville (USA)							

Name: Dibenzothiophene
Formula: C₁₂H₈S

CAS-RN: 132-65-0
Group No.: 53-013
Molar Mass: 184.26

Table 53.13.1. Experimental heat capacities

Reference	Temp range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
83ORO/MRA		24	1.50	99.9	chrom	<i>p</i>	BDHT	69PER/COM
91CHI/KNI1		16	0.10	99.986	melpt	sat	BSAO	47HUF
91CHI/KNI1		25	1.00	99.986	melpt	sat	BDHT	89KNI/ARC
95STE/CHI1	N	16	1.00	99.986	melpt	sat	BDHT	89KNI/ARC
95STE/CHI1	revised values based on the new measurement densities along the saturation line							

Table 53.13.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
91CHI/KNI1	377.2–515.8	16	0.10	0.169	6.71–3	0.02	–1.02–4	–1
95STE/CHI1	500.0–800.0	16	1.00	0.042	1.91–2	0.04	1.04–2	6
Rejected data								
83ORO/MRA	(4.24–1, 1.21, –2.55–1, –12)		91CHI/KNI1	(2.29–1, 0.45, 1.41–1, 10)				


Table 53.13.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	81	32	0.137	1.59-2	0.04	5.17-3	5
sat	81	32	0.136	1.38-2	0.03	4.47-3	6
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
377.2-520.0	9.54676		8.15897	-4.96261-1	1.95933-2	II	
520.0-740.0	1.42058+1		5.47103	2.06494-2	-1.35420-2	IV	
740.0-800.0	-6.97902+2		2.94164+2	-3.89919+1	1.74378	IV	
377.2-520.0	9.47419		8.20789	-5.07171-1	2.03981-2	II	
520.0-740.0	1.81594+1		3.19718	4.56428-1	-4.13711-2	IV	
740.0-800.0	-3.13966+2		1.37843+2	-1.77389+1	7.78239-1	IV	

Table 53.13.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	81	32	0.154	4.29-2	0.09	4.22-3	3	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
377.2-800.0	897.00	-3.71128-1	1.34134-3	1.08236+1	6.49215+1	-2.39479+1	2.95451	IV

53-013



Selected data Rejected data
 ○91CHI/KN11 ▲83ORO/MRA
 □95STE/CHI1 ▼91CHI/KN11

Name: Thianthrene
Formula: C₁₂H₈S₂

CAS-RN: 92-85-3
Group No.: 53-014
Molar Mass: 216.33

Table 53.14.1. Experimental heat capacities

Reference	Temp range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93STE/CHI1	435.7–518.4	12	0.10	99.997	melpt	sat	BSAO	88STE/ARC
93STE/CHI1	440.0–700.0	14 S	1.00	99.997	melpt	sat	BDHT	89KNI/ARC

Table 53.14.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
93STE/CHI1	435.7–518.4	12	0.10	0.088	3.84–3	0.01	1.21–4	1
93STE/CHI1	440.0–700.0	14	1.00	0.063	3.03–2	0.06	–1.03–2	–5

Table 53.14.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	26	26	0.084	2.49–2	0.05	–5.49–3	–4
sat	26	26	0.084	2.44–2	0.05	–5.52–3	–4
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
435.7–520.0	2.71286+1		–1.14920	1.57355	–1.30609–1	II	
520.0–700.0	–1.79927+1		2.48823+1	–3.43250	1.90291–1	IV	
435.7–520.0	2.75711+1		–1.42934	1.63254	–1.34742–1	II	
520.0–700.0	–1.64752+1		2.39820+1	–3.25426	1.78514–1	IV	

Table 53.14.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
<i>p</i>	26	26	0.176	4.45–2	0.09	–1.08–2	–2	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
435.7–700.0	920.00	–2.74010	2.88568–1	9.36362	8.60828+1	–5.65524+1	1.34505+1	IV

Name: 2,2,2-Trifluoroethanol
Formula: C₂H₃F₃O

CAS-RN: 75-89-8
Group No.: 61-008
Molar Mass: 100.04

Table 61.8.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
89JAD/FRA	315.0–355.0	5	nosp	99.	anal	<i>p</i>	BDCT	86MER/BEN
92MIY/TAMI	298.1	1	nosp	99.95	chrom	<i>p</i>	FSIO	85OGA/MUR
97NIS/TAM	308.1	1	nosp	99.97	chrom	<i>p</i>	FSIO	85OGA/MUR

Table 61.8.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
92MIY/TAM1	298.1	1	0.30 #	0.000	0.00	0.00	0.00	0
97NIS/TAM	308.1	1	0.30 #	0.000	0.00	0.00	0.00	0

Table 61.8.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	7	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2	Level of uncertainty			
298.1–308.1	4.42059		5.68885	III			

Name: Pentafluorophenol
Formula: C₆HF₅O

CAS-RN: 771-61-9
Group No.: 61-034
Molar Mass: 184.07

Table 61.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
68AND/COU1	315.6–376.9	16	nosp	99.97	melpt	p	BSAO	63AND/COU1
69PAU/LAV2	318.0–328.5	4	nosp	98.76	melpt	p	BSAO	69PAU/LAV2
97STE/CHI3	320.0–580.0	14	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 61.34.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
68AND/COU1	315.6–376.9	16	0.20 #	0.307	2.06–2	0.06	8.42–5	0
97STE/CHI3	320.0–580.0	14	1.00	0.294	1.14–1	0.29	–8.41–4	–2
Rejected data								
69PAU/LAV2	(5.89–1, 1.73, 5.89–1, 4)							


Table 61.34.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	34	30	0.337	8.90–2	0.23	–3.47–4	–2
sat	34	30	0.312	7.14–2	0.19	–7.51–4	–3
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
315.7–400.0	4.38341+1		–3.51873	–4.74950–1	1.78930–1	II	
400.0–520.0	8.26306+1		–3.26160+1	6.79938	–4.27264–1	IV	
520.0–580.0	–4.49205+3		2.60662+3	–5.00747+2	3.21078+1	IV	
315.7–400.0	4.42762+1		–3.98006	–3.17982–1	1.61437–1	II	
400.0–520.0	9.25689+1		–4.01996+1	8.73690	–5.93137–1	IV	
520.0–580.0	–3.11543+3		1.81057+3	–3.47181+2	2.22221+1	IV	

Table 61.34.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	34	13	0.507	1.81-1	0.47	-1.57-3	-1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
371.8-580.0	605.00	-1.19863	4.36410-1	3.06003+1	8.23029-1		IV

61-034



Selected data
 O 68AND/COU1
 □ 97STE/CHI3

Rejected data
 △ 69PAU/LAV2

Name: 2-Chlorophenol
 Formula: C₆H₅ClO

CAS-RN: 95-57-8
 Group No.: 61-037
 Molar Mass: 128.56

Table 61.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
16BRA	283.1-323.1	2	nosp	not specified		avg	DSTO	16BRA
37ELL	298.1-351.1	3 S	nosp	not specified		p	BSIO	37ELL
#00ROH	293.1-353.1	7	0.50	99.97	chrom	p	BDCT	91BAN/GAR

Table 61.37.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
#00ROH	293.1-353.1	7	0.50	0.142	1.87-2	0.07	2.59-5	0
Rejected data								
16BRA	(6.72-1, 2.62, -6.72-1, -1)		37ELL	(5.89-1, 2.31, -4.27-1, -1)				

Table 61.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	12	7	0.187	2.48–2	0.09	2.59–5	0
Temp. range K		A_1	A_2	A_3			Level of uncertainty
293.1–353.1		4.16416+1	–1.04980+1	1.77851			IV

Name: (Difluoromethoxy)trifluoromethane
Formula: C_2HF_5O

CAS-RN: 3822-68-2
Group No.: 61-047
Molar Mass: 136.02

Table 61.47.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92HWA/DES	313.15	1.327	3.00	not specified		p	BDHT	92HWA/DES

Name: 4,5-Dichloro-1,3-dioxolan-2-one
Formula: $C_3H_2Cl_2O_3$

CAS-RN: 3967-55-3
Group No.: 61-048
Molar Mass: 156.95

Table 61.48.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
76MAS/PET	N	274.8–335.2	11	5.00	not specified	p	BDHT	66PER/COM
76MAS/PET	data from a graph only							

Table 61.48.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	11	0.204	2.37–1	1.02	4.31–3	5
Temp. range K		A_1	A_2				Level of uncertainty
274.8–335.2		3.20668	6.87970				VI

Name: 4-Chloro-1,3-dioxolan-2-one
Formula: $C_3H_3ClO_3$

CAS-RN: 3967-54-2
Group No.: 61-049
Molar Mass: 122.51

Table 61.49.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
76MAS/PET	N	241.8–310.5	11	5.00	not specified	p	BDHT	66PER/COM
76MAS/PET	data from a graph only							

Table 61.49.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	11	0.106	1.44-1	0.53	9.46-4	-1
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
241.8-310.5		-1.83134+2	2.61701+2	-1.08544+2	1.49441+1		VI

Name: 4-(Chloromethyl)-1,3-dioxolan-2-one
Formula: $C_4H_5ClO_3$

CAS-RN: 2463-45-8
Group No.: 61-050
Molar Mass: 136.53

Table 61.50.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
76MAS/PET	N	274.2-304.8	7	5.00	not specified		p	BDHT	66PER/COM
76MAS/PET	data from a graph only								

Table 61.50.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	7	7	0.181	2.69-1	0.90	3.60-3	1
Temp. range K		A_1	A_2				Level of uncertainty
274.2-304.8		-1.18927+1	1.40300+1				VI

Name: 3-Chlorophenol
Formula: C_6H_5ClO

CAS-RN: 108-43-0
Group No.: 61-051
Molar Mass: 128.56

Table 61.51.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00ROH	313.1-353.1	5	0.50	99.97	chrom	p	BDCT	83ROU/ROU

Table 61.51.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
total	used						
p	5	5	0.250	3.47-2	0.13	3.36-5	1
Temp. range K		A_1	A_2	A_3			Level of uncertainty
313.1-353.1		-2.62580+1	3.04931+1	-4.26736			IV

Name: 4-Chlorophenol
Formula: C₆H₅ClO

CAS-RN: 106-48-9
Group No.: 61-052
Molar Mass: 128.56

Table 61.52.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00ROH	323.1–353.1	4	0.50	99.81	chrom	<i>p</i>	BDCT	83ROU/ROU

Table 61.52.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	4	4	0.090	1.26–2	0.04	6.20–6	0
Temp. range K	<i>A</i> ₁		<i>A</i> ₂			Level of uncertainty	
323.1–353.1	2.25112+1		1.65996			IV	

Name: 2-Fluorophenol
Formula: C₆H₅FO

CAS-RN: 367-12-4
Group No.: 61-053
Molar Mass: 112.10

Table 61.53.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91LIC	289.25	1.902	2.00	99.	anal	<i>p</i>	BDCT	89BRE/LIC

Name: 3-Fluorophenol
Formula: C₆H₅FO

CAS-RN: 372-20-3
Group No.: 61-054
Molar Mass: 112.10

Table 61.54.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91LIC	286.85	1.897	2.00	99.	anal	<i>p</i>	BDCT	89BRE/LIC

Name: 1-[1-[Difluoro(pentafluoroethoxy)methyl]-1,2,2,2-tetrafluoroethoxy]-1,1,2,2,3,3,3-heptafluoropropane
Formula: C₈F₁₈O₂

CAS-RN: 66804-94-2
Group No.: 61-055
Molar Mass: 470.06

Table 61.55.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98MUS/NAZ	293.1–373.1	5	1.50	99.	anal	<i>p</i>	BDIO	96MUS

Table 61.55.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	5	5	0.034	3.17–2	0.05	1.30–5	–1
Temp. range K	<i>A</i> ₁		<i>A</i> ₂	<i>A</i> ₃			Level of uncertainty
293.1–373.1	4.23552+1		1.79370	1.29623			V

Name: Formamide
Formula: CH₃NO

CAS-RN: 75-12-7
Group No.: 62-001
Molar Mass: 45.04

Table 62.1.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
65SOM/COO	N	298.1	1	0.20	not specified	<i>p</i>	BSAO	56COO/BAL	
66EGA/LUF		298.1	1	nosp	not specified	<i>p</i>	BSIO	61EGA/LUF	
67RAS/GAN		293.1–373.1	5	S	0.50	not specified	<i>p</i>	BSAO	67RAS/GAN
74DEV/SOM	N	298.1	1	0.50	not specified	<i>p</i>	BSIO	70LKB/COM	
76BON/CER		298.1	1	nosp	not specified	<i>p</i>	BSIO	76BON/CER	
76SKO/SUU		298.1	1	0.10	not specified	<i>p</i>	DDCT	71KON/SUU	
77VOR/PRI		297.4	1	0.80	not specified	sat	BSAO	77VOR/PRI	
78DEV/HEU		298.1	1	1.00	99.8	chrom	<i>p</i>	BSIO	70LKB/COM
83DEW/DEK		276.8–293.7	8	nosp	99.57	melpt	<i>p</i>	BSAO	79SCH/OFF
85KOL/KUL	N	293.1–313.1	3	nosp	not specified	<i>p</i>	BSAO	75VYU/ZVE	
89PET/PES2	N	278.1–318.1	3	0.10	not specified	<i>p</i>	BSAO	83KUK/KOR	
92KOL/KUL1	N	283.1–328.1	4	0.05	not specified	<i>p</i>	BSAO	75VYU/ZVE	
93BAS/VOL	N	298.1	1	nosp	99.0	chrom	<i>p</i>	DDCT	71KON/SUU
65SOM/COO	high purity of substance with water content below 0.02%								
74DEV/SOM	<i>C_p</i> values for Formamide and <i>N,N</i> -Dimethylformamide were interchanged								
85KOL/KUL	water content below 0.03%								
89PET/PES2	water content below 0.01%								
92KOL/KUL1	content of water 0.01%–0.02% by Karl Fischer method								
93BAS/VOL	content of water less than 0.05 mol. % by Karl Fischer method								

Table 62.1.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
65SOM/COO	298.1	1	0.20	0.989	2.56–2	0.20	–2.56–2	–1
66EGA/LUF	298.1	1	0.50 #	0.136	8.81–3	0.07	8.81–3	1
74DEV/SOM	298.1	1	0.50	0.531	3.45–2	0.27	3.45–2	1
76SKO/SUU	298.1	1	0.10	1.791	2.32–2	0.18	–2.32–2	–1
77VOR/PRI	297.5	1	0.80	0.237	2.46–2	0.19	2.46–2	1
78DEV/HEU	298.1	1	1.00	0.081	1.05–2	0.08	1.05–2	1
83DEW/DEK	276.8–293.7	8	0.50 #	0.920	5.90–2	0.46	–5.55–2	–8
85KOL/KUL	293.1–313.1	3	0.50 #	0.104	6.75–3	0.05	4.63–3	1
89PET/PES2	278.1–318.1	3	0.10	2.178	2.85–2	0.22	–7.64–3	–1
92KOL/KUL1	283.1–328.1	4	0.05	0.873	5.70–3	0.04	4.27–3	3
Rejected data								
67RAS/GAN	(2.97–1, 2.33, –2.96–1, –2)		76BON/CER	(9.78–2, 0.76, –9.78–2, –1)				
93BAS/VOL	(3.88–2, 0.30, –3.88–2, –1)							


Table 62.1.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used	%				
C	31	24	1.168	4.01–2	0.31	–1.69–2	–3
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
276.8–328.1	2.10920+1		–6.09729	1.13100	III		

Table 62.1.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	31	24	2.111	2.88-2	0.22	5.38-3	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
276.8-328.1	775.00	1.10520+2	4.38420+1	-3.14205+1	6.96517+1		IV

62-001



Selected data
 O 65SOM/COO
 □ 66EGA/LUF
 △ 74DEV/SOM
 ▽ 76SKO/SUU
 ◇ 77VOR/PR1
 + 78DEV/HEU
 × 830EW/DEK
 * 85KOL/KUL
 ★ 89PET/PES2
 ◀ 92KOL/KUL1
Rejected data
 ▶ 93BAS/VOL

Name: Nitromethane
Formula: CH₃NO₂

CAS-RN: 75-52-5
Group No.: 62-002
Molar Mass: 61.04

Table 62.2.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
07WAL	290.1	1	nosp	not specified		avg	DSIO	07WAL	
25WIL	N	303.0-343.0	eqn	not specified		<i>p</i>	BSAO	24WIL/DAN	
25WIL	N	288.0-343.0	eqn	not specified		<i>p</i>	BSAO	24WIL/DAN	
47JON/GIA		249.8-297.1	11	nosp	99.7	melpt	BSIO	37GIA/EGA	
50HOU/MAS2		313.1-363.1	6 S	0.40	99.8	estim	BSAO	50SAG/HOU	
65ZIE	N	316.0-333.9	2	nosp	not specified		avg	DSIO	58SWI/ZIEI
69BER/WES		308.1-473.1	18 S	0.10	99.99	melpt	BSAO	68WES/WES	
99CER/TOV		288.1-308.1	4	nosp	99.	chrom	BDCT	83ROU/ROU	
25WIL	sample was dried P ₂ O ₅								
25WIL	sample was dried CaCl ₂								
65ZIE	average values in temperature ranges 294-374 K and 294-338 K								

Table 62.2.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
47JON/GIA	249.8–297.1	11	0.40 #	0.405	2.06–2	0.16	–6.01–3	0
69BER/WES	308.1–473.1	18	0.10	0.134	1.87–3	0.01	–7.14–5	–2
99CER/TOV	288.1–308.1	4	0.50 #	0.538	3.45–2	0.27	3.45–2	4
Rejected data								
07WAL	(7.19–2.0.57, –7.19–2, –1)		25WIL	(6.70–1, 5.43, –6.67–1, –4)				
25WIL	(7.18–1, 5.88, –6.28–1, –5)		50HOU/MAS2	(1.32–1, 0.99, 1.31–1, 6)				
65ZIE	(2.80–1, 2.20, –2.75–1, –2)							


Table 62.2.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	51	33	0.343	1.84–2	0.14	2.13–3	2
sat	51	33	0.345	1.82–2	0.14	1.83–3	3
Temp. range K							Level of uncertainty
	A_1	A_2	A_3	A_4			
249.8–360.0	2.09372+1	–7.96430	2.31812	–1.89026–1			III
360.0–473.2	–1.00995	1.03251+1	–2.76226	2.81379–1			III
249.8–360.0	2.05129+1	–7.60099	2.21965	–1.80790–1			III
360.0–473.2	3.26255	6.77427	–1.77348	1.88944–1			III

Table 62.2.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	51	33	2.418	6.45–2	0.49	1.30–2	8	
Temp. range K	T_c K	A_1	A_2	A_3	A_4			Level of uncertainty
249.8–473.1	588.00	–1.20159	6.02375–1	1.04261+1	5.99223–1			IV

62-002



Selected data Rejected data
 ○ 47JON/GIA ▼ 07WAL
 □ 69BER/WES ◇ 50HOU/MAS2
 △ 99CER/TOV

Name: *N*-Methylformamide
 Formula: C₂H₅NO

CAS-RN: 123-39-7
 Group No.: 62-006
 Molar Mass: 59.07

Table 62.6.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
74DEV/SOM	298.1	1	0.50	not specified		<i>p</i>	BSIO	70LKB/COM
76BON/CER	298.1	1	nosp	not specified		<i>p</i>	BSIO	76BON/CER
76SKO/SUU	298.1	1	0.10	not specified		<i>p</i>	DDCT	71KON/SUU
79DEV/SOM	298.1	1	1.00	99.8	chrom	<i>p</i>	BSIO	70LKB/COM
85KOL/KUL	N	293.1–303.1	2	nosp	not specified	<i>p</i>	BSAO	75VYU/ZVE
89KUL/KRE		308.0	1	nosp	not specified	<i>p</i>	BSAO	83KUK/KOR
92KOL/KUL1	N	283.1–328.1	4	0.05	not specified	<i>p</i>	BSAO	75VYU/ZVE


85KOL/KUL water content below 0.03%
 92KOL/KUL1 content of water 0.01%–0.02% by Karl Fischer method

Table 62.6.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				%				
Selected data								
74DEV/SOM	298.1	1	0.50	1.485	1.13–1	0.74	1.13–1	1
79DEV/SOM	298.1	1	1.00	0.029	4.37–3	0.03	4.37–3	1
85KOL/KUL	293.1–303.1	2	0.30 #	0.055	2.49–3	0.02	–2.36–3	–2
89KUL/KRE	308.0	1	0.50 #	0.049	3.69–3	0.02	–3.69–3	–1
92KOL/KUL1	283.1–328.1	4	0.30 #	0.241	1.08–2	0.07	–8.56–3	–3
Rejected data								
76BON/CER	(3.80–1, 2.59, –3.80–1, –1)			76SKO/SUU	(1.64–1, 1.10, –1.64–1, –1)			

Table 62.6.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	9	0.591	4.34-2	0.29	8.26-3	-4
Temp. range K		A_1	A_2				Level of uncertainty
283.1-328.1		9.60363	1.82794				III



Name: Isoxazole
Formula: C₃H₃NO

CAS-RN: 288-14-2
Group No.: 62-010
Molar Mass: 69.06

Table 62.10.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
78MCC/HAM	298.1	1	nosp	not specified		p	BDHT	73PER/COM	
93STE/CHI2	N	300.0-480.0	10	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
93STE/CHI2	same data in 96STE/CHI2								

Table 62.10.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
93STE/CHI2	300.0-480.0	10	1.00	0.419	6.10-2	0.42	8.35-4	-3

Table 62.10.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	10	0.468	6.82-2	0.47	8.35-4	-3
sat	11	10	0.454	7.04-2	0.45	5.59-4	0
Temp. range K		A_1	A_2				Level of uncertainty
300.0-480.0		4.98573	2.63620				IV
300.0-480.0		5.32295	2.53491				IV

Table 62.10.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	10	0.447	6.89-2	0.45	4.95-4	0
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
300.0-480.0	590.00	-6.53318-1	7.91038-3	5.58899	1.34894+1		IV

Name: *N,N*-Dimethylformamide
Formula: C₃H₇NO

CAS-RN: 68-12-2
Group No.: 62-016
Molar Mass: 73.09

Table 62.16.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
61GEL	273.0-323.0	5 S	nosp	not specified		p	not specified	
70ANO	293.2-423.2	8 S	nosp	not specified		sat	not specified	
73MOS/NIK	212.6-298.1	4 S	nosp	99.5	melpt	p	BSAO	66NIK/LEB
74DEV/SOM	298.1	1	0.50	not specified		p	BSIO	70LKB/COM
76BON/CER	298.1	1	nosp	not specified		p	BSIO	76BON/CER
77BON/BED	298.1	1	0.10	not specified		p	BSIO	76BON/CER
77DEV/PER2	298.1	1	0.30	not specified		p	FSIT	71PIC/LED
77DEV/PER3	298.1	1	0.50	not specified		p	FSIT	71PIC/LED
77VYU	298.0	1	nosp	not specified		p	not specified	
78MAR/CIO1	298.1-429.1	2	nosp	not specified		p	DSIO	71MAR/CIO
79DEV/SOM	298.1	1	1.00	99.8	chrom	p	BSIO	70LKB/COM
82VOR/YAK	298.1	1	nosp	not specified		p	BSAO	77VOR/PRI
84ZEG/SOM2	298.1	1	0.30	99.5	chrom	p	FSIT	71PIC/LED
86KOR/KUK	278.0-298.0	2	0.20	not specified		p	BSAO	83KUK/KOR
87PIE	298.1	1	nosp	99.5	chrom	p	FSIT	71PIC/LED
89KUL/KRE	308.0	1	nosp	not specified		p	BSAO	83KUK/KOR
89PET/PES1	258.1-318.1	4	nosp	not specified		p	BSAO	83KUK/KOR
91GRO/ROU	298.1	1	nosp	99.5	anal	p	FSIT	71PIC/LED
92KOL/KUL2	283.1-323.1	6	0.05	not specified		p	BSAO	75VYU/ZVE
92MIY/TAM2	298.1	1	nosp	99.9	chrom	p	FSIO	85OGA/MUR
93NAK/CHU	298.1	1	0.50	99.96	chrom	p	FSIO	85OGA/MUR
94CON/GIA1	298.1	1	nosp	not specified		p	FSIT	88CON/GIA
94PRA/RAJ	293.1-323.1	4	nosp	not specified		p	BDHT	89PRA/RAJ
74DEV/SOM	C_p values for <i>N,N</i> -Dimethylformamide and Formamide were interchanged							
77BON/BED	infrared spectrum indicated that sample was water-free							
78MAR/CIO1	constant value calculated from temperature dependence of enthalpy by the authors							
92KOL/KUL2	content of water 0.01%-0.02% by Karl Fischer method							

Table 62.16.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
70ANO	293.2–423.2	8	1.50 #	1.003	2.82–1	1.50	1.85–1	2
73MOS/NIK	212.6–298.1	4	0.50 #	0.502	4.38–2	0.25	2.05–2	2
77DEV/PER2	298.1	1	0.30	0.019	1.00–3	0.01	–1.00–3	0
77DEV/PER3	298.1	1	0.50	0.259	2.31–2	0.13	2.31–2	1
84ZEG/SOM2	298.1	1	0.30	0.790	4.23–2	0.24	4.23–2	1
86KOR/KUK	278.0–298.0	2	0.20	1.663	5.89–2	0.33	–1.42–2	0
87PIE	298.1	1	0.50 #	0.475	4.23–2	0.24	4.23–2	1
89KUL/KRE	308.0	1	0.50 #	0.245	2.20–2	0.12	2.20–2	1
92KOL/KUL2	283.1–323.1	6	0.30 #	0.331	1.77–2	0.10	6.37–3	4
92MIY/TAM2	298.1	1	0.30 #	1.785	9.48–2	0.54	–9.48–2	–1
93NAK/CHU	298.1	1	0.50	1.085	9.60–2	0.54	–9.60–2	–1
Rejected data								
61GEL	(1.44,7.38,1.30,5)		74DEV/SOM	(4.80–1,2.63,4.80–1,1)				
76BON/CER	(2.42–1,1.38,–2.42–1,–1)		77BON/BED	(3.10–1,1.77,–3.10–1,–1)				
77VYU	(4.52–1,2.48,4.52–1,1)		78MAR/CIO1	(3.31,22.83,–3.31,–1)				
79DEV/SOM	(3.36–1,1.85,3.36–1,1)		82VOR/YAK	(3.00–1,1.66,3.00–1,1)				
89PET/PES1	(4.48–1,2.47,3.85–1,4)		91GRO/ROU	(2.35–1,1.34,–2.35–1,–1)				
94CON/GIA1	(1.91–1,1.09,–1.91–1,–1)		94PRA/RAJ	(4.40–1,2.39,4.37–1,4)				

Table 62.16.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	50	27	0.946	1.71–1	0.92	5.58–2	10
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
212.6–423.2		1.30506+1	4.51158	–1.84340	2.89996–1		IV

Table 62.16.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	50	27	2.943	2.46–1	1.41	8.28–2	8
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
212.6–423.2	660.00	–3.63232	8.64272–1	1.23295+1	3.81644		V



Name: 2-Amino-2-methyl-1-propanol
Formula: C₄H₁₁NO

CAS-RN: 124-68-5
Group No.: 62-028
Molar Mass: 89.14

Table 62.28.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
80ROU/ROB	298.1	1	0.30	not specified		<i>p</i>	FSIT	71PIC/LED
97MAH/HEP	322.8–397.8	4	nosp	99.0	chrom	<i>p</i>	BDCT	91BAN/GAR
99CHI/LIU	303.1–353.1	11	3.00	95.	anal	<i>p</i>	BDHT	99CHI/LIU

Table 62.28.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	±
				Selected data				
80ROU/ROB	298.1	1	0.30	0.507	4.20–2	0.15	–4.20–2	–1
97MAH/HEP	322.8–397.8	4	1.00 #	0.828	2.53–1	0.83	7.21–2	0
99CHI/LIU	303.1–353.1	11	3.00	0.427	3.78–1	1.28	1.65–1	3

Table 62.28.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used					
<i>p</i>	16	16	0.598	3.62–1	1.22	1.29–1	2
Temp. range K	A_1		A_2		Level of uncertainty		
298.1–397.8	2.88532		8.30421		V		



Name: Nitrobenzene
 Formula: C₆H₅NO₂

CAS-RN: 98-95-3
 Group No.: 62-045
 Molar Mass: 123.11

Table 62.45.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*81VON	323.4–392.1	4	S	nosp	not specified	avg	DSIO	*81VON
12SCH2	283.1–393.1	12		nosp	not specified	<i>p</i>	BSIO	12SCH1
24WIL/DAN	303.0–358.0	eqn		nosp	not specified	<i>p</i>	BSAO	24WIL/DAN
34PAR/TOD	280.6–297.4	5		0.60	not specified	<i>p</i>	BSIO	25PAR
36PAR/TOD1	280.0–300.0	3	S	0.70	not specified	<i>p</i>	BSIO	25PAR
39MAZ1	278.5–293.4	50		nosp	not specified	<i>p</i>	BSIO	39MAZ3
39MAZ3	279.0–293.4	10		nosp	not specified	<i>p</i>	BSIO	39MAZ3
58LUT/PAN	335.6–414.6	15		0.70	not specified	<i>p</i>	BDHO	58LUT/PAN
67PAC	303.1	1		nosp	not specified	<i>p</i>	BDHT	79DU/COM
67RAS/GAN	293.1–373.1	5	S	0.50	not specified	<i>p</i>	BSAO	67RAS/GAN
85LAI/ROD	298.1	1		nosp	not specified	<i>p</i>	FSIT	71PIC/LED
94GRO/ROU	298.1	1		nosp	99.0	anal	FSIT	71PIC/LED

Name: 2-Nitrophenol
 Formula: C₆H₅NO₃

CAS-RN: 88-75-5
 Group No.: 62-046
 Molar Mass: 139.11

Table 62.46.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
*94BRU	N	337.1	1	nosp	not specified	avg	DSIO	*94BRU
16KUR	N	430.6	1	nosp	not specified	avg	not specified	
59LUT/PAN		335.0–409.0	eqn	nosp	not specified	<i>p</i>	BDHO	58LUT/PAN
*94BRU	average value in temperature range 325–349 K							
16KUR	average value in temperature range 413–448 K							

Name: 2,2',2''-Nitrilotrisethanol
 Formula: C₆H₁₅NO₃

CAS-RN: 102-71-6
 Group No.: 62-059
 Molar Mass: 149.19

Table 62.59.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
34MEH1	290.1	1	1.50	not specified		<i>p</i>	BSIO	49WEI
82MIN/SAB	298.1	1	nosp	99.	anal	<i>p</i>	not specified	
94LEE	303.1–353.1	11	S nosp	not specified		<i>p</i>	not specified	
97MAH/HEP	299.1–397.8	5	nosp	99.8	anal	<i>p</i>	BDCT	91BAN/GAR
99CHI/LIU	303.1–353.1	11	1.00	99.	anal	<i>p</i>	BDHT	99CHI/LIU
82MIN/SAB	thermopile conduction calorimeter (Tian-Calvet) used, but not specified							


Table 62.59.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
97MAH/HEP	299.1–397.8	5	0.50 #	0.497	1.12–1	0.25	–7.59–2	–3
99CHI/LIU	303.1–353.1	11	1.00	0.377	1.69–1	0.38	1.40–1	9
Rejected data								
94LEE	(6.22–1, 1.45, –4.27–1, –6)							

Table 62.59.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	29	16	0.464	1.70–1	0.38	7.28–2	6
Temp. range K		A_1	A_2	A_3			Level of uncertainty
299.1–397.8		6.47378+1	–1.56172+1	2.86003			IV

62-059



Selected data Rejected data
 ○ 97MAH/HEP △ 94LEE
 □ 99CHI/LIU

Name: 1,1'-Methylenebis[4-isocyanatobenzene]
Formula: C₁₅H₁₀N₂O₂

CAS-RN: 101-68-8
Group No.: 62-099
Molar Mass: 250.26

Table 62.99.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
66ZAL/STR	N	335.1	1	nosp	not specified	avg	not specified	
77LEB/EVS3		321.3–331.5	9	0.30	99.81	melpt	BSAO	66NIK/LEB
77LEB/RAB1	N	313.6–330.0	3 S	0.30	not specified	<i>p</i>	BSAO	76LEB/LIT
66ZAL/STR 77LEB/RAB1	average value in temperature range 319–351 K only a graph given in the paper; smoothed values provided by the authors							

Table 62.99.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
77LEB/EVS3	321.3–331.5	9	0.30	0.160	2.28–2	0.05	–1.28–3	1
77LEB/RAB1	313.6–330.0	3	0.30	0.033	4.70–3	0.01	3.91–3	1

Table 62.99.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	13	12	0.153	2.18–2	0.05	1.46–5	2
Temp. range K	A_1		A_2		Level of uncertainty		
313.6–331.5	3.27509+1		4.50946		III		

Name: 2-Aminoethanol
Formula: C₂H₇NO

CAS-RN: 141-43-5
Group No.: 62-128
Molar Mass: 61.08

Table 62.128.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93PAG/HUO2	283.1–313.1	3	nosp	99.7	anal	<i>p</i>	FSIT	71PIC/LED
94LEE	303.1–353.1	11 S	nosp	not specified		<i>p</i>	not specified	
97MAH/HEP	299.1–397.8	5	nosp	99.0	anal	<i>p</i>	BDCT	91BAN/GAR
99CHI/LIU	303.1–353.1	11	1.00	99.	anal	<i>p</i>	BDHT	99CHI/LIU

Table 62.128.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
97MAH/HEP	299.1–397.8	5	0.50 #	1.883	1.97–1	0.94	–6.92–2	–1
99CHI/LIU	303.1–353.1	11	1.00	0.689	1.47–1	0.69	1.35–1	11
Rejected data								
93PAG/HUO2	(1.34,6.15,1.34,1)		94LEE	(7.53–1,3.37,6.14–1,9)				

Table 62.128.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	30	16	1.281	1.76-1	0.83	7.11-2	10
Temp. range K		A_1	A_2		%		Level of uncertainty
299.1-397.8		1.03390+1	3.20506				IV

Table 62.128.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	30	16	1.429	1.65-1	0.78	-2.76-3	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
299.1-397.8	641.73	-6.20579-1	5.01843-3	1.06637+1	1.91852+1		IV



Name: Methoxyacetonitrile
 Formula: C_3H_5NO

CAS-RN: 1738-36-9
 Group No.: 62-129
 Molar Mass: 71.08

Table 62.129.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95VER/BEC	298.00	2.110	nosp	99.99	chrom	p	BDHT	69PER/COM

Name: 1-Nitropropane
Formula: C₃H₇NO₂

CAS-RN: 108-03-2
Group No.: 62-130
Molar Mass: 89.09

Table 62.130.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96TAN/TOY1	298.15	1.801	nosp	99.9	chrom	<i>p</i>	FSIT	71PIC/LED

Name: 2-(Methylamino)ethanol
Formula: C₃H₉NO

CAS-RN: 109-83-1
Group No.: 62-131
Molar Mass: 75.11

Table 62.131.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	299.1–397.8	5	nosp	99.0	anal	<i>p</i>	BDCT	91BAN/GAR
97STE/CHI2	300.0–620.0	17	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 62.131.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
97MAH/HEP	299.1–397.8	5	1.00 #	1.026	2.59–1	1.03	–2.38–1	–5
97STE/CHI2	300.0–620.0	17	1.00	0.816	2.89–1	0.82	7.82–2	6


Table 62.131.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	22	22	0.988	3.21–1	0.99	6.36–3	1
sat	22	22	0.828	2.37–1	0.83	3.33–3	0
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
299.1–570.0	3.42554+1		–1.56382+1	5.29539	–4.39149–1	IV	
570.0–620.0	–3.44752+4		1.81472+4	–3.18117+3	1.85904+2	IV	
299.1–570.0	4.04063+1		–2.06783+1	6.65786	–5.60728–1	IV	
570.0–620.0	–2.17024+4		1.14229+4	–2.00099+3	1.16846+2	IV	

Table 62.131.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
<i>p</i>	22	22	1.750	5.46–1	1.75	2.83–2	0	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
299.1–620.0	630.00	3.95675–1	4.21461–1	–1.64733+1	1.27628+2	–1.16651+2	3.99963+1	V

62-131



Selected data
 O 97MAH/HEP
 □ 97STE/CH12

Name: Methyl ester cyanoacetic acid
 Formula: $C_4H_5NO_2$

CAS-RN: 105-34-0
 Group No.: 62-132
 Molar Mass: 99.09

Table 62.132.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95VER/BEC	298.00	2.190	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: Ethoxyacetonitrile
 Formula: C_4H_7NO

CAS-RN: 62957-60-2
 Group No.: 62-133
 Molar Mass: 85.11

Table 62.133.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95VER/BEC	298.00	2.090	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: Tetrahydro-2*H*-1,3-oxazin-2-one
 Formula: $C_4H_7NO_2$

CAS-RN: 5259-97-2
 Group No.: 62-134
 Molar Mass: 101.11

Table 62.134.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97LEB/SMI	N	400.3–446.2	22	2.50	not specified	<i>p</i>	BDHT	69YAG
97LEB/SMI	anomaly of $C_p=f(T)$ relationship in the range 350–400 K associated with melting of crystals (n.m.t. 354 K)							

Table 62.134.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	22	22	0.157	1.07-1	0.39	7.50-4	-1
Temp. range K		A_1	A_2				Level of uncertainty
400.3-446.2		4.06571	5.54567				V

Name: 2-(Dimethylamino)ethanol
Formula: C₄H₁₁NO

CAS-RN: 108-01-0
Group No.: 62-135
Molar Mass: 89.14

Table 62.135.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	299.1-397.8	5	nosp	99.0	anal	p	BDCT	91BAN/GAR

Table 62.135.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	5	5	0.546	1.55-1	0.55	8.55-4	-1
Temp. range K		A_1	A_2				Level of uncertainty
299.1-397.8		6.94478	5.94073				IV

Name: 2-(Ethylamino)ethanol
Formula: C₄H₁₁NO

CAS-RN: 110-73-6
Group No.: 62-136
Molar Mass: 89.14

Table 62.136.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	299.1-397.8	5	nosp	99.0	anal	p	BDCT	91BAN/GAR

Table 62.136.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	5	5	0.622	1.84-1	0.62	9.26-4	-1
Temp. range K		A_1	A_2	A_3			Level of uncertainty
299.1-397.8		5.90834+1	-2.33923+1	4.28873			IV

Name: 2-(2-Aminoethoxy)ethanol
Formula: C₄H₁₁NO₂

CAS-RN: 929-06-6
Group No.: 62-137
Molar Mass: 105.14

Table 62.137.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99CHI/LIU	303.1-353.1	11	1.00	98.	anal	p	BDHT	99CHI/LIU

Table 62.137.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	11	0.113	3.68-2	0.11	6.61-5	-1
Temp. range K		A_1	A_2				Level of uncertainty
303.1-353.1		1.78663+1	4.46222				V

Name: 2,2'-Iminobisethanol

Formula: $C_4H_{11}NO_2$

CAS-RN: 111-42-2

Group No.: 62-138

Molar Mass: 105.14

Table 62.138.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94LEE	303.1-353.1	11 S	nosp	not specified		p	not specified	
97MAH/HEP	299.1-397.8	5	nosp	99.0	anal	p	BDCT	91BAN/GAR
99CHI/LIU	303.1-353.1	11	1.00	99.	anal	p	BDHT	99CHI/LIU


Table 62.138.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
94LEE	303.1-353.1	11	1.00 #	0.451	1.47-1	0.45	3.44-2	3
97MAH/HEP	299.1-397.8	5	0.50 #	1.749	2.91-1	0.87	2.00-1	3
99CHI/LIU	303.1-353.1	11	1.00	1.188	3.84-1	1.19	-3.80-1	-11

Table 62.138.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	27	27	1.173	3.08-1	0.95	-1.04-1	-5
Temp. range K		A_1	A_2	A_3			Level of uncertainty
299.1-397.8		2.96248+1	-5.13210	1.85100			IV

62-138



Selected data
 O94LEE
 97MAH/HEP
 99CHI/LIU

Name: Methyl ester 2-cyanopropanoic acid
 Formula: $C_5H_7NO_2$

CAS-RN: 14618-77-0
 Group No.: 62-139
 Molar Mass: 113.12

Table 62.139.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86KUL/DZH	255.6–304.6	18	nosp	not specified		<i>p</i>	BSAO	54STR/ICK

Table 62.139.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	18	18	0.234	3.06–2	0.12	6.47–5	0
Temp. range K			A_1	A_2	Level of uncertainty		
255.6–304.6			2.14563+1	1.71248	IV		

Name: 2-Methoxy-2-methylpropanenitrile
 Formula: C_5H_9NO

CAS-RN: 76474-09-4
 Group No.: 62-140
 Molar Mass: 99.13

Table 62.140.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95VER/BEC	298.00	1.760	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 4-Methyl-3-morpholinone
Formula: C₅H₉NO₂

CAS-RN: 20721-78-2
Group No.: 62-141
Molar Mass: 115.13

Table 62.141.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92KOL/POT	N	293.1–333.1	5	S	nosp	not specified	<i>p</i>	not specified
92KOL/POT	the origin of data unclear							

Table 62.141.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	5	5	0.272	1.38–1	0.54	7.90–4	1
Temp. range K	A_1		A_2		Level of uncertainty		
293.1–333.1	3.62591		6.78168		VI		

Name: Methyl ester *N,N*-dimethylglycine
Formula: C₅H₁₁NO₂

CAS-RN: 7148-06-3
Group No.: 62-142
Molar Mass: 117.15

Table 62.142.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92VER/BEC	298.15	2.427	nosp	99.995	chrom	<i>p</i>	BDHT	69PER/COM

Name: *N,N*-Diethylurea
Formula: C₅H₁₂N₂O

CAS-RN: 634-95-7
Group No.: 62-143
Molar Mass: 116.16

Table 62.143.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86KRA/KOZ	380.0–400.0	2	2.00	99.97	anal	<i>p</i>	BDHT	92KAB/KOZ

Table 62.143.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1		A_2		Level of uncertainty		
380.0–400.0	2.12881+1		3.00678		V		

Name: 2-(Propylamino)ethanol
Formula: C₅H₁₃NO

CAS-RN: 16369-21-4
Group No.: 62-144
Molar Mass: 103.16

Table 62.144.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	299.1–397.8	5	nosp	98.	anal	<i>p</i>	BDCT	91BAN/GAR

Table 62.144.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	5	5	0.822	2.90-1	0.82	2.79-3	1
Temp. range K		A_1	A_2				Level of uncertainty
299.1-397.8		9.35863	7.31011				IV

Name: 2,2'-(Methylimino)bisethanol
 Formula: $C_5H_{13}NO_2$

CAS-RN: 105-59-9
 Group No.: 62-145
 Molar Mass: 119.16

Table 62.145.1. Experimental heat capacities


Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94LEE	303.1-353.1	11 S	nosp	not specified		p	not specified	
97MAH/HEP	299.1-397.8	5	nosp	99.0	anal	p	BDCT	91BAN/GAR
99CHI/LIU	303.1-353.1	11	1.00	98.5	anal	p	BDHT	99CHI/LIU

Table 62.145.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
94LEE	303.1-353.1	11	1.00 #	1.161	4.13-1	1.16	3.85-1	11
97MAH/HEP	299.1-397.8	5	0.50 #	1.267	2.07-1	0.63	1.06-1	1
99CHI/LIU	303.1-353.1	11	1.00	1.658	5.53-1	1.66	-5.45-1	-11

Table 62.145.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	27	27	1.457	4.67-1	1.37	-4.53-2	1
Temp. range K		A_1	A_2				Level of uncertainty
299.1-397.8		9.45850	7.57912				V



Name: 1-Ethenyl-2-pyrrolidinone
 Formula: C_6H_9NO

CAS-RN: 88-12-0
 Group No.: 62-146
 Molar Mass: 111.14

Table 62.146.1. Experimental heat capacities

Reference	Temp. range K	No. pts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97KUL/LEB2	288.8–328.1	12	0.20	99.42	melpt	<i>p</i>	BSAO	76LEB/LIT

Table 62.146.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	12	12	0.976	4.59–2	0.20	1.51–4	2
Temp. range K		A_1	A_2				Level of uncertainty
288.8–328.1		1.51598+1	2.78914				III

Name: Ethyl ester 2-cyanopropanoic acid
 Formula: $C_6H_9NO_2$

CAS-RN: 1572-99-2
 Group No.: 62-147
 Molar Mass: 127.14

Table 62.147.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95VER/BEC	298.00	2.400	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: Tetrahydro-5,5-dimethyl-2*H*-1,3-oxazin-2-one
Formula: C₆H₁₁NO₂

CAS-RN: 54953-79-6
Group No.: 62-148
Molar Mass: 129.16

Table 62.148.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96LEB/SMI	395.1–499.0	23	2.50	not specified		<i>p</i>	BDHT	92KAB/KOZ

Table 62.148.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	23	23	0.496	9.28–1	1.24	–2.23–2	1
Temp. range K			<i>A</i> ₁	<i>A</i> ₂	<i>A</i> ₃	<i>A</i> ₄	Level of uncertainty
395.1–420.0			6.66400+5	–4.75603+5	1.13159+5	–8.97485+3	V
420.0–499.0			5.31153+3	–3.39671+3	7.28556+2	–5.18270+1	V

Name: Ethyl ester *N,N*-dimethylglycine
Formula: C₆H₁₃NO₂

CAS-RN: 33229-89-9
Group No.: 62-149
Molar Mass: 131.17

Table 62.149.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92VER/BEC	298.15	1.862	nosp	99.995	chrom	<i>p</i>	BDHT	69PER/COM

Name: Methyl ester *N,N*-dimethyl-*L*-alanine
Formula: C₆H₁₃NO₂

CAS-RN: 42293-86-7
Group No.: 62-150
Molar Mass: 131.17

Table 62.150.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92VER/BEC	298.15	2.046	nosp	99.995	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2-(Diethylamino)ethanol
Formula: C₆H₁₅NO

CAS-RN: 100-37-8
Group No.: 62-151
Molar Mass: 117.19

Table 62.151.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	299.1–397.8	5	nosp	99.0	chrom	<i>p</i>	BDCT	91BAN/GAR

Table 62.151.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	5	5	0.326	1.19–1	0.33	3.56–4	0
Temp. range K			<i>A</i> ₁	<i>A</i> ₂	Level of uncertainty		
299.1–397.8			1.65621+1	5.67486	IV		

Name: 2,2'-(Ethylimino)bisethanol
Formula: C₆H₁₅NO₂

CAS-RN: 139-87-7
Group No.: 62-152
Molar Mass: 133.19

Table 62.152.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	299.1–397.8	5	nosp	98.	anal	<i>p</i>	BDCT	91BAN/GAR

Table 62.152.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	5	5	0.930	3.75–1	0.93	2.76–3	–1
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	Level of uncertainty		
299.1–397.8	4.22183+1		–9.15515	2.41072	IV		

Name: 1,1'-Iminobis-2-propanol
Formula: C₆H₁₅NO₂

CAS-RN: 110-97-4
Group No.: 62-153
Molar Mass: 133.19

Table 62.153.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99CHI/LIU	323.1–353.1	7	3.00	95.	anal	<i>p</i>	BDHT	99CHI/LIU

Table 62.153.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	7	7	0.000	2.41–6	0.00	–1.09–6	0
Temp. range K	<i>A₁</i>		<i>A₂</i>	Level of uncertainty			
323.1–353.1	1.34736+1		9.61145	VI			

Name: 2,2'-(1,2-Ethanediyldiimino)bisethanol
Formula: C₆H₁₆N₂O₂

CAS-RN: 4439-20-7
Group No.: 62-154
Molar Mass: 148.21

Table 62.154.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
97STE/CHI3	N	395.0–475.0	5	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
97STE/CHI3	an equation in 97STE/CHI4								

Table 62.154.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	5	5	0.222	1.21-1	0.22	2.43-4	-1
Temp. range K		A_1	A_2				Level of uncertainty
395.0-475.0		2.26299+1	7.11464				IV

Name: Isocyanatobenzene
Formula: C₇H₅NO

CAS-RN: 103-71-9
Group No.: 62-155
Molar Mass: 119.12

Table 62.155.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
85BYK/LEB	241.6-330.0	4 S	0.30	99.86	melpt	<i>p</i>	BSAO	76LEB/LIT
93STE/CHI2	300.0-480.0	10	1.00	99.95	chrom	sat	BDHT	89KNI/ARC
93STE/CHI2	same data in 96STE/CHI2							

Table 62.155.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
85BYK/LEB	241.6-330.0	4	0.30	1.477	1.00-1	0.44	-4.17-2	0
93STE/CHI2	300.0-480.0	10	1.00	1.252	2.93-1	1.25	1.97-1	6


Table 62.155.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	14	14	1.562	3.00-1	1.28	1.28-1	6
sat	14	14	1.564	3.00-1	1.28	1.29-1	6
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
241.6-480.0		3.13347+1	-1.14257+1	3.60368	-2.79514-1		IV
241.6-480.0		3.16554+1	-1.17483+1	3.71041	-2.91140-1		IV

Table 62.155.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	14	14	2.384	2.30-1	0.98	3.69-2	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
241.6-480.0	675.00	-4.98547	1.07345	1.47947+1	5.78858		IV

62-155



Selected data
 O 85BYK/LEB
 □ 93STE/CHI2

Name: 2-Propenyl ester 2-cyano-2-propenoic acid
 Formula: $C_7H_7NO_2$

CAS-RN: 7324-02-9
 Group No.: 62-156
 Molar Mass: 137.14

Table 62.156.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93KIP/BYK	265.3–330.0	4 S	0.20	99.50	melpt	<i>p</i>	BSAO	76LEB/LIT

Table 62.156.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	±
	total	used					
<i>p</i>	4	4	0.821	4.92–2	0.16	9.63–5	0
Temp. range K	A_1		A_2		Level of uncertainty		
265.3–330.0	2.16035+1		2.77940		III		

Name: 2-Methoxy-3,3-dimethylbutanenitrile
 Formula: $C_7H_{13}NO$

CAS-RN: 162047-91-8
 Group No.: 62-157
 Molar Mass: 127.19

Table 62.157.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95VER/BEC	298.00	2.220	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2-Methoxy-2-methylpentanenitrile
Formula: C₇H₁₃NO

CAS-RN: 162047-90-7
Group No.: 62-158
Molar Mass: 127.19

Table 62.158.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95VER/BEC	298.00	1.670	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 2-Piperidineethanol
Formula: C₇H₁₅NO

CAS-RN: 1484-84-0
Group No.: 62-159
Molar Mass: 129.20

Table 62.159.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99CHI/LIU	303.1–353.1	11	3.00	95.	anal	<i>p</i>	BDHT	99CHI/LIU

Table 62.159.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s</i> / <i>R</i>	<i>s_r</i>	<i>s_b</i> / <i>R</i>	±
	total	used					
<i>p</i>	11	11	0.047	5.20–2	0.14	1.11–4	–1
Temp. range K		<i>A</i> ₁		<i>A</i> ₂			Level of uncertainty
303.1–353.1		8.39210		8.84639			VI

Name: Methyl ester *N,N*,2-trimethylalanine
Formula: C₇H₁₅NO₂

CAS-RN: 140653-59-4
Group No.: 62-160
Molar Mass: 145.20

Table 62.160.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92VER/BEC	298.15	2.176	nosp	99.91	chrom	<i>p</i>	BDHT	69PER/COM

Name: 4-Ethoxybenzenamine
Formula: C₈H₁₁NO

CAS-RN: 156-43-4
Group No.: 62-161
Molar Mass: 137.18

Table 62.161.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
74OVC/BAT	333.1–343.1	2 S	nosp	not specified		<i>p</i>	not specified	

Table 62.161.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s</i> / <i>R</i>	<i>s_r</i>	<i>s_b</i> / <i>R</i>	±
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	3.82–6	0
Temp. range K		<i>A</i> ₁		<i>A</i> ₂			Level of uncertainty
333.1–343.1		8.08714+1		–1.17386+1			VI

Name: 2-[Bis(1-methylethyl)amino] ethanol
 Formula: C₈H₁₉NO

CAS-RN: 96-80-0
 Group No.: 62-162
 Molar Mass: 145.24

Table 62.162.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	299.1–397.8	5	nosp	not specified		<i>p</i>	BDCT	91BAN/GAR

Table 62.162.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	5	5	0.396	1.69–1	0.40	4.90–4	1
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	Level of uncertainty		
299.1–397.8	6.51355+1		–1.79996+1	3.37172	IV		

Name: 2,2'-(Butylimino)bisethanol
 Formula: C₈H₁₉NO₂

CAS-RN: 102-79-4
 Group No.: 62-163
 Molar Mass: 161.24

Table 62.163.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	299.1–397.8	5	nosp	not specified		<i>p</i>	BDCT	91BAN/GAR

Table 62.163.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	5	5	0.597	2.80–1	0.60	2.62–3	1
Temp. range K	<i>A₁</i>		<i>A₂</i>	Level of uncertainty			
299.1–397.8	1.92073+1		8.32587	IV			

Name: 2,2'-[(1,1-Dimethylethyl)imino]bisethanol
 Formula: C₈H₁₉NO₂

CAS-RN: 2160-93-2
 Group No.: 62-164
 Molar Mass: 161.24

Table 62.164.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97MAH/HEP	322.8–397.8	4	nosp	not specified		<i>p</i>	BDCT	91BAN/GAR

Table 62.164.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	4	4	0.286	1.37–1	0.29	1.89–4	–2
Temp. range K	<i>A₁</i>		<i>A₂</i>	Level of uncertainty			
322.8–397.8	1.36217+1		9.83623	IV			

Name: 4-(Dimethylamino)benzaldehyde
Formula: C₉H₁₁NO

CAS-RN: 100-10-7
Group No.: 62-165
Molar Mass: 149.19

Table 62.165.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
99MEN/LIA	N	349.0–361.7	4	0.50	99.74	melpt	<i>p</i>	BSAO	83TAN/ZHO
99MEN/LIA	same data in 99MEN/TAN								

Table 62.165.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s</i> /R	<i>s_r</i> %	<i>s_b</i> /R	±
	total	used					
<i>p</i>	4	4	0.029	5.29–3	0.01	–3.72–5	0
Temp. range K	<i>A</i> ₁		<i>A</i> ₂	<i>A</i> ₃	Level of uncertainty		
349.0–361.7	2.93632+2		–1.54963+2	2.32568+1	IV		

Name: Ethyl ester 2-cyano-3-methyl-2-(1-methylethyl)butanoic acid
Formula: C₁₁H₁₉NO₂

CAS-RN: 62391-95-1
Group No.: 62-166
Molar Mass: 197.28

Table 62.166.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95VER/BEC	298.00	1.820	nosp	99.99	chrom	<i>p</i>	BDHT	69PER/COM

Name: 1-Oxide diphenyldiazene
Formula: C₁₂H₁₀N₂O

CAS-RN: 495-48-7
Group No.: 62-167
Molar Mass: 198.22

Table 62.167.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*94BRU	N	326.15	1.100	nosp	not specified	avg	DSIO	*94BRU	
*94BRU	average value in temperature range 318–334 K								

Name: 4,4'-Oxybis-1,2-benzenediamine
Formula: C₁₂H₁₄N₄O

CAS-RN: 2676-59-7
Group No.: 62-168
Molar Mass: 230.27

Table 62.168.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
77KAR/RAB	N	435.7–512.8	8	1.50	99.25	melpt	<i>p</i>	BDAO	51POP/GAL
77KAR/RAB	data from a graph only								

Table 62.168.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	8	8	0.166	1.70-1	0.25	5.17-4	2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
435.7-512.8		-2.50428+1	3.65322+1	-3.52386			V

Name: α -[(Cyclohexyloxy)methyl]-4-morpholineethanol
 Formula: $C_{13}H_{25}NO_3$

CAS-RN: 95639-17-1
 Group No.: 62-169
 Molar Mass: 243.35

Table 62.169.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
88GEI/MEK	213.7-306.4	49	nosp	not specified		p	BSAO	54STR/ICK

Table 62.169.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	49	49	0.893	3.43-1	0.63	4.21-3	-5
Temp. range K		A_1	A_2				Level of uncertainty
213.7-306.4		3.59073+1	6.81549				V

Name: 1-Anilino-3-piperidino-2-propanol
 Formula: $C_{14}H_{22}N_2O$

CAS-RN: 14585-29-6
 Group No.: 62-170
 Molar Mass: 234.34

Table 62.170.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
88DZH/MEK	402.4-420.5	10	nosp	not specified		p	BSAO	54STR/ICK

Table 62.170.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	10	10	0.426	1.87-1	0.30	8.90-4	0
Temp. range K		A_1	A_2				Level of uncertainty
402.4-420.5		5.29539+1	2.37712				V

Name: Decyl ester 2-cyano-2-propenoic acid
 Formula: $C_{14}H_{23}NO_2$

CAS-RN: 3578-07-2
 Group No.: 62-171
 Molar Mass: 237.34

Table 62.171.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93BYK/KIP	294.5-330.0	4 S	0.20	99.54	melpt	p	BSAO	76LEB/LIT

Table 62.171.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	4	4	0.112	1.35–2	0.02	4.77–6	0
Temp. range K		A_1	A_2				Level of uncertainty
294.5–330.0		3.91839+1	7.24141				III

Name: α -[(Cyclohexyloxy)methyl]-1-piperidineethanol
 Formula: $C_{14}H_{27}NO_2$

CAS-RN: 96450-92-9
 Group No.: 62-172
 Molar Mass: 241.37

Table 62.172.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
89GEI/ZEI	209.4–302.7	32	nosp	not specified		p	BSAO	54STR/ICK

Table 62.172.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	32	32	0.967	4.23–1	0.77	5.78–3	5
Temp. range K		A_1	A_2				Level of uncertainty
209.4–302.7		2.89235+1	1.02756+1				IV

Name: (1-Methylethylidene)di-1,4-phenylene ester cyanic acid
 Formula: $C_{17}H_{14}N_2O_2$

CAS-RN: 1156-51-0
 Group No.: 62-173
 Molar Mass: 278.31

Table 62.173.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
75LEB/ARO	N	355.8–420.0	3 S	nosp	not specified	p	BSAO	68LEA
77LEB/RAB1	N	355.9–420.0	8 S	0.30	not specified	p	BSAO	76LEB/LIT
75LEB/ARO 77LEB/RAB1	data above 380 K obtained by extrapolation; experim. data drop down at 380 K due to polymerization only a graph given in the paper; smoothed values provided by the authors							

Table 62.173.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
77LEB/RAB1	355.9–420.0	8	0.30	0.131	2.25–2	0.04	–1.67–5	–1
Rejected data								
75LEB/ARO	(1.81–2, 0.03, –1.72–2, –2)							

Table 62.173.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	8	0.151	2.59–2	0.05	–1.67–5	–1
Temp. range K		A_1	A_2				Level of uncertainty
355.9–420.0		6.67944	1.33918+1				IV

Name:

(E,E)-*N,N'*-Bis[[4-(octyloxy)phenyl]methylene]-1,4-benzenediamineFormula: C₃₆H₄₈N₂O₂

CAS-RN: 29273-90-3

Group No.: 62-174

Molar Mass: 540.79

Table 62.174.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
92CHE/JIN	530.0–550.0	3	nosp	not specified		p	BDHT	90JIN/WUN

Table 62.174.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	3	3	0.031	9.57–2	0.06	3.05–5	1
Temp. range K		A_1	A_2				Level of uncertainty
530.0–550.0		1.72376+2	–3.70858				VI

Name: Sulfinylbismethane

Formula: C₂H₆OS

CAS-RN: 67-68-5

Group No.: 63-001

Molar Mass: 78.14

Table 63.1.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
60KEN/LIN	298.1–343.1	2	nosp	not specified		p	BSIO	57KEN
62MUR/YAM	N	315.6	1	nosp	not specified	avg	not specified	
62SHE/NIN	N	288.1	1	nosp	not specified	p	not specified	
70CLE/WES	295.8–348.0	12	0.15	99.96	chrom	p	BSAO	68WES/FUR
78DEV/HEU	298.1	1	1.00	99.8	chrom	p	BSIO	70LKB/COM
79DEV/SOM	298.1	1	1.00	99.8	chrom	p	BSIO	70LKB/COM
86KOR/KUK	298.0	1	0.20	not specified		p	BSAO	83KUK/KOR
87LAN/CRI	N	298.1–353.1	3	nosp	not specified	p	FSIO	87LAN/CRI
88ROD/MAR	N	298.1	1	nosp	not specified	p	BSIO	88ROD/MAR
89BAR/KOO1	298.1	1	nosp	not specified		p	FSIT	71PIC/LED
91GRO/ROU	298.1	1	nosp	99.5	anal	p	FSIT	71PIC/LED
92MIY/TAM1	298.1	1	nosp	99.6	chrom	p	FSIO	85OGA/MUR
93BAS/VOL	N	298.1	1	nosp	99.5	chrom	DDCT	71KON/SUU
93CON/GIR1	298.0–356.0	eqn	5.00	not specified		sat	BDHT	93CON/GIR1
93GRO/ROU	298.1	1	nosp	99.5	anal	p	FSIT	71PIC/LED
93NAK/CHU	298.1	1	0.50	99.97	chrom	p	FSIO	85OGA/MUR
94GRO/ROU	298.1	1	nosp	99.0	anal	p	FSIT	71PIC/LED

62MUR/YAM average value in temperature range 298–333 K

62SHE/NIN very unreliable data under melting point temperature

87LAN/CRI C_p at 298.15 K measured by Picker calorimeter (71PIC/LED)

88ROD/MAR water content 0.009% (Karl Fisher method)

93BAS/VOL content of water less than 0.05 mol.% by Karl Fischer method

Name: Tetrahydrothiophene 1,1-dioxide
Formula: C₄H₈O₂S

CAS-RN: 126-33-0
Group No.: 63-004
Molar Mass: 120.17

Table 63.4.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
59DEA/EVA	N	303.1–473.1	3 S	nosp	not specified	<i>p</i>	not specified	
69TOM/LIN		303.1	1	nosp	not specified	<i>p</i>	BSIO	69TOM/LIN
81CAS/ING		303.1	1	1.00	not specified	<i>p</i>	BDCT	68WAD
97STE/CHI2		315.1–555.1	13	nosp	99.95	chrom	BDHT	89KNI/ARC
59DEA/EVA	data of firm Shell Development Company, Emeryville, Calif.							

Table 63.4.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
81CAS/ING	303.1	1	1.00	0.853	1.83–1	0.85	–1.83–1	–1
97STE/CHI2	315.1–555.1	13	1.00 #	0.407	1.05–1	0.41	1.51–2	1
Rejected data								
59DEA/EVA	(3.48, 15.24, –3.47, –2)		69TOM/LIN	(2.73, 14.45, –2.73, –1)				


Table 63.4.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	18	14	0.512	1.27–1	0.51	9.90–4	0
sat	18	14	0.509	1.26–1	0.51	9.78–4	0
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
303.1–555.1	8.56005		4.63641	–1.10798–1	IV		
303.1–555.1	8.49829		4.66945	–1.15118–1	IV		

Table 63.4.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
<i>p</i>	18	14	0.483	1.18–1	0.48	8.04–4	0	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
303.1–555.1	855.00	3.52775+1	7.60354	–6.30495	1.10818+2	–8.11499+1	5.42525+1	IV

63-004



Selected data Rejected data
 ○ 81CAS/ING △ 59DEA/EVA
 □ 97STE/CHI2

Name: Phenoxathiin
 Formula: C₁₂H₈OS

CAS-RN: 262-20-4
 Group No.: 63-007
 Molar Mass: 200.26

Table 63.7.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93STE/CHI1	313.3–439.8	15	0.10	99.987	melpt	sat	BSAO	88STE/ARC
93STE/CHI1	360.0–700.0	18 S	1.00	99.987	melpt	sat	BDHT	89KNI/ARC

Table 63.7.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
93STE/CHI1	313.3–439.8	15	0.10	0.267	9.76–3	0.03	–1.04–4	0
93STE/CHI1	360.0–700.0	18	1.00	0.101	4.89–2	0.10	9.08–3	0

Table 63.7.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	33	33	0.211	3.98–2	0.08	4.90–3	0
sat	33	33	0.214	4.11–2	0.08	4.80–3	0
Temp. range K			A_1	A_2	A_3	A_4	Level of uncertainty
313.3–450.0			8.14990	1.18499+1	–1.68434	1.44824–1	II
450.0–700.0			–1.48416+1	2.71775+1	–5.09048	3.97130–1	IV
313.3–450.0			8.01977	1.19561+1	–1.71307	1.47396–1	II
450.0–700.0			–1.34246+1	2.62524+1	–4.89003	3.82726–1	IV

Table 63.7.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	33	33	0.677	1.57-1	0.30	-1.45-2	-12	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
313.3-700.0	863.00	4.44839	5.22453	8.60034	6.24508+1	-3.76148+1	1.46917+1	IV

Name: S-(4-Pentylphenyl) ester 4-(heptyloxy)benzenecarbothioic acid
 Formula: $C_{25}H_{34}O_2S$

CAS-RN: 61519-00-4
 Group No.: 63-008
 Molar Mass: 398.61

Table 63.8.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
81CHR/RIC	N	356.3-364.3	2	S	nosp	not specified	sat	BDHT	69PER/COM
81CHR/RIC	data from a graph only								

Table 63.8.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1	A_2				Level of uncertainty
356.3-364.3		1.55114+2	-1.57256+1				VI

Name: 1-Chloro-3-nitrobenzene
 Formula: $C_6H_4ClNO_2$

CAS-RN: 121-73-3
 Group No.: 64-017
 Molar Mass: 157.56

Table 64.17.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*94BRU	N	332.1	1	nosp	not specified	avg	DSIO	*94BRU	
08BOG/WIN	N	338.1	1	nosp	not specified	avg	DSIO	08BOG/WIN	
*94BRU	average value in temperature range 326-338 K								
08BOG/WIN	average value in temperature range 318-358 K								

Table 64.17.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
*94BRU	332.1	1	3.00 #	4.810	4.98	14.43	4.98	1
08BOG/WIN	338.1	1	3.00 #	3.704	2.95	11.11	-2.95	-1

Table 64.17.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
C	2	2	6.071	5.79	18.21	1.01	0
Temp. range K	A_1						Level of uncertainty
332.1–338.1	2.95121+1						VI

Name: 1-Chloro-4-nitrobenzene
Formula: $C_6H_4ClNO_2$

CAS-RN: 100-00-5
Group No.: 64-018
Molar Mass: 157.56

Table 64.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
*94BRU	N	364.6	1	nosp	not specified		avg	DSIO	*94BRU
78MAR/CIO1	N	354.6–466.9	2	nosp	not specified		p	DSIO	71MAR/CIO
*94BRU 78MAR/CIO1	average value in temperature range 361–368 K constant value calculated from temperature dependence of enthalpy by the authors								

Table 64.18.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
*94BRU	364.6	1	3.00 #	0.000	0.00	0.00	0.00	0

Table 64.18.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	3	1	0.000	0.00	0.00	0.00	0
Temp. range K	A_1						Level of uncertainty
364.6–364.6	2.74325+1						VI

Name: 2,2,2-Trifluoroacetamide
Formula: $C_2H_2F_3NO$

CAS-RN: 354-38-1
Group No.: 64-031
Molar Mass: 113.04

Table 64.31.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
#00DI/TAN	N	353.9–403.7	86	0.50	99.3	melpt	p	BSAO	95TAN/SUN
#00DI/TAN	at 389.9 K transition from liquid crystalline phase to fully liquid phase								

Table 64.31.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	86	16	0.623	8.10-2	0.31	4.39-4	3
Temp. range K		A_1	A_2				Level of uncertainty
393.5-403.6		-1.95732+1	1.14535+1				IV

Name: 2-Bromothiophene
Formula: C_4H_3BrS

CAS-RN: 1003-09-4
Group No.: 64-032
Molar Mass: 163.04

Table 64.32.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93FUJ/OGU1	209.2-298.8	38	0.20	99.92	melpt	sat	BSAO	93FUJ/OGU1

Table 64.32.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	38	38	0.176	5.98-3	0.04	4.01-6	0
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
209.2-298.8		2.00145+1	-4.88687	1.92123	-1.96639-1		II

Table 64.32.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	38	38	0.227	7.70-3	0.05	7.13-6	-1
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
209.2-298.8	677.00	1.05779+1	7.94730	7.70953	3.51984		III

Name: 2-Chlorothiophene
Formula: C_4H_3ClS

CAS-RN: 96-43-5
Group No.: 64-033
Molar Mass: 118.59

Table 64.33.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93FUJ/OGU2	204.4-300.3	33	0.30	99.98	melpt	sat	BSAO	93FUJ/OGU1

Table 64.33.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	33	33	0.133	6.55-3	0.04	1.94-6	0
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
204.4-300.3		2.77198+1	-1.55850+1	6.37486	-7.98042-1		III

Table 64.33.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
sat	33	33	0.376	1.84-2	0.11	3.74-5	2
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
204.4-300.3	635.00	2.41804-1	2.93863	1.14067+1	4.97420-3		III

Name: *O*-Ethyl ester 2,3,3-trichloro-2-propenethioic acid
 Formula: $C_5H_5Cl_3OS$

CAS-RN: 76619-92-6
 Group No.: 64-034
 Molar Mass: 219.52

Table 64.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
81SHA/AND	243.0-300.0	5 S	0.50	99.57	melpt	p	BSAO	80SHA/LYU

Table 64.34.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	5	5	0.136	2.17-2	0.07	2.02-5	-1
Temp. range K		A_1	A_2				Level of uncertainty
243.0-300.0		2.35333+1	3.09908				IV

Name: 4-Chlorobenzeneamine
 Formula: C_6H_6ClN

CAS-RN: 106-47-8
 Group No.: 64-035
 Molar Mass: 127.57

Table 64.35.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	reference
*94BRU	N	356.15	1.699	nosp	not specified	avg	DSIO	*94BRU
*94BRU	average value in temperature range 344-388 K							

Name: 2-Fluorobenzeneamine
Formula: C₆H₆FN

CAS-RN: 348-54-9
Group No.: 64-036
Molar Mass: 111.12

Table 64.36.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91LIC	244.15	1.713	2.00	99.	anal	<i>p</i>	BDCT	89BRE/LIC

Name: 2,2,3,3-Tetrafluoropropyl ester 2-cyano-2-propenic acid
Formula: C₇H₅F₄NO₂

CAS-RN: 27827-91-4
Group No.: 64-037
Molar Mass: 211.12

Table 64.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95LEB/BYK	287.4–330.0	4 S	0.20	98.3	melpt	<i>p</i>	BSAO	76LEB/LIT

Table 64.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	4	4	0.213	1.57–2	0.04	5.72–6	0
Temp. range K		<i>A</i> ₁		<i>A</i> ₂			Level of uncertainty
287.4–330.0		3.19867+1		1.65816			III

Name: *O*-Butyl ester 2,3,3-trichloro-2-propenethioic acid
Formula: C₇H₉Cl₃OS

CAS-RN: 79886-21-8
Group No.: 64-038
Molar Mass: 247.57

Table 64.38.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
81SHA/AND	232.9–300.0	5 S	0.50	98.7	melpt	<i>p</i>	BSAO	80SHA/LYU

Table 64.38.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	5	5	0.052	1.01–2	0.03	3.05–6	–1
Temp. range K		<i>A</i> ₁		<i>A</i> ₂			Level of uncertainty
232.9–300.0		2.97555+1		3.43239			IV

Name: *O*-Pentyl ester 2,3,3-trichloro-2-propenethioic acid
Formula: C₈H₁₁Cl₃OS

CAS-RN: 76619-94-8
Group No.: 64-039
Molar Mass: 261.60

Table 64.39.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
81SHA/AND	219.4–300.0	5 S	0.50	98.8	melpt	<i>p</i>	BSAO	80SHA/LYU

Table 64.39.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	5	5	1.033	2.26-1	0.52	1.34-3	-3
Temp. range K		A_1	A_2				Level of uncertainty
219.4-300.0		3.36753+1	3.55386				IV

Name: 2-[[3-(Trifluoromethyl)phenyl]amino]-3-pyridinecarboxylic acid
 Formula: $C_{13}H_9F_3N_2O_2$

CAS-RN: 4394-00-7
 Group No.: 64-040
 Molar Mass: 282.22

Table 64.40.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
89PIN/GON	483.0-499.0	2	nosp	not specified		p	BDHT	69PER/COM

Table 64.40.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	-7.63-6	0
Temp. range K		A_1	A_2				Level of uncertainty
483.0-499.0		-1.35028+2	4.28468+1				VI

Name: 2-(4-Morpholinyl)ethyl ester 2-[[3-trifluoromethyl]phenyl]amino]-3-pyridinecarboxylic acid
 Formula: $C_{19}H_{20}F_3N_3O_3$

CAS-RN: 65847-85-0
 Group No.: 64-041
 Molar Mass: 395.38

Table 64.41.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
89PIN/GON	356.0-439.0	eqn	nosp	not specified		p	BDHT	69PER/COM

Table 64.41.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	10	10	0.000	6.61-6	0.00	4.58-6	0
Temp. range K		A_1	A_2				Level of uncertainty
356.0-438.8		1.70786+1	1.68380+1				V

Name: Ethenyltrimethylsilane
Formula: C₅H₁₂Si

CAS-RN: 754-05-2
Group No.: 71-010
Molar Mass: 100.24

Table 71.10.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
73LEB/TSV	141.6–300.0	6 S	0.50	99.67	melpt	<i>p</i>	BSAO	66NIK/LEB
75RAB/LEB	N 141.6–300.0	5 S	0.50	99.67	melpt	<i>p</i>	BSAO	66NIK/LEB
75RAB/LEB	smoothed value at 298.15 K in 81LEB/LEB							

Table 71.10.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
73LEB/TSV	170.0–300.0	5	0.50	0.632	6.93–2	0.32	–1.99–2	1
75RAB/LEB	141.6–300.0	5	0.50	0.768	8.25–2	0.38	2.11–2	3

Table 71.10.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
<i>p</i>	11	10	0.786	8.52–2	0.39	6.14–4	4
Temp. range K	A_1		A_2	Level of uncertainty			
141.6–300.0	1.82178+1		1.87339	III			

Name: Tetraethylsilane
Formula: C₈H₂₀Si

CAS-RN: 631-36-7
Group No.: 71-022
Molar Mass: 144.33

Table 71.22.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
54STA/WAR	190.0–220.0	4 S	1.00	99.9	melpt	<i>p</i>	BSAO	49STA/GUP
72MAS/RAB	200.0–300.0	12 S	0.40	99.8	melpt	<i>p</i>	BSAO	56POP/KOL
91STE/CHI2	300.0–600.0	16	1.00	99.95	chrom	sat	BDHT	89KNI/ARC

Table 71.22.2. Correlated heat capacities


Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
72MAS/RAB	200.0–300.0	12	0.40	0.574	8.12–2	0.23	1.95–2	0
91STE/CHI2	300.0–600.0	16	1.00	1.357	9.38–1	1.36	–5.77–2	–3
Rejected data								
54STA/WAR	(3.61–1, 1.12, 3.46–1, 3)							

Table 71.22.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
total	used				%		
p	32	28	1.232	8.02-1	1.17	-2.46-2	-3
sat	32	28	0.837	4.42-1	0.75	-3.59-2	-1
Temp. range K							Level of uncertainty
	A_1	A_2	A_3	A_4			
200.0-320.0	3.61385+1	-1.16417+1	6.10923	-7.55797-1			III
320.0-540.0	-3.44614+1	5.45457+1	-1.45743+1	1.39874			IV
540.0-600.0	-2.12986+4	1.18680+4	-2.20224+3	1.36440+2			V
200.0-320.0	3.73895+1	-1.30576+1	6.63202	-8.18748-1			III
320.0-540.0	-3.50669+1	5.48703+1	-1.45954+1	1.39245			IV
540.0-600.0	-1.15081+4	6.42880+3	-1.19495+3	7.42540+1			V

Table 71.22.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm	
	total	used						
p	32	28	2.291	1.07	2.02	-1.39-1	-6	
Temp. range K	T_c K	A_1	A_2	A_3	A_4	A_5	A_6	Level of uncertainty
200.0-600.0	606.00	-6.28270	3.30397-1	2.56973+1	5.66748	7.42802	2.14298	V



Name: 1,1,3,3-Tetramethyl-1,3-diphenyldisiloxane
Formula: C₁₆H₂₂OSi₂

CAS-RN: 56-33-7
Group No.: 71-039
Molar Mass: 286.52

Table 71.39.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
83DZH/KUL	250.0–300.0	7	S	0.20	not specified		<i>p</i>	BSAO 54STR/ICK
86DZH/KUL2	170.0–300.0	eqn		0.20	not specified		<i>p</i>	BSAO 54STR/ICK
96FUJ/MIZ	228.9–302.3	30		0.30	99.78	melpt	<i>p</i>	BSAO 93FUJ/OGU1
86DZH/KUL2	low temperature limit is below n.m.t.; undercooled liquid							

Table 71.39.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
				Selected data				
96FUJ/MIZ	228.9–302.3	30	0.30	0.101	1.60–2	0.03	8.77–6	0
Rejected data								
83DZH/KUL	(4.39,7.42,4.37,7)		86DZH/KUL2	(4.07,7.03,4.05,8)				

Table 71.39.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	51	30	0.106	1.69–2	0.03	8.77–6	0
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
228.9–302.3	4.39628+1		–3.62630–1	1.49525	III		

Name: 1-[2-(Trimethylsilyl)ethyl]aziridine
Formula: C₇H₁₇NSi

CAS-RN: 18387-12-7
Group No.: 71-043
Molar Mass: 143.30

Table 71.43.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
74LEB/TSV	182.8–299.5	21	0.50	98.93	melpt	<i>p</i>	BSAO	66NIK/LEB
74LEB/TSV	smoothed values in 75LEB/TSV2 and data given graphically in 74LEB/RAB							

Table 71.43.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
<i>p</i>	21	21	0.378	6.35–2	0.19	1.96–4	2
Temp. range K	A_1		A_2	A_3	Level of uncertainty		
182.9–299.5	3.21177+1		–4.08928	1.81095	IV		

Name: Trichloromethylsilane
Formula: CH₃Cl₃Si

CAS-RN: 75-79-6
Group No.: 71-057
Molar Mass: 149.48

Table 71.57.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
71SAM/KOS1	N	198.0–300.0	eqn	1.00	99.2	melpt	<i>p</i>	BSAO	54STR/ICK
71SAM/KOS1	data deposited in VINITI No.2423-71								

Table 71.57.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	11	11	0.005	9.76–4	0.01	–1.73–7	0
Temp. range K	<i>A</i> ₁		<i>A</i> ₂	<i>A</i> ₃	<i>A</i> ₄	Level of uncertainty	
198.0–300.0	2.15114+1		–5.00141	2.15425	–2.31398–1	IV	

Name: Dichlorodimethylsilane
Formula: C₂H₆Cl₂Si

CAS-RN: 75-78-5
Group No.: 71-058
Molar Mass: 129.06

Table 71.58.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
71SAM/KOS1	N	199.0–300.0	eqn	1.00	98.7	melpt	<i>p</i>	BSAO	54STR/ICK
71SAM/KOS1	data deposited in VINITI No. 2423-71								

Table 71.58.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	11	11	0.013	2.60–3	0.01	2.60–6	–1
Temp. range K	<i>A</i> ₁		<i>A</i> ₂	<i>A</i> ₃	<i>A</i> ₄	Level of uncertainty	
199.0–300.0	3.35295+1		–1.64664+1	5.98363	–6.41334–1	IV	

Name: Dichloroethenylmethylsilane
Formula: C₃H₆Cl₂Si

CAS-RN: 124-70-9
Group No.: 71-059
Molar Mass: 141.07

Table 71.59.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
71GEI/DZH	176.6–298.1	14 S	nosp	99.42	melpt	<i>p</i>	BSAO	54STR/ICK

Table 71.59.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	14	14	0.004	1.78-3	0.01	-8.17-7	-2
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
176.6-298.1		2.33206+1	4.59459-1	1.78626-1	-3.72401-2		V

Name: Chlorotrimethylsilane
Formula: C_3H_9ClSi

CAS-RN: 75-77-4
Group No.: 71-060
Molar Mass: 108.64

Table 71.60.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
71SAM/KOS2	N	218.0-300.0	eqn	1.00	99.41	melpt	p	BSAO	54STR/ICK
71SAM/KOS2	data deposited in VINITI No. 2501-71								

Table 71.60.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	10	10	0.005	9.84-4	0.00	1.91-6	0
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
218.0-299.9		3.31456+1	-1.48170+1	5.45709	-5.63069-1		IV

Name: 1-(Trimethylsilyl)aziridine
Formula: $C_5H_{13}NSi$

CAS-RN: 2116-90-7
Group No.: 71-061
Molar Mass: 115.25

Table 71.61.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99KUL/LEB	197.8-310.0	27	0.20	99.17	melpt	p	BSAO	97VAR/DRU1

Table 71.61.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	27	27	1.363	7.23-2	0.27	3.39-4	-2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
197.8-310.0		3.55947+1	-1.03354+1	2.54277			IV

Name: Trimethyl-1-propynylsilane
Formula: C₆H₁₂Si

CAS-RN: 6224-91-5
Group No.: 71-062
Molar Mass: 112.25

Table 71.62.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97LEB/KUL	216.9–328.0	32	0.20	99.968	melpt	<i>p</i>	BSAO	76LEB/LIT

Table 71.62.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	32	32	0.347	1.83–2	0.07	2.25–5	–1
Temp. range K			<i>A₁</i>	<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	Level of uncertainty
216.9–328.0			1.12663+1	1.34470+1	–4.04028	4.27377–1	III

Name: Octamethyltrisiloxane
Formula: C₈H₂₄O₂Si₃

CAS-RN: 107-51-7
Group No.: 71-063
Molar Mass: 236.53

Table 71.63.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
86DZH/KUL1	190.8–300.5	23	nosp	not specified		<i>p</i>	BSAO	54STR/ICK

Table 71.63.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	23	23	0.241	2.34–1	0.48	2.15–3	1
Temp. range K			<i>A₁</i>	<i>A₂</i>	Level of uncertainty		
190.8–300.5			3.20853+1	7.63582	V		

Name: 1-Methyl-1-phenylsilacyclobutane
Formula: C₁₀H₁₄Si

CAS-RN: 3944-08-9
Group No.: 71-064
Molar Mass: 162.31

Table 71.64.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78LEB/RAB1	298.15	1.683	0.20	99.	chrom	<i>p</i>	BSAO	76LEB/LIT

Name: Bicyclo[2.2.1]hept-5-en-2-yltrimethylsilane
Formula: C₁₀H₁₈Si

CAS-RN: 17985-13-6
Group No.: 71-065
Molar Mass: 166.34

Table 71.65.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94LEB/SMI1	204.6–326.5	41	0.20	99.8	chrom	<i>p</i>	BSAO	76LEB/LIT

Table 71.65.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	41	40	3.389	2.25-1	0.68	2.81-3	-4
Temp. range K		A_1	A_2	A_3			Level of uncertainty
204.6-326.5		1.89811+1	3.64358	5.62335-1			III

Name: Hexamethyl phosphoric triamide
Formula: $C_6H_{18}N_3OP$

CAS-RN: 680-31-9
Group No.: 72-011
Molar Mass: 179.20

Table 72.11.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
73MOS/NIK	280.0-298.1	2 S	nosp	97.7	melpt	p	BSAO	66NIK/LEB
81CAS/ING	298.1	1	1.00	not specified		p	BDCT	68WAD
82VOR/YAK	298.1	1	nosp	not specified		p	BSAO	77VOR/PRI
85KOL/KUL	283.1-298.1	4 S	nosp	not specified		p	BSAO	75VYU/ZVE
92KOL/KUL2	N 283.1-328.1	4	0.05	not specified		p	BSAO	75VYU/ZVE
92KOL/KUL2	content of water 0.01%-0.02% by Karl Fischer method							

Table 72.11.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r %	d_b/R	\pm
81CAS/ING	298.1	1	0.50 #	0.125	2.42-2	0.06	2.42-2	1
82VOR/YAK	298.1	1	0.50 #	0.454	8.77-2	0.23	-8.77-2	-1
85KOL/KUL	283.1-298.1	4	0.50 #	0.428	8.39-2	0.21	-2.92-2	-2
92KOL/KUL2	283.1-328.1	4	0.30 #	0.585	6.77-2	0.18	1.67-2	0
Rejected data								
73MOS/NIK	(1.73,4.27,1.73,1)							

Table 72.11.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r %	s_b/R	\pm
	total	used					
p	12	10	0.539	8.28-2	0.21	-1.14-2	-2
Temp. range K		A_1	A_2				Level of uncertainty
283.1-328.1		5.24323+1	-4.59506				III

Name: Trimethyl ester boric acid (H_3BO_3)
Formula: $C_3H_9BO_3$

CAS-RN: 121-43-7
Group No.: 72-016
Molar Mass: 103.91

Table 72.16.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
59HAN/HUG	N 249.6-298.2	10	nosp	not specified		p	not specified	
59HAN/HUG	273.1-353.1	9 S	nosp	not specified		p	FSIO	59HAN/HUG
59HAN/HUG	private communication from D. White, Ohio State University, USA							

Table 72.16.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
						%		
Selected data								
59HAN/HUG	249.6–298.2	10	1.00 #	0.220	4.90–2	0.22	1.68–3	4
59HAN/HUG	273.1–353.1	9	1.00 #	0.028	6.37–3	0.03	–1.60–3	–2

Table 72.16.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	19	19	0.170	3.79–2	0.17	1.27–4	2
Temp. range K	A_1	A_2					Level of uncertainty
249.6–353.1	1.51339+1	2.65342					V

Table 72.16.4. Parameters of quasipolynomial equation

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	19	19	0.170	3.81–2	0.17	–1.27–4	4
Temp. range K	T_c K	A_1	A_2	A_3	A_4		Level of uncertainty
249.6–353.1	502.00	–7.36017–1	1.18954–2	1.55823+1	1.13851+1		V

Name: 1-Ethyl-3-methyl-1*H*-imidazolium tetrafluoroborateFormula: C₆H₁₁BF₄N₂

CAS-RN: 143314-16-3

Group No.: 72-017

Molar Mass: 197.97

Table 72.17.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98MUT/WIL	283.1–403.1	12	nosp	not specified		p	BDHT	98MUT/WIL

Table 72.17.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	12	12	0.728	6.72–1	2.18	2.43–2	2
Temp. range K		A_1	A_2				Level of uncertainty
283.1–403.1		2.78640+1	8.34830–1				VI

Name: Triethylphosphine

Formula: C₆H₁₅P

CAS-RN: 554-70-1

Group No.: 72-018

Molar Mass: 118.16

Table 72.18.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99SHE/KAM	191.4–298.3	27	0.20	99.95	melpt	p	BSAO	85RAB/SHE

Table 72.18.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	27	27	0.845	4.47-2	0.17	1.36-4	-2
Temp. range K		A_1	A_2	A_3			Level of uncertainty
191.4-298.3		2.39175+1	-1.21834	9.17147-1			III

Name: Tributyl ester phosphoric acid

Formula: $C_{12}H_{27}O_4P$

CAS-RN: 126-73-8

Group No.: 72-019

Molar Mass: 266.32

Table 72.19.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
81NAZ/RUD	283.1-383.1	11	nosp	not specified		p	BDAO	51POP/GAL

Table 72.19.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	11	11	0.018	8.82-3	0.02	1.25-5	1
Temp. range K		A_1	A_2				Level of uncertainty
283.1-383.1		6.95364	1.29716+1				V

Name: Tris(anhydrosulfide) with phosphorotrithious acid dibutylcarbomethioic acid

Formula: $C_{27}H_{54}N_3PS_6$

CAS-RN: 69267-83-0

Group No.: 72-020

Molar Mass: 644.12

Table 72.20.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
89AIR/DE	385.0-395.0	2	nosp	not specified		p	BDHT	87PER/COM

Table 72.20.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1					Level of uncertainty
385.0-395.0		1.32539+2					VI

Name: 1,6-Hexanediyldiphenylphosphine
 Formula: C₃₀H₃₂P₂

CAS-RN: 19845-69-3
 Group No.: 72-021
 Molar Mass: 454.53

Table 72.21.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter		
				%	method		Type	Reference	
98ZHA/TAN	N	425.0–715.0	23	2.00	99.8	chrom	<i>p</i>	BDHT	96KAB/BLO
98ZHA/TAN	decomposition of the substance starts at 650 K and ends at 700 K in a single step								

Table 72.21.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	23	23	0.194	4.29–1	0.39	2.78–3	–1
Temp. range K	<i>A</i> ₁		<i>A</i> ₂	<i>A</i> ₃	<i>A</i> ₄	Level of uncertainty	
425.0–645.0	–1.58642+2		1.41973+2	–2.54006+1	1.54019	V	

Name: [[(4*R*,5*R*)-2,2-Dimethyl-1,3-dioxolane-4,5-diy]bis(methylene)]bis[diphenylphosphine]
 Formula: C₃₁H₃₂O₂P₂

CAS-RN: 32305-98-9
 Group No.: 72-022
 Molar Mass: 498.54

Table 72.22.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00WU/TAN	366.4–378.2	7	nosp	98.37	melpt	<i>p</i>	BSAO	83TAN/ZHO

Table 72.22.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	7	7	0.159	1.84–1	0.16	3.97–4	1
Temp. range K	<i>A</i> ₁		<i>A</i> ₂	Level of uncertainty			
366.4–378.2	–3.11252+1		3.94756+1	IV			

Name: [1,1'-Binaphthalene]-2,2'-diylbis[bis(4-methylphenyl)phosphine]
 Formula: C₄₈H₄₀P₂

CAS-RN: 153305-67-0
 Group No.: 72-023
 Molar Mass: 678.79

Table 72.23.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
97ZHA/GAO	540.0–660.0	13	2.00	99.8	chrom	<i>p</i>	BDHT	96KAB/BLO

Table 72.23.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	13	13	1.308	5.83	2.62	2.55-1	1
Temp. range K		A_1	A_2				Level of uncertainty
540.0-660.0		1.46177+2	1.28362+1				VI

Name: Tripropylaluminium
Formula: $C_9H_{21}Al$

CAS-RN: 102-67-0
Group No.: 73-027
Molar Mass: 156.25

Table 73.27.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
84SHE/NIS	150.0-298.1	4 S	0.20	99.9	chrom	p	BSAO	80GUR/GAV
91SHE/RAB	155.2-302.8	44	0.20	99.9	chrom	p	BSAO	76LEB/LIT

Table 73.27.2. Correlated heat capacities

Reference	Temp. range K	No. pnts used	$\sigma_r C$ %	d_w	d/R	d_r	d_b/R	\pm
Selected data								
84SHE/NIS	200.0-298.1	3	0.20	0.452	3.31-2	0.09	1.03-2	1
91SHE/RAB	155.2-302.8	44	0.30 #	0.965	1.05-1	0.29	-9.48-4	2

Table 73.27.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	48	47	0.984	1.06-1	0.29	-2.27-4	3
Temp. range K		A_1	A_2	A_3	A_4		Level of uncertainty
155.2-302.8		1.47041+1	1.98606+1	-8.55031	1.62260		III

Name: (*E*)-(2-Chloroethenyl)arsonous dichloride
Formula: $C_2H_2AsCl_3$

CAS-RN: 50361-05-2
Group No.: 73-033
Molar Mass: 207.32

Table 73.33.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96LEB/KUL1	274.8-330.1	18	1.00	99.02	melpt	p	BSAO	76LEB/LIT

Table 73.33.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	18	18	0.358	8.01-2	0.36	4.73-4	1
Temp. range K		A_1	A_2	A_3			Level of uncertainty
274.8-330.1		4.88424+1	-1.83803+1	3.19521			IV

Name: Tellurobismethane
Formula: C₂H₆Te

CAS-RN: 593-80-6
Group No.: 73-034
Molar Mass: 157.67

Table 73.34.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
98SHE/NIS	207.1–308.2	31	0.20	99.99	chrom	<i>p</i>	BSAO	85RAB/SHE

Table 73.34.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	31	31	0.851	2.60–2	0.17	8.25–5	7
Temp. range K		<i>A₁</i>	<i>A₂</i>	<i>A₃</i>			Level of uncertainty
207.1–308.2	2.69744+1	–8.66157	1.56589				III

Name: 1,1'-Tellurobisethene
Formula: C₄H₆Te

CAS-RN: 63000-06-6
Group No.: 73-035
Molar Mass: 181.69

Table 73.35.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
99NIS/SHE	182.9–297.4	37	0.20	99.03	melpt	<i>p</i>	BSAO	85RAB/SHE

Table 73.35.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	37	37	0.500	2.02–2	0.10	3.65–5	4
Temp. range K		<i>A₁</i>	<i>A₂</i>	<i>A₃</i>			Level of uncertainty
182.9–297.4	2.97850+1	–7.41503	1.38528				III

Name: Diethyltelluride
Formula: C₄H₁₀Te

CAS-RN: 627-54-3
Group No.: 73-036
Molar Mass: 185.72

Table 73.36.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96SHE/KAM	169.1–298.2	34	0.20	99.9	melpt	<i>p</i>	BSAO	85RAB/SHE

Table 73.36.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	34	34	0.611	2.61–2	0.12	5.58–5	–8
Temp. range K		<i>A₁</i>	<i>A₂</i>	<i>A₃</i>	<i>A₄</i>		Level of uncertainty
169.1–298.2	2.75767+1	–5.63965	1.06938	6.71560–2			III

Name: Dimethyl[thiobis(methane)]zinc
Formula: C₄H₁₂SZn

CAS-RN: 91071-61-3
Group No.: 73-037
Molar Mass: 157.60

Table 73.37.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93LEB/KUL1	246.8–330.0	26	0.20	99.26	melpt	<i>p</i>	BSAO	76LEB/LIT

Table 73.37.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	26	26	3.463	2.38–1	0.69	2.93–3	2
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	Level of uncertainty		
246.8–330.0	4.92411+1		–1.17334+1	2.32236	IV		

Name: Hydrobis(2-methylpropyl)aluminum
Formula: C₈H₁₉Al

CAS-RN: 1191-15-7
Group No.: 73-038
Molar Mass: 142.22

Table 73.38.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91SHE/RAB	148.8–327.3	49	0.20	99.9	chrom	<i>p</i>	BSAO	76LEB/LIT

Table 73.38.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	49	49	1.011	6.51–2	0.20	2.44–4	–13
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	Level of uncertainty	
148.8–250.0	1.20466+1		1.84300+1	–7.49220	1.47464	III	
250.0–327.3	1.16517+2		–1.06935+2	4.26537+1	–5.21148	III	

Name: Diethyl[1,1'-oxybis(ethane)]zinc
Formula: C₈H₂₀OZn

CAS-RN: 58482-38-5
Group No.: 73-039
Molar Mass: 197.64

Table 73.39.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93LEB/KUL2	174.1–310.0	45	0.20	99.77	melpt	<i>p</i>	BSAO	76LEB/LIT

Table 73.39.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	45	44	1.084	9.59–2	0.22	3.85–4	4
Temp. range K	<i>A₁</i>		<i>A₂</i>	Level of uncertainty			
174.1–310.0	3.14930+1		5.21300	III			

Name: Diethyl[1,1'-tellurobis(ethane)]zinc
Formula: C₈H₂₀TeZn

CAS-RN: 132851-15-1
Group No.: 73-040
Molar Mass: 309.24

Table 73.40.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
91LEB/KUL1	189.7–306.0	38	0.20	99.82	melpt	<i>p</i>	BSAO	76LEB/LIT

Table 73.40.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	38	37	0.892	2.16–1	0.45	1.76–3	–6
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	Level of uncertainty		
192.1–306.0	5.42256+1		–4.72502	8.81089–1	IV		

Name: 1,1'-Tellurobispentane
Formula: C₁₀H₂₂Te

CAS-RN: 71475-88-2
Group No.: 73-041
Molar Mass: 269.88

Table 73.41.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94TEL/SHE	215.4–300.0	10 S	0.30	99.5	melpt	<i>p</i>	BSAO	94TEL/SHE

Table 73.41.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	10	10	0.071	8.47–3	0.02	1.14–6	–1
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	Level of uncertainty		
215.4–300.0	3.25636+1		1.52939	4.95319–1	IV		

Name: Pentaethoxyuranium
Formula: C₁₀H₂₅O₅U

CAS-RN: unknown
Group No.: 73-042
Molar Mass: 463.33

Table 73.42.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
65FER/SCO	257.5–400.0	31 S	0.10	not specified		sat	BSAO	45SCO/MEY

Table 73.42.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
sat	31	31	0.966	5.48–2	0.10	7.15–5	–4
Temp. range K	<i>A₁</i>		<i>A₂</i>	<i>A₃</i>	<i>A₄</i>	Level of uncertainty	
257.5–400.0	2.33039+2		–1.60560+2	4.66049+1	–4.31516	III	

Name: Diphenyltelluride
Formula: C₁₂H₁₀Te

CAS-RN: 1202-36-4
Group No.: 73-043
Molar Mass: 281.81

Table 73.43.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96TEL/SHE	269.6–294.1	10	0.30	99.95	chrom	<i>p</i>	BSAO	85RAB/SHE

Table 73.43.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	10	10	0.679	7.28–2	0.20	2.10–4	0
Temp. range K	<i>A</i> ₁		<i>A</i> ₂	<i>A</i> ₃	Level of uncertainty		
269.6–294.1	1.12644+2		–5.98342+1	1.15425+1	III		

Name: Tri(diethylcarbamodithioato-*S,S'*)indium
Formula: C₁₅H₃₀InN₃S₆

CAS-RN: 15741-07-8
Group No.: 73-044
Molar Mass: 559.64

Table 73.44.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00SOU/OLI	N	567.00	1.547	nosp	not specified	avg	BDHT	87PER/COM
#00SOU/OLI	average value between 523–611 K							

Name: Bis[(1,2,3,4,5,6-*η*)-ethylbenzene]chromium
Formula: C₁₆H₂₀Cr

CAS-RN: 12212-68-9
Group No.: 73-045
Molar Mass: 264.33

Table 73.45.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
72NIK/SAF	275.6–298.1	3 S	0.30	99.5	anal	<i>p</i>	BSAO	66NIK/LEB

Table 73.45.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	3	3	0.041	5.67–3	0.01	0.00	0
Temp. range K	<i>A</i> ₁		<i>A</i> ₂	Level of uncertainty			
275.6–298.1	1.90417+1		9.47767	V			

Name: Tris[2,3,4,5,6-pentafluorophenyl]germane
Formula: C₁₈HF₁₅Ge

CAS-RN: 42371-50-6
Group No.: 73-046
Molar Mass: 574.79

Table 73.46.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
96SMI/LEB	409.2–499.3	27	1.50	99.0	chrom	<i>p</i>	BDHT	69YAG

Table 73.46.3. Parameters of cubic spline polynomials

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	27	27	0.821	1.29	1.23	-3.17-2	3
Temp. range K	A_1		A_2	A_3	A_4	Level of uncertainty	
409.2-430.0	1.94454+6		-1.35537+6	3.14937+5	-2.43948+4	V	
430.0-499.3	2.02597+4		-1.28490+4	2.72358+3	-1.92213+2	V	

Name: Tris[bis(1-methylethyl)carbomodithioato- S,S']indium
 Formula: $C_{21}H_{42}InN_3S_6$

CAS-RN: 85883-33-6
 Group No.: 73-047
 Molar Mass: 643.80

Table 73.47.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00SOU/OLI	N	651.00	1.056	nosp	not specified	avg	BDHT	87PER/COM
#00SOU/OLI	average value between 561-741 K							

Name: Tris(dipropylcarbomodithioato- S,S')indium
 Formula: $C_{21}H_{42}InN_3S_6$

CAS-RN: 87052-01-5
 Group No.: 73-048
 Molar Mass: 643.80

Table 73.48.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00SOU/OLI	N	530.50	3.075	nosp	not specified	avg	BDHT	87PER/COM
#00SOU/OLI	average value between 472-589 K							

Name: Bis[(1,2,3,4,5,6- η)-bis(1-methylethyl)benzene]chromium
 Formula: $C_{24}H_{36}Cr$

CAS-RN: 38744-20-6
 Group No.: 73-049
 Molar Mass: 376.55

Table 73.49.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
72NIK/SAF	200.0-298.1	4 S	0.30	99.5	anal	p	BSAO	66NIK/LEB

Table 73.49.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	4	4	0.375	7.40-2	0.11	-2.21-4	-2
Temp. range K	A_1		A_2	Level of uncertainty			
200.0-298.1	2.28146+1		1.79239+1	IV			

Name: Tris(dibutylcarbamodithioato-*S,S'*)arsenic
 Formula: C₂₇H₅₄AsN₃S₆

CAS-RN: 48233-55-2
 Group No.: 73-050
 Molar Mass: 688.06

Table 73.50.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
89AIR/DE	405.0–415.0	2	nosp	not specified		<i>p</i>	BDHT	87PER/COM

Table 73.50.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K							Level of uncertainty
405.0–415.0	1.28931+2						VI

Name: Tris(dibutylcarbamodithioato-*S,S'*)bismuth
 Formula: C₂₇H₅₄BiN₃S₆

CAS-RN: 34410-99-6
 Group No.: 73-051
 Molar Mass: 822.12

Table 73.51.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
89AIR/DE	375.0–385.0	2	nosp	not specified		<i>p</i>	BDHT	87PER/COM

Table 73.51.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K							Level of uncertainty
375.0–385.0	1.84497+2						VI

Name: Tris[bis(2-methylpropyl)carbamodithioato-*S,S'*]indium
 Formula: C₂₇H₅₄InN₃S₆

CAS-RN: 85129-27-7
 Group No.: 73-052
 Molar Mass: 727.96

Table 73.52.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00SOU/OLI	N	519.00	1.657	nosp	not specified	avg	BDHT	87PER/COM
#00SOU/OLI	average value between 444 and 594 K							

Name: Tris(dibutylcarbamodithioato-*S,S'*)indium
 Formula: C₂₇H₅₄InN₃S₆

CAS-RN: 23467-56-3
 Group No.: 73-053
 Molar Mass: 727.96

Table 73.53.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
#00SOU/OLI	N	526.00	2.675	nosp	not specified		avg	BDHT 87PER/COM
#00SOU/OLI	average value between 444–607 K							

Name: Tris(dibutylcarbamodithioato-*S,S'*)antimony
 Formula: C₂₇H₅₄N₃S₆Sb

CAS-RN: 14907-93-8
 Group No.: 73-054
 Molar Mass: 734.89

Table 73.54.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
89AIR/DE	355.0–365.0	2	nosp	not specified		<i>p</i>	BDHT	87PER/COM

Table 73.54.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	2	2	0.000	0.00	0.00	0.00	0
Temp. range K							Level of uncertainty
355.0–365.0	1.57917+2						VI

Name: Lithium salt formic acid
 Formula: CHLiO₂

CAS-RN: 556-63-8
 Group No.: 74-023
 Molar Mass: 51.96

Table 74.23.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94FER/KEN	545.0–580.0	6	2.00	99.88	melpt	<i>p</i>	BDHT	69PER/COM

Table 74.23.3. Parameters of regression polynomial

Heat capacity type	No. data points		<i>s_w</i>	<i>s/R</i>	<i>s_r</i> %	<i>s_b/R</i>	±
	total	used					
<i>p</i>	6	6	0.055	1.82–2	0.11	2.54–6	0
Temp. range K							Level of uncertainty
545.0–580.0	–1.41473+2						V
			<i>A₂</i>	<i>A₃</i>			
			5.38037+1	–4.58065			

Name: Lithium salt acetic acid
 Formula: C₂H₃LiO₂

CAS-RN: 546-89-4
 Group No.: 74-024
 Molar Mass: 65.99

Table 74.24.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94FER/KEN	570.0–580.0	3	2.00	99.91	melpt	<i>p</i>	BDHT	69PER/COM

Table 74.24.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	3	3	0.163	7.35–2	0.33	1.58–4	–1
Temp. range K		A_1	A_2				Level of uncertainty
570.0–580.0		1.44382+1	1.40369				V

Name: Lithium salt 2-methylpropanoic acid
Formula: $C_4H_7LiO_2$

CAS-RN: 25179-23-1
Group No.: 74-025
Molar Mass: 94.04

Table 74.25.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
93NGE/ABH	520.0–535.0	2	nosp	not specified		p	BDHT	93NGE/ABH

Table 74.25.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	1.91–6	0
Temp. range K		A_1	A_2				Level of uncertainty
520.0–535.0		3.58325+1	–1.33330				V

Name: Thallium(1+) salt butanoic acid
Formula: $C_4H_7O_2Tl$

CAS-RN: 63424-49-7
Group No.: 74-026
Molar Mass: 291.48

Table 74.26.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
94CHE/FER	460.00	0.7103	3.00	99.85	melpt	p	BDHT	94CHE/FER

Name: Thallium(1+) salt octanoic acid
Formula: $C_8H_{15}O_2Tl$

CAS-RN: 18993-50-5
Group No.: 74-027
Molar Mass: 347.59

Table 74.27.1. Experimental heat capacities

Reference	Temp. K	Capac. J/(K.g)	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
95CHE/UGA	500.00	1.309	3.00	99.76	melpt	p	BDHT	94CHE/FER

Name: Lead(2+) salt heptanoic acid
Formula: $C_{14}H_{26}O_4Pb$

CAS-RN: 16180-10-2
Group No.: 74-028
Molar Mass: 465.56

Table 74.28.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78ADE/SIM	413.0–453.0	2	2.00	not specified		p	BDHT	76MET/COM

Table 74.28.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1						Level of uncertainty
413.0–453.0	7.19224+1						VI

Name: Lead(2+) salt nonanoic acid
Formula: $C_{18}H_{34}O_4Pb$

CAS-RN: 63400-08-8
Group No.: 74-029
Molar Mass: 521.67

Table 74.29.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78ADE/SIM	413.0–463.0	2	2.00	not specified		p	BDHT	76MET/COM

Table 74.29.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1						Level of uncertainty
413.0–463.0	8.80389+1						VI

Name: Lead(2+) salt undecanoic acid
Formula: $C_{22}H_{42}O_4Pb$

CAS-RN: 63400-07-7
Group No.: 74-030
Molar Mass: 577.77

Table 74.30.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78ADE/SIM	413.0–463.0	2	2.00	not specified		p	BDHT	76MET/COM

Table 74.30.3. Parameters of regression polynomial

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K	A_1						Level of uncertainty
413.0–463.0	1.04636+2						VI

Name: Lead(2+) salt tridecanoic acid
Formula: $C_{26}H_{50}O_4Pb$

CAS-RN: 50354-80-8
Group No.: 74-031
Molar Mass: 633.88

Table 74.31.1. Experimental heat capacities

Reference	Temp. range K	No. pnts	Error %	Purity		Type capac	Calorimeter	
				%	method		Type	Reference
78ADE/SIM	413.0–463.0	2	2.00	not specified		p	BDHT	76MET/COM

HEAT CAPACITY OF LIQUIDS

1689

Heat capacity type	No. data points		s_w	s/R	s_r	s_b/R	\pm
	total	used					
p	2	2	0.000	0.00	0.00	0.00	0
Temp. range K		A_1					Level of uncertainty
413.0–463.0		1.14258+2					VI